

[illegible]

METAR Information					TAF Information			
EDDS 251120Z 31008KT 270V010 9999 FEW031 17/09 Q1032 NOSIG EDSB 251120Z VRB02KT 9999 FEW031 SCT042 18/10 Q1033 EDFM 251120Z 33009KT 310V010 9999 FEW035 BKN078 18/09 Q1032 = ETAR 251056Z AUTO 34008KT 9999 BKN060 17/09 A3050 RMK AO2 SLP331 T01700092 FZRANO EDDR 251120Z 36008KT 300V040 9999 FEW038 18/09 Q1033 NOSIG EDFH 251120Z 31007KT 270V340 9999 FEW024 BKN055 14/09 Q1033					EDDS 251100Z 2512/2612 31010KT 9999 SCT030 BECMG 2519/2521 31005KT BECMG 2523/2601 VRB02KT BECMG 2607/2609 03005KT EDSB 251100Z 2512/2612 02005KT 9999 FEW030 BECMG 2519/2521 VRB03KT BECMG 2606/2609 02010KT EDFM 251100Z 2512/2521 33011KT 9999 FEW035 BECMG 2517/2520 33006KT = ETAR 251000Z 2510/2616 34009KT 9999 BKN030 BKN070 QNH3049INS TEMPO 2510/2516 34010G20KT BECMG 2523/2524 VRB06KT 9999 FEW070 QNH3052INS BECMG 2610/2611 05009KT 9999 BKN070 QNH3055INS TX18/2515Z TN07/2604Z			
Departure		EDST HAHNWEIDE STUTTGART					EDST	1167 ft
INFO	125.615	COM	< No Freq >	Radio Nav aids	Ident	Freq	Radial	Distance
COM	< No Freq >	COM	< No Freq >	Radio Navaid 1:	STG	116.85	120	7.9 NM
COM	< No Freq >	COM	< No Freq >	Radio Navaid 2:	LBU	109.20	169	17.2 NM
WEB: http://www.hahnweide.com TELNR: +49 71 12 27 620 RSTD: Airfield is open for club members only! PATTERN: South OP HRS: PPR DLY SR-30 to SS+30 PPRTelNR: +49 70 21 51 633								
Arrival		EDRT TRIER-FOEHREN TRIER					EDRT	666 ft
INFO	118.390	COM	< No Freq >	Radio Nav aids	Ident	Freq	Radial	Distance
COM	< No Freq >	COM	< No Freq >	Radio Navaid 1:	NTM	115.30	133	13.4 NM
COM	< No Freq >	COM	< No Freq >	Radio Navaid 2:	ZWN	114.80	328	45.3 NM
TELNR: +49 65 02 29 99 OP HRS: SUM MON-FRI 0900z-SS/1900z O/T PPR. SAT/SUN/HOL 0730z-SS/1900z O/T PPRnWIN 1000z-SS, O/T PPR FAXNR: +49 65 02 79 49 ACFT: 15000 kg, HEL, GLDR (P, self launching), UL, PJE PPR, Balloon NS ABTMT: Before 0600z++, btn 1200-1400z++, aft SS MON-FRI. Before 0800z++ and aft 1200z++Sat, Sun, hol								
Fuel calculation				Weight&Balance Chart: X=KG.M Y=KG				
contingency percentage of trip fuel:		15	%					
final reserve time:		30	min					
longest distance to alternate:		33.9	nm					
taxi and departure fuel:		5.5	ltr					
total trip fuel:		36.0	ltr					
arrival and taxi fuel:		5.5	ltr					
alternate approach fuel:		5.5	ltr					
contingency fuel (15% of trip fuel):		5.4	ltr					
final reserve fuel from final reserve time:		16.5	ltr					
fuel required for longest distance to alternate:		8.5	ltr					
total fuel required for the trip:				82.9 ltr				

[illegible]

NOTAM EDDS/A/3276/20 (NV)

Type: VOR
Location: LAT:48.631832 LON:9.429500
Active from: 20/05/19 0000 UTC to 20/05/26 0330 UTC
Stuttgart DVOR/DME stg 116.85MHZ/CH115Y, DVOR part U/S. 19 20 0000-0400, 26 0000-0330

NOTAM EDXX/E/0366/20 (OB)

Type: Obstacle (specify Details)
Location: LAT:48.628906 LON:9.374215
Active from: 20/03/02 0500 UTC to 20/06/01 2100 UTC
Nuertingen medius Klinik Crane 60m S of ARP. ELEV 1216ft/101ft AGL. HGT above ARP 87ft. Day and NIGHT marked.

NOTAM EDXX/E/0794/20 (OB)

Type: Obstacle (specify Details)
Location: LAT:48.628906 LON:9.374215
Active from: 20/04/20 0600 UTC to 20/06/30 1800 UTC
Nuertingen medius Klinik Mobile Crane 90m SSW ARP, ELEV 1243ft/114ft AGL. Day and NIGHT marked.

NOTAM EDDS/A/3319/20 (MR)

Type: Runway
Location: LAT:48.634399 LON:9.318225
Active from: 20/05/21 0400 UTC to 20/06/17 2000 UTC
Construction work on RWY 07/25 East of TWY c. Declared distances reduced according to AIP AIRAC SUP IFR 05/20: RWY 25: TORA 2175M / TODA 2175M / ASDA 2475M / LDA 2475M RWY 07: TORA 2475M / TODA 2475M / ASDA 2475M / LDA 2175M revised oca/och-values published by AIP AIRAC SUP IFR 05/20. TDZ LGT and simple TDZ LGT RWY 25 not AVBL. For ACFT with more Than 5.7 mtom vor- and rnp-apchs AVBL for RWY 07 and RWY 25. On wet RWY flight OPS with tailwind component exceeding 5KTS are not allowed.

NOTAM EDDS/A/3344/20 (FA)

Type: Aerodrome
Location: LAT:48.634399 LON:9.318225
Active from: 20/05/19 1251 UTC to 20/05/26 0330 UTC
All IFR procedures TEMPO suspended, due to WIP. 19 20 0000-0400, 26 0000-0330

NOTAM EDDS/A/3213/20 (FU)

Type: Fuel Availability
Location: LAT:48.634399 LON:9.318225
Active from: 20/05/14 1005 UTC to 20/06/30 0400 UTC
Fuel AVGAS 100LL fueling services only AVBL BTN 0500-0800. Exemption is granted for ambulance flights. REQ should be at least 2HR before service is needed.

NOTAM EDDS/A/3448/20 (MR)

Type: Runway
Location: LAT:48.634399 LON:9.318225
Active from: 20/05/26 0000 UTC to 20/05/26 0400 UTC
RWY 07/25 CLSD.

NOTAM EDDS/A/2693/20 (XX)

Type: Plain Language
Location: LAT:48.634399 LON:9.318225
Active from: 20/04/23 1348 UTC to 20/06/17 2359 UTC
REF: AIP Germany AIRAC SUP IFR 05/2020 part effective 21 may 2020 page AD 2 EDDS 4-6-1 valid until 17 JUN 2020 add egnos CH 62352 E25A.

NOTAM EDGG/F/1369/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:48.750145 LON:9.202570
Active from: 20/04/20 1130 UTC to 20/05/25 2359 UTC

OBST LGT radio tower/look-out tower stuttgart-frauenkopf 484548N 0091222E out of service. AIP ENR 5.4 baden-wuerttemberg NR. 39A refers.

NOTAM EDXX/E/0372/20 (FP)

Type: Heliport
Location: LAT:49.025875 LON:8.503802
Active from: 20/02/19 1742 UTC to PERM
Karlsruhe ST.vincentius krhs. heliport closed.

NOTAM EDDR/A/3090/20 (NV)

Type: VOR
Location: LAT:49.215679 LON:8.052417
Active from: 20/06/01 0800 UTC to 20/06/01 1300 UTC
Zweibruecken DVOR/DME zwn 114.8MHZ/CH95X, VOR part on test, do not use, false indications POSS.

NOTAM ETAR/P/2938/20 (FA)

Type: Aerodrome
Location: LAT:49.381226 LON:7.699669
Active from: 20/05/18 1430 UTC to 20/05/26 1030 UTC
ATTN: airborne jump operations in progress 26 may 2020 0830Z to 1030Z (1030L to 1230L). Ramstein class d restricted to all aircraft except participating aircraft or emergencies. Expect aircraft arrival and departure delays.

NOTAM ETAR/P/2387/20 (FA)

Type: Aerodrome
Location: LAT:49.381226 LON:7.699669
Active from: 20/04/24 1007 UTC to 20/06/24 2359 UTC
Attention 618 AOC planners. Cargo missions without an onload/offload requirement at etar should be planned to transit etad, egun, or lipa to the maximum extent possible. Please contact the 313 eoss/do at dsn 314-479-4260 with any questions.

NOTAM ETAR/P/1880/20 (FA)

Type: Aerodrome
Location: LAT:49.381226 LON:7.699669
Active from: 20/03/31 0755 UTC to 20/05/30 2359 UTC
Be advised, ETAR UHF frequency changes: GCA facility change: frequency 360.55 to 338.8, 356.225 to 284.675. Tower facility change: frequency 396.875 to 281.625, 279.65 to 356.85, and 308.775 to 300.65. Command Post facility change: frequency 372.675 to 246.825. Airfield management facility change: frequency 369.125 to 376.05. Reference ATIS for updates.

NOTAM ETAR/P/2664/20 (FA)

Type: Aerodrome
Location: LAT:49.381226 LON:7.699669
Active from: 20/05/06 1530 UTC to 20/07/15 2359 UTC
Attention inbound aircraft, please utilize VHF 131.460 AS primary means of communication with amcc. If unable to connect please contact amcc via aero-i/sat phone.

NOTAM ETAR/P/2522/20 (MA)

Type: Movement Area
Location: LAT:49.381226 LON:7.699669
Active from: 20/05/04 0600 UTC to 20/07/06 1500 UTC
Caution: men and equipment working up to but not on runway 09/27 at taxiway echo North. Utilize low power when passing taxiway echo North or turning on taxiway echo center.

NOTAM ETAR/P/2524/20 (MX)

Type: Taxiway
Location: LAT:49.381226 LON:7.699669
Active from: 20/05/04 0600 UTC to 20/07/06 1500 UTC
Caution: taxiway echo North closed for construction.

NOTAM ETAR/P/3021/20 (FA)

Type: Aerodrome
Location: LAT:49.381226 LON:7.699669
Active from: 20/05/27 0800 UTC to 20/05/27 1400 UTC
ATTN: sling load operations in progress, expect aircraft arrival and departure delays.

NOTAM EDGG/F/1700/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:49.436008 LON:7.547055
Active from: 20/05/15 0638 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations Schellweiler 493059N 0072428E out of service. AIP ENR 5.4 rheinland-pfalz NR. 497 refers.

NOTAM EDGG/F/1701/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:49.452503 LON:7.048408
Active from: 20/05/15 0639 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations Primstal 493051N 0065738E out of service. AIP ENR 5.4 saarland NR. 31 refers.

NOTAM EDFH/C/1656/20 (NN)

Type: TACAN
Location: LAT:49.584663 LON:6.958786
Active from: 20/05/26 0800 UTC to 20/05/26 1300 UTC
Nattenheim VORTAC ntm 115.3MHZ/CH100X, TACAN part on MAINT, do not use, false indications POSS.

NOTAM EDGG/F/1698/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:49.598843 LON:6.950113
Active from: 20/05/15 0632 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations Achtersbach 493800N 0070405E out of service. AIP ENR 5.4 rheinland-pfalz NR. 350 refers.

NOTAM EDGG/F/1683/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:49.670879 LON:6.906054
Active from: 20/05/15 0618 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations Naurath, Bescheid 494458N 0065219E out of service. AIP ENR 5.4 rheinland-pfalz NR. 121 refers.

NOTAM EDGG/F/1684/20 (OL)

Type: Obstacle Lights On ...
Location: LAT:49.674614 LON:6.903770
Active from: 20/05/15 0619 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations Mehring 494521N 0065118E out of service. AIP ENR 5.4 rheinland-pfalz NR. 123 refers.

NOTAM EDGG/B/0869/20 (NN)

Type: TACAN
Location: LAT:49.676628 LON:6.902538
Active from: 20/05/26 0800 UTC to 20/05/26 1300 UTC
Nattenheim VORTAC ntm 115.3MHZ/CH100X, TACAN part on MAINT, do not use, false indications POSS.

NOTAM EDFH/A/3084/20 (NV)

Type: VOR
Location: LAT:49.676628 LON:6.902538
Active from: 20/05/28 0800 UTC to 20/05/28 1300 UTC
Nattenheim VORTAC ntm 115.3MHZ/CH100X, VOR part on MAINT. Do not use, false indications POSS.

NOTAM EDGG/F/1680/20 (OL)

Type: Obstacle Lights On ...

Location: LAT:49.713734 LON:6.879842

Active from: 20/05/15 0616 UTC to 20/06/14 2359 UTC
OBST LGT wind power stations breit/buedlich/heidenburg/berglicht 494646N 0065643E out of service. AIP ENR 5.4 rheinland-pfalz NR. 72 refers.

