

Запрос 1

pgAdmin 4

File Object Tools Help

Object Explorer

- postgres
 - realestate
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (5)
 - client
 - deal
 - manager
 - object**
 - owner
 - Trigger Functions
 - Types
 - Views

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, rooms
2 FROM "object" ORDER BY rooms DESC
```

Scratch Pad

Data Output Messages Notifications

obj_id	[PK] integer	type	character varying (10)	rooms	integer
1		5	house		5
2		3	house		4
3		7	flat		3
4		8	house		3
5		11	flat		3
6		1	flat		2
7		2	flat		2
8		4	flat		2
9		6	flat		2
10		10	flat		2
11		12	flat		2
12		13	flat		1
13		9	flat		1

Total rows: 13 of 13 Query complete 00:00:00.326 Ln 1, Col 27

Запрос 2

pgAdmin 4

File Object Tools Help

Object Explorer

- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
 - > client
 - > deal
 - > manager
 - > object
 - ▼ Columns (11)
 - obj_id
 - type
 - district
 - rooms
 - space_total
 - space_living
 - space_kitchen
 - logbalc
 - owner_id
 - project
 - material
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
- > owner
- > Trigger Functions
- > Types

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, space_total
2 FROM "object" ORDER BY space_total
```

Scratch Pad

Data Output Messages Notifications

	obj_id [PK] integer	type character varying (10)	space_total integer
1	13	flat	33
2	9	flat	33
3	12	flat	44
4	2	flat	48
5	6	flat	52
6	10	flat	53
7	4	flat	58
8	11	flat	60
9	1	flat	64
10	7	flat	80
11	8	house	120
12	3	house	146
13	5	house	210

Total rows: 13 of 13 Query complete 00:00:00.160 Ln 2, Col 35

Запрос 3

pgAdmin 4

File Object Tools Help

Object Explorer

- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
 - > client
 - > deal
 - > manager
 - > object
 - ▼ Columns (11)
 - obj_id
 - type
 - district
 - rooms
 - space_total
 - space_living
 - space_kitchen
 - logbalc
 - owner_id
 - project
 - material
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
 - > owner
 - > Trigger Functions
 - > Types

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, space_kitchen
2 FROM "object" WHERE space_kitchen <8 AND logbalc=1
```

Scratch Pad

Data Output Messages Notifications

	obj_id [PK] integer	type character varying (10)	space_kitchen integer
1	13	flat	6

Total rows: 1 of 1 Query complete 00:00:00.197 Ln 2, Col 51

Запрос 4

pgAdmin 4

File Object Tools Help

Object Explorer

- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
 - > client
 - > deal
 - > manager
 - > object
 - ▼ Columns (11)
 - obj_id
 - type
 - district
 - rooms
 - space_total
 - space_living
 - space_kitchen
 - logbalc
 - owner_id
 - project
 - material
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
 - > owner
 - > Trigger Functions

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, district
2 FROM "object" WHERE space_total <60 ORDER BY district
```

Scratch Pad

Data Output Messages Notifications

	obj_id [PK] integer	type character varying (10)	district character varying (30)
1	6	flat	Пашино
2	10	flat	Пашино
3	9	flat	Сосновка
4	12	flat	Сосновка
5	13	flat	Сосновка
6	2	flat	Центр
7	4	flat	Центр

Total rows: 7 of 7 Query complete 00:00:00.182 Ln 2, Col 54

Запрос 5

pgAdmin 4

File Object Tools Help

Object Explorer

- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
 - > client
 - > deal
 - > manager
 - > object
 - ▼ Columns (11)
 - obj_id
 - type
 - district
 - rooms
 - space_total
 - space_living
 - space_kitchen
 - logbale
 - owner_id
 - project
 - material
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
 - > owner
 - > Trigger Functions
 - > Tuning

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, rooms
2 FROM "object" WHERE space_living <40
```

Scratch Pad

Data Output Messages Notifications

	obj_id [PK] integer	type character varying (10)	rooms integer
1	1	flat	2
2	2	flat	2
3	4	flat	2
4	6	flat	2
5	9	flat	1
6	10	flat	2
7	12	flat	2
8	13	flat	1

Total rows: 8 of 8 Query complete 00:00:00.167 Ln 2, Col 33

Запрос 6

pgAdmin 4

File Object Tools Help

Object Explorer

- > Aa FTS Parsers
- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
 - > client
 - > deal
 - > manager
 - > object
 - ▼ Columns (11)
 - obj_id
 - type
 - district
 - rooms
 - space_total
 - space_living
 - space_kitchen
 - logbalc
 - owner_id
 - project
 - material
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
 - > owner
 - > Trigger Functions
 - > Types

Dashboard Properties SQL Statistics Dependencies Dependents Processes realestate/postgres@PostgreSQL 15*

realestate/postgres@PostgreSQL 15

Query Query History

```
1 SELECT obj_id, type, district
2 FROM "object" WHERE logbalc = 0
```

Scratch Pad

Data Output Messages Notifications

	obj_id [PK] integer	type character varying (10)	district character varying (30)
1	2	flat	Центр
2	4	flat	Центр
3	7	flat	Центр
4	8	house	Сосновка
5	9	flat	Сосновка
6	11	flat	Сосновка
7	12	flat	Сосновка

Total rows: 7 of 7 Query complete 00:00:00.114 Ln 2, Col 32