A Practical Algorithm for Topic Modling with Provable Guarantees

Sanjeev Arora Rong Ge Yoni Halpern David Mimno Ankur Moitra David Sontag Yihcen Wu Michael Zhu

Presented by: Vanush Vaswani and Kristy Hughes

- Introduction
- 2 Topic Modelling
- 3 Algorithm
- Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion

Information Overload




A Practical Algorithm for Topic Modling with Provable Guarantees

Effective Organisation





Topics



- Introduction
- 2 Topic Modelling
- Algorithm
- Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion



Model of Topics

Topics




computer 0.01

Topics are distributions over words

Model of Documents

Documents have distribution of topics



THE UNIVERSITY OF SYDNEY

Topic Modelling

Topics

gene	0.04
dna	0.02
genetic	0.01
···	0.01


life	0.02
evolve	0.01
life evolve organism	0.01
_	_

brain	0.04
neuron	0.02
nerve	0.01

Topic proportions and **Documents** assignments Seeking Life's Bare (Genetic) Necessities COLD SPRING HARBOR, NEW YORK-"are not all that far apart," especially in How many genes does an organism need to survive? Last week at the genome meeting comparison to the 75,000 genes nome, notes Siv Ander here," two genome researchers with radically different approaches presented complementary views of the basic genes needed for life ses to compare known genomes, concluded that today's organisms can be sustained with just 250 genes, and that the earliest life forms any newly sequenced genome," explains required a mere 128 genes. The other researcher mapped genes lecular biologist at the National Center for Biotechnology Information (NCBI) in a simple parasite and estimated that for this organism. in Bethesda, Maryland, Comparing genome 1765 geres 800 genes are plenty to do the of 100 wouldn't be enough. Although the numbers don't match precisely, those predictions * Genome Mapping and Sequencing, Cold Spring Harbor, New York, Stripping down. Computer analysis yields an esti-May 8 to 12. mate of the minimum modern and ancient genomes SCIENCE • VOL. 272 • 24 MAY 1996

THE UNIVERSITY OF SYDNEY

Word-topic Matrix



Aim: Find document-topic model

Steps

- Assume documents are generated by probabilistic model with unknown variables
- Infer hidden structure onto document
- Situate new document into model

Approximate Inference & Provable Guarantees

- Document-topic inference is NP-hard.
- Approximate techniques used
- Provably polynomial-time algorithms

- Introduction
- 2 Topic Modelling
- 3 Algorithm
- Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion



Algorithm

Steps

- 1 Second order moment matrix of word-word co-occurrences
- 2 Anchor word selection
- **3** Topic distribution recovery

Assumptions:

- Topics may be correlated
- Word-topic distributions are separable

Anchor Words



0000

Topic Modelling Algorithm Topic Recovery Anchor Words Results Concludion

LDA

Intro Topic Modelling Algorithm Topic Recovery Anchor Words Results Conclusion 000 000000 000€

Contributions

- Introduction
- 2 Topic Modelling
- Algorithm
- 4 Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion

- Introduction
- 2 Topic Modelling
- 3 Algorithm
- Topic Recovery via Bayes' Rule
- **5** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion

- 2 Topic Modelling
- Algorithm
- Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- **6** Experimental Results
- Conclusion

- Introduction
- 2 Topic Modelling
- Algorithm
- 4 Topic Recovery via Bayes' Rule
- **6** Efficiently Finding Anchor Words
- 6 Experimental Results
- Conclusion