



CSS Cheatsheet



Haris Ali Khan

May 11, 2024 📖 4 min read

Font

There are many properties related to the font, such as the face, weight, style, etc. These properties allow you to change the style or complete look of your text.

Font-Family

```
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif
```

Font-Style

```
font-style: italic;
```

Font-Variant

```
font-variant: small-caps;
```

Font-Weight

```
font-weight: bold;
```

Font-Size

```
font-size: larger;
```

Font

```
font: style variant weight size family;
```

Text

Text properties allow one to manipulate alignment, spacing, decoration, indentation, etc., in the document.

Text-Align

```
text-align: justify;
```

Letter-Spacing

```
letter-spacing: .15em;
```

Text-Decoration

```
text-decoration: underline;
```

Word-Spacing

```
word-spacing: 0.25em;
```

Text-Transform

```
text-transform: uppercase;
```

Text-Indent

```
text-indent: 0.5cm;
```

Line-Height

```
line-height: normal;
```

Background

As the name suggests, these properties are related to background, i.e., you can change the color, image, position, size, etc., of the document.

Background-Image

```
background-image: url("Path");
```

Background-Position

```
background-position: right top;
```

Background-Size

```
background-size: cover;
```

Background-Repeat

```
background-repeat: no-repeat;
```

Background-Attachment

```
background-attachment: scroll;
```

Background-Color

```
background-color: fuchsia;
```

Background

```
background: color image repeat attachment position;
```

Border

Border properties are used to change the style, radius, color, etc., of buttons or other items of the document.

Border-Width

```
border-width: 5px;
```

Border-Style

```
border-style: solid;
```

Border-Color

```
border-color: aqua;
```

Border-Radius

```
border-radius: 15px;
```

Border

```
border: width style color;
```

Box Model

In laymen's terms, the CSS box model is a container that wraps around every HTML element. It consists of margins, borders, padding, and the actual content. It is used to create the design and layout of web pages.

Float

```
float: none;
```

Clear

```
clear: both;
```

Display

```
display: block;
```

Height

```
height: fit-content;
```

Width

```
width: auto;
```

Margin

```
margin: top right bottom left;
```

Padding

```
padding: top right bottom left;
```

Overflow

```
overflow: hidden;
```

Visibility

```
visibility: visible;
```

Colors

With the help of the color property, one can give color to text, shape, or any other object.

Color

```
color: cornsilk;
```

Opacity

```
opacity: 4;
```

Template Layout

Specifies the visual look of the content inside a template

Box-Align

```
box-align: start;
```

Box-Direction

```
box-direction: normal;
```

Box-Flex

```
box-flex: normal;
```

Box-Flex-Group

```
box-flex-group: 2;
```

Box-Orient

```
box-orient: inline;
```

Box-Pack

```
box-pack: justify;
```

Box-Sizing

```
box-sizing: margin-box;
```

max-width

```
max-width: 800px;
```

min-width

```
min-width: 500px;
```

max-height

```
max-height: 100px;
```

min-height

```
min-height: 80px;
```

Table

Table properties are used to give style to the tables in the document. You can change many things like border spacing, table layout, caption, etc.

Border-Collapse

```
border-collapse: separate;
```

Empty-Cells

```
empty-cells: show;
```

Border-Spacing

```
border-spacing: 2px;
```

Table-Layout

```
table-layout: auto;
```

Caption-Side

```
caption-side: bottom;
```

Columns

These properties are used explicitly with columns of the tables, and they are used to give the table an incredible look.

Column-Count

```
column-count: 10;
```

Column-Gap

```
column-gap: 5px;
```

Column-rule-width

```
column-rule-width: medium;
```

Column-rule-style

```
column-rule-style: dotted ;
```

Column-rule-color

```
column-rule-color: black;
```

Column-width

```
column-width: 10px;
```

Column-span

```
column-span: all;
```

List & Markers

List and marker properties are used to customize lists in the document.

List-style-type

```
list-style-type: square;
```

List-style-position

```
list-style-position: 20px;
```

List-style-image

```
list-style-image: url(image.gif);
```

Marker-offset

```
marker-offset: auto;
```

Animations

CSS animations allow one to animate transitions or other media files on the web page.

Animation-name

```
animation-name: myanimation;
```

Animation-duration

```
animation-duration: 10s;
```

Animation-timing-function

```
animation-timing-function: ease;
```

Animation-delay

```
animation-delay: 5ms;
```

Animation-iteration-count

```
animation-iteration-count: 3;
```

Animation-direction

```
animation-direction: normal;
```

Animation-play-state

```
animation-play-state: running;
```

Animation-fill-mode

```
animation-fill-mode: both;
```

Transitions

Transitions let you define the transition between two states of an element.

Transition-property

```
transition-property: none;
```

Transition-duration

```
transition-duration: 2s;
```

Transition-timing-function

```
transition-timing-function: ease-in-out;
```

Transition-delay

```
transition-delay: 20ms;
```

CSS Flexbox

Flexbox is a layout of CSS that lets you format HTML easily. Flexbox makes it simple to align items vertically and horizontally using rows and columns. Items will "flex" to different sizes to fill the space. And overall, it makes the responsive design more manageable.

Parent Properties (flex container)

display

```
display: flex;
```

flex-direction

```
flex-direction: row | row-reverse | column | column-reverse;
```



flex-wrap

```
flex-wrap: nowrap | wrap | wrap-reverse;
```

flex-flow

```
flex-flow: column wrap;
```

justify-content

justify-content: flex-start | flex-end | center | space-between



align-items

align-items: stretch | flex-start | flex-end | center | baseline



align-content

align-content: flex-start | flex-end | center | space-between



Child Properties (flex items)

order

order: 5; /* default is 0 */

flex-grow

flex-grow: 4; /* default 0 */

flex-shrink

flex-shrink: 3; /* default 1 */

flex-basis

flex-basis: | auto; /* default auto */

flex shorthand

```
flex: none | [ <'flex-grow'> <'flex-shrink'>? || <'flex-basis'> ]
```



align-self

```
align-self: auto | flex-start | flex-end | center | baseline
```



CSS Grid

Grid layout is a 2-Dimensional grid system to CSS that creates complex responsive web design layouts more easily and consistently across browsers.

Parent Properties (Grid container)

display

```
display: grid | inline-grid;
```

grid-template-columns

```
grid-template-columns: 12px 12px 12px;
```

grid-template-rows

```
grid-template-rows: 8px auto 12px;
```

grid-template

```
grid-template: none | <grid-template-rows> / <grid-template-columns>
```



column-gap

```
column-gap: <line-size>;
```

row-gap

```
row-gap: <line-size>;
```

grid-column-gap

```
grid-column-gap: <line-size>;
```

grid-row-gap

```
grid-row-gap: <line-size>;
```

gap shorthand

```
gap: <grid-row-gap> <grid-column-gap>;
```

grid-gap shorthand

```
grid-gap: <grid-row-gap> <grid-column-gap>;
```

justify-items

```
justify-items: start | end | center | stretch;
```

align-items

```
align-items: start | end | center | stretch;
```

place-items

```
place-items: center;
```

justify-content

```
justify-content: start | end | center | stretch | space-around
```



align-content

```
align-content: start | end | center | stretch | space-around
```



place-content

```
place-content: <align-content> / <justify-content> ;
```

grid-auto-columns

```
grid-auto-columns: <track-size> ...;
```

grid-auto-rows

```
grid-auto-rows: <track-size> ...;
```

grid-auto-flow

```
grid-auto-flow: row | column | row dense | column dense;
```

Child Properties (Grid items)

grid-column-start

grid-column-start: <number> | <name> | span <number> | span .



grid-column-end

grid-column-end: <number> | <name> | span <number> | span <name>



grid-row-start

grid-row-start: <number> | <name> | span <number> | span <name>



grid-row-end

grid-row-end: <number> | <name> | span <number> | span <name>



grid-column shorthand

grid-column: <start-line> / <end-line> | <start-line> / span



grid-row shorthand

grid-row: <start-line> / <end-line> | <start-line> / span <value>



grid-area

grid-area: <name> | <row-start> / <column-start> / <row-end>



justify-self

justify-self: start | end | center | stretch;

align-self

align-self: start | end | center | stretch;

place-self

place-self: center;

[Download this Cheatsheet](#)

Add a new comment

Type Your Comment

Post Comment

Comments (65)



sanjeev2932005_gm 2025-01-06

thank you so much sir

REPLY



priyanshurao108_gm 2024-12-10

Thank you very much Bhaiya

REPLY



adilaaaw_gm 2024-11-26

Love ❤️ from Pakistan

REPLY



pansh6492_gm 2024-11-14

To assist the writing process, these Grammarly AI prompts were used: Prompts I wrote - "Thank you Harry bhai for this cheatsheets and amazing free web development course with handbooks" - "you are the best in the world" - "god can make your best!" To assist the writing process, these Grammarly AI prompts were used: Prompts I wrote - "Thank you Harry bhai for this cheatsheets and amazing free web development course with handbooks" - "you are the best in the world" - "god can make your best!"

REPLY



kahkashaaftab1_gm 2024-11-12

Thank you ! bro you are the best.

REPLY

CodeWithHarry

Managed by CWH Solutions

[Privacy](#)

[Terms](#)

[Shop](#)

[Contact](#)

[Refund](#)

