
Online Smart Parking system (website)

Project Final Report

Prepared by

Kotha Brinda Vivek (19BDS0070)

Yarlagadda Pranay (19BCE0766)

Kandala Sai Krishna (19BCE0832)

Kandra Ksheeraj (19BCE0829)

Vellore Institute of Technology

24-May-2021

Table of Contents

1. Contributors	4
1.1 Work contribution by MEMBER 1	4
1.2 Work contribution by MEMBER 2	4
1.3 Work contribution by MEMBER 3	4
1.3 Work contribution by MEMBER 4	4
2. Title Justification	5
2.1 Problem Statement	5
2.2 Project Motivation	5
2.3 Glossary of terms	6
2.3.1 Technical Terms	6
2.3.2 Non-Technical Terms	6
2.4 Functional Requirement Specification	6
2.4.1 Stakeholders	6
The system would be used by the following persons	6
End users:	6
Customers	6
VIP Customers	6
Administrators:	6
Admin	6
2.4.2 Actors and Goals	6
2.4.3 Intimidating Actors	6
2.4.4 Participating Actors	6
3. Title Justification	7
3.1 Software Model	7
3.1.1 Model used in the project	7
3.1.2 Model Justification	7
3.2 Requirements	9
3.2.1 Functional Requirements	9
3.2.2 Non- Functional Requirements	9
3.2.3 User Stories	9
3.2.4 Customer Statement of Requirements	9
3.2.5 Network Protocols/ Hardware Requirements	11
Processor (At least Pentium 4)	11
Sufficient RAM	11
HARD Disk	11

Other normal computer hardware parts	11
3.2.6 External Interface Requirements	11
3.2.6.1 User Interfaces	11
3.2.6.2 Hardware Interfaces	11
3.2.6.3 Software Interfaces	11
3.2.6.4 Communications Interfaces	12
3.2.7 Database	12
3.2.8 Objective	12
4. UML Diagram	13
4.1 User case diagram	13
4.2 Sequence diagram	14
4.3 Activity Chart Diagram	15
4.4 State Chart Diagram	16
4.5 Class Diagram	17
4.6 Collaboration Diagram	18
4.7 Component Diagram	19
4.8 ER- Diagram	20
4.9 Object Diagram	21
4.10 Deployment Diagram	22
4.11 System Design	23
5. Test Cases	24
6. Code	25
7. Screenshots	26
8. Conclusion & Future work	27
9. References	28

1. Contributors

ALL THE MEMBERS OF OUR TEAM HAVE HAVE EQUALLY CONTRIBUTED TO FINISH THIS PROJECT SUCCESSFULLY.WE HAVE LEARNT,HELPED FROM EACH OTHER DURING COMPLETION OF CREATING A WORKING WEBSITE.

1.1 Work contribution by Brinda

As the user module has various functionalities, the user module has been distributed between me and my team member sai krishna.

I have completed the login page and the user login,sign up page and also the user module functionalities such as booking a parking slot.

1.2 Work contribution by Pranay

As the admin module has many functionalities, the admin module has been distributed between me and my team member ksheeraj.

I have completed some of the admin functionalities(admin login,search vehicle,add vehicle types,manage vehicle category,add vehicle),

These all are connected to the database directly.

1.3 Work contribution by Sai Krishna

I completed the remaining functionalities (view parking,feedback,logout)of the user module and also helped in the completion of some of the functionalities of the admin module(list of incoming and outgoing vehicles).

1.3 Work contribution by Ksheeraj

I completed the remaining functionalities (dashboard,reports daily,profile,print receipt,logout)of the admin module.

I also worked on the additional feature we have planned to incorporate to this system(number plate detection system).I have tried to complete the working of this feature but I did not have time to add this feature to implement and add this in our final website.

2. Title Justification

2.1 Problem Statement

Due to the proliferation in the number of vehicles, parking problems are profoundly found in many shopping malls. This is because the current transportation infrastructure and parking facility developed are unable to cope with the influx of vehicles to the mall. If parking problems are not solved effectively, it may lead to unnecessary traffic and waiting.

The purpose of the implementation of an online car parking system is to automate the existing manual system with the help of computerized equipment and full-fledged computer software.

This project is an online parking booking system that provides customers with a way of reserving a parking space online. It helps to overcome the problem of finding a place for parking in commercial areas that unnecessarily consumes time. The project will be a web-based reservation system(website) where users can view various parking areas and select the space to view whether the space is available or not. If the booking space is available then he/she can book it for a specific time slot. Users can also make an online payment for the booking. After making the payment users are notified about the booking with a unique parking number.

This webpage will provide the user after login, with options like

1. MY ACCOUNT (ALONG WITH HISTORY OF BOOKINGS)
2. BOOK PARKING
3. VIEW BOOKING
4. CANCEL BOOKING
5. FEEDBACK
6. LOGOUT

Vehicle ingress and egress are also made more convenient with the implementation of hassle-free reservation and payment mechanism. With the implementation of the smart parking system, users can easily locate and secure a vacant parking space at any car park deemed convenient to them. Online parking systems, if effectively implemented, can result in an error-free, secure, reliable and fast management system.

2.2 Project Motivation

Nowadays parking is very important and hence every vehicle owner must park his or her car in a secure designated parking slot available. The implementation of this project can be done from the busiest cities to towns. The only disadvantage is that it is completely online based and it cannot be implemented in remote places where manual methods are being implemented, where everything needs to be converted online to implement this procedure.

As the technology is increasing day by day, there is a scope for a very good and better online slot parking system with solving all the queries and limitations in both hardware and software fields. This project mostly suits all updated scenarios and also can be suitable, adaptable to future developments. There are many extensions such as to add more options in the car parking system like priority based parking according to park time which makes this webpage reliable over years. In the future, it can be developed as an android app too.

2.3 Glossary of terms

2.3.1 Technical Terms

Analysis,architecture,asset,case study,complexity,design,efficiency,error,feature, functionality,implementation,waterfall model

2.3.2 Non-Technical Terms

Complex,souce,impact,effect,excess,fundamental,relative rate

2.4 Functional Requirement Specification

2.4.1 Stakeholders

The system would be used by the following persons

End users:

- Customers
- VIP Customers

Administrators:

- Admin

2.4.2 Actors and Goals

Users(customers of the website),database systems,clients and servers,devices.

Goals of these actors are convenient,easy,secured parking and also well recorded parking.

2.4.3 Intimidating Actors

Users of our website and clients of this website play an important role

2.4.4 Participating Actors

Participating actors are actors interacting with the use case.

Customers (users)and the admin(managing website) are main actors in the use case diagram.

3. Title Justification

3.1 Software Model

3.1.1 Model used in the project

The process model that is most suitable according to the requirements, resources, and time availability is WATERFALL MODEL(also known as a linear-sequential model and classic life cycle)

3.1.2 Model Justification

As the requirements (customer requirements, hardware and software requirements) are mentioned and are consistent. There are no ambiguous requirements and all the mentioned requirements are very well documented, clear and fixed.

Time availability for the completion of this project is short. So, we should ensure that all the processes get completed without any interruptions or complications. In this model, each phase is executed completely before the beginning of the next phase. Hence the phases do not overlap in the waterfall model. This model enables us to have clearly defined stages which makes task arrangement easier.

This methodology is well suited for implementations of small projects like our project with fixed constraints, limited time and stable project definition (deliverables are well defined according to the requirements considered). Waterfall Model application in this project according to stages in this process model:

1)Communication:

Requirement gathering (along with its analysis)

We have collected all the requirements like customer requirements, hardware and software requirements that are required to the stakeholders (end users and administrators).

2)Planning:

Estimation(by using COCOMO model)

Scheduling(Planned according to availability of team members)

Tracking(weekly reviews as follow up sessions)

It consists of the complete estimation of completion time, scheduling of tasks and tracking of tasks assigned and completed for project development.

3) Modeling:

Analysis(SRS document)

Design(UML diagrams)

Modeling consists of complete requirement analysis and the design of the project i.e., algorithm, flowchart etc. The algorithm is the step-by-step solution to the problem and the flow chart shows a complete flow diagram of a program.

4) Construction:

Construction consists of code generation and the testing part.

After the code generation of the website by using software requirements of the front end (HTML, CSS, JavaScript) and back end (MYSQL, PHP) it is passed to the testing phase. 4

Testing is to check whether the flow of coding is correct or not. Testing also checks that the program provides the desired output.

5) Deployment

The Deployment step consists of delivering the product to the customer and taking feedback from them. The Website is delivered to the parking management team working in the mall.

If the customer (parking management) wants some corrections or demands for the additional capabilities, then the change is required for improvement in the quality of the software.

The justification for not using other process models is stated below:

I) Evolutionary development model: The model is not required because it does not require constant feedback and updates to evolve into a new system. The Evolutionary model is commonly used when the customer wants to start using the core features instead of waiting for the full software which is not required in the website development because it is hard to divide the problem into several versions that would be acceptable to the customer.

ii) Incremental development model: The model is delivered partially and features are incorporated in due course of time. We don't use this model because it does not demand an early release of a product. It is all about prioritizing the requirement. The upcoming requirements should not affect the existing or estimated requirement. Usually, in large projects, System development is broken down into many mini development projects but the development of a website is a small scale-based project. Thus, this model is not used because the tool is not large.

iii) Rapid application development: The model involves parallel development of the product with limited time and enough resources. The functional modules are developed in parallel as prototypes and are integrated to make the complete product for faster product delivery which is not the case here. It should be used if there is a high availability of designers for Modelling. It should be used only if the budget permits use of automated code generating tools. As this is a small-scale project (website development), we are not going for this model.

iv) Spiral model: This model is used only when there is a new development product and it is a model with a high emphasis on risk analysis used for critical systems. Risk Analysis includes identifying, estimating and monitoring the technical feasibility and management risks, such as schedule slippage and cost overrun which is not the case in an online parking system because it is an existing system and does not have any critical phases.

3.2 Requirements

3.2.1 Functional Requirements

REQ 1: There must be an option for the user to select between the three Floors

REQ2 : The parking spaces should be yellow in colour if they have already been booked and should be displayed in white otherwise. After the user selects the parking slot and the timing the cost must be calculated and displayed and they must be provided with payment options

REQ3: the user must receive a SMS or email after successful payment.

3.2.2 Non- Functional Requirements

Nonfunctional Requirements (NFRs) define system attributes such as security, reliability, performance, maintainability, scalability, and usability.

This website designed for small scale (small no.of parking lots and small no.of users)

This website is secured (username and password). Security can be extended by otp generation to registered mobile.

3.2.3 User Stories

Users are the customers to the shopping mall or designated public place. Users are mainly interested in convenient parking, fast, reliable and secured system.

By taking all interests of users we have included many functionalities to users and admins for easy and satisfied usage of this website.

3.2.4 Customer Statement of Requirements

The system is mainly build to be used in public places for public parking like in malls, supermarkets, stations, and so on. This is to avoid the chaos that usually occurs during the process of parking in public places.

- The system provides a graphical view (clear visualization) of the parking spaces.
- It saves user time in search of parking space available in such a long parking area in the malls which are highly crowded.
- Users can pay online on the spot and confirm their space.
- It excludes the need for human efforts for managing parking spaces.
- The system generates an online bill for the requested time and even sends an email.
- Cost-effective and easy management.

The project can also be implemented in commercial companies and organizations (hospitals, schools, colleges) to automate their parking system.

User side functionality:

- Book parking space
- Cancellation
- Receipt Print
- Feedback

Admin side functionality:

- Administers parking booked
- View User Data
- Feedback view and reply

MODULES:

1. LOGIN TO ACCOUNT (ALONG WITH HISTORY OF BOOKINGS)

- Admin Login: The system is under the supervision of the admin who manages the bookings made.
- User login/registration: Users have to first register themselves to login into the system.

2. VIEW PARKING

- Different Parking areas outlook: The system will provide users with three parking areas of different locations.
- Parking availability check: The User can click on spaces to view the availability. If space is already booked it'll be marked yellow and therefore the available ones are going to be seen in normal colour.

3. BOOK PARKING

- The Parking booking online for date and time: Users can book parking space for their required date and time.
- Automatic cost calculation: The system calculates the total cost incurred for parking based on the time that the user has asked for booking.
- Email on successful parking booking: When the user is successful in parking the space, the system sends a confirmation and 'thank you' email regarding the space booked.

4. CANCEL BOOKING

- Parking cancellation: User may even cancel their bookings by login into the system anytime.

5. FEEDBACK

- Feedback: The system has a feedback form, where the user can provide feedback into the system.

6. LOGOUT

3.2.5 Network Protocols/ Hardware Requirements

Processor (At least Pentium 4)

Sufficient RAM

HARD Disk

Other normal computer hardware parts

3.2.6 External Interface Requirements

3.2.6.1 User Interfaces

The project will be deployed over the web. Hence the user is required to have an electronic device (such as a laptop or mobile) to view the website. The home screen offers a menu with a list of functions that the device performs. The user can select one of the options on the menu and is taken to the respective screen. Every screen displays the menu on the bottom. The user can click on any of the options and is taken to the screen of their choice. The end users are the customers of the parking place. The end users can have access to book, view, pay for their slots. The landing page will consist of logging in of admin and customer (existing account and new user), This user interface prompts the user to authenticate his/her credentials by asking for username and password so that only authorized users can log in to the system. Also, it displays

an error message and exits if the given credentials are wrong. The logged in customer will be directed to a page where he/she can book a slot at the required location and also finish the payment, view previous bookings etc. The administrators also have a different interface to generate reports and manage payments of users.

- Front-end software: HTML Jscript Bootstrap PHP
- web server: XAMPP
- Back-end software: MySQL

3.2.6.2 Hardware Interfaces

The external hardware interface used for accessing the Parking System is the personal computers, mobiles or any other electronic devices with internet access of the end-users containing a browser that supports CGI, HTML & Javascript.

Processor: Dual Core

RAM: Minimum of 2 GB

The two parties should be connected by LAN or WAN for the communication purpose.

3.2.6.3 Software Interfaces

PHP is a popular general-purpose scripting language that is especially Fast, flexible and pragmatic which connects the frontend code to the SQL database. That is compatible with Windows, Linux & Mac operating systems Software is web-based so software needs a web browser and internet connection. All these make the project work on any of the Operating Systems of any version of Windows, Linux, UNIX or Mac which supports TCP/IP protocols.

3.2.6.4 Communications Interfaces

The communication interface is a local area network through Ethernet or can be of any broadband connection or any Internet service provider. This project supports all types of web browsers. It follows the client-server model. The users can communicate with the system using browser and internet once user logins can easily book a parking slot.

3.2.7 Database

Security systems need database storage just like many other applications. However, the special requirements of the security market mean that vendors must choose their database partner carefully.

3.2.8 Objective

Our proposed project is an online parking booking system which provides customers with a way of reserving a parking space online. It helps to overcome the problem of finding a place for parking in commercial areas that unnecessarily consumes time. Hence the project will be a web-based reservation system where users can view various parking areas and select the space to view whether the space is available or not. If the booking space is available then he/she can book it for a specific time slot. Users can also make an online payment for booking. After making the payment users are notified about the booking with a unique parking number. The project aims to avoid the rush in parking slots for choosing a space and reduce the number of cars waiting or searching for parking venues. The application shall run on different platforms. The application forms an individual parking space for each vehicle before their entry into that area/zone. The application asks the user to choose their desired space for parking. The application mainly checks this capability. The project is first developed on a Web-based application like a website, but later it can be developed on Android/IOS applications if the customers want.


4. UML Diagram

4.1 User case diagram(Lucidchart)

Describes the functionality provided by a system in terms of actors, their goals represented as use cases, and any dependencies among those use cases.

Actors: registered user, new user and administrator


Goals and dependencies are the functionalities of respective actors(represented by use cases).



4.2 Sequence diagram(Lucidchart)


Shows how objects communicate with each other in terms of a sequence of messages.

Also indicates the lifespans of objects relative to those messages. (each stage from login to logout is clearly represented in form of a sequence).



4.3 Activity Chart Diagram(Lucidchart)


Describes the business and operational step-by-step workflows of components in a system.
An activity diagram shows the overall flow of control.



4.4 State Chart Diagram(Lucidchart)


Describes the states and state transitions of the system.

Each stage in the process of booking(either by customer or by admin) is represented by states and the successive stages are linked by these state transitions.




4.5 Class Diagram(Lucidchart)

Describes the structure of a system by showing the online parking system's classes, their attributes, and the relationships among the classes.



4.6 Collaboration Diagram(Lucidchart)

This is an illustration of the relationships and interactions among software objects in the Unified Modeling Language (UML). These diagrams can be used to portray the dynamic behavior of a particular use case and define the role of each object.




4.7 Component Diagram(Lucidchart)


Describes how a software system is split-up into components and shows the dependencies among these components.

Components found :Reservation system,system database,payment gateway,customer side,bank database,system database.

The dependencies are shown by the connections of these components(by arrows).




4.8 ER- Diagram(Lucidchart)



4.9 Object Diagram(Lucidchart)


Shows a complete or partial view of the structure of an example modeled system at a specific time.



4.10 Deployment Diagram(Lucidchart)

Describes the hardware used in system implementations and the execution environments and artifacts deployed on the hardware.

Hardware: bank server and system servers.






4.11 System Design



Systems design is the process of defining elements of a system like modules, architecture, components and their interfaces and data for a system based on the specified requirements. It is the process of defining, developing and designing systems which satisfies the specific needs and requirements of a business or organization.



Tool Used: Adobe XD


Adobe XD is a vector-based user experience design tool for web apps and mobile apps, developed and published by Adobe Inc. It is available for macOS and Windows, although there are versions for iOS and Android to help preview the result of work directly on mobile devices.











This screenshot shows the Admin dashboard of a vehicle management system. The left sidebar contains links for Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, and Reports. The main area displays four summary boxes: '12 Todays Vehicle Entries', '9 Yesterday Vehicle Entries', '74 Week Vehicle Entries', and '116 Total Vehicle Entries'. A user profile icon is located in the top right corner.

This screenshot shows the Admin dashboard with a user profile edit form overlaid. The left sidebar remains the same. The main area now features a form with fields for Admin Name (Ksheeraj Kandra), User Name (ksheeru), Contact Number (8500050911), and Email (kandra.ksheeraj@gmail.com). A large 'Update' button is centered below the form fields.

5. Testing (Tool Used for Testing: Selenium IDE)

Selenium IDE - SPRS*

Project: SPRS*

Tests + ▶ ⌂ ⌂ ⌂

Search tests...

Admin_Login*

User_Login*

Command Target Value

1 open	http://localhost/SPRS/	
2 set window size	1552x840	
3 click	css=listview_1_of_3:nth-child(2) a	
4 click	name=username	
5 type	name=username	ksheeru
6 click	name=password	
7 type	name=password	123
8 click	name=login	

Command: open
Target: http://localhost/SPRS/
Value:
Description:

Log Reference

Running 'Admin_Login'

```
1: open on http://localhost/SPRS/ OK
2: setWindowSize on 1552x840 OK
3: click on css=listview_1_of_3:nth-child(2) a OK
4: click on name=username OK
5: type on name=username with value ksheeru OK
6: click on name=password OK
7: type on name=password with value 123 OK
8: click on name=login OK
'Admin_Login' completed successfully
```

22:59:10
22:59:10
22:59:11
22:59:11
22:59:13
22:59:13
22:59:14
22:59:14
22:59:15
22:59:15
22:59:15
22:59:15

Selenium IDE - SPRS*

Project: SPRS*

Tests + ▶ ⌂ ⌂ ⌂

Search tests...

Admin_Login*

User_Login*

Command Target Value

1 open	http://localhost/SPRS/	
2 set window size	1552x840	
3 click	linkText:Click Here	
4 click	name=username	
5 type	name=username	sai
6 click	name=password	
7 type	name=password	123
8 click	name=login	

Command:
Target:
Value:
Description:

Log Reference

Running 'User_Login'

```
1: open on http://localhost/SPRS/ OK
2: setWindowSize on 1552x840 OK
3: click on linkText:Click Here OK
4: click on name=username OK
5: type on name=username with value sai OK
6: click on name=password OK
7: type on name=password with value 123 OK
8: click on name=login OK
'User_Login' completed successfully
```

22:59:51
22:59:51
22:59:51
22:59:52
22:59:53
22:59:54
22:59:54
22:59:55
22:59:55
22:59:55

Selenium IDE - SPRS*

Project: SPRS*

Tests + |

Search tests...

http://localhost/SPRS/

Command	Target	Value
1 open	http://localhost/SPRS/	
2 set window size	1552x840	
3 click	css=listview_1_of_3:nth-child(2) a	
4 click	linkText=Forgotten Password?	
5 click	css=form-group:nth-child(2)	
6 click	name=email	
7 type	name=email	kandra.ssheeraj@gmail.com
8 click	name=contactno	
9 type	name=contactno	8500050911
10 click	name=submit	
11 click	name=newpassword	
12 type	name=newpassword	1234
13 click	name=confirm password	
14 type	name=confirm password	1234
15 click	name=submit	
16 close		

Command

Target

Value

Description

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Tests + |

Search tests...

http://localhost/SPRS/user-dashboard.php

Command	Target	Value
1 open	http://localhost/SPRS/user-dashboard.php	
2 set window size	1552x840	
3 click	linkText=Booking	
4 click	id=catename	
5 select	id=catename	label=Two Wheeler Vehicle
6 click	id=catename	
7 click	id=vehcomp	
8 type	id=vehcomp	TVS
9 click	id=vehreno	
10 type	id=vehreno	AP 03 BB 8966
11 click	id=vehreno	
12 type	id=vehreno	AP 39 BB 7401
13 click	id=ownername	
14 click	id=ownername	Likitha
15 type	id=ownername	
16 click	id=ownercontno	
17 type	id=ownercontno	9418745121

Command

Target

Value

Description

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Test	+	Command	Target	Value
Admin_Login*		13 click	id=ownername	
		14 click	id=ownername	
		15 type	id=ownername	Likitha
Forgot_Password*		16 click	id=ownercontno	
User_Book_Slot*		17 type	id=ownercontno	9418745121
User_Login*		18 click	name=submit	
		19 click	name=cardno	7401 2589 6324 0215
		20 type	name=cardno	
		21 click	name=date	
		22 type	name=date	12/22
		23 click	name=cvccode	
		24 type	name=cvccode	741
		25 click	name=cardowner	
		26 type	name=cardowner	Likitha K
		27 click	id=Submit	
		28 close		

Command:

Target:

Value:

Description:

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Test	+	Command	Target	Value
Admin_Login*		1 open	http://localhost/SPRS/dashboard.php	
Admin_Module Complete*		2 set window size	1552x840	
Forgot_Password*		3 click	css=user-avatar	
User_Book_Slot*		4 click	linkText=My Profile	
User_Login*		5 click	css=user-avatar	
		6 click	linkText=Change Password	
		7 click	css=user-avatar	
		8 click	linkText=My Profile	
		9 click	linkText=Vehicle Category	
		10 click	linkText=Add Category	
		11 mouse over	linkText=Add Category	
		12 mouse out	css=nth-child(3) > a:nth-child(2)	
		13 click	id=catename	
		14 type	id=catename	Truck
		15 click	name=submit	
		16 click	linkText=Add Vehicle	
		17 click	linkText=Manage Category	

Command:

Target:

Value:

Description:

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Tests + http://localhost/SPRS/dashboard.php

Command	Target	Value
18 click	linkText=Vehicle Category	
19 click	linkText>Edit Details	
20 click	linkText>Add Vehicle	
21 click	css=.card-body	
22 click	id=catename	
23 click	id=catename	
24 click	id=catename	
25 select	id=catename	label=Bus
26 click	id=catename	
27 click	css=.form-horizontal	
28 click	id=vehcomp	
29 type	id=vehcomp	Mahindra
30 click	id=vehreno	
31 type	id=vehreno	KL 01 NB 8541
32 click	id=ownername	
33 type	id=ownername	Anuranj
34 click	id=ownercontro	

Command

Target

Value

Description

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Tests + http://localhost/SPRS/dashboard.php

Command	Target	Value
35 type	id=ownercontro	7874596321
36 click	name=submit	
37 click	linkText=Manage Vehicle	
38 click	css=.show > li:nth-child(2) > a	
39 click	linkText=View	
40 click	name=remark	
41 type	name=remark	thank you
42 click	css=.mb-0	
43 click	id=parkingcharge	
44 type	id=parkingcharge	100
45 click	name=submit	
46 click	linkText=Manage Vehicle	
47 click	css=.show > li:nth-child(2) > a	
48 click	linkText=Print	
49 store window handle	root	
50 select window	handle=\${win5291}	
51 close		

Command

Target

Value

Description

Log Reference

Selenium IDE - SPRS*

Project: SPRS*

Test	+	Log	Reference																																																						
Admin_Login*																																																									
Admin_Module Complete*																																																									
Forgot_Password*																																																									
User_Book_Slot*																																																									
User_Login*																																																									
<p>http://localhost/SPRS/dashboard.php</p> <table border="1"> <thead> <tr> <th>Command</th> <th>Target</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>52 select window</td> <td>handle=\$root</td> <td></td> </tr> <tr> <td>53 click</td> <td>linkText=Manage Vehicle</td> <td></td> </tr> <tr> <td>54 mouse over</td> <td>linkText=Manage Vehicle</td> <td></td> </tr> <tr> <td>55 mouse out</td> <td>linkText=Manage Vehicle</td> <td></td> </tr> <tr> <td>56 click</td> <td>linkText=Manage Out Vehicle</td> <td></td> </tr> <tr> <td>57 click</td> <td>css=r nth-child(7) a:nth-child(1)</td> <td></td> </tr> <tr> <td>58 click</td> <td>linkText=Reports</td> <td></td> </tr> <tr> <td>59 mouse over</td> <td>linkText=Reports</td> <td></td> </tr> <tr> <td>60 mouse out</td> <td>linkText=Reports</td> <td></td> </tr> <tr> <td>61 click</td> <td>linkText=Between Dates Reports</td> <td></td> </tr> <tr> <td>62 click</td> <td>id=fromdate</td> <td></td> </tr> <tr> <td>63 type</td> <td>id=fromdate</td> <td>2021-06-01</td> </tr> <tr> <td>64 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>65 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>66 type</td> <td>name=todate</td> <td>2021-06-01</td> </tr> <tr> <td>67 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>68 click</td> <td>name=todate</td> <td></td> </tr> </tbody> </table> <p>Command: <input type="text"/></p> <p>Target: <input type="text"/></p> <p>Value: <input type="text"/></p> <p>Description: <input type="text"/></p>				Command	Target	Value	52 select window	handle=\$root		53 click	linkText=Manage Vehicle		54 mouse over	linkText=Manage Vehicle		55 mouse out	linkText=Manage Vehicle		56 click	linkText=Manage Out Vehicle		57 click	css=r nth-child(7) a:nth-child(1)		58 click	linkText=Reports		59 mouse over	linkText=Reports		60 mouse out	linkText=Reports		61 click	linkText=Between Dates Reports		62 click	id=fromdate		63 type	id=fromdate	2021-06-01	64 click	name=todate		65 click	name=todate		66 type	name=todate	2021-06-01	67 click	name=todate		68 click	name=todate	
Command	Target	Value																																																							
52 select window	handle=\$root																																																								
53 click	linkText=Manage Vehicle																																																								
54 mouse over	linkText=Manage Vehicle																																																								
55 mouse out	linkText=Manage Vehicle																																																								
56 click	linkText=Manage Out Vehicle																																																								
57 click	css=r nth-child(7) a:nth-child(1)																																																								
58 click	linkText=Reports																																																								
59 mouse over	linkText=Reports																																																								
60 mouse out	linkText=Reports																																																								
61 click	linkText=Between Dates Reports																																																								
62 click	id=fromdate																																																								
63 type	id=fromdate	2021-06-01																																																							
64 click	name=todate																																																								
65 click	name=todate																																																								
66 type	name=todate	2021-06-01																																																							
67 click	name=todate																																																								
68 click	name=todate																																																								

Selenium IDE - SPRS*

Project: SPRS*

Test	+	Log	Reference																																																			
Admin_Login*																																																						
Admin_Module Complete*																																																						
Forgot_Password*																																																						
User_Book_Slot*																																																						
User_Login*																																																						
<p>http://localhost/SPRS/dashboard.php</p> <table border="1"> <thead> <tr> <th>Command</th> <th>Target</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>62 click</td> <td>id=fromdate</td> <td></td> </tr> <tr> <td>63 type</td> <td>id=fromdate</td> <td>2021-06-01</td> </tr> <tr> <td>64 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>65 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>66 type</td> <td>name=todate</td> <td>2021-06-01</td> </tr> <tr> <td>67 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>68 click</td> <td>name=todate</td> <td></td> </tr> <tr> <td>69 type</td> <td>name=todate</td> <td>2021-06-07</td> </tr> <tr> <td>70 click</td> <td>name=submit</td> <td></td> </tr> <tr> <td>71 click</td> <td>linkText=View</td> <td></td> </tr> <tr> <td>72 click</td> <td>linkText=Search Vehicle</td> <td></td> </tr> <tr> <td>73 click</td> <td>id=searchdata</td> <td></td> </tr> <tr> <td>74 type</td> <td>id=searchdata</td> <td>323009694</td> </tr> <tr> <td>75 click</td> <td>css= btn</td> <td></td> </tr> <tr> <td>76 click</td> <td>linkText=View</td> <td></td> </tr> <tr> <td>77 close</td> <td></td> <td></td> </tr> </tbody> </table> <p>Command: <input type="text"/></p> <p>Target: <input type="text"/></p> <p>Value: <input type="text"/></p> <p>Description: <input type="text"/></p>				Command	Target	Value	62 click	id=fromdate		63 type	id=fromdate	2021-06-01	64 click	name=todate		65 click	name=todate		66 type	name=todate	2021-06-01	67 click	name=todate		68 click	name=todate		69 type	name=todate	2021-06-07	70 click	name=submit		71 click	linkText=View		72 click	linkText=Search Vehicle		73 click	id=searchdata		74 type	id=searchdata	323009694	75 click	css= btn		76 click	linkText=View		77 close		
Command	Target	Value																																																				
62 click	id=fromdate																																																					
63 type	id=fromdate	2021-06-01																																																				
64 click	name=todate																																																					
65 click	name=todate																																																					
66 type	name=todate	2021-06-01																																																				
67 click	name=todate																																																					
68 click	name=todate																																																					
69 type	name=todate	2021-06-07																																																				
70 click	name=submit																																																					
71 click	linkText=View																																																					
72 click	linkText=Search Vehicle																																																					
73 click	id=searchdata																																																					
74 type	id=searchdata	323009694																																																				
75 click	css= btn																																																					
76 click	linkText=View																																																					
77 close																																																						

6. Code

Css

```
@font-face {
    font-family: 'icomoon';
    src:url('../fonts/icomoon/icomoon.eot?-rdnm34');
    src:url('../fonts/icomoon/icomoon.eot?#iefix-rdnm34') format('embedded-opentype'),
        url('../fonts/icomoon/icomoon.woff?-rdnm34') format('woff'),
        url('../fonts/icomoon/icomoon.ttf?-rdnm34') format('truetype'),
        url('../fonts/icomoon/icomoon.svg?-rdnm34#icomoon') format('svg');
    font-weight: normal;
    font-style: normal;
}

div.cs-skin-elastic {
    background: transparent;
    font-size: 1.5em;
    font-weight: 700;
    color: #5b8583;
}

@media screen and (max-width: 30em) {
    div.cs-skin-elastic { font-size: 1em; }
}

.cs-skin-elastic > span {
    background-color: #fff;
    z-index: 100;
}

.cs-skin-elastic > span::after {
    font-family: 'icomoon';
    content: '\e005';
    -webkit-backface-visibility: hidden;
    backface-visibility: hidden;
}

.cs-skin-elastic .cs-options {
    overflow: visible;
    background: transparent;
    opacity: 1;
    visibility: visible;
    padding-bottom: 1.25em;
    pointer-events: none;
}

.cs-skin-elastic.cs-active .cs-options {
    pointer-events: auto;
}

.cs-skin-elastic .cs-options > ul::before {
    content: '';
    position: absolute;
```

```
width: 100%;  
height: 100%;  
left: 0;  
top: 0;  
-webkit-transform: scale3d(1,0,1);  
transform: scale3d(1,0,1);  
background: #fff;  
-webkit-transform-origin: 50% 0%;  
transform-origin: 50% 0%;  
-webkit-transition: -webkit-transform 0.3s;  
transition: transform 0.3s;  
}  
  
.cs-skin-elastic.cs-active .cs-options > ul::before {  
-webkit-transform: scale3d(1,1,1);  
transform: scale3d(1,1,1);  
-webkit-transition: none;  
transition: none;  
-webkit-animation: expand 0.6s ease-out;  
animation: expand 0.6s ease-out;  
}  
  
.cs-skin-elastic .cs-options ul li {  
opacity: 0;  
-webkit-transform: translate3d(0,-25px,0);  
transform: translate3d(0,-25px,0);  
-webkit-transition: opacity 0.15s, -webkit-transform 0.15s;  
transition: opacity 0.15s, transform 0.15s;  
}  
  
.cs-skin-elastic.cs-active .cs-options ul li {  
-webkit-transform: translate3d(0,0,0);  
transform: translate3d(0,0,0);  
opacity: 1;  
-webkit-transition: none;  
transition: none;  
-webkit-animation: bounce 0.6s ease-out;  
animation: bounce 0.6s ease-out;  
}  
  
.cs-skin-elastic .cs-options span {  
background-repeat: no-repeat;  
background-position: 1.5em 50%;  
background-size: 2em auto;  
padding: 0.8em 1em 0.8em 4em;  
}  
  
.cs-skin-elastic .cs-options span:hover,  
.cs-skin-elastic .cs-options li.cs-focus span,  
.cs-skin-elastic .cs-options .cs-selected span {  
color: #1e4c4a;  
}  
  
.cs-skin-elastic .cs-options .cs-selected span::after {
```

```
    content: '';
}

.cs-skin-elastic .cs-options li.flag-france span {
    background-image: url(../img/france.svg);
}

.cs-skin-elastic .cs-options li.flag-brazil span {
    background-image: url(../img/brazil.svg);
}

.cs-skin-elastic .cs-options li.flag-safrica span {
    background-image: url(../img/south-africa.svg);
}

.cs-skin-elastic .cs-options li.flag-argentina span {
    background-image: url(../img/argentina.svg);
}

@-webkit-keyframes expand {
    0% { -webkit-transform: scale3d(1,0,1); }
    25% { -webkit-transform: scale3d(1,1.2,1); }
    50% { -webkit-transform: scale3d(1,0.85,1); }
    75% { -webkit-transform: scale3d(1,1.05,1) }
    100% { -webkit-transform: scale3d(1,1,1); }
}

@keyframes expand {
    0% { -webkit-transform: scale3d(1,0,1); transform: scale3d(1,0,1); }
    25% { -webkit-transform: scale3d(1,1.2,1); transform: scale3d(1,1.2,1); }
    50% { -webkit-transform: scale3d(1,0.85,1); transform: scale3d(1,0.85,1); }
    75% { -webkit-transform: scale3d(1,1.05,1); transform: scale3d(1,1.05,1); }
    100% { -webkit-transform: scale3d(1,1,1); transform: scale3d(1,1,1); }
}

@-webkit-keyframes bounce {
    0% { -webkit-transform: translate3d(0,-25px,0); opacity:0; }
    25% { -webkit-transform: translate3d(0,10px,0); }
    50% { -webkit-transform: translate3d(0,-6px,0); }
    75% { -webkit-transform: translate3d(0,2px,0); }
    100% { -webkit-transform: translate3d(0,0,0); opacity: 1; }
}

@keyframes bounce {
    0% { -webkit-transform: translate3d(0,-25px,0); transform: translate3d(0,-25px,0); opacity:0; }
    25% { -webkit-transform: translate3d(0,10px,0); transform: translate3d(0,10px,0); }
    50% { -webkit-transform: translate3d(0,-6px,0); transform: translate3d(0,-6px,0); }
    75% { -webkit-transform: translate3d(0,2px,0); transform: translate3d(0,2px,0); }
    100% { -webkit-transform: translate3d(0,0,0); transform: translate3d(0,0,0); opacity: 1; }
}
```

```
/* Default custom select styles */

div.cs-select {
    display: inline-block;
    vertical-align: middle;
    position: relative;
    text-align: left;
    background: #f1f2f7;
    z-index: 100;
    width: 100%;
    max-width: 80px;
    margin-left: 25px;
    -webkit-touch-callout: none;
    -webkit-user-select: none;
    -khtml-user-select: none;
    -moz-user-select: none;
    -ms-user-select: none;
    user-select: none;
}

div.cs-select:focus {
    outline: none; /* For better accessibility add a style for this in your skin */
}

.cs-select select {
    display: none;
}

.cs-select span {
    display: block;
    position: relative;
    cursor: pointer;
    padding: 9px 15px;
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
}

/* Placeholder and selected option */

.cs-select > span::after,
.cs-select .cs-selected span::after {
    speak: none;
    position: absolute;
    top: 50%;
    -webkit-transform: translateY(-50%);
    transform: translateY(-50%);
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}

.cs-select > span::after {
    content: "\f107";
    font-family: 'Fontawesome';
    right: 1em;
```

```
}

.cs-select .cs-selected span::after {
    content: '\2713';
    margin-left: 1em;
}

.cs-select.cs-active > span::after {
    -webkit-transform: translateY(-50%) rotate(180deg);
    transform: translateY(-50%) rotate(180deg);
}

div.cs-active {
    z-index: 200;
}

/* Options */
.cs-select .cs-options {
    position: absolute;
    overflow: hidden;
    width: 100%;
    background: #f1f2f7;
    visibility: hidden;
}

.cs-select.cs-active .cs-options {
    visibility: visible;
}

.cs-select ul {
    list-style: none;
    margin: 0;
    padding: 0;
    width: 100%;
}

.cs-select ul span {
    padding: 5px 15px;
}
.cs-select ul li {
    display: block;
}
.cs-select ul li.cs-focus span {
    background-color: #ddd;
}

/* Optgroup and optgroup label */
.cs-select li.cs-optgroup ul {
    padding-left: 1em;
}

.cs-select li.cs-optgroup > span {
    cursor: default;
}
```

```
@import url("https://fonts.googleapis.com/css?family=Open+Sans:400,600,700");

@import url("https://fonts.googleapis.com/css?family=Open+Sans:400,600,700");
.bg-flat-color-1 {
    background: #00c292; }

.bg-flat-color-2 {
    background: #ab8ce4; }

.bg-flat-color-3 {
    background: #03a9f3; }

.bg-flat-color-4 {
    background: #fb9678; }

.bg-flat-color-5 {
    background: #66bb6a; }

.bg-flat-color-6 {
    background: #5c6bc0; }

.bg-transparent {
    background-color: transparent; }

.white-color {
    color: #fff; }

.flat-color-1 {
    color: #00c292; }

.flat-color-2 {
    color: #ab8ce4; }

.flat-color-3 {
    color: #03a9f3; }

.flat-color-4 {
    color: #fb9678; }

.flat-color-5 {
    color: #66bb6a; }

.flat-color-6 {
    color: #5c6bc0; }

.bg-twitter {
    background: #1da1f2; }

.bg-facebook {
    background: #3b5998; }

.bg-instagram {
    background: #833ab4; }
```

```
.bg- {
  background: #ef5350; }

.bg- {
  background: #4dbd74; }

.bg- {
  background: #66bb6a; }

.bg-white {
  background-color: #fff; }

.fade-5 {
  opacity: 0.5; }

.icon-lg {
  font-size: 4.68em; }

.fw-r {
  font-weight: normal; }

.color-gray {
  color: #868e96; }

.text-up {
  text-transform: uppercase; }

.br-0 {
  border: none !important; }

.black-rgba {
  background-color: rgba(0, 0, 0, 0.15) !important; }

.color-white {
  color: #fff !important; }

.color-red {
  color: #dc3545; }

.font-3xl {
  font-size: 2.8125em; }

.font-4xl {
  font-size: 3.75em; }

.width-90 {
  width: 90px; }

.height-15 {
  height: 15px; }

.height-93 {
  height: 93px; }
```

```
.height-100 {
  height: 100px; }

.inline-block {
  display: inline-block; }

.mb-15 {
  margin-bottom: 15px; }

.bg-flat-color-1 {
  background: #00c292; }

.bg-flat-color-2 {
  background: #ab8ce4; }

.bg-flat-color-3 {
  background: #03a9f3; }

.bg-flat-color-4 {
  background: #fb9678; }

.bg-flat-color-5 {
  background: #66bb6a; }

.bg-flat-color-6 {
  background: #5c6bc0; }

.bg-transparent {
  background-color: transparent; }

.white-color {
  color: #fff; }

.flat-color-1 {
  color: #00c292; }

.flat-color-2 {
  color: #ab8ce4; }

.flat-color-3 {
  color: #03a9f3; }

.flat-color-4 {
  color: #fb9678; }

.flat-color-5 {
  color: #66bb6a; }

.flat-color-6 {
  color: #5c6bc0; }

.bg-twitter {
  background: #1dalf2; }
```

```
.bg-facebook {
  background: #3b5998; }

.bg-instagram {
  background: #833ab4; }

.bg- {
  background: #ef5350; }

.bg- {
  background: #4dbd74; }

.bg- {
  background: #66bb6a; }

.bg-white {
  background-color: #fff; }

.fade-5 {
  opacity: 0.5; }

.icon-lg {
  font-size: 4.68em; }

.fw-r {
  font-weight: normal; }

.color-gray {
  color: #868e96; }

.text-up {
  text-transform: uppercase; }

.br-0 {
  border: none !important; }

.black-rgba {
  background-color: rgba(0, 0, 0, 0.15) !important; }

.color-white {
  color: #fff !important; }

.color-red {
  color: #dc3545; }

.font-3xl {
  font-size: 2.8125em; }

.font-4xl {
  font-size: 3.75em; }

.width-90 {
  width: 90px; }
```

```
.height-15 {
  height: 15px; }

.height-93 {
  height: 93px; }

.height-100 {
  height: 100px; }

.inline-block {
  display: inline-block; }

.mb-15 {
  margin-bottom: 15px; }

.tdl-holder {
  margin: 0 auto; }
.tdl-holder ul {
  list-style: none;
  margin: 0;
  padding: 0; }
.tdl-holder li {
  position: relative;
  background-color: transparent;
  list-style: outside none none;
  margin: 0;
  padding: 7px 0; }
.tdl-holder li:after, .tdl-holder li:before {
  content: "\f142";
  top: 24px;
  position: absolute;
  font: normal normal normal 14px/1 FontAwesome;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  z-index: 99;
  color: #99abb4; }
.tdl-holder li:after {
  left: 10px; }
.tdl-holder li:before {
  left: 14px; }
.tdl-holder li span {
  margin-left: 30px;
  vertical-align: middle;
  -webkit-transition: all 0.2s linear;
  transition: all 0.2s linear; }
.tdl-holder label {
  cursor: pointer;
  display: block;
  line-height: 50px;
  padding: 0 15px;
  padding-left: 30px;
  position: relative;
  margin: 0 !important;
```

```
background: #fafafa;
color: #99abb4;
font-size: 15px;
-webkit-transition: all 0.2s linear;
transition: all 0.2s linear; }

.tdl-holder label {
background-color: rgba(153, 171, 180, 0.1); }

.tdl-holder label a {
border-radius: 50%;
color: rgba(153, 171, 180, 0.5);
float: right;
line-height: normal;
margin-top: 15px;
text-align: center;
text-decoration: none;
height: 16px;
width: 20px;
-webkit-transition: all 0.2s linear;
transition: all 0.2s linear; }

.tdl-holder label a:hover {
color: rgba(153, 171, 180, 0.8); }

.tdl-holder input[type="checkbox"] {
cursor: pointer;
opacity: 0;
position: absolute; }

.tdl-holder input[type="checkbox"] + i {
border: 1px solid rgba(153, 171, 180, 0.3);
display: block;
height: 18px;
position: absolute;
top: 15px;
width: 18px;
z-index: 1; }

.tdl-holder input[type="checkbox"]:checked + i::after {
content: "\e64c";
font-family: 'themify';
display: block;
color: rgba(153, 171, 180, 0.5);
left: 0;
position: absolute;
top: -16px;
z-index: 2; }

.tdl-holder input[type="checkbox"]:checked ~ span {
text-decoration: line-through; }

.tdl-holder input[type="text"] {
height: 60px;
margin-top: 20px;
font-size: 14px; }

.transition {
-webkit-transition: all 0.3s ease;
transition: all 0.3s ease; }

body {
```

```
display: table;
font-family: "Open Sans", sans-serif;
font-size: 16px;
width: 100%; }

p {
font-size: 16px;
font-family: "Open Sans", sans-serif;
font-weight: 400;
line-height: 24px;
color: #878787; }

p:focus {
border: none;
outline: 0; }

a, button {
text-decoration: none;
outline: none !important;
color: #878787;
-webkit-transition: all 0.25s ease;
transition: all 0.25s ease; }

a:hover,
a:focus {
text-decoration: none;
color: #000; }

h1,
h2,
h3,
h4,
h5,
h6 {
margin: 0; }

h5 {
font-size: 1em; }

ul,
ol {
padding-left: 0; }

.btn:focus,
button:focus {
-webkit-box-shadow: none !important;
box-shadow: none !important;
outline: 0; }

.btn.disabled, .btn:disabled {
cursor: not-allowed; }

img {
max-width: 100%; }
```

```
.modal-header {
  display: block; }

.mb-0 {
  margin-bottom: 0; }

.pb-0 {
  padding-bottom: 0; }

.ov-h {
  overflow: hidden; }

.btn,
button,
input,
textarea {
  -webkit-box-shadow: none;
  box-shadow: none;
  outline: 0 !important; }

.no-padding {
  padding: 0 !important; }

.progress-thin {
  border-radius: 0;
  height: 5px; }

canvas {
  max-width: 100%; }

.btn {
  border-radius: 3px; }

.text-muted {
  font-size: 14px; }
.text-muted.muted-black {
  color: #333648 !important;
  font-weight: 600; }

.progress-box {
  margin-bottom: 30px; }
.progress-box .por-title {
  font-size: 1em;
  font-weight: 600;
  color: #868e96;
  padding-bottom: 5px; }
.progress-box .por-txt {
  font-size: 13px;
  padding-bottom: 5px; }

.order-table {
  position: relative; }
.order-table:after, .order-table:before {
```

```
content: "";
position: absolute;
top: 0px;
height: 37px;
width: 10px;
background: #e8e9ef; }

.order-table:after {
right: -1px; }

.order-table:before {
left: -1px; }

.order-table tr th {
background: #e8e9ef; }

.order-table tr td:last-child, .order-table tr th:last-child {
text-align: right; }

.order-table tr:last-child td {
border: none; }

.order-table .badge {
color: white;
padding: 10px;
text-transform: uppercase;
font-weight: normal; }

.order-table .badge-complete {
background: #00c292; }

.order-table .badge-pending {
background: #fb9678; }

.messenger-box {
padding-top: 15px; }

.messenger-box ul {
padding-left: 0;
display: inline-block;
width: 100%;
padding-bottom: 15px; }

.messenger-box li {
list-style: none;
padding-bottom: 20px; }

.messenger-box .avatar {
width: 64px;
float: left; }

.messenger-box .avatar img {
border-radius: 100%; }

.messenger-box .avatar .send-time {
font-size: 11px;
text-align: center;
padding-top: 5px; }

.messenger-box .msg-box {
margin-left: 84px; }

.messenger-box .inner-box {
position: relative;
border-radius: 10px;
background-color: #f1f2f7;
font-size: 14px;
color: #9aa0a4;
padding: 14px 20px; }
```

```
display: table; }

.messenger-box .inner-box .name {
    font-size: 16px;
    padding-bottom: 10px; }

.messenger-box .inner-box:after {
    content: "";
    position: absolute;
    top: 10px;
    left: -18px;
    width: 18px;
    height: 18px;
    border-style: solid;
    border-width: 9px;
    border-color: transparent #f1f2f7 transparent transparent; }

.messenger-box .msg-sent .avatar, .messenger-box .msg-sent .msg-box {
    float: right; }

.messenger-box .msg-sent .msg-box {
    margin-left: 0;
    margin-right: 20px; }

.messenger-box .msg-sent .inner-box:after {
    left: inherit;
    right: -18px;
    border-color: transparent transparent transparent #f1f2f7; }

.messenger-box .send-mgs {
    margin-top: 20px;
    margin-bottom: 9px;
    position: relative; }

.messenger-box .send-mgs .yourmsg {
    margin-right: 55px; }

.messenger-box .send-mgs .yourmsg input {
    border: 1px solid #ecef1;
    height: 40px;
    line-height: 40px;
    font-size: 14px;
    border-radius: 7px; }

.messenger-box .send-mgs .msg-send-btn {
    background: #03a9f3;
    color: #fff;
    font-size: 28px;
    border-radius: 7px;
    padding: 0;
    text-align: center;
    height: 40px;
    width: 40px;
    position: absolute;
    right: 0;
    top: 0; }

/* Global Styles */
/* Main Styles */
aside.left-panel {
    background: #fff;
    height: 100vh;
    padding: 0;
```

```
vertical-align: top;
width: 280px;
-webkit-box-shadow: 1px 0 20px rgba(0, 0, 0, 0.08);
      box-shadow: 1px 0 20px rgba(0, 0, 0, 0.08);
position: fixed;
left: 0;
bottom: 0;
top: 55px;
z-index: 999; }
aside.left-panel:hover {
  overflow-x: scroll; }

.open aside.left-panel:hover {
  overflow-x: inherit; }

.small-device .right-panel {
  margin-left: 83px; }

.navbar {
  background: #fff;
  border-radius: 0;
  border: none;
  display: inline-block;
  margin: 0;
  padding: 0;
  vertical-align: top; }
.navbar .main-menu {
  float: left;
  padding: 0;
  padding-bottom: 50px; }
.navbar .menu-title {
  color: #41434d;
  clear: both;
  display: block;
  font-family: 'Open Sans';
  font-size: 14px;
  font-weight: 700;
  line-height: 50px;
  padding: 0;
  text-transform: uppercase;
  width: 100%; }
.navbar .navbar-nav {
  float: none;
  position: relative; }
.navbar .navbar-nav > li {
  padding-left: 30px;
  padding-right: 30px; }
.navbar .navbar-nav > li.active {
  background: #fafafa; }
.navbar .navbar-nav li {
  width: 100%; }
  .navbar .navbar-nav li.active .menu-icon, .navbar .navbar-nav li:hover
.toggle_nav_button:before,
  .navbar .navbar-nav li .toggle_nav_button.nav-open:before {
```

```
color: #03a9f3; }

.navbar .navbar-nav li .dropdown-toggle:after {
  display: none; }

.navbar .navbar-nav li > a {
  background: none !important;
  color: #607d8b;
  display: inline-block;
  font-size: 14px;
  line-height: 26px;
  padding: 10px 0;
  position: relative;
  width: 100%; }

.navbar .navbar-nav li > a:hover, .navbar .navbar-nav li > a:hover .menu-icon {
  color: #03a9f3; }

.navbar .navbar-nav li > a .menu-icon {
  color: #607d8b;
  float: left;
  margin-top: 8px;
  width: 55px;
  text-align: left;
  z-index: 9; }

.navbar .navbar-nav li > a .menu-title-text {
  font-size: 14px; }

.navbar .navbar-nav li > a .badge {
  border-radius: 0;
  font-weight: 600;
  float: right;
  margin: 6px 0 0 0;
  padding: 0.4em 0.5em; }

.navbar .navbar-nav li.menu-item-has-children {
  position: relative; }

.navbar .navbar-nav li.menu-item-has-children a {
  line-height: 30px; }

.navbar .navbar-nav li.menu-item-has-children a:before {
  content: "";
  position: absolute;
  top: 23px;
  right: 0;
  width: 8px;
  height: 8px;
  border-style: solid;
  border-width: 1px;
  border-color: #607d8b #607d8b transparent transparent;
  -webkit-transform: rotate(45deg);
  transform: rotate(45deg);
  -webkit-transition: all .25s ease;
  transition: all .25s ease; }

.navbar .navbar-nav li.menu-item-has-children a:hover:before {
  border-color: #03a9f3 #03a9f3 transparent transparent; }

.navbar .navbar-nav li.menu-item-has-children .sub-menu {
  background: #fff;
  border: none;
  -webkit-box-shadow: none;
  box-shadow: none;
```

```
overflow-y: hidden;
padding: 0 0 0 35px; }

.navbar .navbar-nav li.menu-item-has-children .sub-menu li {
  position: relative; }
.navbar .navbar-nav li.menu-item-has-children .sub-menu i {
  color: #c8c9ce;
  float: left;
  padding: 0;
  position: absolute;
  left: 0;
  font-size: 14px;
  top: 9px; }

.navbar .navbar-nav li.menu-item-has-children .sub-menu a {
  padding: 2px 0 2px 30px; }
.navbar .navbar-nav li.menu-item-has-children .sub-menu a:before {
  content: '';
  display: none; }
.navbar .navbar-nav li.menu-item-has-children .sub-menu a .menu-icon {
  top: 13px;
  text-align: left;
  width: 25px; }

.navbar .navbar-nav li.menu-item-has-children.show a:before {
  border-color: transparent #607d8b #607d8b transparent;
  top: 20px;
  right: -5px; }

.navbar .navbar-nav li.menu-item-has-children.show a:hover:before {
  border-color: transparent #03a9f3 #03a9f3 transparent; }

.navbar .navbar-nav li.menu-item-has-children.show .sub-menu {
  max-height: 1000px;
  opacity: 1;
  position: static !important; }

.navbar .navbar-nav > .active > a,
.navbar .navbar-nav > .active > a:focus,
.navbar .navbar-nav > .active > a:hover {
  color: #03a9f3; }

.navbar-nav li span.count {
  background: #a9d86e;
  border-radius: 50%;
  color: #fff;
  font-family: 'Open Sans';
  font-size: 9px;
  font-weight: 700;
  float: right;
  height: 20px;
  width: 20px;
  line-height: 20px;
  margin-right: 15px;
  text-align: center; }

.open .navbar .navbar-brand.hidden {
  display: block; }

.open .sub-menu .subtitle {
```

```
display: block;
font-size: 15px;
line-height: 35px;
color: #607d8b;
border-bottom: 1px solid rgba(96, 125, 139, 0.15); }
.open .sub-menu i {
  left: 15px !important; }

.sub-menu .subtitle {
  display: none; }
.sub-menu .subtitle > .menu-icon {
  display: none; }

.open aside.left-panel {
  max-width: 83px;
  width: 83px; }
.open aside.left-panel .navbar .navbar-header {
  padding: 0; }
.open aside.left-panel .navbar .navbar-brand {
  display: none; }
.open aside.left-panel .navbar .navbar-brand.hidden {
  display: block !important;
  text-align: center;
  width: 100%; }
.open aside.left-panel .navbar .navbar-brand.hidden img {
  max-width: 100%;
  margin: 0 auto; }
.open aside.left-panel .navbar .navbar-brand.d-md-none {
  display: block !important;
  margin: 13px 0 0;
  min-height: 67px;
  padding: 0;
  text-align: center; }
.open aside.left-panel .navbar .navbar-nav:before {
  display: none !important; }
.open aside.left-panel .navbar .navbar-nav li {
  position: relative;
  padding: 0 15px; }
.open aside.left-panel .navbar .navbar-nav li a {
  font-size: 0;
  z-index: 0;
  -webkit-transition: none;
  transition: none; }
.open aside.left-panel .navbar .navbar-nav li a .menu-icon {
  font-size: 20px;
  z-index: -1;
  text-align: center;
  width: inherit; }
.open aside.left-panel .navbar .navbar-nav li a .menu-title-text {
  font-size: 0; }
.open aside.left-panel .navbar .navbar-nav li a .badge {
  display: none; }
.open aside.left-panel .navbar .navbar-nav li > a {
  max-width: 60px;
```

```
padding-left: 0; }

.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children {
  overflow: hidden;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children ul {
  padding-left: 0;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu {
  display: block;
  left: 83px;
  top: 0;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu li a {
  display: block;
  font-size: 14px;
  max-width: inherit;
  padding: 2px 15px 2px 25px;
  width: 100%;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu li a .menu-icon {
  text-align: center;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children.show {
  overflow: visible;
}
.open aside.left-panel .navbar .navbar-nav li.menu-item-has-children.show .sub-menu {
  position: absolute !important;
  width: 180px;
  -webkit-box-shadow: 1px 0 20px rgba(0, 0, 0, 0.08);
  box-shadow: 1px 0 20px rgba(0, 0, 0, 0.08);
}
.open aside.left-panel .navbar .navbar-nav li span.count {
  display: none;
  margin-right: 5px;
  z-index: 1;
}
.open aside.left-panel .navbar .navbar-nav li.active a:after {
  content: '';
  display: none;
}
.open aside.left-panel .navbar .navbar-nav .menu-title {
  font-size: 0;
  line-height: 0;
  opacity: 0;
  padding: 0;
}
.open aside.left-panel .menutoggle {
  background-color: #dc3545;
  color: #fff !important;
  right: -20px;
  text-align: center;
}

/* Right panel */

.right-panel {
  background: #f1f2f7;
  margin-left: 280px;
  margin-top: 55px;
}
.right-panel .top-left {
  width: 350px;
  float: left;
}
.right-panel .top-rigth {
  float: left;
}
.right-panel .breadcrumbs {
```

```
float: left;
margin-top: 30px;
padding: 0 1.875em;
width: 100%; }
.right-panel .breadcrumbs .breadcrumbs-inner {
background-color: #fff; }
.right-panel .breadcrumbs .col-lg-8 .page-header {
float: left; }
.right-panel .page-header {
min-height: 50px;
margin: 0px;
padding: 0px 15px;
background: #ffffff;
border-bottom: 0px; }
.right-panel .page-header h1 {
font-size: 18px;
padding: 15px 0; }
.right-panel .page-header .breadcrumb {
margin: 0px;
padding: 13.5px 0;
background: #fff;
text-transform: capitalize; }
.right-panel .page-header .breadcrumb > li + li:before {
padding: 0 5px;
color: #ccc;
content: "/\00a0"; }

.right-panel header.header {
background: #fff;
border-bottom: 1px solid #e8e9ed;
-webkit-box-shadow: none;
box-shadow: none;
clear: both;
padding: 0 30px;
height: 55px;
position: fixed;
left: 280px;
left: 0;
right: 0;
top: 0;
z-index: 999; }
.right-panel .navbar-brand {
width: 250px;
display: inline-block; }
.right-panel .menutoggle {
padding-top: 7px; }
.right-panel .navbar-header {
width: 100%;
background-color: #fff;
padding: 0 1.25em 0 0; }
.right-panel .navbar-header > a {
display: inline-block; }
.right-panel .navbar-brand {
line-height: 42px; }
```

```
.right-panel .navbar-brand img {
  max-width: 145px; }

.right-panel .navbar-brand.hidden {
  display: none; }

.open .right-panel {
  margin-left: 83px; }

.open .left-panel {
  z-index: 999; }

header.fixed-top {
  background: #fff;
  padding: 20px; }

.menutoggle {
  background-color: transparent;
  color: #99abb4 !important;
  cursor: pointer;
  font-size: 1em;
  height: 40px;
  line-height: 40px;
  width: 40px;
  display: block;
  text-align: right; }

.search-trigger {
  background: transparent;
  border: none;
  color: #99abb4;
  cursor: pointer;
  font-size: 16px;
  line-height: 55px;
  padding: 0;
  width: 43px; }

header.form-inline {
  background: #131c21;
  display: none;
  height: 55px;
  margin: 0;
  width: 100%;
  position: absolute;
  left: 0;
  top: 0;
  z-index: 9999; }

header.form-inline .search-form {
  height: 100%;
  max-width: 1025px;
  margin: 0 auto;
  position: relative; }

header.form-inline .search-form input[type="text"] {
  background: #131c21;
  border: none;
  border-radius: 0;
```

```
-webkit-box-shadow: none;
      box-shadow: none;
color: #d3d3d3;
font-size: 16px;
height: inherit;
margin-right: 0 !important;
padding: 10px 36px 10px 15px;
width: 100%; }

header .form-inline .search-form input[type="text"].active,
header .form-inline .search-form input[type="text"]:focus {
  border-color: rgba(0, 0, 0, 0.125);
  outline: 0; }

header .form-inline .search-form button {
  background: transparent;
  border: none;
  color: #fff;
  font-size: 16px;
  position: absolute;
  right: 15px;
  top: 50%;
  margin-top: -14px !important; }

header .form-inline .search-form button:active,
header .form-inline .search-form button:focus,
header .form-inline .search-form button:visited,
header .form-inline .search-form .btn-outline-success:hover {
  background: transparent;
  border: none !important;
  -webkit-box-shadow: none;
      box-shadow: none;
  outline: 0 !important; }

header .form-inline .search-form.close {
  display: none; }

.header-left {
  display: inline-block; }

.header-left.open .form-inline {
  display: block; }

.header-left .dropdown {
  display: inline-block; }

.header-left .dropdown .dropdown-toggle {
  background: transparent;
  border: none;
  color: #99abb4;
  font-size: 16px;
  line-height: 55px;
  padding-top: 0;
  padding-bottom: 0; }

.header-left .dropdown .dropdown-toggle:after {
  display: none; }

.header-left .dropdown .dropdown-toggle .count {
  border-radius: 50%;
  color: #fff;
```

```
font-size: 11px;
height: 15px;
width: 15px;
line-height: 15px;
right: 0;
top: 12px;
position: absolute; }

.header-left .dropdown .dropdown-toggle:active, .header-left .dropdown .dropdown-toggle:focus, .header-left .dropdown .dropdown-toggle:visited {
background: none !important;
border-color: transparent !important;
color: #292b35 !important; }

.header-left .dropdown .dropdown-menu {
background: #fff;
border: none;
border-radius: 0;
-webkit-box-shadow: none;
box-shadow: none;
top: 52px !important;
left: inherit !important;
right: 0 !important;
-webkit-box-shadow: 0 3px 12px rgba(0, 0, 0, 0.05);
box-shadow: 0 3px 12px rgba(0, 0, 0, 0.05);
line-height: 35px; }

.header-left .dropdown .dropdown-menu p {
font-size: 15px;
margin: 0;
padding: 5px 15px; }

.header-left .dropdown .dropdown-menu .dropdown-item {
color: #99abb4;
font-size: 13px;
padding: 10px 15px 3px;
text-overflow: ellipsis;
-webkit-transition: all .25s;
transition: all .25s; }

.header-left .dropdown .dropdown-menu .dropdown-item:hover {
background: rgba(233, 236, 239, 0.5); }

.header-left .dropdown .dropdown-menu .dropdown-item .photo {
float: left;
margin-right: 15px;
width: 25px; }

.header-left .dropdown .dropdown-menu .dropdown-item .message .name {
margin-top: -5px; }

.header-left .dropdown .dropdown-menu .dropdown-item .message .time {
font-size: 11px; }

.header-left .dropdown .dropdown-menu .dropdown-item .message p {
clear: both;
font-size: 14px;
margin: 0;
padding: 0;
text-overflow: ellipsis; }

.header-menu {
display: -webkit-box;
```

```
display: -ms-flexbox;
display: flex;
-webkit-box-pack: end;
-ms-flex-pack: end;
justify-content: flex-end; }

.header-menu .dropdown {
line-height: 55px;
margin-top: 0 !important; }

.header-menu .dropdown .dropdown-toggle {
line-height: 55px; }

.user-area .dropdown-toggle {
position: relative;
z-index: 0; }

.user-area .dropdown-toggle:before {
content: "";
position: absolute;
right: -3px;
bottom: 10px;
background: #868e96;
width: 11px;
height: 11px;
border-radius: 100%;
border: 2px solid white;
z-index: 1; }

.user-area .dropdown-toggle.active:before {
background: #49a342; }

.dropdown-menu {
border-radius: 0;
-webkit-transform: none !important;
transform: none !important; }

.for-notification .dropdown-menu .dropdown-item {
padding: 5px 15px !important;
text-overflow: ellipsis; }

.for-notification .dropdown-menu .dropdown-item i {
float: left;
font-size: 14px;
margin: 5px 5px 0 0;
text-align: left;
width: 20px; }

.for-notification .dropdown-menu .dropdown-item p {
padding: 0 !important;
text-overflow: ellipsis; }

.user-area {
float: right;
padding-right: 0;
position: relative;
padding-left: 20px; }

.user-area .user-menu {
background: #fff;
border: none;
```

```
left: inherit !important;
right: 0;
top: 54px !important;
margin: 0;
max-width: 150px;
padding: 5px 10px;
position: absolute;
width: 100%;
z-index: 999;
min-width: 150px;
-webkit-box-shadow: 0 3px 12px rgba(0, 0, 0, 0.05);
      box-shadow: 0 3px 12px rgba(0, 0, 0, 0.05); }
.user-area .user-menu .nav-link {
  color: #607d8b;
  display: block;
  font-size: 13px;
  line-height: 22px;
  padding: 5px 0; }
.user-area .user-menu .nav-link > i {
  margin-right: 10px; }
.user-area .user-avatar {
  float: right;
  width: 40px; }
.user-area .user-info .name {
  color: #8c8c8c;
  font-size: 14px;
  position: relative;
  text-transform: uppercase; }
.user-area .count {
  background: #d9534f;
  border-radius: 50%;
  color: #fff;
  font-family: 'Open Sans';
  font-size: 9px;
  font-weight: 700;
  float: right;
  height: 20px;
  width: 20px;
  line-height: 20px;
  text-align: center; }
.user-area .dropdown-toggle {
  line-height: 55px;
  height: 55px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
    -ms-flex-pack: center;
      justify-content: center;
  -webkit-box-align: center;
    -ms-flex-align: center;
      align-items: center; }
.user-area .dropdown-toggle:after {
  display: none; }
```

```
#menuToggle2 {
  padding-left: 25px; }

#language-select {
  color: #f1f2f7;
  float: right;
  margin: 7px 20px 0 0;
  max-width: 80px; }
#language-select:focus, #language-select:visited {
  border: none;
  outline: 0; }
#language-select .flag-icon {
  line-height: 55px; }
#language-select .dropdown-toggle::after {
  display: none; }
#language-select .dropdown-menu {
  background: #fff;
  border: none;
  border-radius: 0;
  left: -8px !important;
  min-width: inherit;
  padding: 0 5px;
  top: 81px !important; }
#language-select .dropdown-menu .dropdown-item {
  line-height: 1.5;
  margin-right: 0;
  max-width: 25px;
  padding: 0; }
#language-select .dropdown-menu .dropdown-item:hover {
  background: #fff; }
#language-select .dropdown-menu .dropdown-item .flag-icon {
  line-height: 1.5;
  margin-right: 0;
  width: 25px; }

.notification-show + .dropdown-menu,
.message-show + .dropdown-menu,
.language-show + .dropdown-menu {
  display: block; }

.content {
  float: left;
  padding: 1.875em;
  width: 100%; }

.card {
  margin-bottom: 1.875em;
  border-radius: 5px;
  padding: 0;
  border: 0px solid transparent;
  -webkit-box-shadow: 0 0 20px rgba(0, 0, 0, 0.08);
  box-shadow: 0 0 20px rgba(0, 0, 0, 0.08); }
.card .box-title {
```

```
font-weight: 600;
font-size: 1em;
padding: 5px 0; }
.card .weather-title.box-title {
padding: 0 15px;
line-height: 50px;
background: #fff;
border-radius: 5px 5px 0 0; }
.card.weather-box .card-body {
padding-top: 0; }
.card.weather-box .top {
background: #ecef1f;
margin-left: -20px;
margin-right: -20px;
padding: 20px;
padding-top: 22px;
overflow: hidden; }
.card.weather-box .top .wi {
float: left;
width: 100px;
text-align: left;
padding-bottom: 10px; }
.card.weather-box .top .wi:before {
font-size: 60px; }
.card.weather-box .top .updates {
font-size: 14px;
text-align: right; }
.card.weather-box .top .currently {
font-size: 22px;
text-align: right; }
.card.weather-box .middle {
clear: both;
position: relative;
height: 80px;
color: #333648; }
.card.weather-box .middle .city {
padding-top: 15px;
width: 100%;
font-weight: 700;
font-size: 16px; }
.card.weather-box .middle .city span {
font-size: 14px;
display: block;
font-weight: 400; }
.card.weather-box .middle .temp {
position: absolute;
font-size: 34px;
top: 10px;
right: 0; }
.card.weather-box .middle .temp span {
font-size: 16px; }
.card.weather-box .nextdays {
clear: both;
padding-top: 22px;
```

```
text-align: center;
margin-left: -20px;
margin-right: -20px;
border-top: 1px solid #eddede;
background: #fff;
font-family: "Open Sans", sans-serif; }
.card.weather-box .nextdays .days {
    display: inline-block;
    width: 20%;
    font-size: 14px; }
.card.weather-box .nextdays .days span {
    display: block; }
.card .card-top,
.card .card-footer {
    background: #fafafa;
    border-bottom: 1px solid #e8e9ef;
    float: left;
    padding: .75em 1.125em;
    width: 100%; }
.card .card-top .card-title,
.card .card-footer .card-title {
    color: #343a40;
    font-size: .875em;
    font-weight: 600;
    padding-top: 5px;
    text-transform: capitalize; }
.card .card-top button,
.card .card-footer button {
    background: none;
    border: none;
    -webkit-box-shadow: none;
           box-shadow: none;
    color: #868e96;
    font-size: 12px;
    padding: 0 5px; }
.card .card-top[class*="bg"] .card-title,
.card .card-footer[class*="bg"] .card-title {
    color: #fff; }
.card .card-top[class*="bg"] button,
.card .card-footer[class*="bg"] button {
    color: #fff; }
.card .card-top.p-0 .card-title,
.card .card-footer.p-0 .card-title {
    padding: 1.125em; }
.card .card-top.bg-flat-color-1,
.card .card-footer.bg-flat-color-1 {
    background: #5c6bc0;
    border: none; }
.card .card-top.bg-flat-color-2,
.card .card-footer.bg-flat-color-2 {
    background: #42a5f5;
    border: none; }
.card .card-top.bg-flat-color-3,
.card .card-footer.bg-flat-color-3 {
```

```
background: #ffa726;
border: none; }

.card .card-top.bg-flat-color-4,
.card .card-footer.bg-flat-color-4 {
background: #ef5350;
border: none; }

.card .card-top.bg-flat-color-5,
.card .card-footer.bg-flat-color-5 {
background: #4dbd74;
border: none; }

.card .card-top.bg-flat-color-6,
.card .card-footer.bg-flat-color-6 {
background: #66bb6a;
border: none; }

.card .card-left {
width: 60%; }

.card .card-right {
width: 40%; }

.card .card-body {
float: left;
padding: 1.25em;
position: relative;
width: 100%; }

.card h4 {
font-size: 1.1rem; }

.card .user-header .media img {
border: 5px solid rgba(255, 255, 255, 0.3);
border-radius: 50%;
-webkit-border-radius: 50%; }

.card .card-header .card-actions button {
display: block;
float: left;
width: 50px;
padding: .75rem 0;
margin: 0 !important;
color: #fff;
outline: 0;
text-align: center;
background: transparent;
border: 0;
border-left: 1px solid rgba(120, 130, 140, 0.4); }

.card .card-footer {
padding: 0.65rem 1.25rem;
background-color: #f0f3f5;
border-top: 1px solid #c2cfad; }

.card .card-footer ul li {
display: table-cell;
padding: 0 1rem;
text-align: center; }

.card .nav-tabs {
margin-bottom: -1px; }

.card .nav-tabs a {
border-radius: 0;
color: #b5bcc2;
```

```
font-size: 12px;
font-weight: 700;
padding: .25em .5em;
text-transform: uppercase; }
.card .nav-tabs a:hover {
    border-color: transparent; }
.card .nav-tabs .active a {
    border-color: #e8e9ef;
color: #868e96 !important; }

.action-menu .dropdown-toggle i {
    font-size: 12px; }
.action-menu .dropdown-toggle::after {
    display: none; }

.flotBar1,
.flotLine1 {
    height: 75px; }

.traffic-chart .ct-area {
    fill-opacity: .7; }

.traffic-chart .ct-series-a .ct-area,
.traffic-chart .ct-series-a .ct-slice-donut-solid,
.traffic-chart .ct-series-a .ct-slice-pie {
    fill: #66bb6a; }

.traffic-chart .ct-series-b .ct-area,
.traffic-chart .ct-series-b .ct-slice-donut-solid,
.traffic-chart .ct-series-b .ct-slice-pie {
    fill: #ef5350; }

.traffic-chart .ct-series-c .ct-area,
.traffic-chart .ct-series-c .ct-slice-donut-solid,
.traffic-chart .ct-series-c .ct-slice-pie {
    fill: #5c6bc0; }

.flotRealtime2 {
    height: 445px; }

.traffic-chart {
    height: 34vh; }

#flotBar2 {
    height: 168px; }

.gauge.g1 svg {
    fill: #ffa726 !important; }

#area_chart {
    max-height: 280px; }

#flotLine5 {
    height: 50px; }
```

```
#flotPie1 {
    height: 90px; }
#flotPie1 .pieLabel {
    display: none; }
#flotPie1 .legend tr {
    padding-bottom: 5px; }
#flotPie1 .legendColorBox {
    float: left;
    margin: 2px 5px 0 0; }
#flotPie1 .legendColorBox > div {
    border: none !important; }
#flotPie1 .legendLabel {
    color: #868e96;
    font-family: 'Open Sans';
    font-size: 12px; }

/* Stats Table */
.table-stats table {
    font-family: 'Open Sans'; }
.table-stats table th,
.table-stats table td {
    border: none;
    border-bottom: 1px solid #e8e9ef;
    color: #868e96;
    font-size: 12px;
    font-weight: normal;
    padding: .75em 1.25em;
    text-transform: uppercase; }
.table-stats table th img,
.table-stats table td img {
    margin-right: 10px;
    max-width: 45px; }
.table-stats table th .name,
.table-stats table td .name {
    color: #343a40;
    font-size: 14px;
    text-transform: capitalize; }
.table-stats table td {
    color: #343a40;
    font-size: 14px;
    font-weight: 600;
    text-transform: capitalize;
    vertical-align: middle; }

/* Timeline */
.timeline li {
    font-family: 'Open Sans';
    list-style: none;
    padding: 5px 0;
    position: relative; }
.timeline li i {
    border-radius: 50%;
    color: #fff;
```

```
    font-size: 12px;
    height: 30px;
    width: 30px;
    line-height: 30px;
    text-align: center; }

.timeline li span {
    color: #868e96;
    display: block;
    font-size: 14px; }
.timeline li span a {
    color: #343a40; }

.timeline li .time {
    font-size: 12px;
    padding-bottom: 15px; }

.timeline li img {
    margin: 10px 5px 15px 0;
    max-height: 40px; }

.timeline .media-body {
    border-bottom: 1px solid #e8e9ef; }

/* Weather */

.widget .card-footer {
    border-top-color: #e8e9ef; }

.widget .weather-footer li {
    float: left;
    position: relative;
    width: 33.33%; }

.widget .weather-footer li:before {
    content: '';
    background: #e8e9ef;
    height: 32px;
    width: 1px;
    top: 5px;
    right: 7.5px;
    position: absolute; }

.widget .weather-footer li:last-child:before {
    display: none; }

.widget .weather-footer li span {
    display: block; }

.widget .pt-0 {
    padding-top: 0 !important; }

.widget .social .rounded-circle {
    max-width: 130px;
    margin-top: -65px; }

.widget .social .weather-footer i {
    color: #868e96;
    font-size: 20px;
    line-height: 1;
    margin-top: -3px; }

/* Tabs */

.nav-tabs a.active {
    color: #555;
    cursor: default;
```

```
background-color: #fff;
border: 1px solid #ddd;
border-bottom-color: transparent; }
.nav-tabs .dropdown .dropdown-menu {
  top: 100% !important; }

.custom-tab .nav-tabs > a.active,
.custom-tab .nav-tabs > .active > a:focus,
.custom-tab .nav-tabs > li.active > a:hover {
  border-color: transparent transparent;
  color: #ff2e44;
  position: relative; }

.custom-tab .nav-tabs > a.active:after,
.custom-tab .nav-tabs > li.active > a:focus:after,
.custom-tab .nav-tabs > li.active > a:hover:after {
  background: #ff2e44;
  bottom: -1px;
  content: "";
  height: 2px;
  left: 0;
  position: absolute;
  right: 0;
  width: 100%;
  z-index: 999; }

.card .card-header .card-actions {
  float: right; }
.card .card-header .card-actions [class*="btn"] {
  border-left: 1px solid rgba(120, 130, 140, 0.4);
  color: #878787;
  display: inline-block;
  font-size: 16px;
  float: left;
  padding: 0 7px;
  width: inherit;
  text-align: center; }

.social-buttons .card-body p button {
  padding-top: 0;
  padding-left: 0;
  padding-bottom: 0; }
.social-buttons .only-icon .card-body p button {
  padding: 0; }
.social-buttons .social i {
  padding: 0 10px;
  width: inherit !important; }
.social-buttons .only-text p button {
  padding: 0 .5rem; }

.buttons button {
  margin: 2px 0; }

/* Ribons */
```

```
.corner-ribbon {
    text-align: center;
    width: 71px;
    height: 71px;
    position: absolute;
    right: 0;
    top: 0;
    font-size: 20px; }

.corner-ribbon i {
    padding: 10px 0 0 35px;
    color: #fff; }

.twt-feed .wtt-mark {
    color: rgba(255, 255, 255, 0.15);
    font-size: 160px;
    position: absolute;
    top: 10px;
    left: 40%; }

.twt-feed {
    -webkit-border-radius: 4px 4px 0 0;
    color: #FFFFFF;
    padding: 40px 10px 10px;
    position: relative;
    min-height: 170px; }

.weather-category {
    padding: 15px 0;
    color: #74829C; }
.weather-category ul li {
    width: 32%;
    text-align: center;
    border-right: 1px solid #e6e6e6;
    display: inline-block; }

.twt-feed.blue-bg {
    background: #58C9F3; }

.twt-category {
    display: inline-block;
    margin-bottom: 11px;
    margin-top: 10px;
    width: 100%; }
.twt-category ul li {
    color: #bdbdbd;
    font-size: 13px; }

.twt-footer {
    padding: 12px 15px; }

.twt-footer, .twt-footer a {
    color: #d2d2d2; }
```

```
/* Button Reset */
.btn, .button {
  display: inline-block;
  font-weight: 400;
  text-align: center;
  white-space: nowrap;
  vertical-align: middle;
  -webkit-transition: all .15s ease-in-out;
  transition: all .15s ease-in-out;
  border-radius: 3px;
  cursor: pointer; }

/* Icons */
.icon-section {
  margin: 0 0 3em;
  clear: both;
  overflow: hidden; }

.icon-container {
  width: 240px;
  padding: .7em 0;
  float: left;
  position: relative;
  text-align: left; }

.icon-container [class^="ti-"],
.icon-container [class*=" ti-"] {
  color: #000;
  position: absolute;
  margin-top: 3px;
  -webkit-transition: .3s;
  transition: .3s; }

.icon-container:hover [class^="ti-"],
.icon-container:hover [class*=" ti-"] {
  font-size: 2.2em;
  margin-top: -5px; }

.icon-container:hover .icon-name {
  color: #000; }

.icon-name {
  color: #aaa;
  margin-left: 35px;
  font-size: 14px;
  -webkit-transition: .3s;
  transition: .3s; }

.icon-container:hover .icon-name {
  margin-left: 45px; }

.fontawesome-icon-list .page-header {
  border-bottom: 1px solid #C9CDD7;
  padding-bottom: 9px;
```

```
margin: 30px 0px 27px 0px; }

.fontawesome-icon-list h2 {
  margin-top: 0;
  font-size: 20px;
  font-weight: 300; }

.fontawesome-icon-list i {
  font-style: 16px;
  padding-right: 10px; }

.social-box i {
  line-height: 110px; }

.social-box ul {
  display: inline-block;
  margin: 7px 0 0;
  padding: 10px;
  width: 100%; }

.social-box ul li {
  color: #949CA0;
  font-size: 14px;
  font-weight: 700;
  padding: 0 10px 0 0;
  text-align: right; }

.social-box ul li:last-child {
  padding-left: 10px;
  padding-right: 0;
  text-align: left; }

.social-box ul li span {
  font-size: 14px; }

.login-logo {
  text-align: center;
  margin-bottom: 15px; }

.login-logo span {
  color: #ffffff;
  font-size: 24px; }

.login-content {
  max-width: 540px;
  margin: 8vh auto; }

.login-form {
  background: #ffffff;
  padding: 30px 30px 20px;
  border-radius: 2px; }

.login-form h4 {
  color: #878787;
  text-align: center;
  margin-bottom: 50px; }

.login-form .checkbox {
  color: #878787; }

.login-form .checkbox label {
```

```
text-transform: none; }

.login-form .btn {
  width: 100%;
  text-transform: uppercase;
  font-size: 14px;
  padding: 15px;
  border: 0px; }

.login-form label {
  color: #878787;
  text-transform: uppercase; }

.login-form label a {
  color: #ff2e44; }

.social-login-content {
  margin: 0px -30px;
  border-top: 1px solid #e7e7e7;
  border-bottom: 1px solid #e7e7e7;
  padding: 30px 0px;
  background: #fcfcfc; }

.social-button {
  padding: 0 30px; }
  .social-button .facebook {
    background: #3b5998;
    color: #fff; }
    .social-button .facebook:hover {
      background: #344e86; }
  .social-button .twitter {
    background: #00aced;
    color: #fff; }
    .social-button .twitter:hover {
      background: #0099d4; }

.social-button i {
  padding: 19px; }

.register-link a {
  color: #ff2e44; }

.cpu-load {
  width: 100%;
  height: 272px;
  font-size: 14px;
  line-height: 1.2em; }

.cpu-load-data-content {
  font-size: 18px;
  font-weight: 400;
  line-height: 40px; }

.cpu-load-data {
```

```
margin-bottom: 30px; }

.cpu-load-data li {
  display: inline-block;
  width: 32.5%;
  text-align: center;
  border-right: 1px solid #e7e7e7; }

.cpu-load-data li:last-child {
  border-right: 0px; }

.nestable-cart {
  overflow: hidden; }

/* Forms */
.input-group-addon {
  background-color: transparent;
  border-left: 0; }

.input-group-addon, .input-group-btn {
  white-space: nowrap;
  vertical-align: middle; }

.input-group-addon {
  padding: .5rem .75rem;
  margin-bottom: 0;
  font-size: 1rem;
  font-weight: 400;
  line-height: 1.25;
  color: #495057;
  text-align: center;
  background-color: #e9ecf;
  border: 1px solid rgba(0, 0, 0, 0.15);
  border-radius: .25rem; }

.flotTip {
  background: #252525;
  border: 1px solid #252525;
  padding: 5px 15px;
  color: #ffffff; }

.flot-container {
  -webkit-box-sizing: border-box;
  box-sizing: border-box;
  width: 100%;
  height: 275px;
  padding: 20px 15px 15px;
  margin: 15px auto 30px;
  background: transparent; }

.flot-pie-container {
  height: 275px; }

.flotBar-container {
```

```
height: 275px; }

.flot-line {
  width: 100%;
  height: 100%;
  font-size: 14px;
  line-height: 1.2em; }

.legend table {
  border-spacing: 5px; }

#chart1,
#flotBar,
#flotCurve {
  width: 100%;
  height: 275px; }

.morris-hover {
  position: absolute;
  z-index: 1; }

.morris-hover.morris-default-style .morris-hover-row-label {
  font-weight: bold;
  margin: 0.25em 0; }

.morris-hover.morris-default-style .morris-hover-point {
  white-space: nowrap;
  margin: 0.1em 0; }

.morris-hover.morris-default-style {
  border-radius: 2px;
  padding: 10px 12px;
  color: #666;
  background: rgba(0, 0, 0, 0.7);
  border: none;
  color: #fff !important; }

.morris-hover-point {
  color: rgba(255, 255, 255, 0.8) !important; }

#morris-bar-chart {
  height: 285px; }

.map, .vmap {
  width: 100%;
  height: 400px; }

.btn-toolbar {
  float: left !important; }
  .btn-toolbar .btn-outline-secondary:not([disabled]):not(.disabled):active,
  .btn-toolbar .btn-outline-secondary:not([disabled]):not(.disabled).active,
  .btn-toolbar .show > .btn-outline-secondary.dropdown-toggle {
    background-color: #212529;
    border-color: #212529;
```

```
-webkit-box-shadow: none;
box-shadow: none;
color: #fff; }

.btn-toolbar .btn-outline-secondary:hover {
background-color: #212529;
border-color: #212529;
color: #fff; }

/*      Widget One
-----*/
.dib {
display: inline-block; }

.stat-widget-one .stat-icon {
vertical-align: top; }

.stat-widget-one .stat-icon i {
font-size: 30px;
border-width: 3px;
border-style: solid;
border-radius: 100px;
padding: 15px;
font-weight: 900;
display: inline-block; }

.stat-widget-one .stat-content {
margin-left: 30px;
margin-top: 7px; }

.stat-widget-one .stat-text {
font-size: 14px;
color: #868e96; }

.stat-widget-one .stat-digit {
font-size: 24px;
color: #373757; }

/*      Widget Two
-----*/
.stat-widget-two {
text-align: center; }

.stat-widget-two .stat-digit {
font-size: 1.75rem;
font-weight: 500;
color: #373757; }

.stat-widget-two .stat-digit i {
font-size: 18px;
margin-right: 5px; }

.stat-widget-two .stat-text {
font-size: 16px;
margin-bottom: 5px;
```

```
    color: #868e96; }

.stat-widget-two .progress {
  height: 8px;
  margin-bottom: 0;
  margin-top: 20px;
  -webkit-box-shadow: none;
  box-shadow: none; }

.stat-widget-two .progress-bar {
  -webkit-box-shadow: none;
  box-shadow: none; }

/*      Widget Three
-----*/
.stat-widget-three .stat-icon {
  display: inline-block;
  padding: 33px;
  position: absolute;
  line-height: 21px; }

.stat-widget-three .stat-icon i {
  font-size: 30px;
  color: #ffffff; }

.stat-widget-three .stat-content {
  text-align: center;
  padding: 15px;
  margin-left: 90px; }

.stat-widget-three .stat-digit {
  font-size: 30px; }

.stat-widget-three .stat-text {
  padding-top: 4px; }

.home-widget-three .stat-icon {
  line-height: 19px;
  padding: 27px; }

.home-widget-three .stat-digit {
  font-size: 24px;
  font-weight: 300;
  color: #373757; }

.home-widget-three .stat-content {
  text-align: center;
  margin-left: 60px;
  padding: 13px; }

/*      Widget Four
-----*/
.stat-widget-four {
  position: relative; }
```

```
.stat-widget-four .stat-icon {
  display: inline-block;
  position: absolute;
  top: 5px; }
.stat-widget-four i {
  display: block;
  font-size: 36px; }
.stat-widget-four .stat-content {
  margin-left: 40px;
  text-align: center; }
.stat-widget-four .stat-heading {
  font-size: 20px; }

/*      Widget Five
-----*/
.stat-widget-five {
  min-height: 60px; }
.stat-widget-five .stat-icon {
  font-size: 50px;
  line-height: 50px;
  position: absolute;
  left: 30px;
  top: 20px; }
.stat-widget-five .stat-content {
  margin-left: 100px; }
.stat-widget-five .stat-text {
  color: #455a64;
  font-size: 20px; }
.stat-widget-five .stat-heading {
  color: #99abb4;
  font-size: 14px; }

.horizontal:before {
  background: #ffffff;
  bottom: 0;
  content: "";
  height: 38px;
  left: 0;
  margin: 0 auto;
  position: absolute;
  right: 0;
  width: 1px; }

/* Mixed Styles */
.badges h1, .badges h2, .badges h3, .badges h4, .badges h5, .badges h6 {
  margin: 5px 0; }

.vue-lists ul, .vue-lists ol {
  padding-left: 30px; }

.card .dropdown.float-right .dropdown-menu {
  left: inherit !important;
  right: 0 !important;
  top: 93% !important; }
```

```
.dataTables_paginate .pagination {
    border-radius: 0; }
.dataTables_paginate .pagination li {
    border-radius: 0 !important; }
.dataTables_paginate .pagination li a {
    border-radius: 0 !important;
    color: #292b35; }
.dataTables_paginate .pagination li.active a {
    background: #292b35;
    border-color: #292b35;
    color: #fff; }
.dataTables_paginate .pagination li:hover a {
    background: #292b35;
    border-color: #292b35;
    color: #fff; }

/* Footer */
footer.site-footer {
    padding: 0 1.875em; }
footer.site-footer .footer-inner {
    color: #78909c;
    font-family: 'Open Sans';
    font-size: 14px;
    line-height: 1.5;
    padding: 2.45em 1.125em; }
footer.site-footer .footer-inner a {
    color: #6a7074; }

.calender-cont {
    position: relative;
    padding-top: 20px; }
.calender-cont .fc-title {
    color: #fff; }
.calender-cont .fc-center {
    position: absolute;
    top: 0;
    left: 0; }
.calender-cont .fc-center h2 {
    font-size: 16px;
    font-weight: 700; }
.calender-cont td .fc-event {
    border: 0px solid transparent;
    padding: 1px; }
.calender-cont td .fc-time {
    color: white;
    font-weight: 400;
    font-size: 11px;
    padding: 2px; }
.calender-cont .fc-left .fc-button-group {
    position: absolute;
    top: 0;
    right: 0; }
.calender-cont .fc-left .fc-button-group button {
```

```
height: 20px;
width: 20px;
line-height: 18px;
padding: 0;
border: 0px solid transparent;
background: #ecef1;
color: #889196; }
.calender-cont .fc-left .fc-button-group button.fc-prev-button {
margin-right: 4px; }
.calender-cont .fc-left .fc-button-group button .fc-icon {
font-size: 11px; }
.calender-cont .fc-left .fc-button-group button:hover {
background: #d8d8d8; }

.calender-cont.widget-calender {
padding-top: 20px; }
.calender-cont.widget-calender td, .calender-cont.widget-calender th {
font-size: 14px;
border: 0px solid transparent; }
.calender-cont.widget-calender .fc-right {
display: none; }
.calender-cont.widget-calender .fc-today-button {
display: none; }
.calender-cont.widget-calender .fc-widget-content {
height: 45px !important;
min-height: 45px !important; }
.calender-cont.widget-calender .fc-day-grid-container {
max-height: 250px !important;
overflow: hidden !important; }

@media (max-width: 1680px) {
.timeline li {
padding: 2px 0; } }
@media (max-width: 1368px) {
.twt-category {
margin-bottom: 0; }

.twt-feed {
max-height: 155px; }
.twt-feed img {
height: 75px;
width: 75px; }

.stat-widget-one .stat-content {
margin-left: 15px; }

.card-body {
padding: 15px; }

.badges button {
margin: 2px 0; }

#g2 {
padding-top: 33px; }
```

```
.timeline li .time {
  padding-bottom: 10px; }

.height-93 {
  height: 75px; }

.height-100 {
  height: 90px; }

.widget .row.p-4.height-93 {
  padding: 1.125em 1.75em !important; }
.widget .card-footer.p-3.bg-white.text-center {
  padding: .9em !important; }

.weather h3.fw-r.text-white {
  font-size: 1.125em; }
.weather span {
  font-size: 12px; } }
@media (max-width: 1024px) {
  .open aside.left-panel {
    width: 280px;
    max-width: 280px; }

  aside.left-panel:hover {
    overflow-x: inherit; }

  aside.left-panel.open-menu {
    overflow-x: scroll; }

  aside.left-panel {
    max-width: 83px;
    width: 83px; }
  aside.left-panel .navbar .navbar-header {
    padding: 0; }
  aside.left-panel .navbar .navbar-brand {
    display: none; }
  aside.left-panel .navbar .navbar-brand.hidden {
    padding: 0 0 10px;
    text-align: center;
    width: 100%; }
  aside.left-panel .navbar .navbar-brand.hidden img {
    max-width: 100%;
    margin: 0 auto; }
  aside.left-panel .navbar .navbar-brand.d-md-none {
    margin: 13px 0 0;
    min-height: 67px;
    padding: 0;
    text-align: center; }
  aside.left-panel .navbar .navbar-nav:before {
    display: none !important; }
  aside.left-panel .navbar .navbar-nav li {
    position: relative; }
  aside.left-panel .navbar .navbar-nav li a {
    font-size: 0;
```

```
z-index: 0;
-webkit-transition: none;
transition: none; }
aside.left-panel .navbar .navbar-nav li a .menu-icon {
    font-size: 20px;
    z-index: -1;
    text-align: center;
    width: inherit; }
aside.left-panel .navbar .navbar-nav li a .menu-title-text {
    font-size: 0; }
aside.left-panel .navbar .navbar-nav li a .badge {
    display: none; }
aside.left-panel .navbar .navbar-nav li > a {
    max-width: 60px;
    padding-left: 0; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children {
    overflow: hidden; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children a:before {
    content: '';
    display: none; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children ul {
    padding-left: 0; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu {
    display: block;
    left: inherit;
    right: -160px;
    top: 0; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu li a {
    display: block;
    font-size: 14px;
    max-width: inherit;
    padding: 2px 15px 2px 35px;
    width: 100%; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu li a .menu-icon {
    text-align: center; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children .sub-menu i {
    left: 10px; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children.show {
    overflow: visible; }
aside.left-panel .navbar .navbar-nav li.menu-item-has-children.show .sub-menu {
    position: absolute !important; }
aside.left-panel .navbar .navbar-nav li span.count {
    display: none;
    margin-right: 5px;
    z-index: 1; }
aside.left-panel .navbar .navbar-nav li.active a:after {
    content: '';
    display: none; }
aside.left-panel .navbar .navbar-nav .menu-title {
    font-size: 0;
    line-height: 0;
    opacity: 0;
    padding: 0; }
```

```
aside.left-panel .menutoggle {
  display: none; }
aside.left-panel.open-menu {
  max-width: 280px;
  width: 280px; }
aside.left-panel.open-menu .navbar .navbar-nav li > a {
  width: 100%;
  max-width: 100%;
  font-size: 14px; }
aside.left-panel.open-menu .navbar .navbar-nav li > a .menu-icon {
  width: 55px;
  font-size: inherit;
  text-align: left; }
aside.left-panel.open-menu .navbar .navbar-nav li.menu-item-has-children.show .sub-menu
{
  position: static !important;
  margin-left: 45px; }
aside.left-panel.open-menu .navbar .navbar-nav .menu-title {
  padding-left: 30px;
  padding-right: 30px;
  font-size: 14px;
  line-height: 50px;
  opacity: 1; }

.navbar .main-menu {
  padding: 0; }

#language-select,
.user-area .dropdown-toggle,
header .form-inline {
  height: 48px; }

.header-left .dropdown .dropdown-menu {
  top: 47px !important; }

#language-select .dropdown-menu {
  top: 49px !important; }

.user-area .user-menu {
  top: 51px !important; }

.content {
  padding: 1.25em; }

.flotRealtime2 {
  height: 330px; }

.card {
  margin-bottom: 1.25em; }
.card .card-header {
  position: relative; }
.card .card-header strong {
  display: block; }
.card .card-header small {
```

```
    float: left; }

.card .card-header .card-actions {
  right: 0;
  top: .75rem;
  position: absolute; }

.card-footer.bg-white.br-0.pl-5.pr-5.pt-0.pb-5 {
  padding-bottom: 1.5em !important;
  padding-left: 1em !important;
  padding-right: 1em !important; }

#g2 {
  height: auto !important;
  padding-top: 7px; }

#flotBar2 {
  height: 150px; }

#g1 {
  margin-top: 0 !important;
  margin-bottom: 0 !important;
  padding-top: 0 !important; }

.card-footer.bg-white [class*="float"] {
  display: block;
  float: none !important;
  text-align: center; }
.card-footer.bg-white [class*="float"].currency {
  display: inline-block; }
.card-footer.bg-white [class*="float"].fa {
  display: inline-block;
  float: left !important; }

#traffic-chart {
  height: 232px !important; }

i.p-4.font-3xl.width-90.text-center.mr-3.float-left.text-light {
  font-size: 1.8125em;
  width: 75px; }

.card i + h4 {
  display: inline;
  padding-top: 1em !important; }

.timeline li img {
  margin: 0px 5px 5px 0; }

.timeline li span {
  padding-bottom: 8px !important; }

.card-footer.bg-white.br-0.pl-5.pr-5.pt-1.pb-4.mb-3 {
  padding-left: 1em !important;
  padding-right: 1em !important; }
```

```
.font-4xl {
  font-size: 2.75em; }

.media.p-4.height-100,
.widget .row.p-4.height-93 {
  padding: 1rem !important; }

.height-100 {
  height: 63px; }

.widget .social .rounded-circle {
  max-width: 60px;
  margin-top: 8px; }

.footer.site-footer {
  padding: 0 1.125em; }
  footer.site-footer .footer-inner {
    padding: 1.75em 1em; } }

@media (max-width: 992px) {
  [class*="col"].no-padding {
    -webkit-box-flex: 0;
    -ms-flex: none;
    flex: none; } }

@media (max-width: 768px) {
  .navbar {
    height: 100vh; }
    .navbar .navbar-nav li.menu-item-has-children > a:before {
      display: block !important; }
    .navbar .main-menu {
      float: none;
      padding-bottom: 70px; }

  .left-panel {
    display: none; }

  aside.left-panel {
    overflow: scroll; }

  .right-panel header.header {
    height: 62px; }
  .right-panel .top-left, .right-panel .top-right {
    width: 100%;
    float: none;
    background: white; }
  .right-panel .menutoggle {
    float: right; }
  .right-panel .navbar-header {
    padding: 0; }
  .right-panel header.header {
    position: static; }
  .right-panel header.header .top-left {
    position: fixed;
    top: 0;
    left: 0;
```

```
    right: 0;
    padding: 0 30px;
    z-index: 999;
    border-bottom: 1px solid #dcdcdc; }
.right-panel header.header .top-right {
    padding: 0 30px; }

.small-device .right-panel {
    margin-left: 0; }

#left-panel {
    max-width: 100%;
    width: 100%; }
#left-panel .navbar .navbar-nav li > a {
    max-width: inherit;
    font-size: 14px; }
#left-panel .navbar .navbar-nav li > a .menu-icon {
    width: 55px;
    text-align: left;
    font-size: 14px; }
#left-panel .navbar .navbar-nav li.menu-item-has-children.show .sub-menu {
    position: static !important;
    padding-left: 50px; }

.orders {
    overflow: hidden; }

.order-table .avatar, .order-table .serial {
    display: none; } }
@media (max-width: 575px) {
    #left-panel .navbar {
        display: inherit; }
    #left-panel .navbar .main-menu {
        display: inherit; }
    #left-panel .navbar .sub-menu.children {
        display: none; }
    #left-panel .navbar .sub-menu.children.show {
        display: block; }

    .right-panel .navbar-brand {
        width: 220px;
        padding-bottom: 5px; }
    .right-panel .menutoggle {
        width: 20px; } }
#cellPaiChart {
    height: 160px; }
#cellPaiChart .pieLabel {
    top: 50px !important; }
#cellPaiChart .pieLabel div {
    font-size: 16px !important; }
#cellPaiChart #pieLabel1 {
    left: 20px !important; }
#cellPaiChart #pieLabel0 {
    left: inherit !important;
```

```
    right: 20px !important; }
```

JavaScript

```
( function ( $ ) {
    "use strict";
    // Flot Charts
    $.plot("#flotBar1", [{ data: [[0, 3], [2, 8], [4, 5], [6, 13],[8,5], [10,7],[12,4], [14,6]], bars: { show: true, lineWidth: 0, fillColor: '#85c988' } }, { grid: { show: false, hoverable: true } } ]);
    $.plot("#flotBar2", [{ data: [[0, 3], [2, 8], [4, 5], [6, 13],[8,5], [10,7],[12,4], [14,6]], bars: { show: true, lineWidth: 0, fillColor: '#f58f8d' } }, { grid: { show: false } } ]);
    var plot = $.plot($('#flotLine1'),[{ data: [[0, 1], [1, 3], [2,6], [3, 5], [4, 7], [5, 8], [6, 10]], color: '#fff' } ],
    {
        series: {
            lines: { show: false },
            splines: { show: true, tension: 0.4, lineWidth: 2 //fill: 0.4 },
            shadowSize: 0,
            points: { show: false },
            legend: {
```

```

        noColumns: 1,
        position: 'nw'
    },
    grid: {
        hoverable: true,
        clickable: true,
        show: false
    },
    yaxis: {
        min: 0,
        max: 10,
        color: '#eee',
        font: {
            size: 10,
            color: '#6a7074'
        }
    },
    xaxis: {
        color: '#eee',
        font: {
            size: 10,
            color: '#6a7074'
        }
    }
});

var plot = $.plot($('#flotLine2'),[{
    data: [[0, 8], [1, 5], [2,7], [3, 8], [4, 7], [5, 10], [6, 8], [7, 5], [8, 8], [9, 6], [10, 4]],
    label: 'New Data Flow',
    color: '#42a5f5'
}],
{
    series: {
        lines: {
            show: false
        },
        splines: {
            show: true,
            tension: 0.4,
            lineWidth: 1,
            fill: 0.25
        },
        shadowSize: 0
    },
    points: {
        show: false
    },
    legend: {
        show: false
    },
    grid: {
        show: false
    }
});

```

```
}

}) ;

var plot = $.plot($('#flotLine3'),[{
    data: [[0, 8], [1, 5], [2,7], [3, 8], [4, 7], [5, 10], [6, 8], [7, 5], [8, 8], [9, 6], [10, 4]],
    label: 'New Data Flow',
    color: '#ffa726'
}],
{
    series: {
        lines: {
            show: false
        },
        splines: {
            show: true,
            tension: 0.4,
            lineWidth: 1,
            fill: 0.25
        },
        shadowSize: 0
    },
    points: {
        show: false
    },
    legend: {
        show: false
    },
    grid: {
        show: false
    }
});
}

var plot = $.plot($('#flotLine4'),[{
    data: [[0, 8], [1, 5], [2,7], [3, 8], [4, 7], [5, 10], [6, 8], [7, 5], [8, 8], [9, 6], [10, 4]],
    label: 'New Data Flow',
    color: '#5c6bc0'
}],
{
    series: {
        lines: {
            show: false
        },
        splines: {
            show: true,
            tension: 0.4,
            lineWidth: 1,
            fill: 0.25
        },
        shadowSize: 0
    },
    points: {
        show: false
    }
});
```

```

        },
        legend: {
            show: false
        },
        grid: {
            show: false
        }
    });

var newCust = [[0, 3], [1, 5], [2,4], [3, 7], [4, 9], [5, 3], [6, 6], [7, 4], [8, 10]];

var plot = $.plot($('#flotLine5'), [
    {
        data: newCust,
        label: 'New Data Flow',
        color: '#fff'
    }
],
{
    series: {
        lines: {
            show: true,
            lineColor: '#fff',
            lineWidth: 1
        },
        points: {
            show: true,
            fill: true,
            fillColor: "#ffffff",
            symbol: "circle",
            radius: 3
        },
        shadowSize: 0
    },
    points: {
        show: true,
    },
    legend: {
        show: false
    },
    grid: {
        show: false
    }
});

/**************************************** PIE CHART *****/
var piedata = [
{ label: "Desktop visits", data: [[1,32]], color: '#5c6bc0'},
{ label: "Tab visits", data: [[1,33]], color: '#ef5350'},
{ label: "Mobile visits", data: [[1,35]], color: '#66bb6a'}
];

$.plot('#flotPie1', piedata, {
    series: {

```

```

        pie: {
            show: true,
            radius: 1,
            innerRadius: 0.4,
            label: {
                show: true,
                radius: 2/3,
                threshold: 1
            },
            stroke: {
                width: 0.1
            }
        },
        grid: {
            hoverable: true,
            clickable: true
        }
    });
}

// Real Time Chart

var data = [], totalPoints = 50;

function getRandomData() {
    if (data.length > 0)
        data = data.slice(1);
    while (data.length < totalPoints) {
        var prev = data.length > 0 ? data[data.length - 1] : 50,
        y = prev + Math.random() * 10 - 5;
        if (y < 0) {
            y = 0;
        } else if (y > 100) {
            y = 100;
        }
        data.push(y);
    }
    var res = [];
    for (var i = 0; i < data.length; ++i) {
        res.push([i, data[i]]);
    }
    return res;
}

// Set up the control widget
var updateInterval = 1000;

var plot5 = $.plot('#flotRealtime2', [ getRandomData() ], {
    colors: ['#5c6bc0'],
    series: {

```

```

// label: 'Upload',
lines: {
  show: true,
  lineWidth: 0,
  fill: 0.9
},
shadowSize: 0 // Drawing is faster without shadows
},
grid: {
  show: false
},
xaxis: {
  color: '#eee',
  font: {
    size: 10,
    color: '#6a7074'
  }
},
yaxis: {
  min: 0,
  max: 100,
  color: '#eee',
  font: {
    size: 10,
    color: '#6a7074'
  }
}
);
}

function update_plot5() {
  plot5.setData([getRandomData()]);
  plot5.draw();
  setTimeout(update_plot5, updateInterval);
}

update_plot5();

// Traffic Chart

if ($('#traffic-chart').length) {
  var chart = new Chartist.Line('#traffic-chart', {
    labels: ['Jan', 'Feb', 'Mar', 'Apr', 'Jun', 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', 'Dec'],
    series: [
      [13000, 18000, 35000, 18000, 25000, 26000, 22000, 20000, 18000, 35000, 18000, 25000],
      [15000, 23000, 15000, 30000, 20000, 31000, 15000, 15000, 23000, 15000, 30000, 20000],
      [25000, 15000, 38000, 25500, 15000, 22500, 30000, 25000, 15000, 38000, 25500, 15000]
    ]
  }, {
    low: 0,
    showArea: true,
    showLine: false,
    showPoint: false,
    fullWidth: true,
  })
}

```

```

        axisX: {
            showGrid: true
        }
    });

    chart.on('draw', function(data) {
        if(data.type === 'line' || data.type === 'area') {
            data.element.animate({
                d: {
                    begin: 2000 * data.index,
                    dur: 2000,
                    from: data.path.clone().scale(1, 0).translate(0,
data.chartRect.height()).stringify(),
                    to: data.path.clone().stringify(),
                    easing: Chartist.Svg.Easing.easeOutQuint
                }
            });
        }
    });
}

/* Gauge Chart */

var g1;

document.addEventListener("DOMContentLoaded", function(event) {
    g1 = new JustGage({
        id: "g1",
        value: 72,
        //title: "Completed",
        fill: '#ffa726',
        symbol: '%',
        min: 0,
        max: 100,
        donut: true,
        gaugeWidthScale: 0.4,
        counter: true,
        hideInnerShadow: true
    });
});

/* Sparkline Tab Charts */

$('#sparklinedash, #sparklinedash6, #sparklinedash11').sparkline([ 0, 5, 6, 10, 9, 12, 4, 9], {
    type: 'bar',
    height: '30',
    barWidth: '5',
    disableHiddenCheck: true,
    resize: true,
    barSpacing: '2',
    barColor: '#42a5f5'
});

```

```
$('#sparklinedash2, #sparklinedash7, #sparklinedash12').sparkline([ 0, 5, 6, 10, 9, 12, 4, 9],  
{  
    type: 'bar',  
    height: '30',  
    barWidth: '5',  
    resize: true,  
    barSpacing: '2',  
    barColor: '#ef5350'  
});  
$('#sparklinedash3, #sparklinedash8, #sparklinedash13').sparkline([ 0, 5, 6, 10, 9, 12, 4, 9],  
{  
    type: 'bar',  
    height: '30',  
    barWidth: '5',  
    resize: true,  
    barSpacing: '2',  
    barColor: '#66bb6a'  
});  
$('#sparklinedash4, #sparklinedash9, #sparklinedash14').sparkline([ 0, 5, 6, 10, 9, 12, 4, 9],  
{  
    type: 'bar',  
    height: '30',  
    barWidth: '5',  
    resize: true,  
    barSpacing: '2',  
    barColor: '#5c6bc0'  
});  
$('#sparklinedash5, #sparklinedash10, #sparklinedash15').sparkline([ 0, 5, 6, 10, 9, 12, 4, 9],  
{  
    type: 'bar',  
    height: '30',  
    barWidth: '5',  
    resize: true,  
    barSpacing: '2',  
    barColor: '#ffa726'  
});  
  
// Chartist  
  
var ctx = document.getElementById('area_chart').getContext('2d');  
  
var chart = new Chart(ctx, {  
    // The type of chart we want to create  
    type: 'line',  
  
    // The data for our dataset  
    data: {  
        labels: ["Jan", "Feb", "Mar", "Jun", "Jul", "Aug", "Sep"],  
        datasets: [{  
            label: "My First dataset",  
            backgroundColor: 'transparent',  
            borderColor: '#4fabf5',  
            pointBackgroundColor: "#ffffff",  
            data: [5000, 2700, 8500, 5500, 4500, 4900, 3000]  
        }]  
    }  
});
```

```
},
{
  label: "My Second dataset",
  backgroundColor: 'rgba(230,240,244,.5)',
  borderColor: '#6ebe73',
  pointBackgroundColor: "#ffffff",
  data: [5500, 2900, 7000, 3500, 5000, 3300, 4800]
},
{
  label: "My Third dataset",
  backgroundColor: 'transparent',
  borderColor: '#5c6bc0',
  pointBackgroundColor: "#ffffff",
  data: [2700, 7000, 3500, 6900, 2600, 6500, 2200]
}]
},
// Configuration options go here
options: {
  maintainAspectRatio: true,
  legend: {
    display: false
  },
  scales: {
    xAxeS: [{display: true}],
    yAxeS: [{display: true, gridLines: {zeroLineColor: '#e8e9ef', color: '#e8e9ef', drawBorder: true}}]
  },
  elements: {
    line: {tension: 0.00001, borderWidth: 1},
    point: {radius: 4, hitRadius: 10, hoverRadius: 4, borderWidth: 2}
  }
}
});
```

```

})( jQuery );

if (Gauge) {

    var opts = {
        lines: 12, // The number of lines to draw
        angle: 0, // The length of each line
        lineWidth: 0.05, // The line thickness
        pointer: {
            length: .75, // The radius of the inner circle
            strokeWidth: 0.03, // The rotation offset
            color: '#000' // Fill color
        },
        limitMax: 'true', // If true, the pointer will not go past the end of the gauge
        colorStart: '#42a5f5', // Colors
        colorStop: '#42a5f5', // just experiment with them
        strokeColor: '#fbfbfc', // to see which ones work best for you
        generateGradient: true
    };

    var target = document.getElementById('g2'); // your canvas element
    var gauge = new Gauge(target).setOptions(opts); // create sexy gauge!
    gauge maxValue = 3000; // set max gauge value
    gauge.animationSpeed = 32; // set animation speed (32 is default value)
    gauge.set(1150); // set actual value
    //gauge.setTextField(document.getElementById("gauge-textfield"));

}

$.noConflict();

jQuery(document).ready(function($) {

    "use strict";

    [].slice.call( document.querySelectorAll( 'select.cs-select' ) ).forEach( function(el) {
        new SelectFx(el);
    });

    jQuery('.selectpicker').selectpicker();

    $('.search-trigger').on('click', function(event) {
        event.preventDefault();
        event.stopPropagation();
        $('.search-trigger').parent('.header-left').addClass('open');
    });

    $('.search-close').on('click', function(event) {
        event.preventDefault();
        event.stopPropagation();
        $('.search-trigger').parent('.header-left').removeClass('open');
    });

    $('.equal-height').matchHeight({

```

```

        property: 'max-height'
    });

// var chartsheight = $('.flotRealtime2').height();
// $('.traffic-chart').css('height', chartsheight-122);

// Counter Number
$('.count').each(function () {
    $(this).prop('Counter',0).animate({
        Counter: $(this).text(),
    }, {
        duration: 3000,
        easing: 'swing',
        step: function (now) {
            $(this).text(Math.ceil(now));
        }
    });
});

// Menu Trigger
$('#menuToggle').on('click', function(event) {
    var windowWidth = $(window).width();
    if (windowWidth<1010) {
        $('body').removeClass('open');
        if (windowWidth<760){
            $('#left-panel').slideToggle();
        } else {
            $('#left-panel').toggleClass('open-menu');
        }
    } else {
        $('body').toggleClass('open');
        $('#left-panel').removeClass('open-menu');
    }
});

$('.menu-item-has-children.dropdown').each(function() {
    $(this).on('click', function() {
        var $temp_text = $(this).children('.dropdown-toggle').html();
        $(this).children('.sub-menu').prepend('<li class="subtitle">' + $temp_text +
'</li>');
    });
});

// Load Resize
$(window).on("load resize", function(event) {
    var windowWidth = $(window).width();
    if (windowWidth<1010) {
        $('body').addClass('small-device');
    } else {
        $('body').removeClass('small-device');
    }
});

});

```

HTML & PHP

Add-category

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid']==0)) {
    header('location:logout.php');
} else{

if(isset($_POST['submit']))
{
    $catname=$_POST['catename'];

    $query=mysqli_query($con, "insert into tblcategory(VehicleCat) value('$catname')");
    if ($query) {
        $msg="Category has been added.";
    }
    else
    {
        $msg="Something Went Wrong. Please try again";
    }

}

?>
<!doctype html>
<html class="no-js" lang="">
<head>

    <title>SPRS - Add Category</title>

    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
        <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
            <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
                <link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
                    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
                        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
                            <link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
                                <link rel="stylesheet" href="assets/css/style.css">
```

```
<link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800' rel='stylesheet' type='text/css'>

<!-- <script type="text/javascript"
src="https://cdn.jsdelivr.net/html5shiv/3.7.3/html5shiv.min.js"></script> -->

</head>
<body>
<?php include_once('includes/sidebar.php');?>
<!-- Right Panel -->

<?php include_once('includes/header.php');?>

<div class="breadcrumbs">
    <div class="breadcrumbs-inner">
        <div class="row m-0">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Dashboard</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="add-category.php">Category</a></li>
                            <li class="active">Add Category</li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="content">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <div class="card">

                    </div> <!-- .card -->

                </div><!--/.col-->


```

```

<div class="col-lg-12">
    <div class="card">
        <div class="card-header">
            <strong>Add </strong> Category
        </div>
        <div class="card-body card-block">
            <form action="" method="post" enctype="multipart/form-data"
class="form-horizontal">
                <p style="font-size:16px; color:red" align="center"> <?php
if($msg) {
    echo $msg;
} ?> </p>

                <div class="row form-group">
                    <div class="col col-md-3"><label for="text-input"
class=" form-control-label">Category Name</label></div>
                    <div class="col-12 col-md-9"><input type="text"
id="catename" name="catename" class="form-control" placeholder="Vehicle Category"
required="true"></div>
                </div>

                <p style="text-align: center;"> <button type="submit"
class="btn btn-primary btn-sm" name="submit" >Add</button></p>
                </form>
            </div>
        </div>
    </div>
</div>

</div><!-- .animated -->
</div><!-- .content -->

<div class="clearfix"></div>

<?php include_once('includes/footer.php');?>

</div><!-- /#right-panel -->

<!-- Right Panel -->

<!-- Scripts -->

```

```

<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"></script>
<script src="assets/js/main.js"></script>

</body>
</html>
<?php } ?>

```

Add-vehicle:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid']==0)) {
    header('location:logout.php');
} else{

if(isset($_POST['submit']))
{
    $parkingnumber=mt_rand(100000000, 999999999);
    $catename=$_POST['catename'];
    $vehcomp=$_POST['vehcomp'];
    $vehreno=$_POST['vehreno'];
    $ownername=$_POST['ownername'];
    $ownercontno=$_POST['ownercontno'];
    $enteringtime=$_POST['enteringtime'];

    $query=mysqli_query($con, "insert into
tblvehicle(ParkingNumber,VehicleCategory,VehicleCompanyname,RegistrationNumber,OwnerName,Owner
ContactNumber)
value('$parkingnumber','$catename','$vehcomp','$vehreno','$ownername','$ownercontno')");
    if ($query) {
echo "<script>alert('Vehicle Entry Detail has been added');</script>";
echo "<script>window.location.href ='manage-incomingvehicle.php'</script>";
    }
    else
    {
        echo "<script>alert('Something Went Wrong. Please try again.');//</script>";
    }
}
?>
<!doctype html>
<html class="no-js" lang="">
<head>

```

```
<title>SPRS - Add Vehicle</title>
<link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
<link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
<link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
<link rel="stylesheet" href="assets/css/style.css">

<link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800' rel='stylesheet' type='text/css'>

<!-- <script type="text/javascript"
src="https://cdn.jsdelivr.net/html5shiv/3.7.3/html5shiv.min.js"></script> -->

</head>
<body>
<?php include_once('includes/sidebar.php');?>
<!-- Right Panel -->

<?php include_once('includes/header.php');?>

<div class="breadcrumbs">
<div class="breadcrumbs-inner">
<div class="row m-0">
<div class="col-sm-4">
<div class="page-header float-left">
<div class="page-title">
<h1>Dashboard</h1>
</div>
</div>
<div class="col-sm-8">
<div class="page-header float-right">
<div class="page-title">
<ol class="breadcrumb text-right">
<li><a href="dashboard.php">Dashboard</a></li>
<li><a href="add-vehicle.php">Vehicle</a></li>
<li class="active">Add Vehicle</li>
</ol>
</div>
</div>
</div>

```

```

        </div>
    </div>
</div>

<div class="content">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <div class="card">
                    </div> <!-- .card -->

                </div><!--/.col-->
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong>Add </strong> Vehicle
                    </div>
                    <div class="card-body card-block">
                        <form action="" method="post" enctype="multipart/form-data"
class="form-horizontal">
                            <p style="font-size:16px; color:red" align="center"> <?php
if($msg) {
    echo $msg;
} ?> </p>

                            <div class="row form-group">
                                <div class="col col-md-3"><label for="select" class="form-control-label">Select</label></div>
                                <div class="col-12 col-md-9">
                                    <select name="catename" id="catename"
class="form-control">
                                        <option value="0">Select Category</option>
                                        <?php $query=mysqli_query($con,"select * from
tblcategory");
                                        while($row=mysqli_fetch_array($query))
{
}
?>
                                        <option value="<?php echo
$row['VehicleCat']; ?>"><?php echo $row['VehicleCat']; ?></option>
                                    <?php } ?>
                                </select>
                            </div>
                        </div>
                        <div class="row form-group">
                            <div class="col col-md-3"><label for="text-input"
class="form-control-label">Vehicle Company</label></div>
                            <div class="col-12 col-md-9"><input type="text"
id="vehcomp" name="vehcomp" class="form-control" placeholder="Vehicle Company"
required="true"></div>
                        </div>

```

```


<div class="col col-md-3"><label for="text-input" class="form-control-label">Registration Number</label></div>
    <div class="col-12 col-md-9"><input type="text" id="vehreno" name="vehreno" class="form-control" placeholder="Registration Number" required="true"></div>


</div>
<div class="row form-group">
    <div class="col col-md-3"><label for="text-input" class="form-control-label">Owner Name</label></div>
    <div class="col-12 col-md-9"><input type="text" id="ownername" name="ownername" class="form-control" placeholder="Owner Name" required="true"></div>

```

Reports:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['vpmsaid'])==0) {
    header('location:logout.php');
} else{
    ?>
<!doctype html>
<html class="no-js" lang="">
<head>

    <title>SPRS - Reports</title>
    <link rel="apple-touch-icon"
href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
    <link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="assets/css/style.css">

    <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>
<body>
    <?php include_once('includes/sidebar.php');?>
    <!-- Right Panel -->

    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
        <div class="breadcrumbs-inner">
            <div class="row m-0">
                <div class="col-sm-4">
                    <div class="page-header float-left">
                        <div class="page-title">
                            <h1>Dashboard</h1>
                        </div>
                    </div>
                <div class="col-sm-8">
                    <div class="page-header float-right">
                        <div class="page-title">
                            <h2>Dashboard</h2>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="content-body">
        <div class="row m-0">
            <div class="col-sm-3">
                <div class="card">
                    <div class="card-body">
                        <div class="row m-0">
                            <div class="col-6">
                                <div class="text-center">
                                    
                                    <strong>John Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                            <div class="col-6">
                                <div class="text-center">
                                    
                                    <strong>Jane Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-sm-9">
                <div class="card">
                    <div class="card-body">
                        <div class="row m-0">
                            <div class="col-3">
                                <div class="text-center">
                                    
                                    <strong>John Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                            <div class="col-3">
                                <div class="text-center">
                                    
                                    <strong>Jane Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                            <div class="col-3">
                                <div class="text-center">
                                    
                                    <strong>John Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                            <div class="col-3">
                                <div class="text-center">
                                    
                                    <strong>Jane Doe</strong>
                                    <small>User</small>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="content-footer">
        <div class="row m-0">
            <div class="col-6">
                <div class="text-center">
                    
                    <strong>John Doe</strong>
                    <small>User</small>
                </div>
            </div>
            <div class="col-6">
                <div class="text-center">
                    
                    <strong>Jane Doe</strong>
                    <small>User</small>
                </div>
            </div>
        </div>
    </div>
</body>
```

```

        </div>
    </div>
</div>
<div class="col-sm-8">
    <div class="page-header float-right">
        <div class="page-title">
            <ol class="breadcrumb text-right">
                <li><a href="dashboard.php">Dashboard</a></li>
                <li><a href="bwdates-report-ds.php">Reports</a></li>
                <li class="active">Between Dates Reports</li>
            </ol>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="content">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <div class="card">
                    </div> <!-- .card -->

                </div><!--/.col-->
                <div class="col-lg-12">
                    <div class="card">
                        <div class="card-header">
                            <strong>Between Dates </strong> Reports
                        </div>
                        <div class="card-body card-block">
                            <form action="bwdates-reports-details.php" method="post"
enctype="multipart/form-data" class="form-horizontal" name="bwdatesreport">
                                <p style="font-size:16px; color:red" align="center"> <?php
if($msg) {
    echo $msg;
} ?> </p>

                                <div class="row form-group">
                                    <div class="col col-md-3"><label for="text-input"
class=" form-control-label">From Date</label></div>
                                    <div class="col-12 col-md-9"><input type="date"
name="fromdate" id="fromdate" class="form-control" required="true"></div>
                                </div>
                                <div class="row form-group">
                                    <div class="col col-md-3"><label for="email-input"
class=" form-control-label">To Date</label></div>
                                    <div class="col-12 col-md-9"><input type="date"
name="todate" class="form-control" required="true"></div>
                                </div>

```

```


<p style="text-align: center;"> <button type="submit"
class="btn btn-primary btn-sm" name="submit" >Submit</button></p>
</form>
</div>
</div>
</div>

<div class="col-lg-6">
</div>
</div>

</div><!-- .animated -->
</div><!-- .content -->

<div class="clearfix"></div>

<?php include_once('includes/footer.php');?>

</div><!-- #right-panel -->

<!-- Right Panel -->
<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"></script>
<script src="assets/js/main.js"></script>
</body>
</html>
<?php } ?>


```

Report Details:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid']==0)) {
    header('location:logout.php');
} else{

    ?>
<!doctype html>

<html class="no-js" lang="">
<head>

    <title>SPRS - Reports</title>

    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">
```

```
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
<link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
<link rel="stylesheet" href="assets/css/style.css">

<link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>
<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <!-- Left Panel -->

    <!-- Right Panel -->

    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
        <div class="breadcrumbs-inner">
            <div class="row m-0">
                <div class="col-sm-4">
                    <div class="page-header float-left">
                        <div class="page-title">
                            <h1>Dashboard</h1>
                        </div>
                    </div>
                </div>
                <div class="col-sm-8">
                    <div class="page-header float-right">
                        <div class="page-title">
                            <ol class="breadcrumb text-right">
                                <li><a href="dashboard.php">Dashboard</a></li>
                                <li><a href="bwdates-report-ds.php">Between Date Reports</a></li>
                                    <li class="active">Between Date Reports</li>
                                </ol>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```

        </div>
    </div>
</div>

<div class="content">
    <div class="animated fadeIn">
        <div class="row">

            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Between Date Reports</strong>
                    </div>
                    <div class="card-body">
                        <?php
$fd=$_POST['fromdate'];
$tdate=$_POST['todate'];

?>
<h5 align="center" style="color:blue">Report from <?php echo $fd?> to <?php echo
$tdate?></h5>
                    <table class="table">
                        <thead>
                            <tr>
                                <tr>
                                    <th>S.NO</th>
                                    <th>Parking Number</th>
                                    <th>Owner Name</th>
                                    <th>Vehicle Reg Number</th>
                                    <th>Action</th>
                            </tr>
                        </thead>
                        <?php
$ret=mysqli_query($con,"select *from    tblvehicle where date(InTime) between '$fd' and
'$tdate'");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {
?>

                            <tr>
                                <td><?php echo $cnt;?></td>

                                <td><?php echo $row['ParkingNumber'];?></td>
                                <td><?php echo $row['OwnerName'];?></td>
                                <td><?php echo $row['RegistrationNumber'];?></td>

                                <td><a href="view-incomingvehicle-detail.php?viewid=<?php echo
$row['ID'];?>">View</a></td>

```

```

        </tr>
        <?php
$cnt=$cnt+1;
?>
    </table>

            </div>
        </div>
    </div>

        </div>
    </div><!-- .animated -->
</div><!-- .content -->

<div class="clearfix"></div>

<?php include_once('includes/footer.php');?>

</div><!-- #right-panel -->

<!-- Right Panel -->

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"></script>
<script src="assets/js/main.js"></script>

</body>
</html>
<?php } ?>

```

Dashboard:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['vpmsaid'])==0) {
    header('location:logout.php');
} else{ ?>
<!doctype html>
<html class="no-js" lang="">
<head>

    <title>SPRS - Admin Dashboard</title>
    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

```

```
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
<link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
<link rel="stylesheet" href="assets/css/style.css">
<!-- <script type="text/javascript"
src="https://cdn.jsdelivr.net/html5shiv/3.7.3/html5shiv.min.js"></script> -->
<link href="https://cdn.jsdelivr.net/npm/chartist@0.11.0/dist/chartist.min.css"
rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/jqvmap@1.5.1/dist/jqvmap.min.css"
rel="stylesheet">

<link href="https://cdn.jsdelivr.net/npm/weathericons@2.1.0/css/weather-icons.css"
rel="stylesheet" />
<link href="https://cdn.jsdelivr.net/npm/fullcalendar@3.9.0/dist/fullcalendar.min.css"
rel="stylesheet" />

<style>
#weatherWidget .currentDesc {
    color: #ffffff !important;
}
.traffic-chart {
    min-height: 335px;
}
#flotPie1 {
    height: 150px;
}
#flotPie1 td {
    padding: 3px;
}
#flotPie1 table {
    top: 20px !important;
    right: -10px !important;
}
.chart-container {
    display: table;
    min-width: 270px ;
    text-align: left;
    padding-top: 10px;
    padding-bottom: 10px;
}
#flotLine5 {
    height: 105px;
}</style>
```

```

        #flotBarChart {
            height: 150px;
        }
        #cellPaiChart{
            height: 160px;
        }

    </style>
</head>

<body>

<?php include_once('includes/sidebar.php');?>
<?php include_once('includes/header.php');?>

<!-- Content -->
<div class="content">
    <!-- Animated -->
    <div class="animated fadeIn">
        <!-- Widgets -->
        <div class="row">
            <?php
//todays Vehicle Entries
$query=mysqli_query($con,"select ID from tblvehicle where date(IntTime)=CURDATE()"); 
$count_today_vehentries=mysqli_num_rows($query);
?>
            <div class="col-lg-3 col-md-6">
                <div class="card">
                    <div class="card-body">
                        <div class="stat-widget-five">
                            <div class="stat-icon dib flat-color-1">
                                <i class="pe-7s-car"></i>
                            </div>
                            <div class="stat-content">
                                <div class="text-left dib">
                                    <div class="stat-text"><span class="count"><?php
echo $count_today_vehentries;?></span></div>
                                    <div class="stat-heading">Todays Vehicle
Entries</div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-lg-3 col-md-6">
                <?php
//Yesterdays Vehicle Entrie
$query1=mysqli_query($con,"select ID from tblvehicle where date(IntTime)=CURDATE()-1");
$count_yesterday_vehentries=mysqli_num_rows($query1);
?>
                <div class="card">

```

```

<div class="card-body">
    <div class="stat-widget-five">
        <div class="stat-icon dib flat-color-2">
            <i class="pe-7s-car"></i>
        </div>
        <div class="stat-content">
            <div class="text-left dib">
                <div class="stat-text"><span class="count"><?php
echo $count_yesterday_vehentries?></span></div>
                <div class="stat-heading">Yesterdays Vehicle
Entries</div>
            </div>
        </div>
    </div>
</div>

<div class="col-lg-3 col-md-6">
    <?php
//Last Sevendays Vehicle Entries
$query2=mysqli_query($con,"select ID from tblvehicle where date(InTime)>=(DATE(NOW()) -
INTERVAL 7 DAY);");
$count_lastsevendays_vehentries=mysqli_num_rows($query2);
?>
    <div class="card">
        <div class="card-body">
            <div class="stat-widget-five">
                <div class="stat-icon dib flat-color-3">
                    <i class="pe-7s-car"></i>
                </div>
                <div class="stat-content">
                    <div class="text-left dib">
                        <div class="stat-text"><span class="count"><?php
echo $count_lastsevendays_vehentries?></span></div>
                        <div class="stat-heading">Last 7 days Vehicle
Entries</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="col-lg-3 col-md-6">
    <?php
//Total Vehicle Entries
$query3=mysqli_query($con,"select ID from tblvehicle");
$count_total_vehentries=mysqli_num_rows($query3);
?>
    <div class="card">
        <div class="card-body">
            <div class="stat-widget-five">
                <div class="stat-icon dib flat-color-4">

```

```
        <i class="pe-7s-car"></i>
    </div>
    <div class="stat-content">
        <div class="text-left dib">
            <div class="stat-text"><span class="count"><?php
echo $count_total_vehentries?></span></div>
            <div class="stat-heading">Total Vehicle
Entries</div>
        </div>
    </div>
    <!-- /Widgets -->

</div>
<!-- .animated -->
</div>
<!-- /.content -->
<div class="clearfix"></div>
<!-- Footer -->
<?php include_once('includes/footer.php');?>

<!--/#right-panel -->

<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"></script>
<script src="assets/js/main.js"></script>

<!-- Chart js -->
<script
src="https://cdn.jsdelivr.net/npm/chart.js@2.7.3/dist/Chart.bundle.min.js"></script>

<!--Chartist Chart-->
<script src="https://cdn.jsdelivr.net/npm/chartist@0.11.0/dist/chartist.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/chartist-plugin-legend@0.6.2/chartist-plugin-legend.min.js"></script>

<script src="https://cdn.jsdelivr.net/npm/jquery.flot@0.8.3/jquery.flot.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/flot-pie@1.0.0/src/jquery.flot.pie.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/flot-spline@0.0.1/js/jquery.flot.spline.min.js"></script>
```

```

<script
src="https://cdn.jsdelivr.net/npm/simpleweather@3.1.0/jquery.simpleWeather.min.js"></script>
<script src="assets/js/init/weather-init.js"></script>

<script src="https://cdn.jsdelivr.net/npm/moment@2.22.2/moment.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/fullcalendar@3.9.0/dist/fullcalendar.min.js"></script>
<script src="assets/js/init/fullcalendar-init.js"></script>

<!--Local Stuff-->
<script>
    jQuery(document).ready(function($) {
        "use strict";

        // Pie chart flotPie1
        var piedata = [
            { label: "Desktop visits", data: [[1,32]], color: '#5c6bc0' },
            { label: "Tab visits", data: [[1,33]], color: '#ef5350' },
            { label: "Mobile visits", data: [[1,35]], color: '#66bb6a' }
        ];

        $.plot('#flotPie1', piedata, {
            series: {
                pie: {
                    show: true,
                    radius: 1,
                    innerRadius: 0.65,
                    label: {
                        show: true,
                        radius: 2/3,
                        threshold: 1
                    },
                    stroke: {
                        width: 0
                    }
                },
                grid: {
                    hoverable: true,
                    clickable: true
                }
            }
        });
        // Pie chart flotPie1 End
        // cellPaiChart
        var cellPaiChart = [
            { label: "Direct Sell", data: [[1,65]], color: '#5b83de' },
            { label: "Channel Sell", data: [[1,35]], color: '#00bfa5' }
        ];
        $.plot('#cellPaiChart', cellPaiChart, {
            series: {
                pie: {
                    show: true,
                    stroke: {
                        width: 0
                    }
                }
            }
        });
    });

```

```

        }
    },
},
legend: {
    show: false
},grid: {
    hoverable: true,
    clickable: true
}

});

// cellPaiChart End
// Line Chart  #flotLine5
var newCust = [[0, 3], [1, 5], [2,4], [3, 7], [4, 9], [5, 3], [6, 6], [7, 4], [8, 10]];

var plot = $.plot($('#flotLine5'),[{
    data: newCust,
    label: 'New Data Flow',
    color: '#fff'
}],
{
    series: {
        lines: {
            show: true,
            lineColor: '#fff',
            lineWidth: 2
        },
        points: {
            show: true,
            fill: true,
            fillColor: "#ffffff",
            symbol: "circle",
            radius: 3
        },
        shadowSize: 0
    },
    points: {
        show: true,
    },
    legend: {
        show: false
    },
    grid: {
        show: false
    }
});
// Line Chart  #flotLine5 End
// Traffic Chart using chartist
if ($('#traffic-chart').length) {
    var chart = new Chartist.Line('#traffic-chart', {
        labels: ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun'],
        series: [
            [0, 18000, 35000, 25000, 22000, 0],

```

```

        [0, 33000, 15000, 20000, 15000, 300],
        [0, 15000, 28000, 15000, 30000, 5000]
    ]
},
{
    low: 0,
    showArea: true,
    showLine: false,
    showPoint: false,
    fullWidth: true,
    axisX: {
        showGrid: true
    }
});
}

chart.on('draw', function(data) {
    if(data.type === 'line' || data.type === 'area') {
        data.element.animate({
            d: {
                begin: 2000 * data.index,
                dur: 2000,
                from: data.path.clone().scale(1, 0).translate(0,
data.chartRect.height()).stringify(),
                to: data.path.clone().stringify(),
                easing: Chartist.Svg.Easing.easeOutQuint
            }
        });
    }
});

// Traffic Chart using chartist End
//Traffic chart chart-js
if ($('#TrafficChart').length) {
    var ctx = document.getElementById("TrafficChart");
    ctx.height = 150;
    var myChart = new Chart( ctx, {
        type: 'line',
        data: {
            labels: [ "Jan", "Feb", "Mar", "Apr", "May", "Jun", "Jul" ],
            datasets: [
            {
                label: "Visit",
                borderColor: "rgba(4, 73, 203,.09)",
                borderWidth: "1",
                backgroundColor: "rgba(4, 73, 203,.5)",
                data: [ 0, 2900, 5000, 3300, 6000, 3250, 0 ]
            },
            {
                label: "Bounce",
                borderColor: "rgba(245, 23, 66, 0.9)",
                borderWidth: "1",
                backgroundColor: "rgba(245, 23, 66,.5)",
                pointHighlightStroke: "rgba(245, 23, 66,.5)",
                data: [ 0, 4200, 4500, 1600, 4200, 1500, 4000 ]
            },
            ]
        }
    });
}

```

```

        {
            label: "Targeted",
            borderColor: "rgba(40, 169, 46, 0.9)",
            borderWidth: "1",
            backgroundColor: "rgba(40, 169, 46, .5)",
            pointHighlightStroke: "rgba(40, 169, 46,.5)",
            data: [1000, 5200, 3600, 2600, 4200, 5300, 0]
        }
    ]
},
options: {
    responsive: true,
    tooltips: {
        mode: 'index',
        intersect: false
    },
    hover: {
        mode: 'nearest',
        intersect: true
    }
}
);
}
//Traffic chart chart-js End
// Bar Chart #flotBarChart
$.plot("#flotBarChart", [
    {
        data: [[0, 18], [2, 8], [4, 5], [6, 13],[8,5], [10,7],[12,4], [14,6],[16,15],
[18, 9],[20,17], [22,7],[24,4], [26,9],[28,11]],
        bars: {
            show: true,
            lineWidth: 0,
            fillColor: '#fffff8a'
        }
    }, {
        grid: {
            show: false
        }
    });
// Bar Chart #flotBarChart End
});
</script>
</body>
</html>
<?php } ?>
```

Edit Category:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid']==0)) {
    header('location:logout.php');
```

```

} else{

if(isset($_POST['submit']))
{
    $aid=$_SESSION['vpmsaid'];
    $catname=$_POST['catename'];
    $eid=$_GET['editid'];

    $query=mysqli_query($con, "update tblcategory set VehicleCat='".$catname' where ID='".$eid"'");
    if ($query) {
        $msg="Category has been updated.";
    }
    else
    {
        $msg="Something Went Wrong. Please try again";
    }
}
?>
<!doctype html>
<html class="no-js" lang="">
<head>
    <title>SPRS - Manage Category</title>
    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
    <link rel="stylesheet"
    href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
    <link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="assets/css/style.css">

    <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

    <!-- <script type="text/javascript"
src="https://cdn.jsdelivr.net/html5shiv/3.7.3/html5shiv.min.js"></script> -->

</head>
<body>
    <?php include_once('includes/sidebar.php');?>
    <!-- Right Panel -->

    <?php include_once('includes/header.php');?>

```

```

<div class="breadcrumbs">
    <div class="breadcrumbs-inner">
        <div class="row m-0">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Dashboard</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="manage-category.php">Category</a></li>
                            <li class="active">Update Category</li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="content">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <div class="card">

                    </div> <!-- .card -->
            </div><!--/.col-->
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong>Update </strong> Category
                    </div>
                    <div class="card-body card-block">
                        <form action="" method="post" enctype="multipart/form-data"
class="form-horizontal">
                            <p style="font-size:16px; color:red" align="center"> <?php
if($msg) {
    echo $msg;
} ?> </p>

                            <?php
$cid=$_GET['editid'];
$ret=mysqli_query($con,"select * from tblcategory where ID='$cid'");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {
```

```

?>



<div class="col col-md-3"><label for="text-input" class="form-control-label">Category Name</label></div>
    <div class="col-12 col-md-9"><input type="text" id="catename" name="catename" class="form-control" placeholder="Vehicle Category" required="true" value=<?php echo $row['VehicleCat'];?>></div>



## Index:



```

<!DOCTYPE HTML>
<html>
 <head>
 <title>SPRS-Home</title>
 <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
 <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">
 <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
 <link href="http://fonts.googleapis.com/css?family=Ropa+Sans' rel='stylesheet' type='text/css'>

```


```

```

<link rel="stylesheet" href="css/responsiveslides.css">
<script
src="http://ajax.googleapis.com/ajax/libs/jquery/1.8.3/jquery.min.js"></script>
<script src="js/responsiveslides.min.js"></script>
<script>
// You can also use "$(window).load(function() {"
$(function () {

    // Slideshow 1
    $("#slider1").responsiveSlides({
        maxwidth: 1500,
        speed: 600
    });
});
</script>
</head>
<body>

<!--start-wrap-->

<!--start-header-->
<div class="header">
    <div class="wrap">
        <!--start-logo-->
        <div class="logo">
            <a href="index.html" style="font-size: 30px;">Smart Parking Reservation
System</a>
        </div>
        <!--end-logo-->
        <!--start-top-nav-->
        <div class="top-nav">
            <ul>
                <li class="active"><a href="index.html">Home</a></li>

                <li><a href="contact.php">contact</a></li>
            </ul>
        </div>
        <div class="clear"> </div>
        <!--end-top-nav-->
    </div>
    <!--end-header-->
</div>
<div class="clear"> </div>
<!--start-image-slider---->
<div class="image-slider">
    <!-- Slideshow 1 -->
    <ul class="rsslides" id="slider1">
        <li></li>
        <li></li>
        <li></li>
    </ul>
</div>

```

```

        </ul>
        <!-- Slideshow 2 -->
    </div>
    <!--End-image-slider---->
<div class="clear"> </div>
<div class="content-grids">
    <div class="wrap">
        <div class="section group">

            <div class="listview_1_of_3 images_1_of_3">
                <div class="listimg listimg_1_of_2">
                    
                </div>
                <div class="text list_1_of_2">
                    <h3>User Login</h3>
                    <p>Book a slot</p>
                    <div class="button"><span><a href="user-login.php">Click Here</a></span></div>
                </div>
            </div>
        </div>

            <div class="listview_1_of_3 images_1_of_3">
                <div class="listimg listimg_1_of_2">
                    
                </div>
                <div class="text list_1_of_2">
                    <h3>Admin Login</h3>
                    <p>Login to administrate</p>
                    <div class="button"><span><a href="admin-login.php">Click Here</a></span></div>
                </div>
            </div>
        </div>
    </div>
</div>

</body>
</html>

```

Manage Category:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid'])==0) {
    header('location:logout.php');
} else{

```

```
?>

<!doctype html>

<html class="no-js" lang="">
<head>

    <title>SPRS - Manage Category</title>

    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">

    <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
        <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
        <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
        <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
        <link rel="stylesheet"
    href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
        <link rel="stylesheet"
    href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
        <link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
        <link rel="stylesheet" href="assets/css/style.css">

        <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>
<body>

    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <!-- Left Panel -->

    <!-- Right Panel -->

    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
        <div class="breadcrumbs-inner">
            <div class="row m-0">
                <div class="col-sm-4">
                    <div class="page-header float-left">
                        <div class="page-title">
                            <h1>Dashboard</h1>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```

        </div>
        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="manage-category.php">Category</a></li>
                        <li class="active">Manage Category</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="content">
    <div class="animated fadeIn">
        <div class="row">

            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage Category</strong>
                    </div>
                    <div class="card-body">
                        <table class="table">
                            <thead>
                                <tr>
                                    <tr>
                                        <th>S.NO</th>
                                        <th>Category</th>
                                        <th>Action</th>
                                    </tr>
                                </thead>
                                <?php
$ret=mysqli_query($con,"select *from tblcategory");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {
?>
                                <tr>
                                    <td><?php echo $cnt;?></td>
                                    <td><?php echo $row['VehicleCat'];?></td>
                                    <td><?php
                                        if($row['Status']==1)
                                            echo "Active";
                                        else
                                            echo "Inactive";
                                    ?></td>
                                </tr>
                            <tbody>
                                <tr>
                                    <td>1</td>
                                    <td>Electrical Vehicle</td>
                                    <td>Active</td>
                                </tr>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```
<td><a href="edit-category.php?editid=<?php echo $row['ID'];?>">Edit  
Details</a></td>  
</tr>  
<?php  
$cnt=$cnt+1;  
}?>  
</table>  
  
</div>  
</div>  
</div>  
  
</div>  
</div><!-- .animated -->  
</div><!-- .content -->  
  
<div class="clearfix"></div>  
  
<?php include_once('includes/footer.php');?>  
  
</div><!-- /#right-panel -->  
  
<!-- Right Panel -->  
  
<!-- Scripts -->  
<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>  
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>  
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>  
<script  
src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"></script>  
<script src="assets/js/main.js"></script>  
  
</body>  
</html>  
<?php } ?>
```

Search Vehicle:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['vpmsaid'])==0) {
    header('location:logout.php');
} else{
?>
<!doctype html>
<html class="no-js" lang="">
<head>
    <title>SPRS - Search Vehicle</title>
    <link rel="apple-touch-icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="shortcut icon" href="https://static.thenounproject.com/png/315025-200.png">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/normalize.css@8.0.0/normalize.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/css/bootstrap.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/font-awesome@4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/gh/lykmapipo/themify-icons@0.1.2/css/themify-icons.css">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/pixeden-stroke-7-icon@1.2.3/pe-icon-7-stroke/dist/pe-icon-7-stroke.min.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/flag-icon-css/3.2.0/css/flag-icon.min.css">
    <link rel="stylesheet" href="assets/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="assets/css/style.css">
    <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800' rel='stylesheet'
type='text/css'>
</head>
<body>
    <?php include_once('includes/sidebar.php');?>
    <?php include_once('includes/header.php');?>
    <div class="breadcrumbs">
        <div class="breadcrumbs-inner">
            <div class="row m-0">
                <div class="col-sm-4">
                    <div class="page-header float-left">
                        <div class="page-title">
                            <h1>Dashboard</h1>
                        </div>
                    </div>
                </div>
                <div class="col-sm-8">
                    <div class="page-header float-right">
                        <div class="page-title">
                            <ol class="breadcrumb text-right">
                                <li><a href="dashboard.php">Dashboard</a></li>
                                <li><a href="search-vehicle.php">Search Vehicle</a></li>
                                <li class="active">Search Vehicle</li>
                            </ol>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

                </ol>
            </div>
        </div>
    </div>
</div>
<div class="content">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Search Vehicle</strong>
                    </div>
                    <div class="card-body">
<form action="" method="post" enctype="multipart/form-data" class="form-horizontal"
name="search">
    <p style="font-size:16px; color:red" align="center"> <?php
if($msg) {
    echo $msg;
} ?> </p>

    <div class="row form-group">
        <div class="col col-md-3"><label for="text-input" class="form-control-label">Search By Parking Number</label></div>
        <div class="col-12 col-md-9"><input type="text" id="searchdata" name="searchdata" class="form-control" required="required" autofocus="autofocus" />
    </div>
    <p style="text-align: center;"> <button type="submit" class="btn btn-primary btn-sm" name="search" >Search</button></p>
</form>
<?php
if(isset($_POST['search']))
{
    $sdata=$_POST['searchdata'];
?>
<h4 align="center">Result against "<?php echo $sdata;?>" keyword </h4>
    <table class="table">
        <thead>
            <tr>
                <tr>
                    <th>S.NO</th>
                    <th>Parking Number</th>
                    <th>Owner Name</th>
                    <th>Vehicle Reg. Number</th>
                    <th>Action</th>
                </tr>
                </tr>
            </thead>
            <?php
$ret=mysqli_query($con,"select *from    tblvehicle where ParkingNumber like '$sdata%'");
$num=mysqli_num_rows($ret);

```

```

if($num>0) {
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {

?>

<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['ParkingNumber'];?></td>
<td><?php echo $row['OwnerName'];?></td>
<td><?php echo $row['RegistrationNumber'];?></td>
<td><a href="view-incomingvehicle-detail.php?viewid=<?php echo
$row['ID'];?>">View</a></td>
</tr>
<?php
$cnt=$cnt+1;
} } else { ?>
<tr>
<td colspan="8"> No record found against this search</td>
</tr>
<?php } }?>
</table>
</div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->
<div class="clearfix"></div>
<?php include_once('includes/footer.php');?>
</div><!-- #right-panel -->
<!-- Right Panel -->
<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/jquery@2.2.4/dist/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.14.4/dist/umd/popper.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.1.3/dist/js/bootstrap.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/jquery-match-height@0.7.2/dist/jquery.matchHeight.min.js"><scr
ipt>
<script src="assets/js/main.js"></script>
</body>
</html>
<?php } ?>

```

Transaction:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
// get the post records
if($_POST){
$txtcardno = $_POST['cardno'];
$txtexpdate = $_POST['date'];

```

```

$txtcvcode = $_POST['cvcode'];
$txtcardowner = $_POST['cardowner'];

// database insert SQL code
$sql = "INSERT INTO `transact` VALUES ('$txtcardno', '$txtempdate', '$txtcvcode',
'$txtcardowner')";

// insert in database
$rs = mysqli_query($con, $sql);

if($rs)
{
    echo "<script>alert('Vehicle Booking Successfull');</script>";
    echo "<script>window.location.href ='user-dashboard.php'</script>";

}
?>

<script>
    function successful(){
        alert("successful");
    }
</script>

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <title>Payment Gateway</title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <link rel="stylesheet"
    href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
    integrity="sha384-BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
    crossorigin="anonymous">
    <link rel="stylesheet" type="text/css" href="font-awesome/css/font-awesome.min.css" />

    <script type="text/javascript" src="js/jquery-1.10.2.min.js"></script>
    <script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">

<div class="page-header">
    <h1>Payment Gateway </h1>
</div>

<!-- Credit Card Payment Form - START -->

```



```
<div class="row">
    <div class="col-xs-12">
        <input type="submit" name="Submit" id="Submit" value="Pay
Now">
        <!-- <button type="submit" class="btn btn-warning btn-lg
btn-block" >Process payment</button> -->
    </div>
</div>
</form>


</div>

</div>
</div>
</div>
</div>
</div>
</div>



<style>
    .cc-img {
        margin: 0 auto;
    }
</style>
<!-- Credit Card Payment Form - END -->

</div>
</body>
</html>
```

7. Screenshots



The screenshot shows a screenshot of a web browser displaying the "Smart Parking Reservation System". The title bar reads "localhost / 127.0.0.1 / vpmldb | SPRS-Home". The page header features the system's logo and the text "Smart Parking Reservation System". Below the header is a navigation bar with "HOME" and "CONTACT" buttons. The main content area displays a photograph of a multi-level parking garage. Several cars are parked in designated spots, and two green signs with white text and graphics indicate "RESERVED PARKING". A yellow banner on the right wall of the garage also promotes reserved parking for "Quick Ride User". At the bottom of the page, there are two blue call-to-action buttons: "User Login" with a life preserver icon and "Admin Login" with a stopwatch icon.



Screenshot of the phpMyAdmin interface showing the database structure and data for the 'tbluser' table.

Database Structure:

- Server: 127.0.0.1
- Database: vpmldb
- Table: tbluser

Table Data:

ID	Name	UserName	MobileNumber	Email	Password
1	sai krishna	sai	912183209	sai.krishna@gmail.com	123
2	pranay y	pranay	837421228	pranay.k@gmail.com	123

Query results operations:

- Print
- Copy to clipboard
- Export
- Display chart
- Create view

Screenshot of the User Dashboard for the Smart Parking Reservation System (SPRS).

Dashboard Overview:

- Today's Vehicle Entries: 2
- Yesterday's Vehicle Entries: 0
- Last 7 days Vehicle Entries: 7
- Total Vehicle Entries: 15

Navigation:

- Dashboard
- Booking
- Records

Footer:

Copyright © 2021 Smart Parking Reservation System

User

Dashboard

Booking

Records

Dashboard

Booking

Select Category

Vehicle Company

Registration Number

Owner Name

Owner Contact Number

Parking slot	status
slot 1	book
slot 2	book

User

Dashboard

Booking

Records

Parking slot	status
slot 1	book
slot 2	book
slot 3	book
slot 4	book
slot 5	book
slot 6	book
slot 7	book

Pay Now

SPRS - Add Vehicle localhost / 127.0.0.1 / vpmssql /

localhost / SPRS/add-vehicle2.php

Apps Vellore Institute of... Microsoft Teams WhatsApp ksheeraj1161 (kshe... Feed | LinkedIn vit mail WIN 20-21 Grammarly Design YouTube Tools Other bookmarks Reading list

User

Dashboard Booking Records

Booking

Select: Two Wheeler Vehicle

Vehicle Company: Jawa

Registration Number: TN 04 BB 2545

Owner Name: Sridhar

Owner Contact Number: 7854236984

Parking slot	status
slot 1	book
slot 2	book
slot 3	booked
slot 4	book

Payment Gateway localhost / 127.0.0.1 / vpmssql /

localhost / phpmyadmin/sql.php?server=1&db=vpmssql&table=tblvehicle&pos=0

Apps Vellore Institute of... Microsoft Teams WhatsApp ksheeraj1161 (kshe... Feed | LinkedIn vit mail WIN 20-21 Grammarly Design YouTube Tools Other bookmarks Reading list

phpMyAdmin

Server: 127.0.0.1 > Database: vpmssql > Table: tblvehicle

Browse Structure SQL Search Insert Import Privileges Operations Triggers

ID	ParkingNumber	VehicleCategory	VehicleCompanyname	RegistrationNumber	OwnerName	OwnerContactNumber	InTime	OutTime
1	521796069	Two Wheeler Category	Hyundai	AP 39 AC 7461	Rakesh	8956232528	2020-03-15 11:28:38	2021-03-17 11:59
2	469052796	Two Wheeler Vehicle	Activa	TN 04 HW 1432	Pankaj	8989898889	2020-03-16 14:28:38	2021-03-17 11:59
3	734465023	Four Wheeler Vehicle	Hondacity	AP 03 PQ 8945	Avinash	7845123697	2021-03-26 14:28:38	2021-03-28 11:55
4	432190880	Two Wheeler Vehicle	Hero Honda	AP 23 AD 7899	Harish	2132654447	2021-03-30 14:28:38	2021-04-01 11:57
5	323009894	Two Wheeler Vehicle	Activa	DL 07 AC 4555	Abhi	4654654654	2021-04-06 14:28:38	2021-04-07 11:58
6	522578915	Two Wheeler Vehicle	Hondacity	TS 08 LN 3830	Mathesh	7978999879	2021-04-07 14:28:38	2021-04-12 11:56
7	917725207	Two Wheeler Vehicle	Honda	KA 10 MB 8055	Chandra	1234567890	2021-04-28 16:33:05	2021-04-30 12:01
8	486258836	Two Wheeler Vehicle	Honda Activa	AP 14 CD 3639	Srinivas	1234567890	2021-04-29 17:02:02	2021-04-30 12:01
9	150183608	Two Wheeler Vehicle	Honda	AP 03 AC 7461	sankar	9847512245	2021-06-04 00:13:12	NULL
10	749667585	Two Wheeler Vehicle	Yamaha	AP 03 AD 7899	Raghu	7456358988	2021-06-04 00:47:29	NULL
12	204557209	Two Wheeler Vehicle	Hero	KA 39 ML 8576	Sibil	9521456423	2021-06-04 08:30:26	NULL
15	483511963	Four Wheeler Vehicle	Hero	AP 03 AC 7461	sankar	9521456423	2021-06-04 12:20:10	NULL
16	377188199	Four Wheeler Vehicle	Hero	AP 05 BB 7859	Brindha	8945274126	2021-06-04 16:14:44	NULL
17	370218536	Four Wheeler Vehicle	BMW	AP 03 BB 8966	Pranay yarlagadda	7418529635	2021-06-07 22:20:59	NULL
19	899187238	Two Wheeler Vehicle	Jawa	TN 04 BB 2545	Sridhar	7854236984	2021-06-07 22:37:35	NULL



Payment Gateway


Payment Details

VISA AMERICAN EXPRESS MasterCard PayPal

CARD NUMBER


EXPIRATION DATE CV CODE

CARD OWNER





A screenshot of a web application titled 'SPRS - Reports'. The title bar shows the URL 'localhost/SPRS/bwdates-report-ds2.php'. The main interface has a sidebar on the left with 'User' and three menu items: 'Dashboard', 'Booking', and 'Records'. The central area is titled 'Dashboard' and shows a 'Between Dates Reports' section. This section contains two input fields: 'From Date' with the value '01-06-2021' and 'To Date' with the value '07-06-2021'. Below these fields is a blue 'Submit' button. At the bottom of the page, there are copyright and system information: 'Copyright © 2021' on the left and 'Smart Parking Reservation System' on the right. The browser's taskbar at the top has pinned icons and the date/time '07-06-2021 22:38'.


Admin Module:




The screenshot shows a Windows desktop environment with multiple application icons in the taskbar. The main window is titled "phpMyAdmin" and displays the "tbladmin" table from the "vpmsdb" database. The table structure includes columns: ID, AdminName, UserName, MobileNumber, Email, Password, and AdminRegdate. One row is visible, showing data for Ksheeraj Kandra (ksheeru). The phpMyAdmin interface includes various navigation and operation buttons like Browse, Structure, SQL, and Export.

ID	AdminName	UserName	MobileNumber	Email	Password	AdminRegdate
2	Ksheeraj Kandra	ksheeru	8500050911	kandra.ksheeraj@gmail.com	123	2021-04-07 09:12:16







A screenshot of the 'Smart Parking Reservation System' admin dashboard. The top navigation bar shows 'SPRS - Admin Dashboard' and the browser address 'localhost / 127.0.0.1 / vpmdb / dashboard.php'. On the left is a sidebar with menu items: 'Dashboard', 'Vehicle Category', 'Add Vehicle', 'Manage Vehicle', 'Reports', and 'Search Vehicle'. The main content area displays four summary cards: 'Todays Vehicle Entries' (2), 'Yesterdays Vehicle Entries' (0), 'Last 7 days Vehicle Entries' (7), and 'Total Vehicle Entries' (15). The bottom of the dashboard includes a copyright notice 'Copyright © 2021' and a footer 'Smart Parking Reservation System'.

The screenshot shows the Admin Profile page of a Smart Parking Reservation System (SPRS). The top navigation bar includes links for Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports, and Search Vehicle. The main content area displays the Admin Profile section with fields for Admin Name (Ksheeraj Kandra), User Name (ksheeru), Contact Number (8500050911), and Email (kandra.ksheeraj@gmail.com). A blue "Update" button is located at the bottom right of the form.

Copyright © 2021

Smart Parking Reservation System

The screenshot shows the Change Password page of the SPRS. The top navigation bar includes links for Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports, and Search Vehicle. The main content area displays the Change Password section with fields for Current Password, New Password, and Confirm Password. A blue "Change" button is located at the bottom right of the form.

Copyright © 2021

Smart Parking Reservation System

The screenshot shows a web-based administrative interface. The title bar reads "SPRS - Add Category" and "localhost / 127.0.0.1 vpmldb / 1". The main header "Admin" is displayed above a sidebar menu. The sidebar includes links for Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports, and Search Vehicle. The main content area shows a "Dashboard" section with a breadcrumb trail "Dashboard / Category / Add Category". Below it is an "Add Category" form with a "Category Name" input field containing "Vehicle Category" and a blue "Add" button. At the bottom of the page, there is a copyright notice "Copyright © 2021" and a footer "Smart Parking Reservation System".

The screenshot shows the phpMyAdmin interface connected to the "vpmldb" database. The left sidebar lists databases and tables, with "tblcategory" selected. The main panel displays the "tblcategory" table structure and data. The table has columns: ID, VehicleCat, and CreationDate. The data shows three entries:

ID	VehicleCat	CreationDate
1	Four Wheeler Vehicle	2019-07-05 16:36:50
2	Two Wheeler Vehicle	2019-07-05 16:37:09
4	Bicycles	2019-07-07 17:01:17

The screenshot shows a Windows desktop environment with multiple application icons in the taskbar. A browser window titled "SPRS - Add Category" is open at the URL "localhost / 127.0.0.1 / vpmssql / t /". The page displays a sidebar with navigation links: Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports, and Search Vehicle. The main content area shows a "Dashboard" section with the URL "Dashboard / Category / Add Category". Below it is an "Add Category" section with a success message "Category has been added." and a text input field containing "Bus". A blue "Add" button is visible. At the bottom, there is a footer with "Copyright © 2021" and "Smart Parking Reservation System".

The screenshot shows a Windows desktop environment with multiple application icons in the taskbar. A browser window titled "SPRS - Add Category" is open at the URL "localhost / phpmyadmin / sql.php?server=1&db=vpmssql&t=tblcategory&pos=0". The page is part of the phpMyAdmin interface, specifically the "tblcategory" table under the "vpmssql" database. The left sidebar shows a tree view of databases and tables. The main content area displays the table structure with columns: ID, VehicleCat, and CreationDate. Five rows are listed, with the last row being the newly added entry for "Bus". The table includes standard MySQL edit, copy, delete, and export buttons.

ID	VehicleCat	CreationDate
1	Four Wheeler Vehicle	2019-07-05 16:36:50
2	Two Wheeler Vehicle	2019-07-05 16:37:09
4	Bicycles	2019-07-07 17:01:17
5	Bus	2021-06-07 22:42:46

The screenshot shows the Admin interface for a Smart Parking Reservation System. The title bar indicates the page is 'localhost / 127.0.0.1 vpmdb / manage-category.php'. The left sidebar has a 'Vehicle Category' section expanded, showing 'Add Vehicle', 'Manage Vehicle', 'Reports', and 'Search Vehicle'. The main content area is titled 'Manage Category' and displays a table of vehicle categories:

S.NO	Category	Action
1	Four Wheeler Vehicle	Edit Details
2	Two Wheeler Vehicle	Edit Details
3	Bicycles	Edit Details
4	Bus	Edit Details


At the bottom, it says 'Copyright © 2021' and 'Smart Parking Reservation System'.

The screenshot shows the Admin interface for adding a new vehicle. The title bar indicates the page is 'localhost / 127.0.0.1 vpmdb / add-vehicle.php'. The left sidebar has a 'Vehicle Category' section expanded. The main content area is titled 'Add Vehicle' and contains form fields:

Select	<input type="text" value="Select Category"/>
Vehicle Company	<input type="text" value="Vehicle Company"/>
Registration Number	<input type="text" value="Registration Number"/>
Owner Name	<input type="text" value="Owner Name"/>
Owner Contact Number	<input type="text" value="Owner Contact Number"/>

A blue 'Add' button is at the bottom right. The address bar at the bottom left shows 'localhost/SPRS/add-vehicle.php'.

The screenshot shows a Microsoft Edge browser window with the title 'SPRS - Add Vehicle'. The URL is 'localhost / 127.0.0.1 / vpmdb /'. The page has a sidebar on the left with 'Admin' at the top, followed by 'Dashboard', 'Vehicle Category', 'Add Vehicle', 'Manage Vehicle', 'Reports', and 'Search Vehicle'. The main content area is titled 'Add Vehicle' and contains fields for 'Select' (set to 'Four Wheeler Vehicle'), 'Vehicle Company' (set to 'Hero'), 'Registration Number' (set to 'KA 44 DD 8055'), 'Owner Name' (set to 'Jayaraman'), and 'Owner Contact Number' (set to '8741005639'). A blue 'Add' button is at the bottom right.



Waiting for localhost...

localhost/phpmyadmin/sql.php?server=1&db=vpmldb&table=tblvehicle&pos=0

phpMyAdmin

Server: 127.0.0.1 > Database: vpmldb > Table: tblvehicle

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

ParkingNumber VehicleCategory VehicleCompanyname RegistrationNumber OwnerName OwnerContactNumt InTime OutTime

ParkingNumber	VehicleCategory	VehicleCompanyname	RegistrationNumber	OwnerName	OwnerContactNumt	InTime	OutTime
3 734465023	Four Wheeler Vehicle	Hondacity	AP 03 PQ 8945	Avinash	7845123697	2021-03-26 14:28:38	2021-03-28 11:55
4 432190880	Two Wheeler Vehicle	Hero Honda	AP 23 AD 7899	Harish	2132654447	2021-03-30 14:28:38	2021-04-01 11:57
5 323009894	Two Wheeler Vehicle	Activa	DL 07 AC 4555	Abhi	4654654654	2021-04-06 14:28:38	2021-04-07 11:58
6 522578915	Two Wheeler Vehicle	Hondacity	TS 08 LN 3830	Mahesh	7978999879	2021-04-07 14:28:38	2021-04-12 11:56
7 917725207	Two Wheeler Vehicle	Honda	KA 10 MB 8055	Chandra	1234567890	2021-04-28 16:33:05	2021-04-30 12:01
8 486258836	Two Wheeler Vehicle	Honda Activa	AP 14 CD 3639	Srinivas	1234567890	2021-04-29 17:02:02	2021-04-30 12:01
9 150183608	Two Wheeler Vehicle	Honda	AP 03 AC 7461	sankar	9847512245	2021-06-04 00:13:12	NULL
10 749667585	Two Wheeler Vehicle	Yamaha	AP 03 AD 7899	Raghu	7456358988	2021-06-04 00:47:29	NULL
12 204557209	Two Wheeler Vehicle	Hero	KA 39 ML 8576	Sibil	9521456423	2021-06-04 08:30:26	NULL
15 483511963	Four Wheeler Vehicle	Hero	AP 03 AC 7461	sankar	9521456423	2021-06-04 12:20:10	NULL
16 377188199	Four Wheeler Vehicle	Hero	AP 05 BB 7859	Brindha	8945274126	2021-06-04 16:14:44	NULL
17 370218536	Four Wheeler Vehicle	BMW	AP 03 BB 8966	Pranay yarlagadda	7418529635	2021-06-07 22:20:59	NULL
19 899187238	Two Wheeler Vehicle	Jawa	TN 04 BB 2545	Sridhar	7854236984	2021-06-07 22:37:35	NULL
20 323903961	Four Wheeler Vehicle	Hero	KA 44 DD 8055	Jayaraman	8741005639	2021-06-07 22:44:42	NULL

Check all With selected: Edit Copy Delete Export

localhost/SPRS/manage-incomevehicle.php

Admin

Dashboard Vehicle Category Add Vehicle Manage Vehicle Reports Search Vehicle

Manage Incoming Vehicle

S.NO	Parking Number	Owner Name	Vehicle Reg Number	Action
1	323009894	Abhi	DL 07 AC 4555	View Print
2	522578915	Mahesh	TS 08 LN 3830	View Print
3	917725207	Chandra	KA 10 MB 8055	View Print
4	150183608	sankar	AP 03 AC 7461	View Print
5	749667585	Raghu	AP 03 AD 7899	View Print
6	204557209	Sibil	KA 39 ML 8576	View Print
7	483511963	sankar	AP 03 AC 7461	View Print
8	377188199	Brindha	AP 05 BB 7859	View Print
9	370218536	Pranay yarlagadda	AP 03 BB 8966	View Print
10	899187238	Sridhar	TN 04 BB 2545	View Print
11	323903961	Jayaraman	KA 44 DD 8055	View Print

View Incoming Vehicle

Parking Number	323903961
Vehicle Category	Four Wheeler Vehicle
Vehicle Company Name	Hero
Registration Number	KA 44 DD 8055
Owner Name	Jayraman
Owner Contact Number	8741005639
In Time	2021-06-07 22:44:42
Status	Vehicle In

Remark :

Sir, You have damaged the baricades.

Parking Charge: 200

Status : Outgoing Vehicle

Update

Vehicle Parking receipt			
Parking Number	899187238	Vehicle Category	Two Wheeler Vehicle
Vehicle Company Name	Jawa	Registration Number	TN 04 BB 2545
Owner Name	Sridhar	Owner Contact Number	7854236984
In Time	2021-06-07 22:37:35	Status	Incoming Vehicle



Admin				
Dashboard				
Dashboard				
Vehicle Category				
Add Vehicle				
Manage Vehicle				
Reports				
Search Vehicle				
Manage Outgoing Vehicle				
S.NO	Parking Number	Owner Name	Vehicle Reg Number	Action
1	521796069	Rakesh	AP 39 AC 7461	View Print
2	469052796	Pankaj	TN 04 HW 1432	View Print
3	734465023	Avinash	AP 03 PQ 8945	View Print
4	432190880	Harish	AP 23 AD 7899	View Print
5	486258836	Srinivas	AP 14 CD 3639	View Print
6	323903961	Jayraman	KA 44 DD 8055	View Print

Copyright © 2021

Smart Parking Reservation System

The screenshot shows the Admin dashboard with a sidebar containing links like Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports (with Between Dates Reports selected), and Search Vehicle. The main content area is titled 'Between Dates Reports' and includes fields for 'From Date' and 'To Date' (both set to 'dd-mm-yyyy') with a 'Submit' button. The top navigation bar shows the URL 'localhost/SPRS/bwdates-report-ds.php'.

The screenshot shows the Admin dashboard with the same sidebar. The main content area is titled 'Between Date Reports' and displays a table of vehicle reservations from June 1, 2021, to June 7, 2021. The table has columns for S.NO, Parking Number, Owner Name, Vehicle Reg Number, and Action (View). The data is as follows:

S.NO	Parking Number	Owner Name	Vehicle Reg Number	Action
1	150183608	sankar	AP 03 AC 7461	View
2	749667585	Raghу	AP 03 AD 7899	View
3	204557209	Sibil	KA 39 ML 8576	View
4	483511963	sankar	AP 03 AC 7461	View
5	377188199	Brindha	AP 05 BB 7859	View
6	370218536	Pranay yarlagadda	AP 03 BB 8966	View
7	899187238	Sridhar	TN 04 BB 2545	View
8	323903961	Jayraman	KA 44 DD 8055	View

The screenshot shows a Windows desktop environment with a taskbar at the top containing various application icons. The main window is a web browser displaying the 'Admin' dashboard of a 'Smart Parking Reservation System'. The dashboard has a sidebar on the left with links: Dashboard, Vehicle Category, Add Vehicle, Manage Vehicle, Reports, and Search Vehicle. The main content area is titled 'Search Vehicle' and features a search bar with the value '899187238'. Below the search bar is a blue 'Search' button. At the bottom of the page, there is copyright information: 'Copyright © 2021' on the left and 'Smart Parking Reservation System' on the right.

Dashboard / Search Vehicle / Search Vehicle

Dashboard

Search Vehicle

Search By Parking Number

899187238

Search

Copyright © 2021

Smart Parking Reservation System

SPRS - Search Vehicle localhost / 127.0.0.1 / vpmdb / +

localhost / SPRS/search-vehicle.php

Apps Vellore Institute of... Microsoft Teams WhatsApp ksheeraj1161 (kshe... Feed | LinkedIn vit mail WIN 20-21 Grammarly Design YouTube Tools Other bookmarks Reading list

Admin

- Dashboard
- Vehicle Category >
- Add Vehicle
- Manage Vehicle >
- Reports >
- Search Vehicle

Dashboard

Dashboard / Search Vehicle / Search Vehicle

Search Vehicle

Search By Parking Number

Result against "899187238" keyword

S.NO	Parking Number	Owner Name	Vehicle Reg. Number	Action
1	899187238	Sridhar	TN 04 BB 2545	View

Copyright © 2021 Smart Parking Reservation System

SPRS - View Vehicle Detail localhost / 127.0.0.1 / vpmdb / +

localhost / SPRS/view-incomingvehicle-detail.php?viewid=19

Apps Vellore Institute of... Microsoft Teams WhatsApp ksheeraj1161 (kshe... Feed | LinkedIn vit mail WIN 20-21 Grammarly Design YouTube Tools Other bookmarks Reading list

Admin

- Dashboard
- Vehicle Category >
- Add Vehicle
- Manage Vehicle >
- Reports >
- Search Vehicle

Dashboard

Dashboard / View Vehicle / Incoming Vehicle

View Incoming Vehicle

Parking Number	899187238
Vehicle Category	Two Wheeler Vehicle
Vehicle Company Name	Jawa
Registration Number	TN 04 BB 2545
Owner Name	Sridhar
Owner Contact Number	7854236984
In Time	2021-06-07 22:37:35
Status	Vehicle In

Remark :

Number Plate Detection(by using python):

```
import cv2
import imutils
import numpy as np
import pytesseract
from PIL import Image
pytesseract.pytesseract.tesseract_cmd = 'C:\\Program Files\\Tesseract-OCR\\tesseract.exe'
img = cv2.imread('1.jpg',cv2.IMREAD_COLOR)
img = imutils.resize(img, width=500 )
gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY) #convert to grey scale
gray = cv2.bilateralFilter(gray, 11, 17, 17) #Blur to reduce noise
edged = cv2.Canny(gray, 30, 200) #Perform Edge detection
cnts,new = cv2.findContours(edged.copy(), cv2.RETR_LIST, cv2.CHAIN_APPROX_SIMPLE)
img1=img.copy()
cv2.drawContours(img1,cnts,-1,(0,255,0),3)
cv2.imshow("img1",img1)
cnts = sorted(cnts, key = cv2.contourArea, reverse = True)[:30]
screenCnt = None #will store the number plate contour
img2 = img.copy()
cv2.drawContours(img2,cnts,-1,(0,255,0),3)
cv2.imshow("img2",img2) #top 30 contours

count=0
idx=7
# loop over contours
for c in cnts:
    # approximate the contour
    peri = cv2.arcLength(c, True)
    approx = cv2.approxPolyDP(c, 0.018 * peri, True)
    if len(approx) == 4: #chooses contours with 4 corners
        screenCnt = approx
        x,y,w,h = cv2.boundingRect(c) #finds co-ordinates of the plate
        new_img=img[y:y+h,x:x+w]
        cv2.imwrite('./'+str(idx)+'.png',new_img) #stores the new image
        idx+=1
        break
    #draws the selected contour on original image
cv2.drawContours(img, [screenCnt], -1, (0, 255, 0), 3)
cv2.imshow("Final image with plate detected",img)


Cropped_loc='./7.png' #the filename of cropped image
```

```

cv2.imshow("cropped",cv2.imread(Cropped_loc))
pytesseract.pytesseract.tesseract_cmd=r"C:\Program Files (x86)\Tesseract-OCR\tesseract.exe"
#exe file for using ocr

text=pytesseract.image_to_string(Cropped_loc,lang='eng') #converts image characters to string
print("Number is:" ,text)
cv2.waitKey(0)
cv2.destroyAllWindows()

```



```

number plate.py - C:\XAMPP\htdocs\SPRS\number plate.py (3.9.4)

File Edit Format Run Options Window Help

import cv2
import imutils
import numpy as np
import pytesseract
from PIL import Image
pytesseract.pytesseract.tesseract_cmd = 'C:\\\\Program Files\\\\Tesseract-OCR\\\\tesseract.exe'
img = cv2.imread('1.jpg',cv2.IMREAD_COLOR)
img = imutils.resize(img, width=500 )
gray = cv2.cvtColor(img, cv2.COLOR_BGR2GRAY) #convert to grey scale
gray = cv2.bilateralFilter(gray, 11, 17, 17) #Blur to reduce noise
edged = cv2.Canny(gray, 30, 200) #Perform Edge detection
cnts,new = cv2.findContours(edged.copy(), cv2.RETR_LIST, cv2.CHAIN_APPROX_SIMPLE)
img1=img.copy()
cv2.drawContours(img1,cnts,-1,(0,255,0),3)
cv2.imshow("img1",img1)
cnts = sorted(cnts, key = cv2.contourArea, reverse = True)[:30]
screenCnt = None #will store the number plate contour
img2 = img.copy()
cv2.drawContours(img2,cnts,-1,(0,255,0),3)
cv2.imshow("img2",img2) #top 30 contours

count=0
idx=7
# loop over contours
for c in cnts:
    # approximate the contour
    peri = cv2.arcLength(c, True)
    approx = cv2.approxPolyDP(c, 0.018 * peri, True)
    if len(approx) == 4: #chooses contours with 4 corners
        screenCnt = approx
        x,y,w,h = cv2.boundingRect(c) #finds co-ordinates of the plate
        new_img=img[y:y+h,x:x+w]
        cv2.imwrite('./'+str(idx)+'.png',new_img) #stores the new image
        idx+=1
        break
    #draws the selected contour on original image
cv2.drawContours(img, [screenCnt], -1, (0, 255, 0), 3)
cv2.imshow("Final image with plate detected",img)


Cropped_loc='./7.png' #the filename of cropped image
cv2.imshow("cropped",cv2.imread(Cropped_loc))
pytesseract.pytesseract.tesseract_cmd=r"C:\Program Files (x86)\Tesseract-OCR\tesseract.exe" #

text=pytesseract.image_to_string(Cropped_loc,lang='eng') #converts image characters to string
print("Number is:" ,text)
cv2.waitKey(0)
cv2.destroyAllWindows()


```

Ln: 27 Col: 0



Number Plate Detection using OpenCV



The screenshot shows a Windows File Explorer window displaying files in a folder structure. The files include various PHP scripts (e.g., add-category.php, add-vehicle.php, admin-login.php, etc.), HTML files (index.html, login.php), CSS files (css), JavaScript files (js), Python files (number_plate.py), and image files (1.jpg, img_bg.jpg, img_bg2.jpg). The path in the address bar is "This PC > Windows (C) > XAMPP > htdocs > SPRS >".



The screenshot shows a Python IDE (PyCharm) and an IDLE shell window. The PyCharm window displays the code for "number plate.py", which uses OpenCV and Tesseract-OCR to detect and extract number plates from images. The IDLE shell window shows a Python 3.9.4 environment with the command prompt ">>>". The status bar at the bottom indicates "Ln: 27 Col: 0".



8. Conclusion & Future work

In this work, a website has been proposed and created which integrates several physical devices to check the parking slot availability shows on the website and various functionalities. This is a fully functional website that can be easily used by the users (customers and admins) to manage the bookings of the parking in the malls, airports and many more places. The website will display the slots of space availability/slot for vehicles and reflect the same on the website. This can easily be implemented in big malls to alleviate the above-mentioned problems of time and space. Website allows the user to locate and reserve a parking slot online which reduces the customer's effort and time to search parking space.

The prototype of the website is preplanned and designed in adobe xd, tested so that it will be error free. This website passed all of its test cases while testing in selenium IDE. Prototype is built for a single storage parking slot, but this model can be extended for multi storage parking space.

Website is designed and deployed with interactive GUI and working functionalities. This project enables hassle-free management in malls and airports without traffic congestion and waiting time. We hope the project will be utilised to serve its purpose of making the lives of users(designed for shopping mall customers).

FUTURE WORK:

We can add additional functionalities such as maps linking(vehicle location can be tracked connecting to google maps api, displaying the customer the location of his vehicle on the map window), developing an app and number plate detection.

9. References

- Hongwei Wang; Wenbo He, A Reservation-based Smart Parking System, 2011 - ieeexplore.ieee.org
- M Jangid, VK Verma, VG Shankar -Counting and Classification of Vehicle Through Virtual Region for Private Parking Solution, 2018 - Springer
- S Okamoto, M Nakagawa, K Nobori-Development Of Parking Assistance System Using Virtual Viewpoint Image Synthesis, 2000 - trid.trb.org
- Shiduo Ning; Jiang Zhong; Xiaojun Zheng, Design of Virtual Intelligent Parking Lot System Based on Signal Request Mechanism, 2021 - ieeexplore.ieee.org
- Yasser Aldayan, Abdulkareem Alghamdi, Khalid Alotaiby &Abdul Khader Jilani Saudagar - Smart virtual parking mobile application, 2018 - Taylor & Francis
- Priyanka Prabhakar; P Anupama; S R Resmi - Automatic vehicle number plate detection and recognition , 2014 - ieeexplore.ieee.org
- Mohd Firdaus Zakaria et. al. / (IJCSE) International Journal on Computer Science and Engineering Vol. 02, No. 04, 2010, 1159-1164 - researchgate.net
- Kyaw Zay Oo - Design and Implementation of Electronic Payment Gateway for Secure Online Payment System , 2019 - academia.edu
- A Holmes, M Kellogg - Automating functional tests using Selenium, 2006 - ieeexplore.ieee.org
- BA Myers- User interface software tools, 1995 - dl.acm.org
- A Bruns, A Kornstadt, D Wichmann - Andreas Bruns; Andreas Kornstadt; Dennis Wichmann, 2009 - ieeexplore.ieee.org