CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the October/November 2015 series

0625 PHYSICS

0625/23 Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks — are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks — are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.

C marks — are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he or she knew the equation, then the C mark is scored.

A marks — are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.

Brackets ( ) — around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

c.a.o. — means "correct answer only".

e.c.f. — means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he or she may be given marks indicated by e.c.f. provided his or her subsequent working is correct, bearing in mind his or her earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."

e.e.o.o. — means "each error or omission".

owtte — means “or words to that effect”

<u>Underlining</u> — indicates that this <u>must</u> be seen in the answer offered, or something very similar.

OR — indicates alternative answers, any one of which is satisfactory for scoring the mark.

AND — indicates that both answers are required to score the mark.

Spelling — Be generous about spelling and use of English. However, do not allow ambiguities, e.g. spelling which suggests confusion between reflection / refraction / diffraction or thermistor / transistor / transformer.

Significant figures — Answers are generally acceptable to any number of significant figures ≥ 2, except where the mark scheme specifies otherwise.

Units — On this paper, incorrect units are not penalised, except where specified. More commonly, marks are allocated for specific units.

 © Cambridge International Examinations 2015

Fractions These are only acceptable where specified.

NOT indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate. i.e. right plus wrong penalty applies.

ROOT 19

1	**(a)**	**(i)**	measuring OR graduated cylinder	B1
		(ii)	balance	B1
	(b)		Honey has a larger density than water.	B1
			Kerosene has a smaller density than water.	B1
	(c)		density = mass / volume in any form: words, symbols, numbers	C1
			10.5 / 13	C1
			0.81	A1
			g / cm^3	B1

[Total: 8]

2	**(a)**	**(i)**	calculation seen using times from cameras A and B	C1
			<u>160</u> (s)	A1
		(ii)	speed = distance / time in any form: words, symbols, numbers	C1
			5000 / 160	C1
			31.3 (m / s)	A1
		(iii)	much slower than between A and B	B1
	(b)		less / lower than suggested speed limit	B1
			either reference to just over limit between cameras A and B	B1
			then much slower speed, so average below limit	B1
			OR average speed over 10 000 m is about 15 m / s	(for B2)

[Total: 9]

3	**(a)**		three lines required: • line from solid to bottom pattern • line from liquid to middle pattern • line from gas to top pattern	B1
	(b)	**(i)**	any two from: • energy needed to turn liquid into a gas • remaining perfume / liquid / particles have lower energy • energy transfers from arm to perfume (cooling arm)	B2
		(ii)	particles move / evaporate faster (when hotter)	B1
			collisions (with stopper) harder / more often	B1
			pressure greater (inside than outside) OR force on stopper (from perfume) greater than friction + stopper weight	B1

[Total: 6]

© Cambridge International Examinations 2015

4 **(a)** any two from: B2
- microwave not heard / sound is heard
- sound is slower / longitudinal wave or signal is transverse
- sound needs medium / cannot travel through a vacuum
- signal is electromagnetic wave owtte
- sound has longer wavelength / lower frequency

(b) **(i)** reflected B1

(ii) diffracted B1

[Total: 4]

5 **(a)** 100 (°C) B1
0 (°C) B1

(b) thermometer (bulb) placed in ice C1
melting ice OR ice and water mixture A1

(c) expansion B1

[Total: 5]

6 **(a)** wind B1

(b) electrical B1
light B1

(c) **(i)** dark B1
no wind / calm B1

(ii) (back-up / rechargeable) battery B1

(d) gravitational potential (energy) B1

[Total: 7]

© Cambridge International Examinations 2015

7	**(a)**	A: arrow pointing left / away from N	B1
		C: arrow pointing left / same as A	B1
		B and D: arrow pointing right	B1
	(b)	correct field lines carefully drawn through B and D	B1
	(c)	steel	B1
		[Total: 5]	
8	**(a)** **(i)**	any two from: • (small current in) relay coil produces magnetic field • relay coil attracts armature • starter motor connected across battery p.d.	B2
	(ii)	lower (electrical) resistance	B1
		less heating (in cable)	B1
	(b) **(i)**	1.2 (A)	B1
	(ii)	if a lamp fails other will work OR each lamp can be controlled by a switch	B1
		[Total: 6]	
9	**(a)** **(i)**	thermistor correctly labelled	B1
	(ii)	correct symbol for voltmeter	B1
		voltmeter in parallel with thermistor OR e.c.f. **(a)(i)**	B1
	(b) **(i)**	$R = V / I$ in any form: words, symbols, numbers	C1
		6.0 / 0.004 OR 6.0 / 4.0	C1
		1500	A1
		Ω OR ohm(s)	B1
	(ii)	not a straight line / constant gradient OR not through origin	B1
		[Total: 8]	

© Cambridge International Examinations 2015

10 **(a)** resistance of LDR decreases — M1
current increases — A1

(b) **(i)** ray from object parallel to axis — M1
ray continued correctly through F — A1

(ii) second ray correctly drawn through centre of lens OR through F — B1
intersection of two or more rays — B1

(iii) image at intersection drawn and labelled correctly — A1

[Total: 7]

11 **(a)** Gamma / γ — B1

(b) **(i)** nucleon (accept mass) — B1
proton (accept atomic) — B1

(ii) $A = 4$ — B1
$Z = 2$ — B1

(iii) alpha / α (particle) — B1

[Total: 6]

12 **(a)** **(i)** turbine — B1

(ii) any two from: — B2
- produces sulfur oxides / nitrous oxides
- produces carbon dioxide
- (fossil fuels / they) are non-renewable / not sustainable (resources)

(b) $V_1 / V_2 = N_1 / N_2$ — C1
$115 / 25 \times 500$ — C1
2300 — A1

(c) smaller current (in transmission cables) — B1
smaller heating effect (in transmission cables) — B1
less energy wasted (in) / more efficient (transmission) — B1

[Total: 9]

© Cambridge International Examinations 2015