VARIA CONNECT · INSPECTIONS & CHECKLISTS

Lifting Gear & Crane Pre-use Checklist

Senarai Semak Pra-Guna Kren dan Alat Angkat

Form **INS-LIFT**
Company logo

When to use: Filled by the crane operator before the first lift of the day. Any "No" means the crane or gear is not used until fixed.
Validity / frequency: Daily before first lift

DETAILS

Crane / hoist ID	
Date	
Operator	
Hour meter	

CRANE CHECKS

No.	Item	Yes	No	N/A	Remarks
1	PMA certificate valid and displayed	☐	☐	☐	
2	Load chart in the cab	☐	☐	☐	
3	Limit switches (hoist, slew, trolley) working	☐	☐	☐	
4	LMI / SLI working; alarm audible	☐	☐	☐	
5	Brakes working	☐	☐	☐	
6	Wire ropes: no broken wires, kinks or crushing	☐	☐	☐	
7	Hook safety latch working	☐	☐	☐	
8	No oil leaks; fluid levels correct	☐	☐	☐	
9	Anemometer working	☐	☐	☐	
10	Horn, lights and radio working	☐	☐	☐	

LIFTING GEAR CHECKS

No.	Item	Yes	No	N/A	Remarks
1	Slings carry SWL label and current colour tag	☐	☐	☐	
2	No cuts, burns or broken stitching on webbing slings	☐	☐	☐	
3	Chain slings: no stretched or damaged links	☐	☐	☐	
4	Shackles: correct pin, not bent	☐	☐	☐	
5	Spreader beams / lifting frames certified	☐	☐	☐	

SIGN-OFF

Role	Name	Signature	Date & time
Crane operator			
Lifting supervisor			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · INSPECTIONS & CHECKLISTS

Machinery & Plant Pre-use Checklist

Senarai Semak Pra-Guna Jentera

Form **INS-PLANT**
Company logo

When to use: For excavators, loaders, dump trucks, rollers, generators and similar plant. A failed check locks the machine out until a supervisor clears it.

Validity / frequency: Daily before use

DETAILS

Machine type & ID	
Date	
Operator (licence / competency no.)	
Hour meter	

CHECKS

No.	Item	Yes	No	N/A	Remarks
1	Engine oil, coolant and hydraulic oil levels correct	☐	☐	☐	
2	No leaks under the machine	☐	☐	☐	
3	Tyres / tracks in good condition	☐	☐	☐	
4	Brakes and parking brake working	☐	☐	☐	
5	Seat belt fitted and working	☐	☐	☐	
6	Reverse alarm and beacon working	☐	☐	☐	
7	Mirrors and windows clean, not cracked	☐	☐	☐	
8	Fire extinguisher on board	☐	☐	☐	
9	Bucket teeth, pins and quick-hitch locked	☐	☐	☐	
10	Guards in place on moving parts	☐	☐	☐	

RESULT

Machine status	☐ Fit for use ☐ Not fit — locked out
Defects found	

SIGN-OFF

Role	Name	Signature	Date & time
Operator			
Supervisor			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · INSPECTIONS & CHECKLISTS

PPE Issue Record

Rekod Pengeluaran PPE

Form **INS-PPE**
Company logo

When to use: Record of PPE issued to each worker. Workers sign to confirm they received it and were shown how to use it.
Validity / frequency: Ongoing register

DETAILS

Project / site	
Company / subcontractor	
Issued by (storekeeper)	

ISSUE REGISTER

Date	Worker name	CIDB card no.	Item (helmet / boots / vest / harness / gloves / other)	Size	Qty	New / replacement	Worker signature

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · INSPECTIONS & CHECKLISTS

Scaffold Inspection Checklist (Scafftag)

Senarai Semak Pemeriksaan Perancah

Form **INS-SCAF**
Company logo

When to use: Inspection by a competent scaffolder or designated person. Green tag = safe to use. Red tag = do not use.
Validity / frequency: Before first use, at least every 7 days, and after bad weather or alteration

SCAFFOLD DETAILS

Scaffold ID / location	
Type	☐ Tubular & fitting ☐ System scaffold ☐ Mobile tower ☐ Cantilever / truss-out ☐ Hanging
Height (m)	
Duty / load class	
Erected by	
Date of inspection	

CHECKS

No.	Item	Yes	No	N/A	Remarks
1	Base plates and sole boards on firm ground	☐	☐	☐	
2	Standards plumb; ledgers and transoms level	☐	☐	☐	
3	Bracing complete; ties to building at required spacing	☐	☐	☐	
4	Fully boarded platform; boards secured, no gaps or overhang	☐	☐	☐	
5	Guardrails (top & mid) and toe boards on all open sides	☐	☐	☐	
6	Safe access ladder or stair, secured and extending 1 m above platform	☐	☐	☐	
7	No overloading (materials within duty rating)	☐	☐	☐	
8	Couplers tight; no damaged tubes	☐	☐	☐	
9	Debris netting / catch fans in place where required	☐	☐	☐	
10	Clearance from overhead power lines	☐	☐	☐	

RESULT

Tag status	☐ GREEN — safe to use ☐ RED — do not use
Defects found / action taken	
Next inspection due	

INSPECTOR

Role	Name	Signature	Date & time
Competent scaffold inspector			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · INSPECTIONS & CHECKLISTS

Daily Site Safety Inspection

Pemeriksaan Keselamatan Tapak Harian

Form **INS-SITE**
Company logo

When to use: Walk-round by the SHO or site safety supervisor. Any "No" needs an action, owner and due date.
Validity / frequency: Daily, before 10 am

INSPECTION DETAILS

Project / site	
Date	
Time	
Inspected by	
Areas covered	
Weather	☐ Fine ☐ Cloudy ☐ Rain ☐ After heavy rain

HOUSEKEEPING & ACCESS

No.	Item	Yes	No	N/A	Remarks
1	Walkways and stairs clear of materials and debris	☐	☐	☐	
2	Rubbish removed; no protruding nails	☐	☐	☐	
3	Adequate lighting in basements, stairwells and cores	☐	☐	☐	
4	Drinking water and rest area available	☐	☐	☐	

FALLS & OPENINGS

No.	Item	Yes	No	N/A	Remarks
1	Edge protection complete on all open edges	☐	☐	☐	
2	Floor openings and lift shafts covered or guarded	☐	☐	☐	
3	Scaffolds tagged green; no missing boards or rails	☐	☐	☐	
4	Ladders secured and in good condition	☐	☐	☐	

PLANT, LIFTING & ELECTRICAL

No.	Item	Yes	No	N/A	Remarks
1	Crane and hoist PMA certificates valid	☐	☐	☐	
2	Lifting gear tagged with the current colour code	☐	☐	☐	
3	Temporary DBs locked, with ELCB/RCCB working	☐	☐	☐	
4	Cables elevated or protected; no damaged plugs	☐	☐	☐	

FIRE, HEALTH & ENVIRONMENT

No.	Item	Yes	No	N/A	Remarks
1	Fire extinguishers in place and in date	☐	☐	☐	
2	Chemicals labelled; SDS available	☐	☐	☐	
3	Silt trap and wash trough working; no muddy runoff to drains	☐	☐	☐	
4	Mosquito breeding checked (no stagnant water)	☐	☐	☐	

PEOPLE

No.	Item	Yes	No	N/A	Remarks
1	All workers wearing required PPE	☐	☐	☐	
2	Toolbox talk held this morning	☐	☐	☐	
3	Permits displayed at each permit-controlled work area	☐	☐	☐	

FINDINGS AND ACTIONS

No.	Finding (photo ref.)	Action required	PIC	Due	Closed (date)

SIGN-OFF

Role	Name	Signature	Date & time
Inspected by			
Acknowledged by site manager			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Confined Space Entry Permit

Permit Kemasukan Ruang Terkurung

Form **PTW-CSE**
Company logo

When to use: Entry into manholes, sumps, tanks, pits, ducts, culverts or any space with limited entry and exit and possible poor air. Follows the DOSH Industry Code of Practice for Safe Working in a Confined Space 2010.

Validity / frequency: One shift; retest gas after every break

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Confined space name / ID	
Authorised Entry Supervisor (AES)	
Authorised Gas Tester (AGT)	
Standby person (AESP) at entrance	

PRECAUTIONS BEFORE ENTRY

No.	Item	Yes	No	N/A	Remarks
1	All entrants and standby person trained as AESP (valid certificate)	☐	☐	☐	
2	Space isolated: pipes blanked, valves locked, power locked out (LOTO)	☐	☐	☐	
3	Space ventilated; forced ventilation running throughout the work	☐	☐	☐	
4	Gas test done from the top, middle and bottom of the space	☐	☐	☐	
5	Continuous personal gas detector worn by each entrant	☐	☐	☐	
6	Rescue tripod, winch and harness set up at the entrance	☐	☐	☐	
7	Standby person stays at the entrance at all times and never enters	☐	☐	☐	
8	Communication method agreed (radio / signal rope)	☐	☐	☐	
9	Entry log kept at the entrance	☐	☐	☐	
10	Emergency services number and nearest hospital noted	☐	☐	☐	

ATMOSPHERIC TEST RECORD

Time	O_2 % (19.5–23.5)	LEL % (<10)	H_2S ppm (<10)	CO ppm (<25)	Tested by (AGT)

ENTRY LOG

Name	Time in	Time out	Signature

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	☐ Full-body harness with lifeline
☐ Breathing apparatus (if required)	☐ Personal gas detector

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Excavation Permit

Permit Kerja Pengorekan

Form **PTW-EXC**
Company logo

When to use: Any digging, trenching, piling or breaking ground, where underground services or collapse are a risk.
Validity / frequency: Until backfilled; inspect daily and after rain

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Excavation depth (m)	
Length × width (m)	
Method	☐ Excavator ☐ Hand digging ☐ Piling ☐ Breaker ☐ Other

UNDERGROUND SERVICES

No.	Item	Yes	No	N/A	Remarks
1	Service drawings checked (TNB, TM, water, IWK sewer, gas)	☐	☐	☐	
2	Area scanned with CAT and Genny / GPR; services marked on the ground	☐	☐	☐	
3	Trial holes dug by hand to expose services near the dig line	☐	☐	☐	
4	Utility owner consulted where services are within 1 m	☐	☐	☐	

PRECAUTIONS

No.	Item	Yes	No	N/A	Remarks
1	Sides battered, benched or shored as per method statement (all trenches deeper than 1.5 m)	☐	☐	☐	
2	Spoil and materials kept at least 1 m from the edge	☐	☐	☐	
3	Edge protection or barricade around the excavation	☐	☐	☐	
4	Safe access ladder every 15 m along the trench	☐	☐	☐	
5	Dewatering pump available; water level monitored	☐	☐	☐	
6	Plant kept back from the edge; stop blocks in place for vehicles	☐	☐	☐	
7	Excavation inspected by a competent person at the start of every shift and after rain	☐	☐	☐	

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

General Permit to Work

Permit Kerja Am

Form **PTW-GEN**
Company logo

When to use: Any non-routine work that is not covered by a specific permit below, for example work in live areas, road closures or work near operating plant.

Validity / frequency: One shift, maximum 12 hours

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	

HAZARDS IDENTIFIED

☐ Falling objects	☐ Moving plant / vehicles
☐ Slips, trips and falls	☐ Manual handling
☐ Noise	☐ Dust
☐ Electricity	☐ Hazardous chemicals
☐ Public / third parties nearby	☐ Other (specify)

PRECAUTIONS BEFORE WORK STARTS

No.	Item	Yes	No	N/A	Remarks
1	Method statement and risk assessment (HIRARC / JSA) reviewed with the team	☐	☐	☐	
2	Toolbox talk held and attendance recorded today	☐	☐	☐	
3	Work area barricaded with signage	☐	☐	☐	
4	Workers hold valid CIDB green cards	☐	☐	☐	
5	Tools and equipment inspected and fit for use	☐	☐	☐	
6	Emergency route, first aider and fire extinguisher identified	☐	☐	☐	
7	Other trades in the area informed	☐	☐	☐	

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	☐ Ear protection
☐ Dust mask	

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			

Role	Name	Signature	Date & time
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Hot Work Permit

Permit Kerja Panas

Form **PTW-HOT**
Company logo

When to use: Welding, gas cutting, grinding, brazing, torch-on waterproofing and any work producing sparks or open flame.
Validity / frequency: One shift; fire watch continues 30 minutes after work ends

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Type of hot work	☐ Arc welding ☐ Gas cutting / welding ☐ Grinding ☐ Torch-on membrane ☐ Other

PRECAUTIONS BEFORE WORK STARTS

No.	Item	Yes	No	N/A	Remarks
1	Combustible materials removed within 11 m, or covered with fire blankets	☐	☐	☐	
2	Floor and wall openings covered to stop sparks falling to levels below	☐	☐	☐	
3	Fire extinguisher (min. 9 kg dry powder) at the work point	☐	☐	☐	
4	Trained fire watcher assigned, with no other duties	☐	☐	☐	
5	Gas cylinders upright, chained, with flashback arrestors and regulators checked	☐	☐	☐	
6	Welding set earthed; cables free of damage	☐	☐	☐	
7	Gas test done if work is near drains, tanks or enclosed spaces	☐	☐	☐	
8	Fire alarm / smoke detectors in the area isolated (if any) and fire team informed	☐	☐	☐	

GAS TEST (IF REQUIRED)

Time	LEL % (must be 0)	O_2 % (19.5–23.5)	Tested by

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	☐ Welding helmet / face shield
☐ Leather welding gloves & apron	☐ Fire-resistant clothing

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

FIRE WATCH AFTER WORK

Hot work finished at	
Fire watch ended at (min. 30 min later)	
Fire watcher name	

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Lifting Operation Permit

Permit Operasi Mengangkat

Form **PTW-LIFT**
Company logo

When to use: Crane lifts with a tower crane, mobile crane or hoist. Required for every critical lift: loads over 75% of rated capacity, tandem lifts, lifts over occupied areas or near power lines.

Validity / frequency: For the lift(s) described, within one shift

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Crane type and ID	
DOSH PMA certificate no. and expiry	
Load description	
Load weight incl. rigging (t)	
Radius (m)	
Rated capacity at this radius (t)	
% of capacity	
Crane operator (DOSH competency no.)	
Rigger / signaller	

PRECAUTIONS BEFORE LIFTING

No.	Item	Yes	No	N/A	Remarks
1	Lift plan prepared and approved (mandatory for critical lifts)	☐	☐	☐	
2	Crane PMA certificate valid and on site	☐	☐	☐	
3	Daily pre-use check done; limit switches and LMI / SLI working	☐	☐	☐	
4	Slings, shackles and hooks inspected; colour-coded tag current	☐	☐	☐	
5	Outriggers fully extended on firm ground with mats (mobile crane)	☐	☐	☐	
6	Exclusion zone barricaded; nobody under the suspended load	☐	☐	☐	
7	Tag lines attached to control the load	☐	☐	☐	
8	Wind speed checked within manufacturer limit (record below)	☐	☐	☐	
9	Safe distance from overhead power lines confirmed with TNB if needed	☐	☐	☐	
10	Signaller in sight of the operator or on radio; signals agreed	☐	☐	☐	

CONDITIONS AT TIME OF LIFT

Wind speed (m/s)	
Weather	☐ Fine ☐ Cloudy ☐ Light rain ☐ Heavy rain — stop ☐ Thunderstorm — stop

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	☐ Gloves for riggers

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Electrical Isolation (LOTO) Permit

Permit Pengasingan Elektrik (LOTO)

Form **PTW-LOTO**
Company logo

When to use: Work on or near electrical installations, switchboards or machinery that must be made dead. Carried out by a competent person registered with Suruhanjaya Tenaga (chargeman / wireman as required).

Validity / frequency: Until the isolation is removed

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Equipment / circuit to be isolated	
Isolation point (DB / switch no.)	
Competent person & ST registration no.	

ISOLATION STEPS

No.	Item	Yes	No	N/A	Remarks
1	Equipment users informed before switching off	☐	☐	☐	
2	Switched off at the isolation point	☐	☐	☐	
3	Personal padlock and "DANGER — DO NOT OPERATE" tag fitted by each worker	☐	☐	☐	
4	Stored energy released (capacitors, springs, pressure)	☐	☐	☐	
5	Tested dead with an approved voltage tester (tester proved before and after)	☐	☐	☐	
6	Nearby live parts covered or barricaded	☐	☐	☐	
7	Earthing applied where required	☐	☐	☐	

LOCK REGISTER

Name	Lock no.	Time on	Time removed	Signature

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles

☐ Gloves (specify type)	☐ Insulated gloves (rated)
☐ Arc-flash face shield (if live work nearby)	

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

RE-ENERGISING

No.	Item	Yes	No	N/A	Remarks
1	All locks and tags removed by their owners	☐	☐	☐	
2	Guards replaced; tools removed	☐	☐	☐	
3	Users informed before switching on	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · PERMITS TO WORK

Work at Height Permit

Permit Kerja di Tempat Tinggi

Form **PTW-WAH**
Company logo

When to use: Any work where a person could fall 2 m or more, or near an unprotected edge or opening: scaffolds, ladders, MEWPs, roofs, façade, lift shafts.

Validity / frequency: One shift

PERMIT DETAILS

Project / site	
Permit no.	
Date	
Exact location (block / level / grid)	
Description of work	
Company / subcontractor	
Permit holder (in charge on site)	
Number of workers	
Valid from	
Valid until	
Working height (m)	
Access method	☐ Scaffold ☐ Mobile scaffold ☐ MEWP / scissor lift ☐ Ladder (short duration only) ☐ Rope access ☐ Roof edge ☐ Other

PRECAUTIONS BEFORE WORK STARTS

No.	Item	Yes	No	N/A	Remarks
1	Scaffold has a green tag inspected within the last 7 days	☐	☐	☐	
2	Guardrails (top and mid rail) and toe boards in place at open edges	☐	☐	☐	
3	Openings covered and marked "LUBANG / OPENING"	☐	☐	☐	
4	Full-body harness with double lanyard inspected; anchor point identified	☐	☐	☐	
5	MEWP operator trained; pre-use check done; ground firm and level	☐	☐	☐	
6	Area below barricaded against falling objects	☐	☐	☐	
7	Tools tied off / tool lanyards used	☐	☐	☐	
8	Weather checked: stop work in heavy rain, lightning or strong wind	☐	☐	☐	
9	Rescue plan in place for a suspended worker	☐	☐	☐	
10	Workers medically fit (no fear of heights, dizziness or medication)	☐	☐	☐	

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	☐ Full-body harness with double lanyard
☐ Chin strap fastened	

AUTHORISATION

Role	Name	Signature	Date & time
Applicant / permit holder: I understand the hazards and will follow every precaution listed			

Role	Name	Signature	Date & time
Safety & Health Officer / Site Safety Supervisor: site checked, precautions in place			
Site manager (issuer): permit approved			

HAND-BACK AND CLOSURE

No.	Item	Yes	No	N/A	Remarks
1	Work completed / stopped (circle which)	☐	☐	☐	
2	All workers and tools withdrawn from the area	☐	☐	☐	
3	Area left clean and safe; barriers removed or left in place as agreed	☐	☐	☐	
4	Isolations removed or handed back (if any)	☐	☐	☐	

CLOSURE SIGN-OFF

Role	Name	Signature	Date & time
Permit holder			
Issuer / SHO			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · RISK ASSESSMENT

HIRARC — Hazard Identification, Risk Assessment and Risk Control

Pengenalpastian Hazard, Penaksiran Risiko dan Kawalan Risiko

Form **RA-HIRARC**
Company logo

When to use: Formal risk assessment for each work activity, following the DOSH Guidelines for HIRARC (2008). Score risk = Likelihood × Severity using the matrix.
Validity / frequency: Review when the method changes, after an incident, or at least yearly

ASSESSMENT DETAILS

Project / site	
Activity / process	
Location	
Assessment no.	
Date	
Assessed by	
Review date	

RISK MATRIX

Likelihood ↓ / Severity →	1 Negligible	2 Minor	3 Serious	4 Fatal	5 Catastrophic
5 Most likely	5	10	15	20	25
4 Possible	4	8	12	16	20
3 Conceivable	3	6	9	12	15
2 Remote	2	4	6	8	10
1 Inconceivable	1	2	3	4	5

Risk = Likelihood × Severity. 15–25 HIGH: stop, act immediately. 5–12 MEDIUM: plan controls, then proceed with care. 1–4 LOW: acceptable, keep monitoring.

HAZARD REGISTER

No.	Work step	Hazard	Effect / who is harmed	Existing controls	L	S	Risk (L×S)	Additional controls	Residual risk	PIC & due date

No.	Work step	Hazard	Effect / who is harmed	Existing controls	L	S	Risk (L×S)	Additional controls	Residual risk	PIC & due date

HIERARCHY OF CONTROLS

Apply controls in this order: 1. Eliminate the hazard. 2. Substitute with something less hazardous. 3. Engineering controls (guards, guardrails, ventilation). 4. Administrative controls (permits, procedures, training, signage). 5. PPE as the last line of defence.

APPROVAL

Role	Name	Signature	Date & time
Prepared by (supervisor / engineer)			
Reviewed by (SHO)			
Approved by (project manager)			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · RISK ASSESSMENT

Job Safety Analysis (JSA)

Analisis Keselamatan Kerja

Form **RA-JSA**
Company logo

When to use: Quick, step-by-step risk check done with the work crew before a specific job. Shorter than a HIRARC; use it at the workface.
Validity / frequency: For the job and crew named; redo if the method changes

JOB DETAILS

Job / task	
Location	
Date	
Supervisor	
Related HIRARC no.	
Related permit no.	

JOB STEPS

Step	What we do	What could go wrong (hazard)	How we stop it (control)	Who

PPE REQUIRED

☐ Safety helmet with chin strap	☐ Safety boots
☐ High-visibility vest	☐ Safety glasses / goggles
☐ Gloves (specify type)	

CREW SIGN-ON: I TOOK PART IN THIS JSA AND UNDERSTAND THE CONTROLS

Name	Trade	CIDB card no.	Signature

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · REPORTING FORMS

Incident & Near-Miss Report

Laporan Insiden dan Nyaris Kemalangan

Form **REP-INC**
Company logo

When to use: For every injury, near miss, dangerous occurrence or property damage. Under NADOPOD 2004, a death, serious bodily injury, or injury keeping a worker off work for more than 4 days must be reported to the nearest DOSH (JKKP) office by the quickest means, followed by form JKKP 6 within 7 days.

Validity / frequency: Report immediately; investigation within 48 hours

WHAT HAPPENED

Report no.	
Date of incident	
Time	
Exact location	
Type	☐ Near miss ☐ First aid case ☐ Medical treatment case ☐ Lost time injury ☐ Dangerous occurrence ☐ Fatality ☐ Property damage ☐ Environmental
Description (what, how, sequence of events)	
Immediate action taken	

PERSON(S) INVOLVED

Name	Company	Trade	Injury (part of body / nature)	Treatment / hospital	MC days

WITNESSES

Name	Company	Contact

INVESTIGATION

Immediate causes (unsafe act / unsafe condition)	
Root causes (5 Whys)	
Photos / evidence reference	

CORRECTIVE AND PREVENTIVE ACTIONS

Action	PIC	Due	Status

NOTIFICATION

No.	Item	Yes	No	N/A	Remarks
1	Client / consultant informed	☐	☐	☐	

No.	Item	Yes	No	N/A	Remarks
2	DOSH (JKKP) notified by quickest means (if NADOPOD reportable)	☐	☐	☐	
3	JKKP 6 submitted within 7 days (if reportable)	☐	☐	☐	
4	PERKESO (SOCSO) claim form started (if injury)	☐	☐	☐	

SIGN-OFF

Role	Name	Signature	Date & time
Reported by			
Investigated by (SHO)			
Reviewed by (project manager)			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · REPORTING FORMS

Monthly Safety & Health Committee Report

Laporan Bulanan Jawatankuasa Keselamatan dan Kesihatan

Form **REP-SHC**
Company logo

When to use: Summary for the site safety and health committee meeting and for head office.
Validity / frequency: Monthly (committee must meet at least once every 3 months under the OSH (Safety and Health Committee) Regulations 1996)

REPORT DETAILS

Project / site	
Month	
Meeting date	
Chairperson	
Secretary (SHO)	

STATISTICS THIS MONTH

Average workers on site	
Man-hours worked	
Days without LTI (to date)	
Lost time injuries	
Medical treatment cases	
First aid cases	
Near misses reported	
Hazard observations raised / closed	
Toolbox talks held / average attendance %	
Permits issued	

INCIDENTS SUMMARY

Date	Type	Description	Root cause	Action status

INSPECTIONS AND AUDITS

Date	By (internal / DOSH / client)	Key findings	Status

MATTERS ARISING AND DECISIONS

No.	Matter	Decision / action	PIC	Due

No.	Matter	Decision / action	PIC	Due

ATTENDANCE

Name	Position / company	Signature

APPROVAL

Role	Name	Signature	Date & time
Chairperson			
Secretary (SHO)			

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.

VARIA CONNECT · REPORTING FORMS

Toolbox Talk Attendance

Kehadiran Taklimat Keselamatan

Form **REP-TBT**
Company logo

When to use: Short safety briefing before work starts. Keep the talk under 15 minutes and use the language the crew understands.
Validity / frequency: Daily

TALK DETAILS

Date	
Time	
Location	
Topic	
Presented by	
Language(s) used	☐ Bahasa Malaysia ☐ English ☐ Bengali ☐ Nepali ☐ Myanmar ☐ Indonesian ☐ Vietnamese ☐ Mixed
Key points covered	

ATTENDANCE

No.	Name	Company / trade	CIDB card no.	Signature / thumbprint

Keep the original at the site office for the duration of the project. Display permits at the work area while work is in progress.