

few approaches, ranging from modular to integrated:

## 1. Modular Arrangement

- **Concept:** Each model is a standalone unit, allowing for flexibility in arrangement and individual focus.
- **Layout:**
  - Place each model on a separate table or platform.
  - Use clear labels or signs to identify each model (e.g., "Smart Drainage System," "Permeable Pavement").
  - Arrange the models in a logical sequence, perhaps following the flow of water management (e.g., from rainfall to drainage to storage).
  - Include a central display with an overview of the entire system and its benefits.
- **Pros:**
  - Easy to set up and transport.
  - Allows viewers to focus on specific aspects of the system.
  - Facilitates individual demonstrations.
- **Cons:**
  - May not emphasize the interconnectedness of the system as much as other arrangements.

## 2. Integrated Tabletop Display

- **Concept:** Combine several models into a larger tabletop display to showcase the system as a whole.
- **Layout:**
  - Create a base surface (e.g., a large board or table) to represent an urban or semi-urban environment.
  - Incorporate elements of the mini-city model (roads, buildings) as a backdrop.
  - Integrate the other models into this environment:
    - A section of the road can be the permeable pavement model.
    - A corner of the display can house the green infrastructure model.
    - The drainage system model can run through the tabletop.
    - The automated pump station can be placed at a low point.
  - Use a screen or display to show the hybrid model's simulation and weather data integration.

- **Pros:**
  - Demonstrates the interconnectedness of different components.
  - Provides a more holistic view of the waterlogging management system.
- **Cons:**
  - More complex to design and build.
  - Less portable than modular arrangement.

### 3. Vertical Display

- **Concept:** Arrange the models vertically to simulate the vertical flow of water (from the sky to the ground and through the drainage system).
- **Layout:**
  - Use a multi-tiered structure or a tall backdrop.
  - The top can feature the "rainfall" source and potentially the weather data display.
  - Green roofs and walls can be placed on the upper tiers.
  - The permeable pavement model can be a mid-level section.
  - The drainage system and automated pump station models can be on the lower tiers.
  - This arrangement can effectively show the progression of water management.
- **Pros:**
  - Visually appealing and engaging.
  - Emphasizes the flow of water through the system.
- **Cons:**
  - Can be challenging to build and ensure proper water flow between models.
  - May require a tall space for display.

### 4. Interactive Kiosk

- **Concept:** Integrate the models with interactive elements to engage viewers and provide information.
- **Layout:**
  - Combine physical models with digital displays and touchscreens.
  - Use the displays to show simulations, data, and explanations.
  - Incorporate sensors and controls to allow users to interact with the models (e.g., simulate rainfall, trigger pumps).

- Provide information on waterlogging, its impacts, and the benefits of the solutions.
- **Pros:**
  - Highly engaging and informative.
  - Allows for personalized exploration of the system.
- **Cons:**
  - Requires significant technical expertise to develop.
  - Can be expensive to implement.

When choosing an arrangement, consider:

- **Purpose:** Is the goal to educate, demonstrate, or promote?
- **Audience:** What is the level of technical knowledge of the viewers?
- **Space:** How much space is available for the display?
- **Budget:** How much can be spent on materials and construction?
- **Portability:** Does the display need to be moved?