



Tee - Pattern Piece Overview (1/1)

Each piece is fitted independently. NOT TO SCALE - never cut from this overview.
POM names and size values are listed on the Measurement Spec page.


01 - FRONT



02 - BACK



03 - SLEEVE



Measurement Spec (cm)

	Tol +/-	XS	S	M	L	XL
Body chest (finished)	1.3	100.0	105.0	110.0	115.0	120.0
Body length (HPS-hem)	1.3	66.0	68.0	70.0	72.0	74.0
Across shoulder	0.6	42.6	43.8	45.0	46.2	47.4
Shoulder seam	0.3	15.3	15.7	16.0	16.3	16.7
Armhole (front + back)	0.6	38.7	40.2	41.7	43.2	44.8
Neck width	0.6	13.0	13.5	14.0	14.5	15.0
Front neck drop	0.3	7.5	7.8	8.0	8.3	8.5
Sleeve length (cap-hem)	1.0	22.2	22.9	23.8	24.8	25.8
Sleeve bicep width	0.6	40.0	41.5	43.0	44.5	46.0
Sleeve hem	0.3	34.0	35.5	37.0	38.5	40.0

Bill of Materials

Material	Placement	Qty
Cotton jersey, main	Body & sleeves	1.2 m
Rib knit	Neckband	0.1 m
Woven brand label	Centre back neck	1
Care/content label	Left side seam	1
Overlock thread	All seams	1 cone

Construction

1. Staystitch the front and back necklines.
2. Join the shoulder seams, front to back.
3. Attach the neckband, matching centre-front and shoulder notches.
4. Set in the sleeves flat, easing the cap to the armhole.
5. Close the side and underarm seams in one pass.
6. Hem the sleeves and the body.

Tee - Fit Record

Sew the sample size, measure the finished garment, write the actual value in cm.

Fabric: _____ Sewn by: _____ Date: _____

Point of measure	Tol +/-	Predicted	Actual	Pass?
Body chest (finished)	1.3	110.0 cm	_____	_____
Body length (HPS-hem)	1.3	70.0 cm	_____	_____
Across shoulder	0.6	45.0 cm	_____	_____
Shoulder seam	0.3	16.0 cm	_____	_____
Armhole (front + back)	0.6	41.7 cm	_____	_____
Neck width	0.6	14.0 cm	_____	_____
Front neck drop	0.3	8.0 cm	_____	_____
Sleeve length (cap-hem)	1.0	23.8 cm	_____	_____
Sleeve bicep width	0.6	43.0 cm	_____	_____
Sleeve hem	0.3	37.0 cm	_____	_____