



Tank - Pattern Piece Overview (1/1)

Each piece is fitted independently. NOT TO SCALE - never cut from this overview.
POM names and size values are listed on the Measurement Spec page.



Measurement Spec (cm)

	Tol +/-	XS	S	M	L	XL
Body chest (finished)	1.3	100.0	105.0	110.0	115.0	120.0
Body length (HPS-hem)	1.3	66.0	68.0	70.0	72.0	74.0
Across shoulder	0.6	29.0	29.5	30.0	30.5	31.0
Shoulder seam	0.3	8.9	8.9	8.9	8.9	8.9
Armhole (front + back)	0.6	44.7	46.9	49.2	51.4	53.7
Neck width	0.6	13.0	13.5	14.0	14.5	15.0
Front neck drop	0.3	12.5	12.8	13.0	13.3	13.5

Bill of Materials

Material	Placement	Qty
Cotton jersey, main	Body & sleeves	1.2 m
Rib knit	Neckband	0.1 m
Woven brand label	Centre back neck	1
Care/content label	Left side seam	1
Overlock thread	All seams	1 cone

Construction

1. Staystitch the front and back necklines.
2. Join the shoulder seams, front to back.
3. Bind the neckline and both armholes with self-fabric or rib binding.
4. Close the side seams.
5. Hem the body.

Tank - Fit Record

Sew the sample size, measure the finished garment, write the actual value in cm.

Fabric: _____ Sewn by: _____ Date: _____

Point of measure	Tol +/-	Predicted	Actual	Pass?
Body chest (finished)	1.3	110.0 cm	_____	_____
Body length (HPS-hem)	1.3	70.0 cm	_____	_____
Across shoulder	0.6	30.0 cm	_____	_____
Shoulder seam	0.3	8.9 cm	_____	_____
Armhole (front + back)	0.6	49.2 cm	_____	_____
Neck width	0.6	14.0 cm	_____	_____
Front neck drop	0.3	13.0 cm	_____	_____