

[Fundamentals > Fluid and Electrolytes > Acid-Base Balance] High - VERIFIED [UNIQUE]

Q1. The lab report of a patient details the following: pH = 7.12, HCO₃⁻ = 1 mmol/L, and PCO₂ = 18 mm Hg. Which of the following is the primary acid-base disorder?

- A) Metabolic alkalosis
- B) Metabolic acidosis
- C) Respiratory alkalosis
- D) Respiratory acidosis

Answer: B) Metabolic acidosis

Explanation: Correct - B: The pH is 7.12 (less than 7.35 indicates acidemia). The primary driver must be acidic. The HCO₃ is 1 mmol/L (severely low, normal is 22-26), which perfectly matches metabolic acidosis. The PCO₂ is 18 mm Hg (low), indicating a respiratory compensation (hyperventilation/Kussmaul breathing) to blow off acid.

Incorrect - A: Alkalosis would have a pH > 7.45 and high HCO₃.

Incorrect - C: Alkalosis would have a pH > 7.45 and low PCO₂.

Incorrect - D: Respiratory acidosis would present with a high PCO₂ (e.g., > 45 mm Hg) driving the low pH.

Trick: RO-ME (Respiratory Opposite, Metabolic Equal). Arrows for pH and HCO₃ are both pointing down (Equal = Metabolic).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Fundamentals #ABG #MetabolicAcidosis

[Fundamentals > Infection Control > Biomedical Waste Management] High - VERIFIED [UNIQUE]

Q2. A nurse working in a ward notices that blood has spilled on the floor during blood collection. The spill covers an area of more than 20 cm. What is the recommended disinfectant used for handling this spill?

- A) 1:100 dilution of 5% sodium hypochlorite
- B) 1:2 dilution of 2% bleach solution
- C) 1:5 dilution of 5% bleach solution
- D) 1:10 dilution of 5% sodium hypochlorite

Answer: D) 1:10 dilution of 5% sodium hypochlorite

Explanation: Correct - D: For a large blood spill (> 10 cm), a stronger 1:10 dilution of 5% sodium hypochlorite is required to ensure complete neutralization of bloodborne pathogens.

Incorrect - A: A 1:100 dilution is only used for small spills (< 10 cm) or routine environmental surface disinfection. Incorrect - B & C: These are not standard CDC/WHO recommended dilution ratios for managing infectious blood spills in clinical areas.

Trick: Big spill (>10cm) = Big concentration (1:10). Small spill = Small concentration (1:100).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #InfectionControl #BMW #SodiumHypochlorite

[Fundamentals > Medication Administration > Otic Route] High - VERIFIED [UNIQUE]

Q3. A nurse is going to administer ear drops to a 30-year-old patient suffering from otitis media. The most appropriate method to administer the ear drops to this patient is by:

- A) separating the palpebral fissures with a clean gauze pad
- B) pulling the pinna up and back
- C) pulling the tragus up and back
- D) pulling the pinna down and back

Answer: B) pulling the pinna up and back

Explanation: Correct - B: In adults and children over 3 years of age, the pinna (auricle) must be pulled UP and BACK to straighten the external auditory canal.

Incorrect - A: Palpebral fissures pertain to the eyelids (ophthalmic administration), not the ears.

Incorrect - C: The tragus is pressed *after* administration to help the medication flow inwards, it is not

pulled.

Incorrect - D: Pulling the pinna DOWN and back is the correct technique for infants and children under 3 years old.

Trick: **Up** for gr**Own-Ups** (Adults). **Down** for chil**Dren**.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Fundamentals #MedicationAdministration #EarDrops

[Pharmacology > Emergency Drugs > Adrenaline] High - VERIFIED [UNIQUE]

Q4. The first drug of choice to treat an anaphylactic reaction is:

- A) corticosteroids
- B) epinephrine
- C) antihistamines
- D) bronchodilator

Answer: B) epinephrine

Explanation: Correct - B: Epinephrine (adrenaline) is the absolute first-line, life-saving medication for anaphylaxis. It acts immediately on alpha and beta receptors to reverse profound hypotension, reduce mucosal edema, and cause bronchodilation.

Incorrect - A & C: Corticosteroids and antihistamines are second-line treatments. They take too long to act and do not reverse the immediate life-threatening cardiovascular collapse.

Incorrect - D: While bronchodilators help with wheezing, they do not address the systemic distributive shock of anaphylaxis.

Trick: Epi is Epic in Emergencies. It fixes both the lungs (Beta-2) and the blood pressure (Alpha-1).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pharmacology #Emergency #Anaphylaxis #Epinephrine

[Pharmacology > Anticoagulants > Heparin] High - VERIFIED [UNIQUE]

Q5. Low molecular weight heparin (LMWH) should be administered:

- A) intradermally
- B) intravenously
- C) subcutaneously
- D) intramuscularly

Answer: C) subcutaneously

Explanation: Correct - C: Low molecular weight heparins (like enoxaparin) are strictly given via deep subcutaneous injection, typically in the "love handles" (anterolateral abdominal wall). This provides highly predictable absorption and bioavailability.

Incorrect - A & D: Intramuscular and intradermal routes cause severe pain, massive hematoma formation, and erratic drug absorption. Incorrect - B: Unfractionated (standard) heparin can be given IV, but LMWH is specifically formulated for SubQ use.

Trick: Sub**Q**queeze the fat for **LMWH**.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pharmacology #Anticoagulants #LMWH

[Medical Surgical > Respiratory System > Trauma] High - VERIFIED [UNIQUE]

Q6. Patient X came to the emergency department with a history of a road traffic accident. The nurse observed that a segment of the patient's chest wall was sinking inward during inspiration and expanding outward during expiration. Which of the following conditions does this abnormality indicate?

- A) Pectus carinatum; Chest trauma
- B) Barrel chest; Rib fracture
- C) Pectus excavatum; Chest trauma
- D) Flail chest; Rib fracture

Answer: D) Flail chest; Rib fracture

Explanation: Correct - D: The paradoxical movement of the chest wall (sinking on inspiration, bulging on expiration) is the classic hallmark of a flail chest, which occurs when three or more adjacent ribs are fractured in two or more places, creating a "floating" segment.

Incorrect - A: Pectus carinatum is a congenital structural deformity ("pigeon chest").

Incorrect - B: Barrel chest is characterized by an increased anteroposterior diameter, seen in chronic

COPD.

Incorrect - C: Pectus excavatum is a congenital sunken sternum ("funnel chest").

Trick: Flail chest = Fails to move with the rest of the chest (Paradoxical movement).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield
#MedicalSurgical #Respiratory #Trauma #FlailChest

[Pediatric > Communicable Diseases > Measles] High - VERIFIED [UNIQUE]

Q7. A patient presented to the pediatric OPD with fever, malaise, coryza, cough, and conjunctivitis. The nurse noted small red spots with a bluish-white center on the buccal mucosa. What are these spots called and what do they indicate? A) Koplik's spots; diphtheria

B) Brush field spots; measles

C) Bull neck spots; diphtheria

D) Koplik's spots; measles

Answer: D) Koplik's spots; measles

Explanation: Correct - D: Koplik's spots are the pathognomonic (definitive) sign of measles (Rubeola). They appear as tiny bluish-white grains of sand on a red base inside the mouth (buccal mucosa) a few days before the systemic rash erupts. The "3 Cs" (Cough, Coryza, Conjunctivitis) are also classic prodromal symptoms.

Incorrect - A: Koplik spots indicate measles, not diphtheria. Diphtheria is characterized by a thick grey pseudomembrane in the throat.

Incorrect - B: Brushfield spots are small white spots on the periphery of the iris, associated with

Down Syndrome. Incorrect - C: "Bull neck" (severe cervical lymphadenopathy) is a sign of diphtheria, not spots.

Trick: 3 Cs + K (Koplik) = Measles.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pediatrics
#CommunicableDiseases #Measles

[Pediatric > Gastrointestinal Disorders > Dehydration] High - VERIFIED [UNIQUE]

Q8. A nurse posted in a pediatric ward is assessing a child admitted with diarrhea. The child is unconscious, has deeply sunken eyes, a skin pinch goes back very slowly (> 2 seconds), and the child is unable to drink fluids. How should the nurse categorize this dehydration?

A) No dehydration

B) Mild dehydration

C) Moderate dehydration

D) Severe dehydration

Answer: D) Severe dehydration

Explanation: Correct - D: According to WHO IMNCI guidelines, the presence of two or more severe signs (lethargic/unconscious, sunken eyes, unable to drink/drinks poorly, skin pinch goes back very slowly) classifies the condition as Severe Dehydration requiring immediate IV fluid resuscitation.

Incorrect - A, B, & C: Mild/No dehydration shows normal clinical signs. Moderate dehydration features restlessness/irritability, sunken eyes, drinks eagerly (thirsty), and skin pinch goes back slowly. Unconsciousness and inability to drink escalate this to severe.

Trick: Unconscious + Unable to drink = Severe.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pediatrics
#IMNCI #Dehydration

[OBG > Postpartum Care > Rh Incompatibility] High - VERIFIED [UNIQUE]

Q9. A nurse posted in the postnatal ward is assessing patients. The nurse should anticipate that postpartum women with _____ will need Rh(D) immune globulin (RhoGAM) before discharge.

A) an Rh-negative primigravida with an Rh-positive infant

B) an Rh-positive primigravida with an Rh-positive infant

C) an Rh-negative primigravida with an Rh-negative infant

D) an Rh-positive primigravida with an Rh-negative infant

Answer: A) an Rh-negative primigravida with an Rh-positive infant

Explanation: Correct - A: RhoGAM is indicated exclusively for Rh-negative mothers who deliver an Rh-positive baby. It prevents the mother's immune system from forming anti-D antibodies, which would attack Rh-positive fetuses in subsequent pregnancies (erythroblastosis fetalis).

Incorrect - B & D: Rh-positive mothers do not require RhoGAM. Incorrect - C: If the baby is Rh-negative, no foreign D-antigen entered the mother's bloodstream, so RhoGAM is not needed.
Trick: Mother negative + Baby positive = Need the shot to stay positive about the next baby.
Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #OBG #RhoGAM #Postpartum

[Medical Surgical > Cardiology > Arrhythmias] Medium - VERIFIED [UNIQUE]

Q10. A shortened PR interval, slurring of the initial QRS deflection (called a delta wave), and prolonged QRS duration are characteristics of:

- A) atrial tachycardia
- B) Wolff-Parkinson-White (WPW) syndrome
- C) myocardial ischemia
- D) left bundle branch block

Answer: B) Wolff-Parkinson-White (WPW) syndrome

Explanation: Correct - B: WPW syndrome is a pre-excitation syndrome where an accessory electrical pathway (Bundle of Kent) bypasses the AV node. This causes early ventricular depolarization resulting in a short PR interval, a slurred upstroke on the QRS (Delta wave), and a widened QRS complex.

Incorrect - A: Atrial tachycardia features a rapid rate with abnormal P waves, but normal PR and QRS unless aberrant conduction is present.

Incorrect - C: Ischemia causes ST-segment depression or T-wave inversion.

Incorrect - D: LBBB causes a widened QRS but does not have a shortened PR interval or a delta wave.

Trick: WPW = Wide QRS, PR short, Wave of Delta.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #MedicalSurgical #Cardiology #ECG #WPW

[Medical Surgical > Respiratory System > COPD] Medium - VERIFIED [UNIQUE]

Q11. On physical examination of a patient's chest, a nurse observed a 'barrel chest'. A barrel chest is usually associated with:

- A) emphysema
- B) kyphoscoliosis
- C) Marfan syndrome
- D) rickets

Answer: A) emphysema

Explanation: Correct - A: Emphysema, a type of Chronic Obstructive Pulmonary Disease (COPD), causes air trapping and hyperinflation of the lungs. This chronic hyperinflation alters the chest mechanics, making the anteroposterior (AP) diameter equal to the transverse diameter (1:1), creating a "barrel chest."

Incorrect - B: Kyphoscoliosis involves an abnormal curvature of the spine.

Incorrect - C: Marfan syndrome often presents with pectus excavatum or pectus carinatum, not barrel chest.

Incorrect - D: Rickets presents with a rachitic rosary (prominent costochondral junctions) or pigeon chest.

Trick: EmphysEma = Extra air trapped inside balloons the chest into a barrel.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #MedicalSurgical #Respiratory #COPD #BarrelChest

[Community > Epidemiology > Levels of Prevention] Medium - VERIFIED [UNIQUE]

Q12. _____ is an example of secondary prevention.

- A) Treatment of the disease and rehabilitation
- B) Proper disposal of garbage
- C) Screening and case finding
- D) Encouraging physical exercise

Answer: C) Screening and case finding

Explanation: Correct - C: Secondary prevention focuses on the early detection and prompt treatment of diseases before they become symptomatic or severe. Screening programs (like Pap smears,

mammograms, or BP monitoring) and case finding are the hallmarks of secondary prevention.
Incorrect - A: Rehabilitation and advanced treatment to limit disability represent tertiary prevention.
Incorrect - B & D: Proper garbage disposal (sanitation) and physical exercise are health promotion activities, representing primary prevention.
Trick: Primary = Prevent. Secondary = Screen. Tertiary = Treat & Tailor (rehab).
Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #CommunityHealth #Epidemiology #PreventionLevels

[Pediatric > Growth and Development > Milestones] Medium - VERIFIED [UNIQUE]

Q13. A nurse is posted in the pediatric immunization clinic. She notices a child who is very active. He is climbing stairs in the playroom, walking forward, and turning pages in a book. Based on these observations, what may be the approximate age of the child?

- A) 18-24 months
- B) 8-10 months
- C) 10-12 months
- D) 6-9 months

Answer: A) 18-24 months

Explanation: Correct - A: The gross motor skills of independently climbing stairs (usually 2 feet per step initially) and fine motor skills like turning pages of a book (2-3 pages at a time) typically develop between 18 to 24 months of age. Incorrect - B, C, & D: Infants aged 6-12 months are mastering sitting, crawling, pulling to stand, and taking their first steps, but they cannot climb stairs or intentionally turn book pages yet.

Trick: 2 years (24 months) = 2 steps on the stairs, turns pages 2 by 2.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Pediatrics #GrowthAndDevelopment #Milestones

[Fundamentalst > Administration > Budgeting] Low - VERIFIED [UNIQUE]

Q14. The nurse manager needs to buy six new hospital beds for the unit. What type of budget will be used for this expenditure?

- A) Capital budget
- B) Revenue budget
- C) Operating budget
- D) Salary budget

Answer: A) Capital budget

Explanation: Correct - A: A capital budget is used for purchasing major fixed assets or equipment that are expensive and have a long lifespan (usually > 1 year), such as hospital beds, ventilators, or diagnostic machines.

Incorrect - B: Revenue budgets project the income expected from patient services.

Incorrect - C: Operating budgets cover the day-to-day ongoing expenses of the unit, such as minor supplies (syringes, gloves, wound dressings).

Incorrect - D: Salary (personnel) budget covers the wages and benefits of the staff.

Trick: Capital builds the long-term assets of the hospital.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield #Management #Administration #Budgeting

[Fundamentals > Research > Statistics] Low - VERIFIED [UNIQUE]

Q15. If the calculated Chi square value in hypothesis testing is greater than the critical Chi value, then:

- A) reject null hypothesis
- B) do nothing
- C) do not reject null hypothesis
- D) estimate again

Answer: A) reject null hypothesis

Explanation: Correct - A: In inferential statistics, if the calculated test statistic (such as a Chi-square value) exceeds the predetermined critical value from statistical tables, it falls into the region of rejection. This means the result is statistically significant, and the researcher must reject the null

hypothesis.

Incorrect - B, C, & D: Doing nothing or estimating again are not valid statistical decisions. You fail to reject the null hypothesis only if the calculated value is *less* than the critical value.

Trick: If what you Calculated is Bigger than Critical -> Reject the Null.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield
#Management #Research #Statistics

[Medical Surgical > Neurology > Glasgow Coma Scale] High - VERIFIED [UNIQUE]

Q16. Following a road traffic accident, a patient was admitted to the neurosurgery ICU. During the assessment, the patient opens his eyes to a painful stimulus, answers questions by making incomprehensible sounds, and localizes the site of the painful stimulus. What is this patient's Glasgow Coma Scale (GCS) score?

- A) 9
- B) 8
- C) 6
- D) 7

Answer: A) 9

Explanation: Correct - A: Eye opening to pain scores 2. Verbal response with incomprehensible sounds scores 2. Motor response localizing to pain scores 5. Total = 2 + 2 + 5 = 9.

Incorrect - B, C, & D: These do not match the standard E4-V5-M6 calculation parameters for the provided clinical signs.

Trick: $E(2) + V(2) + M(5) = 9$. Always calculate independently.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield
#MedicalSurgical #Neurology #GCS

[Pharmacology > Psychopharmacology > Antidepressants] High - VERIFIED [UNIQUE]

Q17. During discharge teaching, a psychiatric nurse informs a patient with depression to strictly avoid foods containing tyramine—such as aged cheese, milk, wine, preserved meats, and avocados—to prevent a hypertensive crisis. Which class of antidepressant drugs has been prescribed to this patient?

- A) Selective serotonin reuptake inhibitors (SSRIs)
- B) Tricyclic antidepressants (TCAs)
- C) Selective norepinephrine reuptake inhibitors (SNRIs)
- D) Monoamine oxidase inhibitors (MAOIs)

Answer: D) Monoamine oxidase inhibitors (MAOIs)

Explanation: Correct - D: MAOIs block the enzyme monoamine oxidase, which is responsible for breaking down tyramine in the body. Excess tyramine rapidly displaces norepinephrine from nerve endings, causing a sudden, lethal hypertensive crisis.

Incorrect - A, B, & C: SSRIs, TCAs, and SNRIs do not significantly interact with dietary tyramine and do not require strict tyramine-free diets.

Trick: **MAOIs = Massive Arterial pressure Occurs If you eat cheese.**

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield
#Pharmacology #Psychiatry #MAOI #Tyramine

[Medical Surgical > Endocrine System > Complications of Diabetes] High - VERIFIED [UNIQUE]

Q18. A 54-year-old man presented to the emergency department with polyphagia, polydipsia, headache, and malaise. Assessment showed signs of severe dehydration. The triage nurse suspects the patient is experiencing Diabetic Ketoacidosis (DKA). Which of the following additional symptoms would strongly confirm this suspicion?

- A) Decreased respirations and increased urine output
- B) Kussmaul respirations and fruity odour on the breath
- C) Cheyne-Stokes respirations and foul-smelling urine
- D) Biot respirations and severe abdominal pain

Answer: B) Kussmaul respirations and fruity odour on the breath

Explanation: Correct - B: In DKA, the body burns fat for fuel, producing acidic ketones. The lungs attempt to compensate for metabolic acidosis by blowing off CO₂ through deep, rapid breathing

(Kussmaul respirations). Exhaled acetone gives the breath a classic "fruity" or sweet odor. Incorrect - A: DKA causes increased (not decreased) respirations as a compensatory mechanism. Incorrect - C: Cheyne-Stokes is seen in end-of-life or severe brain injury, not DKA. Incorrect - D: Biot respirations are irregular breaths seen in brainstem trauma.

Trick: DKA = **Deep Kussmaul Acidosis** (with fruity breath).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #MedicalSurgical #Endocrine #DKA

[Pediatric > Cardiology > Congenital Heart Defects] High - VERIFIED [UNIQUE]

Q19. A nurse posted in a pediatric cardiology unit notes that the assessment findings of an infant reveal a continuous "machinery-like" murmur on auscultation, alongside signs of heart failure. Which congenital cardiac defect should the nurse identify?

- A) Atrial septal defect
- B) Aortic stenosis
- C) Ventricular septal defect
- D) Patent ductus arteriosus

Answer: D) Patent ductus arteriosus

Explanation: Correct - D: A continuous machinery murmur at the left upper sternal border is the classic, pathognomonic sign of a Patent Ductus Arteriosus (PDA). It represents continuous blood flow from the high-pressure aorta to the lower-pressure pulmonary artery during both systole and diastole.

Incorrect - A: ASD typically presents with a fixed split S2 and a systolic ejection murmur.

Incorrect - B: Aortic stenosis causes a harsh systolic ejection murmur.

Incorrect - C: VSD causes a loud, harsh, pansystolic (holosystolic) murmur at the lower left sternal border.

Trick: **Machinery = Made by a Product (PDA).**

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pediatrics #Cardiology #PDA

[Medical Surgical > Cardiology > Valvular Disorders] High - VERIFIED [UNIQUE]

Q20. A bounding, rapidly collapsing pulse—commonly referred to as a "water-hammer pulse" or Corrigan's pulse—is a classic clinical sign seen in which of the following conditions?

- A) Mitral stenosis
- B) Left ventricular failure
- C) Aortic stenosis
- D) Aortic regurgitation

Answer: D) Aortic regurgitation

Explanation: Correct - D: Aortic regurgitation (insufficiency) allows blood to flow backward from the aorta into the left ventricle during diastole. This creates a widened pulse pressure (high systolic, low diastolic), which manifests physically as a bounding, forcefully collapsing "water-hammer" pulse.

Incorrect - A: Mitral stenosis presents with a weak, normal, or irregular pulse (if AFib is present).

Incorrect - B: Left ventricular failure causes a weak, thready pulse or pulsus alternans.

Incorrect - C: Aortic stenosis causes a weak, delayed pulse (pulsus parvus et tardus).

Trick: Water falls down/regurgitates backward = Aortic Regurgitation.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #MedicalSurgical #Cardiology #WaterHammerPulse

[Fundamentals > Emergency Management > Epistaxis] High - VERIFIED [UNIQUE]

Q21. A nurse is headed to work on a bus. Suddenly, she notices blood coming from her friend's nose. What is the most appropriate first line of management the nurse should use in this situation?

- A) Do not touch the nose and immediately go to the hospital
- B) Pinch the nose with sterile gauze
- C) Pinch the nose and move forward
- D) Pinch the nose and move backwards

Answer: C) Pinch the nose and move forward

Explanation: Correct - C: For epistaxis (nosebleed), the patient should sit up, lean forward (to prevent swallowing blood, which causes vomiting and aspiration risk), and apply direct continuous

pressure by pinching the soft part of the nose for 10-15 minutes.

Incorrect - A: First aid should be initiated immediately before hospital transport.

Incorrect - B: Gauze can be used, but pinching and positioning are the primary interventions.

Incorrect - D: Leaning backward causes the blood to drain down the throat, leading to nausea, vomiting, or aspiration.

Trick: Lean FORWARD so blood falls OUT, not IN.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield

#Fundamentals #FirstAid #Epistaxis

[Medical Surgical > Neurology > Cerebrovascular Accident] High - VERIFIED [UNIQUE]

Q22. A patient is brought to the emergency ward with numbness and weakness on one side of his body, slurred speech, difficulty in walking, and dizziness. After taking a CT scan, the doctor diagnosed an embolic stroke. Which of the following pre-existing conditions places the client at the highest risk for a thromboembolic stroke?

A) Atrial fibrillation

B) Guillain-Barré syndrome

C) Multiple sclerosis

D) Bradycardia

Answer: A) Atrial fibrillation

Explanation: Correct - A: Atrial fibrillation causes the atria to quiver rather than contract properly, leading to blood stasis and clot (thrombus) formation in the atrial appendages. These clots can easily dislodge and travel to the brain, causing an embolic ischemic stroke.

Incorrect - B: Guillain-Barré is a peripheral nerve demyelinating disease.

Incorrect - C: Multiple sclerosis is a central nervous system demyelinating disease.

Incorrect - D: Bradycardia alone does not primarily cause clot formation, unlike atrial fibrillation.

Trick: Quivering heart (A-Fib) = Clots depart (Embolic Stroke).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield

#MedicalSurgical #Neurology #Stroke #AFib

[Pediatric > Hematology > Thalassemia] Medium - VERIFIED [UNIQUE]

Q23. Beta-thalassemia is an autosomal recessive blood disorder characterized by reduced hemoglobin levels in the body. The severe, major form of this condition is historically known as:

A) Aplastic anaemia

B) Sickle cell anaemia

C) Cooley's anaemia

D) Haemolytic anaemia

Answer: C) Cooley's anaemia

Explanation: Correct - C: Beta-thalassemia major is commonly known as Cooley's anemia, named after Dr. Thomas Benton Cooley who first described the severe childhood hemolytic anemia associated with characteristic bone deformities.

Incorrect - A: Aplastic anemia is bone marrow failure.

Incorrect - B: Sickle cell is caused by a structural defect in the hemoglobin molecule (HbS).

Incorrect - D: Hemolytic anemia is a broad category, not the specific eponym for Thalassemia Major.

Trick: Cooley's = Chronic beta-thalassemia.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield

#Pediatrics #Hematology #Thalassemia

[OBG > Postpartum Care > Breast Engorgement] Medium - VERIFIED [UNIQUE]

Q24. A nurse plans to teach a postpartum mother regarding the prevention of breast engorgement. Which of the following measures should the nurse include in her teaching plan?

A) Breastfeed the neonate at regular intervals

B) Decrease the intake of fluid during the first 24 to 48 hours

C) Massage the breast vigorously before feeding

D) Use nipple shields while feeding the neonate

Answer: A) Breastfeed the neonate at regular intervals

Explanation: Correct - A: Frequent, unrestricted breastfeeding (every 2-3 hours) ensures complete

emptying of the milk ducts, which is the most effective and primary way to prevent painful breast engorgement.

Incorrect - B: Fluid restriction is an outdated practice and does not prevent engorgement.

Incorrect - C: Vigorous massage can cause tissue trauma and inflammation. Gentle massage is preferred.

Incorrect - D: Nipple shields do not prevent engorgement and may actually reduce milk transfer efficiency.

Trick: Empty breasts = Happy breasts (Frequent feeding prevents backing up).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #OBG #Postpartum #Breastfeeding

[Medical Surgical > Respiratory System > Asthma] Medium - VERIFIED [UNIQUE]

Q25. A 30-year-old patient was brought to the emergency department. On examination, the triage nurse noticed a respiratory rate of 36 breaths/minute and a non-productive cough. Suspecting bronchial asthma, which of the following lung auscultation findings would confirm this probability?

- A) Pericardial friction rub
- B) Low-pitched murmurs
- C) Inspiratory and expiratory wheezes
- D) Pleural friction rub

Answer: C) Inspiratory and expiratory wheezes

Explanation: Correct - C: Asthma involves acute bronchoconstriction and mucosal edema. Air forced through these narrowed airways produces continuous, high-pitched musical sounds known as wheezes, classically heard during expiration but often on inspiration as well in severe cases.

Incorrect - A & B: Heart sounds (rub, murmur) do not confirm lung disease.

Incorrect - D: Pleural friction rub is a harsh, grating sound heard in pleurisy, not asthma.

Trick: Squeeze the airways = Wheeze.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #MedicalSurgical #Respiratory #Asthma

[Fundamentals > Diagnostic Evaluation > ECG Placement] Medium - VERIFIED [UPDATED]

Q26. Regarding the anatomical placement of chest leads when recording a 12-lead ECG, which of the following locations is INCORRECT?

- A) V4 - 7th intercostal space at the mid-clavicular line
- B) V3 - linear midpoint between V2 and V4
- C) V2 - 4th intercostal space at the left margin of the sternum
- D) V1 - 4th intercostal space at the right margin of the sternum

Answer: A) V4 - 7th intercostal space at the mid-clavicular line

Explanation: Correct - A: This statement is INCORRECT (making it the right answer). Lead V4 should be placed at the **5th** intercostal space at the mid-clavicular line, not the 7th.

Incorrect - B, C, & D: These statements represent the perfectly accurate anatomical placements for leads V1, V2, and V3.

Trick: V4 is at 5 (5th ICS).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Fundamentals #ECG #LeadPlacement

[Medical Surgical > Renal System > Glomerulonephritis] Medium - VERIFIED [UNIQUE]

Q27. While doing bedside rounds, a nurse posted in the pediatric urology ward observed a 5-year-old child admitted with periorbital and facial edema, decreased urine output, and hematuria. The mother reported a recent streptococcal throat infection. Lab results showed an increased anti-streptolysin O (ASO) titer. What is the probable diagnosis?

- A) Polycystic kidney disease
- B) Nephrotic syndrome
- C) Glomerulonephritis
- D) Haemolytic uremic syndrome

Answer: C) Glomerulonephritis

Explanation: Correct - C: Acute post-streptococcal glomerulonephritis (APSGN) classically occurs 1-2 weeks after a strep throat infection. The immune complexes lodge in the glomeruli causing

inflammation, which presents with hematuria (cola-colored urine), hypertension, periorbital edema, and a positive ASO titer.

Incorrect - B: Nephrotic syndrome features massive proteinuria, severe generalized edema, and hyperlipidemia, but usually normal blood pressure and no recent strep association.

Incorrect - A & D: Polycystic kidney disease is genetic; HUS is usually triggered by E. coli (Shiga toxin) gastroenteritis.

Trick: Strep throat + Cola urine (Hematuria) + Edema = Glomerulonephritis.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #MedicalSurgical #Renal #Glomerulonephritis

[Community > Epidemiology > Demographics] Medium - VERIFIED [UNIQUE]

Q28. The Infant Mortality Rate (IMR) is a vital indicator of a community's health status. It is statistically defined as the ratio of deaths of infants under 1 year of age to:

- A) a rate per 100 live births
- B) a rate per 1000 live births
- C) a rate per 10 live births
- D) a rate per 10,000 live births

Answer: B) a rate per 1000 live births

Explanation: Correct - B: IMR is universally expressed as the number of infant deaths (children under one year of age) per 1,000 live births in a specific geographic area over a given year.

Incorrect - A, C, & D: Maternal Mortality Ratio (MMR) is measured per 100,000 live births, but IMR is strictly measured per 1,000.

Trick: Infant **M**ortality = 1,000. **M**aternal **M**ortality = 100,000.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #CommunityHealth #Demography #IMR

[Fundamentals > Research > Study Design] Low - VERIFIED [UNIQUE]

Q29. Which of the following types of quantitative research designs involves at least some control by the researcher to implement a study treatment, but lacks random assignment to the experimental or control groups?

- A) Correlational
- B) Experimental
- C) Descriptive
- D) Quasi-experimental

Answer: D) Quasi-experimental

Explanation: Correct - D: A quasi-experimental design shares similarities with true experimental designs (it introduces a manipulated intervention/treatment), but it strictly lacks the random assignment of subjects to groups.

Incorrect - B: True experimental designs require three elements: manipulation, control, and strict randomization. Incorrect - A & C: Descriptive and correlational designs are non-experimental and involve no manipulation of variables or treatments.

Trick: Quasi = "Almost" experimental (has the treatment, but misses the randomization).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield #Management #Research #StudyDesign

[Fundamentals > Leadership > Theories] Low - VERIFIED [UNIQUE]

Q30. A leader can be highly effective in one circumstance and highly ineffective in another circumstance. The theory stating that a leader's ability to adapt to specific situations determines their success is known as:

- A) strategic leadership
- B) democratic leadership
- C) contingency theory
- D) autocratic leadership

Answer: C) contingency theory

Explanation: Correct - C: Contingency theory (often associated with Fiedler) states that there is no "one best way" to lead. The effectiveness of a leadership style is entirely contingent (dependent)

upon the internal and external situations or environment.

Incorrect - A, B, & D: These describe specific active styles of leadership, rather than the overarching theory of situational adaptability.

Trick: Effectiveness is "contingent" on the situation.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield
#Management #Leadership #ContingencyTheory

[Fundamentals > Infection Control > Biomedical Waste Management] High - VERIFIED [UNIQUE]

Q31. According to the Bio-Medical Waste Management Rules of India, Category 1 waste, which includes human anatomical waste, should be disposed of by which of the following methods?

- A) Disposal in a municipal landfill
- B) Disinfection by chemical treatment
- C) Incineration
- D) Local autoclaving

Answer: C) Incineration

Explanation: Correct - C: Human anatomical waste (tissues, organs, body parts) belongs in the Yellow category bag. The universally mandated and safest disposal method for yellow bag waste is deep burial or incineration to ensure complete destruction of the biological material.

Incorrect - A: Untreated bio-medical waste must never go to municipal landfills.

Incorrect - B & D: Chemical treatment and autoclaving are primarily used for contaminated recyclable plastics (Red bag) and sharps (White/Blue bins) prior to shredding.

Trick: Anatomical = Animal/Human parts = Ash (Incineration in a Yellow Bag).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield
#Fundamentals #BMW #Incineration

[Fundamentals > Infection Control > Isolation Precautions] High - VERIFIED [UNIQUE]

Q32. A client has a respiratory infection that spreads primarily through large droplets. The nurse is preparing to enter the room to check the client's vital signs. Which of the following items of personal protective equipment (PPE) MUST the nurse wear to control the spread of infection?

- A) Mask
- B) Goggles
- C) Gloves
- D) Gown

Answer: A) Mask

Explanation: Correct - A: For Droplet Precautions (e.g., influenza, pertussis, mumps), the primary transmission route is large respiratory droplets that travel short distances (usually within 3-6 feet). A standard surgical mask is the absolute minimum requirement to protect the nurse's mucous membranes.

Incorrect - B, C, & D: While gloves, gowns, and goggles may be added depending on the risk of fluid splashes (Standard Precautions), the definitive and mandatory requirement for droplet isolation is a mask.

Trick: **Droplets Drop** near the face = **Mask** the face.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield
#Fundamentals #InfectionControl #PPE #Droplet

[Fundamentals > Pathophysiology > Inflammation] High - VERIFIED [UNIQUE]

Q33. All of the following are classic local manifestations of inflammation at the site of an injury, EXCEPT:

- A) Redness
- B) Increased WBC count
- C) Warmth
- D) Pain

Answer: B) Increased WBC count

Explanation: Correct - B: An increased White Blood Cell count (leukocytosis) is a *systemic* manifestation of inflammation and infection, not a *local* one. It occurs throughout the entire bloodstream.

Incorrect - A, C, & D: Redness (rubor), warmth (Calor), pain (dolour), swelling (tumour), and loss of function (function laesa) are the five cardinal *local* signs of inflammation occurring directly at the tissue injury site.

Trick: Local = Look at the skin (Red, Warm, Swollen, Painful). Systemic = Look at the blood (WBCs, Fever).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Fundamentals #Pathophysiology #Inflammation

[Pharmacology > Cardiovascular Drugs > Beta Blockers] High - VERIFIED [UNIQUE]

Q34. A physician has prescribed Tab Atenolol 25 mg for a patient. Prior to administration, the nurse assesses the patient and notes a systolic blood pressure of 90 mmHg. The most appropriate nursing action would be to:

- A) advice the patient to increase sodium intake
- B) monitor serum potassium levels
- C) administer the drug and continue monitoring the blood pressure
- D) withhold the drug and notify the prescriber

Answer: D) withhold the drug and notify the prescriber

Explanation: Correct - D: Atenolol is a beta-blocker that decreases heart rate and blood pressure.

Administering it to a patient who is already hypotensive (Systolic BP $\leq$ 90 mmHg) can lead to severe, life-threatening cardiogenic shock. The nurse must withhold the dose and notify the physician.

Incorrect - A: Increasing sodium intake is a slow, long-term dietary change, not an acute nursing intervention for medication safety.

Incorrect - B: Atenolol does not heavily impact potassium levels (unlike ACE inhibitors or diuretics).

Incorrect - C: Administering a hypotensive agent to a hypotensive patient is dangerous and constitutes medical negligence.

Trick: Beta Blockers Block Beats and BP. BP < 90 or HR < 60 = Hold the drug.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pharmacology #Cardiology #Atenolol #NursingAction

[Medical Surgical > Hematology > Anemia] High - VERIFIED [UNIQUE]

Q35. During a home visit, a middle-aged woman reports weakness, fatigue, dyspnea, and headaches for the past three months. On physical examination, the nurse notes spoon-shaped fingernails (koilonychia) and a heart rate of 120 beats/minute. Based on these findings, what condition should the nurse suspect?

- A) Folic acid deficiency anaemia
- B) Aplastic anaemia
- C) Iron deficiency anaemia
- D) Haemolytic anaemia

Answer: C) Iron deficiency anaemia

Explanation: Correct - C: Spoon-shaped, brittle fingernails (koilonychia) are a highly specific, classic hallmark sign of severe, chronic Iron Deficiency Anemia. The tachycardia, fatigue, and dyspnea are compensatory mechanisms for the low oxygen-carrying capacity of the blood.

Incorrect - A: Folic acid deficiency causes megaloblastic anemia, presenting with glossitis, not koilonychia.

Incorrect - B: Aplastic anemia involves pancytopenia (low RBC, WBC, and platelets), leading to severe infections and bleeding.

Incorrect - D: Hemolytic anemia presents with jaundice, dark urine, and splenomegaly due to RBC destruction.

Trick: If your nails look like **Spoons**, you need to scoop up more **Iron**.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #MedicalSurgical #Hematology #IronDeficiency

[Medical Surgical > Respiratory System > V/Q Mismatch] High - VERIFIED [UNIQUE]

Q36. In respiratory physiology, when alveolar ventilation exceeds pulmonary capillary perfusion, it leads to an increase in which of the following?

- A) Dead space
- B) Silent unit

- C) Pneumothorax
D) Shunt

Answer: A) Dead space

Explanation: Correct - A: "Dead space" occurs when there is adequate ventilation (air reaching the alveoli) but poor or absent perfusion (blood flow). An example is a pulmonary embolism, where air enters the lung, but a clot stops the blood from exchanging gases.

Incorrect - B: A "silent unit" is when both ventilation and perfusion are absent (e.g., severe ARDS or lung collapse). Incorrect - C: Pneumothorax is air in the pleural cavity compressing the lung.

Incorrect - D: A "shunt" is the exact opposite of dead space—it occurs when there is adequate perfusion (blood flow) but poor ventilation (e.g., pneumonia or choking).

Trick: **Dead space** = **D**elivered air, but no blood. **Shunt** = **S**topped air, but blood flows.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield

#MedicalSurgical #Respiratory #VentilationPerfusion

[Pediatric > Congenital Disorders > Down Syndrome] High - VERIFIED [UNIQUE]

Q37. Down's syndrome is a congenital chromosomal abnormality. It is clinically referred to by which of the following genetic terms?

- A) Trisomy 20
B) Trisomy 18
C) Trisomy 31
D) Trisomy 21

Answer: D) Trisomy 21

Explanation: Correct - D: Down syndrome occurs when an individual has a full or partial extra copy of chromosome 21, hence the medical term Trisomy 21.

Incorrect - A & C: These trisomies are not compatible with life or do not represent standard clinical syndromes. Incorrect - B: Trisomy 18 is known as Edwards syndrome. (Trisomy 13 is Patau syndrome).

Trick: Down Syndrome = Down to drink at **21** (Trisomy 21). Edwards = Election age **18**. Patau = Puberty at **13**.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pediatrics #Genetics #DownSyndrome

[Community > Communicable Diseases > Tuberculosis] High - VERIFIED [UNIQUE]

Q38. According to the WHO, the most cost-effective way to stop the spread of Tuberculosis (TB) in communities with a high incidence is by curing it via the DOTS strategy. Which of the following is a core component of the DOTS strategy?

- A) A standardised treatment regimen of eighteen months observed by a healthcare worker
B) Ensuring patients buy their own high-quality drugs
C) Case detection through sputum smear microscopy
D) Achieving Health for All by 2000 AD

Answer: C) Case detection through sputum smear microscopy

Explanation: Correct - C: DOTS (Directly Observed Treatment, Short-course) relies on 5 main pillars. One of the absolute core components is the early diagnosis and case detection of TB primarily through quality-assured sputum smear microscopy in symptomatic patients.

Incorrect - A: DOTS traditionally involves a "short-course" regimen (6-9 months for drug-susceptible TB), not an 18-month regimen.

Incorrect - B: DOTS strictly relies on a regular, uninterrupted supply of high-quality anti-TB drugs provided *free of charge* by the government, not bought by patients.

Incorrect - D: This is a historical Alma-Ata declaration goal, not a component of DOTS.

Trick: To spot TB dots, put the sputum under a scope (Microscopy).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #CommunityHealth #Tuberculosis #DOTS

[Fundamentals > Nursing Process > Implementation] Medium - VERIFIED [UNIQUE]

Q39. A client is admitted to the ward at 4 pm and is scheduled for a haemorrhoidectomy the following morning. The nurse is preparing to record baseline vital signs. Before checking the blood

pressure, what is the most important psychological and ethical principle the nurse must follow?

- A) Prepare the equipment and supplies
- B) Explain the procedure to the client
- C) Wash hands
- D) Position the client

Answer: B) Explain the procedure to the client

Explanation: Correct - B: Explaining the procedure to the client is a fundamental nursing responsibility that reduces patient anxiety, builds trust, ensures informed cooperation, and fulfills the ethical principle of patient autonomy. This psychological readiness should precede the physical actions of touching the patient.

Incorrect - A, C, & D: Preparing equipment, washing hands, and positioning are vital *physical* steps, but establishing communication and consent (explaining) is universally prioritized as the foundational step of client interaction before physical contact begins.

Trick: Talk before you Touch (Explain -> Wash -> Position/Do).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Fundamentals #NursingProcess #Communication

[Medical Surgical > Cardiovascular System > ECG] Medium - VERIFIED [UNIQUE]

Q40. When interpreting a normal Electrocardiogram (ECG), the T wave specifically represents which cardiac physiological event?

- A) Ventricular repolarisation
- B) Time needed for sinus node stimulation
- C) Total time for ventricular depolarisation
- D) Repolarisation of Purkinje fibres

Answer: A) Ventricular repolarisation

Explanation: Correct - A: The T wave on an ECG represents ventricular repolarization—the electrical recovery phase of the ventricles as they prepare for the next contraction.

Incorrect - B: The SA node fires before the P wave; it is not distinctly visible as a wave itself.

Incorrect - C: Ventricular depolarization is represented by the QRS complex.

Incorrect - D: The repolarization of the Purkinje fibers is occasionally seen as a small "U wave" following the T wave, not the T wave itself.

Trick: **P** for Atrial **P**ump (Depolarization). **QRS** for Ventricular **S**queeze. **T** for Ventricular **T**ime-out (Repolarization).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Physiology #Cardiology #ECG #TWave

[Pharmacology > Antimicrobials > Anthelmintics] Medium - VERIFIED [UNIQUE]

Q41. Benzimidazoles are a class of medications primarily used in the treatment of parasitic infections. This class of drug is best categorized as:

- A) an antifungal drug
- B) a broad-spectrum antibiotic
- C) a broad-spectrum anthelmintic
- D) an antiviral agent

Answer: C) a broad-spectrum anthelmintic

Explanation: Correct - C: Benzimidazoles (such as Albendazole and Mebendazole) are broad-spectrum anthelmintic drugs. They are highly effective at eradicating parasitic worm infections (helminths) like roundworms, tapeworms, and hookworms by disrupting their microtubule formation.

Incorrect - A, B, & D: They do not target fungi, bacteria, or viruses.

Trick: Drugs ending in "**-dazole**" kill worms (Anthelmintics) - *exception: metronidazole which is antibacterial/antiprotozoal.*

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Pharmacology #Anthelmintics #Albendazole

[Medical Surgical > Endocrine System > Adrenal Disorders] Medium - VERIFIED [UNIQUE]

Q42. A tumour of the adrenal medulla, known as a pheochromocytoma, is primarily associated with the dangerous overproduction and hypersecretion of which hormone?

- A) Glucocorticoids
- B) Mineralocorticoids
- C) Androgen
- D) Epinephrine

Answer: D) Epinephrine

Explanation: Correct - D: A pheochromocytoma is a rare, catecholamine-secreting tumor of the adrenal medulla. It secretes massive amounts of epinephrine and norepinephrine, leading to a classic triad of severe episodic hypertension, palpitating tachycardia, and profuse diaphoresis (sweating).

Incorrect - A, B, & C: Glucocorticoids (cortisol), mineralocorticoids (aldosterone), and androgens are secreted by the adrenal *cortex*, not the medulla. Tumors in the cortex cause conditions like Cushing's or Conn's syndrome.

Trick: **M**edulla = **M**akes **A**drenaline (Epinephrine). Pheochromocytoma = Adrenaline overload.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #MedicalSurgical #Endocrine #Pheochromocytoma

[Community > Communicable Diseases > COVID-19] Medium - VERIFIED [UNIQUE]

Q43. Suppose you were a nurse posted in a COVID-19 screening area where RT-PCR testing was being conducted. Which specific transport media is required inside the transport tube to safely preserve the COVID-19 nasopharyngeal swabs during transit to the laboratory?

- A) PCR
- B) VVM
- C) RAT
- D) VTM

Answer: D) VTM

Explanation: Correct - D: VTM stands for Viral Transport Medium. It is a specialized liquid solution used to preserve virus specimens (like SARS-CoV-2) in a stable condition during transport from the collection site to the testing laboratory. Incorrect - A: PCR (Polymerase Chain Reaction) is the laboratory testing technique, not the transport liquid.

Incorrect - B: VVM (Vaccine Vial Monitor) is a heat-sensitive label used on vaccine bottles to monitor cold-chain integrity.

Incorrect - C: RAT (Rapid Antigen Test) is a quick diagnostic screening test, not a transport medium.

Trick: **V**irus goes in a **V**ial of **V**TM.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #CommunityHealth #COVID19 #VTM

[Fundamentals > Leadership > Delegation] Medium - VERIFIED [UNIQUE]

Q44. Effective nursing leadership requires the proper use of delegation to optimize ward efficiency. Which of the following statements represents a crucial principle of safe delegation?

- A) Delegation is the exact same concept as work allocation
- B) No transfer of authority exists when delegating
- C) When delegating, you must transfer authority
- D) Responsibility is not transferred with delegation

Answer: C) When delegating, you must transfer authority

Explanation: Correct - C: A fundamental principle of delegation is that the delegator must transfer the *authority* (the right to act or make decisions) to the delegatee so they can effectively complete the assigned task.

Incorrect - D: While the ultimate accountability remains with the RN delegator, the *responsibility* (the obligation to complete the task) IS transferred to the delegatee.

Incorrect - B: If no authority is transferred, the person cannot legally or practically execute the task.

Incorrect - A: Allocation is merely assigning routine duties within a person's standard job description; delegation involves transferring tasks outside their normal routine that you have the authority for.

Trick: **A**uthority goes with the task, but **A**ccountability stays with the RN.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Management #Leadership #Delegation

[Medical Surgical > Renal System > Kidneys] Low - VERIFIED [UNIQUE]

Q45. Anatomically, the kidneys are positioned against the posterior abdominal wall, behind the protective membrane of the abdominal cavity. This specific location is termed:

- A) Supra peritoneally
- B) Infra peritoneally
- C) In the peritoneal cavity
- D) Retroperitoneally

Answer: D) Retroperitoneally

Explanation: Correct - D: The kidneys are located "retroperitoneally," meaning they sit *behind* (retro) the parietal peritoneum in the posterior abdominal cavity, on either side of the vertebral column.

Incorrect - A, B, & C: The kidneys are not situated above, below, or loosely within the main peritoneal cavity; they are securely fastened behind it.

Trick: **Retro** = Behind. The kidneys are hidden in the back (retro) of the abdomen.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield #Anatomy #RenalSystem #Retroperitoneal

[Medical Surgical > Endocrine System > Diabetes Mellitus] High - VERIFIED [UNIQUE]

Q49. The optimal target for patients with diabetes mellitus is maintaining a glycated haemoglobin (HbA1c) at:

- A) above 6.5%
- B) below 6.5%
- C) above 9%
- D) below 9%

Answer: B) below 6.5%

Explanation: Correct - B: According to standard endocrine guidelines, maintaining an HbA1c level below 6.5% (or below 7% for some specific patient groups) is the optimal target to prevent long-term microvascular and macrovascular complications of diabetes.

Incorrect - A & C: Levels above 6.5% or 9% indicate poorly controlled diabetes.

Incorrect - D: While "below 9%" technically includes good ranges, it is not the *optimal* medical target, as 8.5% would still cause severe damage over time.

Trick: A1C < 6.5 = Sweet success.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #MedicalSurgical #Endocrine #Diabetes #HbA1c

[OBG > Antenatal Assessment > Biophysical Profile] High - VERIFIED [UNIQUE]

Q50. The second component (other than NST) evaluated in a Modified Biophysical Profile is the:

- A) Foetal breathing movements
- B) Amniotic fluid Index
- C) Foetal movements
- D) Foetal tone

Answer: B) Amniotic fluid Index

Explanation: Correct - B: A full Biophysical Profile (BPP) evaluates 5 parameters. However, a *Modified* BPP is a rapid antenatal testing method that uses only two components: the Non-Stress Test (NST) as a short-term indicator of fetal acid-base status, and the Amniotic Fluid Index (AFI) as a long-term indicator of placental function.

Incorrect - A, C, & D: Breathing, movements, and tone are evaluated in a full BPP, not the simplified Modified BPP.

Trick: **Modified BPP** = Only 2 things matter -> **NST** and **AFI** (No Added Fuss).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #OBG #Antenatal #BPP #AFI

[Pediatric > Congenital Disorders > Down Syndrome] High - VERIFIED [UNIQUE]

Q51. Children with Down's syndrome often have what is clinically known as brachycephaly. This means that the shape of the back of the head is:

- A) pointed
- B) rounded

- C) flattened
- D) pyramidal

Answer: C) flattened

Explanation: Correct - C: Brachycephaly translates literally to "short head." In Down syndrome (Trisomy 21), it physically manifests as a disproportionately wide skull with a distinctly flattened back of the head (occiput). Incorrect - A, B, & D: The occiput in these children is characteristically flat, not pointed, properly rounded, or pyramidal.

Trick: **Brachycephaly** = **Back** is **Flat** (like a Brick).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Pediatrics #Genetics #DownSyndrome #Brachycephaly

[Medical Surgical > Cardiology > Valvular Disorders] High - VERIFIED [UNIQUE]

Q52. The leakage of blood backwards through the mitral valve each time the left ventricle of the heart contracts is known as:

- A) mitral regurgitation
- B) mitral prolapse
- C) mitral stenosis
- D) mitral systole

Answer: A) mitral regurgitation

Explanation: Correct - A: Mitral regurgitation (or insufficiency) occurs when the mitral valve fails to close completely during ventricular systole, allowing blood to leak backwards from the high-pressure left ventricle into the left atrium. Incorrect - B: Mitral prolapse is the ballooning of the valve leaflets; it can *cause* regurgitation but is not the term for the blood leakage itself.

Incorrect - C: Mitral stenosis is the narrowing of the valve, obstructing forward flow.

Incorrect - D: Mitral systole is not a valid anatomical condition.

Trick: Regurgitate = To bring back up/flow backwards.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #MedicalSurgical #Cardiology #MitralRegurgitation

[Medical Surgical > Hematology > Blood Groups] High - VERIFIED [UNIQUE]

Q53. The blood groups in individuals are different from one another due to the specific presence of:

- A) antigens on the surface of WBCs
- B) antibodies on the surface of WBCs
- C) antigens on the surface of RBCs
- D) antibodies on the surface of RBCs

Answer: C) antigens on the surface of RBCs

Explanation: Correct - C: Human blood types (like ABO and Rh) are determined by the presence or absence of specific inherited glycoproteins and glycolipids called antigens, which sit directly on the surface membrane of Red Blood Cells (erythrocytes).

Incorrect - A & B: WBCs (leukocytes) carry HLA antigens, but these do not dictate standard ABO blood grouping. Incorrect - D: Antibodies float in the blood plasma; they are not attached to the surface of the RBCs.

Trick: **Antigens** are the **Anchors** on the RBC surface.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #Anatomy #Hematology #BloodGroups

[Community > National Health Programs > Iodine Deficiency] High - VERIFIED [UNIQUE]

Q54. The main objective of the National Iodine Deficiency Disorders Control Programme (NIDDCP) in India is:

- A) development of guidelines on control
- B) supply of iodised salt in place of common salt
- C) early detection of iodine deficiency
- D) behaviour Change Communication

Answer: B) supply of iodised salt in place of common salt

Explanation: Correct - B: The primary, most actionable objective of the NIDDCP (launched in 1992, replacing the old Goiter Control Programme) is to ensure the universal availability and consumption of iodised salt in place of standard uniodised common salt across the entire country to prevent

endemic goiter and cretinism.

Incorrect - A, C, & D: While monitoring and communication are components, the core functional objective that defines the program is universal salt iodization.

Trick: To defeat Goiter globally, just add Iodine to the Salt.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #HighYield #CommunityHealth #NationalPrograms #NIDDCP

[Medical Surgical > Gastrointestinal System > Portal Circulation] Medium - VERIFIED [UNIQUE]

Q55. Which of the following statements is INCORRECT with respect to the portal vein?

- A) Portal blood is rich in nutrients.
- B) Portal blood is rich in oxygen. C) Portal blood comes from the gastrointestinal system.
- D) Portal circulation constitutes 80% of the circulation to the liver.

Answer: B) Portal blood is rich in oxygen.

Explanation: Correct - B: This statement is INCORRECT (making it the right answer). The portal vein carries venous, deoxygenated blood. It is the hepatic *artery* that supplies the liver with oxygen-rich blood.

Incorrect - A, C, & D: These are all factual statements. The portal vein drains blood directly from the GI tract (rich in newly absorbed nutrients but poor in oxygen) and provides about 75-80% of the total blood volume entering the liver.

Trick: Veins = Vain (Lacking oxygen). The portal vein is full of food (nutrients), not air (oxygen).

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Anatomy #GISystem #PortalVein

[Pediatric > Behavioral Disorders > Breath Holding Spells] Medium - VERIFIED [UNIQUE]

Q56. A woman visits the paediatrics OPD with her 2-year-old toddler complaining of a sudden stoppage of breath initiated by a provocative event. All the following are true about breath-holding spells EXCEPT:

- A) they occur during inspiration
- B) cyanosis may/may not occur
- C) they are involuntary
- D) bradycardia may occur

Answer: A) they occur during inspiration

Explanation: Correct - A: Breath-holding spells universally occur during *expiration* (usually right after the child lets out a vigorous, forceful cry), never on inspiration. This makes statement A the exception.

Incorrect - B, C, & D: These are all true. The spells are an involuntary reflex triggered by frustration or pain. Cyanosis (due to lack of oxygen) and bradycardia (due to vagal nerve stimulation) frequently occur.

Trick: Children cry OUT (expire) before they pass out.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Pediatrics #BehavioralDisorders #BreathHolding

[Fundamentals > Diagnostic Evaluation > Immunology] Medium - VERIFIED [UNIQUE]

Q57. When an antigen is mixed with its corresponding antibody at a suitable pH and temperature, the antigen-antibody reaction causes the clumping of particles together. This reaction is known as:

- A) agglutination reaction B) precipitation reaction
- C) complement fixation
- D) immunofluorescence

Answer: A) agglutination reaction

Explanation: Correct - A: Agglutination is the specific immunological term for the visible "clumping" together of particulate antigens (like bacteria or red blood cells) when they cross-link with their corresponding specific antibodies. Incorrect - B: Precipitation involves *soluble* antigens reacting with antibodies to form an insoluble solid precipitate, not the clumping of large particles.

Incorrect - C & D: These are entirely different laboratory immunoassay techniques.

Trick: **Agglutination** = **Aggregating** (clumping) together.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #MediumYield #Fundamentals #Immunology #Agglutination

[Fundamentals > Leadership > Styles] Low - VERIFIED [UNIQUE]

Q58. The specific leadership style adopted to make crucial decisions on the spot, particularly when dealing with inexperienced team members and when there's no time to wait for team members to gain familiarity with their role, is known as:

- A) democratic
- B) participatory
- C) authoritative
- D) coaching

Answer: C) authoritative

Explanation: Correct - C: Authoritative (or autocratic) leadership involves centralizing power and decision-making in the leader. In emergencies (code blues) or when dealing with entirely unskilled staff where immediate, unquestioned action is required, this is the most effective and safest style.

Incorrect - A & B: Democratic/participatory styles require time to consult the team, which is dangerous in an acute emergency.

Incorrect - D: Coaching takes time and focuses on long-term development, not on-the-spot crises.

Trick: In a crisis, you don't take a vote (democratic); you take Authority.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield

#Management #Leadership #Authoritative

[Fundamentals > Administration > Budgeting] Low - VERIFIED [UNIQUE]

Q59. The nurse manager compares the actual results of the unit's budget with the projected results of the budget to identify variances. What stage of the management/budgeting process is this?

- A) Controlling
- B) Incremental budgeting
- C) Revenue sharing
- D) Variable budgeting

Answer: A) Controlling

Explanation: Correct - A: In management theory, "controlling" is the process of monitoring performance, comparing the *actual* outcomes against the *planned* goals (budgets), and taking corrective action if major deviations or variances are found.

Incorrect - B & D: Incremental and variable are *types* of budgets, not the process of evaluating them.

Incorrect - C: Revenue sharing is a financial compensation model.

Trick: To keep finances under **Control**, you must Compare actual vs. projected.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield

#Management #Administration #Controlling

[Fundamentals > Research > Statistics] Low - VERIFIED [UNIQUE]

Q60. In research and statistics, to utilize a parametric test such as a t-test, the dependent variable data must be measured at which level?

- A) nominal or interval data
- B) interval or ratio data
- C) ordinal or interval data
- D) ordinal or ratio data

Answer: B) interval or ratio data

Explanation: Correct - B: Parametric tests (like t-tests and ANOVAs) require the dependent variable to be continuous, strictly meaning it must be measured on either an interval or ratio scale. The data must also follow a roughly normal distribution.

Incorrect - A, C, & D: Nominal (categories like gender) and Ordinal (ranked categories like pain scale 1-10) data are non-continuous and require non-parametric statistical tests (like Chi-square or Mann-Whitney).

Trick: Parametric = Ratio/Interval. Non-parametric = Nominal/Ordinal.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield

#Management #Research #Statistics #Ttest

[Fundamentals > Research > Distributions] Low - VERIFIED [UNIQUE]

Q61. A probability distribution that is perfectly symmetric about the mean, graphically showing a bell shape where data near the mean is much more frequent in occurrence than data far from the mean, is mathematically known as:

- A) normal distribution
- B) Poisson distribution
- C) skewed distribution
- D) binomial distribution

Answer: A) normal distribution

Explanation: Correct - A: A normal distribution (the classic "bell curve") is symmetrical around its center. In this distribution, the mean, median, and mode are all perfectly equal and located at the highest central peak.

Incorrect - B & D: Poisson and binomial are discrete probability distributions, not strictly the continuous bell curve. Incorrect - C: A skewed distribution is asymmetrical, leaning either to the left (negative) or right (positive).

Trick: Normal = Symmetrical Bell Curve.

Source: AIIMS Jodhpur Senior Nursing Officer Official Paper 2023 Tags: #PYQ #LowYield
#Management #Research #NormalDistribution