

DEFENSE COMMISSARY AGENCY (DECA) • SUPPLY CHAIN OPERATIONS
DIVISION

Standard Operating Procedure

SOP-02: Inventory & Replenishment

Document Number:	DeCA-SC-SOP-02	Revision:	1.0
Effective Date:	August 1, 2026	Next Review Date:	August 1, 2027
Reviewed By:	Supply Chain Operations Division	Approved By:	Director, Logistics & Distribution
Classification:	UNCLASSIFIED // FOR OFFICIAL USE ONLY		

Table of Contents

Section	Title	Page Ref.
1	Purpose	—
2	Scope	—
3	References	—
4	Definitions	—
5	Roles and Responsibilities	—
6	Inventory Zones and Storage Standards	—
7	Cycle Count Procedure	—
8	Replenishment Triggering Procedure	—

Section	Title	Page Ref.
9	FIFO Enforcement	—
10	Annual Physical Inventory	—
11	Discrepancy Resolution	—
12	Key Performance Indicators (KPIs)	—
13	Training Requirements	—
14	Revision History	—

FOUO HANDLING NOTICE

This document is designated FOR OFFICIAL USE ONLY (FOUO) in accordance with DoD Directive 5400.07 and DoDI 5400.11. It shall not be released to the public or posted to publicly accessible websites. Distribution is authorized to U.S.

Government personnel and contractors with a need to know. Destroy by shredding when no longer required.

1. Purpose

This Standard Operating Procedure (SOP) establishes the policies, processes, and responsibilities governing inventory control, cycle counting, and replenishment triggering for all Defense Commissary Agency (DeCA) Distribution Centers (DCs). The procedures contained herein are intended to:

- Standardize inventory control practices across all DeCA DC facilities to ensure consistency, repeatability, and regulatory compliance;
- Maintain optimal stock levels for all active Stock Keeping Units (SKUs), including the full DeCA catalog range (DCA-10001 through DCA-10020 and beyond), minimizing the risk of both stockouts and overstock conditions;

- Enforce strict First-In, First-Out (FIFO) product rotation across all storage zones to preserve product integrity, reduce spoilage, and comply with applicable food safety regulations;
- Ensure that Warehouse Management System (WMS) on-hand inventory records accurately reflect physical stock at all times, driving data integrity across procurement, logistics, and financial reconciliation functions;
- Establish clear, auditable replenishment triggering thresholds and authorization chains to support uninterrupted commissary operations for military service members, retirees, veterans, and their families;
- Provide a documented, reviewable framework that satisfies audit requirements under DoD 4140.01, DeCA Directive 40-13, and ISO 9001:2015.

This SOP supersedes any prior informal guidance, local memoranda, or facility-level instructions relating to inventory management and replenishment scheduling that conflict with procedures defined herein. In the event of conflict, this document governs.

2. Scope

This SOP applies to all personnel assigned to, or contracted in support of, DeCA Distribution Center inventory management functions. The scope of applicability includes, but is not limited to, the following personnel categories and functional areas:

- **Inventory Control Specialists** at all DeCA DC locations responsible for conducting cycle counts, maintaining WMS accuracy, and processing inventory adjustments;
- **Buyers and Planners** (including Buyer IDs BYR-11, BYR-14, and all other assigned buyer codes) responsible for reviewing replenishment requisitions, approving purchase orders, and coordinating vendor lead times;

- **Warehouse Supervisors and DC Operations Managers** responsible for overseeing physical inventory operations, authorizing adjustments, and ensuring procedural compliance;
- **WMS Administrators** responsible for configuring replenishment parameters, generating count schedules, processing system adjustments, and maintaining WMS data integrity;
- **Cycle Count Teams** comprising any warehouse personnel designated to perform physical counts under this procedure;
- **Quality Assurance (QA) personnel** and **Contracting Officers** involved in discrepancy resolution, write-off authorization, or FAR-related compliance actions.

This SOP applies to all product categories handled within DeCA DCs, including Dry Grocery, Frozen Foods, Refrigerated Dairy, Refrigerated Meat, Fresh Produce, and Health & Beauty Care (HBC). All storage zones — Dry Storage, Produce Cooler, Dairy/Meat Cooler, and Blast Freezer — are subject to this procedure. This SOP does not govern retail floor inventory at commissary stores; store-level inventory procedures are addressed under a separate SOP series.

NOTE

Contractors performing inventory-related functions at DeCA DCs are required to comply with this SOP as a condition of their contract. Contracting Officers' Representatives (CORs) are responsible for ensuring contract language reflects this requirement.

3. References

The following references were consulted in the development of this SOP and shall be used as authoritative guidance in the interpretation and application of this document:

Reference	Title / Description	Applicability
DoD 4140.01, Vol. 1-12	DoD Supply Chain Materiel Management Policy — Establishes overarching DoD supply chain management policy including inventory accuracy, replenishment planning, and materiel accountability requirements.	All sections
DeCA Directive 40-13	DeCA Inventory Management and Control Directive — Governing directive for all DeCA inventory management practices, including count frequencies, variance thresholds, and reporting obligations.	Sections 5, 7, 10, 11
FAR Part 46	Federal Acquisition Regulation Part 46: Quality Assurance — Provides requirements for inspection, acceptance, and accountability of Government property including inventory items subject to loss, damage, or destruction.	Section 11
FAR 45.602	Federal Acquisition Regulation 45.602: Reporting, Reutilization, and Disposal — Establishes procedures and authority levels for the disposition of lost, damaged, or unserviceable inventory.	Section 11
DeCA Inventory Control Manual Rev. 2026	DeCA operational manual providing detailed procedural guidance on WMS configuration, ABC analysis parameters,	Sections 6, 7, 8

Reference	Title / Description	Applicability
	reorder point calculation methodology, and count sheet formatting standards.	
ISO 9001:2015	Quality Management Systems — Requirements. Provides the quality management framework under which DeCA inventory procedures are designed, documented, monitored, and continuously improved.	All sections
DeCA WMS User Guide v4.2	Warehouse Management System user documentation covering replenishment parameter configuration, cycle count scheduling, adjustment processing, and WMS-to-ERP data interface specifications.	Sections 7, 8, 9, 10

4. Definitions

For the purposes of this SOP, the following terms and definitions apply. In the event of conflict with definitions in other DeCA directives, the definitions in DeCA Directive 40-13 shall govern.

Term	Definition
Reorder Point (ROP)	The predetermined inventory level at which a replenishment order must be triggered to avoid a stockout, calculated as: $ROP = (\text{Average Daily Demand} \times \text{Lead Time in Days}) + \text{Safety Stock}$. When WMS on-hand quantity reaches or falls below the ROP, an automated purchase requisition is generated. Example: DCA-10001 (Boneless Chicken Breast) has an ROP of 30 units.
Safety Stock	A buffer quantity of inventory maintained above the minimum operational requirement to absorb variability in demand or supplier lead times without causing a stockout. Safety stock quantities are defined per SKU in the WMS and are included within the ROP calculation. Safety

Term	Definition
	stock levels are reviewed quarterly by the assigned Buyer/Planner.
Cycle Count	A perpetual, ongoing physical inventory counting methodology in which a subset of SKUs is counted on a rotating schedule throughout the year, rather than conducting a single annual wall-to-wall count. Cycle count frequency is determined by ABC classification (see Section 7.1). Cycle counts are used to continuously validate and correct WMS on-hand records.
Annual Physical Inventory (API)	A comprehensive wall-to-wall count of all inventory held within a DeCA DC, conducted once per fiscal year. The API serves as the official baseline for WMS inventory records and financial reporting. All WMS transactions are frozen during the API count window (see Section 10).
Warehouse Management System (WMS)	The enterprise software application used by DeCA DCs to manage receiving, storage, picking, replenishment, and inventory control functions. The WMS serves as the system of record for all on-hand inventory quantities, locations, and lot/date information. All inventory adjustments must be processed through the WMS to maintain data integrity.
Stock Keeping Unit (SKU)	A unique alphanumeric identifier assigned to each distinct product item in the DeCA inventory catalog. SKU IDs follow the format DCA-XXXXX (e.g., DCA-10001 for Boneless Chicken Breast, DCA-10007 for Whole Wheat Bread). Each SKU has unique replenishment parameters configured in the WMS.
Days on Hand (DOH)	A metric expressing the number of days the current on-hand inventory quantity is projected to last at the current rate of demand, calculated as: $DOH = \text{On-Hand Quantity} \div \text{Average Daily Demand}$. DOH targets vary by product category (see Section 12 KPIs) and are monitored by Buyers/Planners to prevent both overstock and stockout conditions.
Lead Time	The elapsed time, measured in calendar days, from the issuance of a Purchase Order (PO) to a vendor through the confirmed receipt and putaway of the ordered product within the DeCA DC. Lead time is a critical input to ROP calculation and is maintained per vendor and SKU

Term	Definition
	combination in the WMS procurement parameters table.
Min/Max (Minimum/Maximum)	An inventory management parameter set consisting of a Minimum quantity (equivalent to or related to the ROP) and a Maximum quantity (the upper stocking limit for a given SKU). When stock falls to or below the Minimum, replenishment is triggered up to the Maximum quantity. Example: DCA-10001 Min=30, Max=250.
Variance	The difference, expressed as a percentage, between the WMS system on-hand quantity and the physically counted quantity for a given SKU or location. Calculated as: $\text{Variance (\%)} = \frac{ \text{System Qty} - \text{Counted Qty} }{\text{System Qty}} \times 100$ Variances exceeding defined thresholds trigger mandatory investigation and supervisory review (see Section 7.4).
FIFO (First-In, First-Out)	An inventory rotation methodology mandating that older product (earliest receipt date) is always picked and shipped before newer product. FIFO compliance is enforced through WMS pick sequencing logic, physical slot rotation procedures, and date-label verification. FIFO is mandatory for all DeCA DC product categories to minimize spoilage and ensure product freshness for patrons.
ABC Analysis	A classification methodology that categorizes SKUs into three tiers — A (high-velocity/high-value), B (moderate-velocity/moderate-value), and C (low-velocity/low-value) — to prioritize cycle count frequency and inventory management attention. Classification is calculated by the WMS based on sales velocity and dollar value, and is recalculated monthly.
Purchase Requisition (PR)	An automatically or manually generated request within the WMS and DeCA Procurement Portal for the procurement of a specific quantity of a SKU from an approved vendor. A PR must be reviewed and approved by an authorized Buyer/Planner before conversion to a Purchase Order (PO).

5. Roles and Responsibilities

The following table delineates the roles, authorities, and key responsibilities of all personnel involved in inventory control and replenishment operations under this SOP. Each role is accountable for the tasks listed; supervisors remain accountable for oversight of subordinate functions within their scope of authority.

Role / Title	Authority Level	Key Responsibilities
Inventory Control Specialist	Execute; escalate variances to Supervisor	Execute cycle counts per WMS-generated schedule Record and submit physical count results in WMS Investigate Level 1 variances (>2% and ≤5%) Process approved inventory adjustments in WMS Maintain count documentation and sign-off records Enforce FIFO labeling and slot rotation during daily operations Support Annual Physical Inventory execution
Buyer / Planner (e.g., BYR-11, BYR-14)	Approve purchase requisitions; authorize emergency replenishment	Review and approve WMS-generated purchase requisitions daily Issue Purchase Orders (POs) to preferred vendors via DeCA Procurement Portal Monitor vendor lead times and update WMS parameters as needed Maintain Min/Max and ROP parameters per assigned SKU portfolio Review Days on Hand by category against KPI targets Authorize emergency (manual override) replenishment orders Coordinate with vendors on delivery scheduling and compliance
DC Supervisor / Operations Manager	Approve Level 2 variance adjustments; sign off on annual counts	Review and approve inventory adjustments for

Role / Title	Authority Level	Key Responsibilities
		Level 2 variances (>5%) Ensure cycle count schedule adherence and team assignments Conduct periodic FIFO compliance inspections across all storage zones Sign off on annual physical inventory count reconciliation reports Escalate unresolved discrepancies to Contracting Officer per FAR 45.602 Monitor daily KPI dashboards and initiate corrective actions Ensure all warehouse personnel have current WMS certifications
WMS Administrator	System configuration; no physical inventory authority	Configure and maintain replenishment parameters (ROP, Min/Max, Reorder Qty) per SKU Generate and publish weekly cycle count schedules based on ABC classification Process and post inventory adjustments authorized by Supervisor or Inventory Control Specialist Initiate and manage WMS freeze period for Annual Physical Inventory Maintain FIFO pick sequencing logic and lot/date rules in WMS Generate KPI and variance reports for management review Coordinate WMS-to-ERP data synchronization and troubleshoot interface errors
Cycle Count Team	Execute blind counts; no system access during count	Receive blind count sheets (no system quantities shown) from WMS Administrator Physically count all units

Role / Title	Authority Level	Key Responsibilities
		in assigned locations and record quantities on count sheets Do not reference WMS quantities during the physical count Submit completed count sheets to Inventory Control Specialist upon completion Participate in recount if variance thresholds are exceeded Comply with all safety requirements (PPE, temperature zone protocols) during count activities
Quality Assurance (QA) Representative	Advisory; escalation to Contracting Officer for FAR actions	Review and validate inventory discrepancy investigation documentation Determine fitness-for-sale status of inventory items under review Support write-off recommendation packages for Contracting Officer review Conduct periodic audits of FIFO compliance and storage zone condition

6. Inventory Zones and Storage Standards

All DeCA DC storage locations are organized into defined inventory zones based on temperature requirements and product category. Each zone has mandatory environmental standards that must be maintained at all times, monitored by continuous temperature recording equipment. Zone assignments for all SKUs are configured in the WMS and determine pick, putaway, and FIFO sequencing logic.

6.1 Zone Environmental Standards

Zone Type	Temperature Range	Humidity Control	Primary Product Categories	FIFO Method
Dry Storage	60–75°F (15.6–23.9°C)	≤60% RH; climate-controlled	Dry Grocery, Canned Goods, Paper Products, Health & Beauty Care (HBC), Baby Products	WMS pick-by-receipt-date; slot rotation on receipt
Produce Cooler	35–45°F (1.7–7.2°C)	85–95% RH; high-moisture environment	Fresh Fruits, Fresh Vegetables, Bagged Salads, Fresh Herbs	WMS lot-date FIFO; daily visual inspection required
Dairy / Meat Cooler	32–40°F (0–4.4°C)	≤70% RH; controlled	Fluid Milk, Cheese, Butter, Eggs, Fresh Poultry, Fresh Beef, Fresh Pork, Deli Meats	WMS lot-date FIFO; SELL-BY date label verification on putaway
Blast Freezer	-10 to 5°F (-23.3 to -15°C)	Controlled; anti-frost protocols enforced	Frozen Entrees, Frozen Vegetables, Ice Cream, Frozen Seafood, Frozen Poultry	WMS lot-date FIFO; pallet-date labels mandatory; PPE required for entry

MANDATORY TEMPERATURE COMPLIANCE

Temperature excursions exceeding defined zone limits for more than 30 consecutive minutes must be reported immediately to the DC Supervisor and QA Representative. Affected product must be quarantined pending QA disposition. WMS location status must be set to HOLD until clearance is granted. Failure to report temperature excursions may result in product safety incidents and regulatory violations.

6.2 Zone Location Directory

The following table provides the complete directory of zone location codes, their zone type, associated aisle/bay identifiers, and primary SKU assignments. These location codes are used throughout the WMS for all receiving, putaway, cycle count, and picking transactions.

Zone ID	Zone Type	Aisle / Bay	Capacity (Pallet Positions)	Temperature Target	Representative SKUs
Cooler-A1	Dairy / Meat Cooler	A, Row 1	48	34-38°F	DCA-10001, DCA-10003
Cooler-A2	Dairy / Meat Cooler	A, Row 2	48	34-38°F	DCA-10001, DCA-10004
Cooler-A3	Dairy / Meat Cooler	A, Row 3	48	34-38°F	DCA-10003, DCA-10009
Cooler-A4	Dairy / Meat Cooler	A, Row 4	40	34-38°F	DCA-10009, DCA-10012
Cooler-A5	Dairy / Meat Cooler	A, Row 5	40	34-38°F	DCA-10012, DCA-10015
Cooler-B1	Dairy / Meat Cooler	B, Row 1	48	34-38°F	DCA-10004, DCA-10016
Cooler-B2	Dairy / Meat Cooler	B, Row 2	48	34-38°F	DCA-10016, DCA-10018
Cooler-B3	Dairy / Meat Cooler	B, Row 3	40	34-38°F	DCA-10018, DCA-10020
Cooler-B4	Dairy / Meat Cooler	B, Row 4	40	34-38°F	DCA-10020
Dry-Storage-C1	Dry Storage	C, Row 1	96	68-72°F	DCA-10007, DCA-10008
Dry-Storage-C2	Dry Storage	C, Row 2	96	68-72°F	DCA-10008, DCA-10010
Dry-Storage-C3	Dry Storage	C, Row 3	96	68-72°F	DCA-10010, DCA-10013
Dry-Storage-C4	Dry Storage	C, Row 4	80	68-72°F	DCA-10013, DCA-10014
Dry-Storage-D1	Dry Storage	D, Row 1	96	68-72°F	DCA-10005, DCA-10006
Dry-Storage-D2	Dry Storage	D, Row 2	96	68-72°F	DCA-10006, DCA-10011

Zone ID	Zone Type	Aisle / Bay	Capacity (Pallet Positions)	Temperature Target	Representative SKUs
Dry-Storage-D3	Dry Storage	D, Row 3	96	68-72°F	DCA-10011, DCA-10017
Dry-Storage-D4	Dry Storage	D, Row 4	80	68-72°F	DCA-10017, DCA-10019
Freezer-E1	Blast Freezer	E, Row 1	64	-5 to 0°F	DCA-10002, DCA-10014
Freezer-E2	Blast Freezer	E, Row 2	64	-5 to 0°F	DCA-10002, DCA-10015
Freezer-E3	Blast Freezer	E, Row 3	48	-5 to 0°F	DCA-10015
Produce-F1	Produce Cooler	F, Row 1	32	38-42°F	DCA-10019, DCA-10020

7. Cycle Count Procedure

The cycle count program is DeCA's primary mechanism for maintaining continuous WMS inventory accuracy without disrupting daily DC operations. Cycle counts are performed on a rolling schedule driven by ABC analysis and are executed by designated Cycle Count Teams under the supervision of the Inventory Control Specialist. All cycle count activities must be documented and signed in accordance with this procedure.

POLICY — BLIND COUNT REQUIREMENT

All cycle counts at DeCA DCs shall be conducted as "blind counts," meaning the count team member recording the physical quantity shall NOT have access to the WMS system quantity during the counting process. System quantities are revealed only after the physical count is submitted and entered into WMS for comparison. Violation of the blind count requirement invalidates the count and requires the count to be repeated.

7.1 Weekly Cycle Count Schedule Generation (ABC Analysis)

Cycle count schedules are generated automatically by the WMS Administrator each Monday morning no later than 07:00 local time. Schedule generation is driven by the ABC classification of each SKU, recalculated by the WMS on the last business day of each month using the prior 90-day sales velocity and unit cost data.

The following count frequency standards apply by ABC tier:

ABC Tier	Classification Criteria	Count Frequency	Example SKUs	Cycle Count Team Assignment
A — High Priority	Top 20% of SKUs by sales velocity and/or dollar value; typically represent ~80% of total inventory value	Weekly (every 7 calendar days)	DCA-10001 (Boneless Chicken Breast), DCA-10007 (Whole Wheat Bread), DCA-10003 (2% Milk Gallon)	Senior Inventory Control Specialist
B — Moderate Priority	Middle 30% of SKUs by velocity/value; moderate turnover	Monthly (once per calendar month)	DCA-10005 (Pasta 16oz), DCA-10010 (Orange Juice 64oz), DCA-10013 (Canned Soup Variety)	Inventory Control Specialist
C — Low Priority	Bottom 50% of SKUs by velocity/value; slow movers, seasonal, or specialty items	Quarterly (once per calendar quarter)	DCA-10017 (Specialty Hot Sauce), DCA-10019 (Organic Baby Food), DCA-10020 (Specialty Cheese)	Cycle Count Team (any qualified associate)

The WMS Administrator shall publish the weekly count schedule to the Inventory Control Specialist and DC Supervisor no later than 07:30 Monday. The schedule shall include: Zone ID, Location Code, SKU(s) to count, ABC tier, assigned count team member, and required completion time.

7.2 Count Team Assignment and Blind Count Sheet Preparation

Step 1: The WMS Administrator generates blind count sheets from the WMS for all locations on the weekly schedule. Blind count sheets display: Zone ID, Location Code, SKU, product description, and unit of measure (UOM). System on-hand quantities are suppressed and shall NOT appear on the blind count sheet.

Step 2: The DC Supervisor or Inventory Control Specialist assigns count teams to locations, prioritizing A-tier SKUs for completion by noon on the assigned count day. Count team members shall not be the same individual who performed the most recent count of the same location (rotation requirement).

Step 3: Count team members receive their blind count sheets. They shall not log into the WMS during the count, shall not access handheld device inventory screens, and shall not discuss quantities with other associates who may have knowledge of system quantities.

Step 4: Count team members ensure they have appropriate PPE for the assigned zone (e.g., insulated gloves and jackets for Freezer-E1 through E3; non-slip footwear for Cooler zones) before entering the storage area.

7.3 Physical Count Execution and WMS Comparison

Step 1: The count team member proceeds to the assigned location and physically counts all units of the specified SKU. Each unit, case, pallet, or layer must be counted individually. Do not estimate. Record the counted quantity in the "Counted Qty" field on the blind count sheet. Record the count date, time, and counter's name/badge number.

Step 2: Upon return, the Inventory Control Specialist enters the physically counted quantity into the WMS cycle count entry screen. The WMS immediately calculates and displays the variance between the system quantity and the counted quantity.

Step 3: If the counted quantity matches the system quantity (0% variance), the count is confirmed, WMS records are validated, and the Inventory Control Specialist signs and files the count sheet. No further action is required.

Step 4: If a variance is detected (counted quantity $\neq$ system quantity), the WMS flags the record and variance investigation is initiated per Section 7.4.

7.4 Variance Investigation Thresholds

All variances detected during cycle counting must be investigated, documented, and resolved. The following two-tier threshold framework governs the investigation and authorization requirements:

Variance Level	Variance Threshold	Investigation Required	Authorization to Adjust	Response Time
No Action	0% variance (exact match)	None	No adjustment required	Immediate; count complete
Level 1 Review	>0% and $\leq$ 2% variance	Inventory Control Specialist performs recount of same location within 24 hours	Inventory Control Specialist (after confirmed recount)	Adjustment processed within 1 business day of recount
Level 1 Review	>2% and $\leq$ 5% variance	Mandatory recount by a different count team member; Inventory Control Specialist documents probable cause (receiving error, picking error,	Inventory Control Specialist (after documented investigation)	Investigation documented and adjustment processed within 2 business days

Variance Level	Variance Threshold	Investigation Required	Authorization to Adjust	Response Time
		theft, damage)		
Level 2 — Supervisor Sign-Off	>5% variance	Full investigative report required: recount, WMS transaction audit trail review, receiving records check, CCTV review if applicable; DC Supervisor must be notified immediately	DC Supervisor sign-off required before any adjustment is processed in WMS	Investigation complete within 3 business days; if unresolved, escalate to Contracting Officer

HIGH-VALUE VARIANCE ESCALATION

For any Level 2 variance involving an A-tier SKU (e.g., DCA-10001 Boneless Chicken Breast in Cooler-A1/A2, or DCA-10007 Whole Wheat Bread in Dry-Storage-C1) where the dollar value of the discrepancy exceeds \$500.00, the DC Supervisor must notify the DeCA Supply Chain Operations Division within 24 hours. A formal discrepancy report must be submitted to DeCA HQ within 5 business days.

7.5 Adjustment Authorization and WMS Update

Step 1: Following completion of the required investigation and receipt of appropriate authorization (Inventory Control Specialist for Level 1; DC Supervisor for Level 2), the WMS Administrator processes the inventory adjustment transaction in the WMS.

Step 2: The adjustment transaction must include: SKU number, location code, original system quantity, counted quantity, variance quantity, variance percentage,

reason code (from the standardized WMS reason code list), and the badge number of the authorizing official.

Step 3: The WMS automatically posts the adjustment to the inventory record and generates a time-stamped audit trail entry. The WMS-to-ERP interface synchronizes the adjusted quantity to the DeCA financial system within the next scheduled interface run (not to exceed 4 hours).

Step 4: The WMS Administrator runs the daily Variance Summary Report and emails it to the DC Supervisor, Inventory Control Specialist, and Buyer/Planner (BYR-11 and BYR-14 for their respective SKU portfolios) by end of business each day.

7.6 Documentation and Sign-Off

All cycle count records shall be maintained for a minimum of three (3) years in accordance with DeCA records retention requirements. Documentation requirements include:

- Original blind count sheet (paper or scanned electronic copy) with counter signature, date, and time;
 - WMS cycle count report printout showing system qty, counted qty, variance qty, and variance %;
 - Inventory Control Specialist signature and date on all adjustments;
 - DC Supervisor signature and date on all Level 2 adjustments;
 - Investigative notes and supporting documentation for all variances exceeding 2%;
 - Monthly Cycle Count Completion Summary (generated by WMS, signed by DC Supervisor, filed with Supply Chain Operations Division).
-

8. Replenishment Triggering Procedure

The DeCA DC replenishment process is a semi-automated workflow that combines WMS-driven demand monitoring with human review and approval by authorized Buyers/Planners. The process is designed to minimize manual intervention for routine replenishment while preserving full human oversight and authorization of all purchase commitments. Emergency manual override procedures are also defined below for situations where automated triggers are insufficient.

8.1 Continuous WMS Stock Monitoring

Step 1: The WMS continuously monitors the on-hand quantity (including confirmed inbound receipts) for every active SKU against the configured Reorder Point (ROP) for that SKU. This monitoring runs in real time as picks, receipts, adjustments, and transfers are posted to the WMS.

Step 2: When the WMS detects that the on-hand quantity for any SKU is at or below the ROP threshold, the WMS automatically creates a draft Purchase Requisition (PR) in the DeCA Procurement Portal. The PR is populated with: SKU number, product description, preferred vendor, recommended order quantity (calculated as Max – Current On-Hand), unit of measure, lead time, and the buyer code associated with the SKU (e.g., BYR-11 or BYR-14).

Step 3: The WMS generates a real-time alert to the assigned Buyer/Planner via the Procurement Portal dashboard and email notification within 15 minutes of PR creation. A-tier SKU alerts are additionally flagged as high-priority in the dashboard view.

8.2 Automated Purchase Requisition Generation

The WMS generates Purchase Requisitions automatically when the following condition is met: **On-Hand Quantity $\leq$ Reorder Point (ROP)**. The recommended order quantity is calculated as:

Recommended Order Qty = Maximum Stock Level – Current On-Hand Quantity

(subject to Buyer/Planner review and adjustment prior to PO issuance)

PRs are queued in the Buyer's Procurement Portal workflow and must be reviewed and acted upon within the timeframes specified in Section 8.3.

8.3 Buyer Review and PO Approval

Step 1: The assigned Buyer/Planner (BYR-11 for Meat/Dairy/Frozen portfolio; BYR-14 for Dry Grocery/Produce portfolio) logs into the DeCA Procurement Portal and reviews all pending PRs in their queue. A-tier PR review must be completed within 2 business hours of receipt. B- and C-tier PRs must be reviewed within 1 business day.

Step 2: The Buyer/Planner validates the recommended order quantity against current Days on Hand, pending inbound shipments, vendor lead time, and any known demand surges (e.g., holiday periods, military pay dates). The Buyer may adjust the order quantity up or down within WMS-configured Min/Max boundaries.

Step 3: The Buyer/Planner approves the PR in the Procurement Portal. Upon approval, the system automatically converts the PR to a Purchase Order (PO) and assigns a DeCA PO number in the format PO-DC-[YYYY]-[NNNNN].

Step 4: The approved PO is transmitted electronically to the preferred vendor via EDI or the DeCA Vendor Portal within 30 minutes of Buyer approval. The Buyer/Planner notes the confirmed lead time in the WMS for order tracking.

8.4 Purchase Order Issuance and Vendor Lead Time

POs are issued to preferred vendors identified in the DeCA approved vendor master for each SKU. The following requirements apply to all PO issuance:

- Vendor must acknowledge PO receipt via EDI 855 (PO Acknowledgment) within 24 hours;
- Buyer/Planner (BYR-11 or BYR-14) records the confirmed ship date and estimated delivery date in the WMS PO tracking screen;
- If vendor cannot meet the requested delivery date, the Buyer/Planner escalates to the DC Supervisor and evaluates alternate vendor options;
- Lead time recorded in WMS must match the vendor-confirmed delivery date, not the standard lead time parameter, to ensure accurate projected availability calculations.

8.5 Order Tracking and Receipt

Step 1: The WMS tracks all open POs from issuance through delivery. Daily, the WMS Procurement Dashboard displays all open POs with status: Ordered, Acknowledged, In Transit, Received, or Cancelled.

Step 2: Upon physical arrival at the DC dock, the Receiving Team cross-references the inbound shipment against the open PO in WMS. All quantities, lot numbers, and dates are verified. Discrepancies between PO and actual receipt are flagged immediately to the Buyer/Planner.

Step 3: Upon confirmed receipt and putaway, the WMS updates the on-hand quantity for the SKU and closes the PO line. If the receipt quantity is less than ordered, the open shortage is tracked as a backorder or the PO line is cancelled based on Buyer/Planner instruction.

8.6 Manual Override — Emergency Replenishment

Emergency replenishment may be initiated by the Buyer/Planner or DC Supervisor outside the normal automated process when any of the following conditions exist:

- On-hand quantity has reached zero (stockout) or is projected to reach zero within 24 hours for an A-tier SKU;
- Automated PR was generated but PO could not be placed due to vendor non-response or system error;
- An unplanned demand surge (e.g., emergency commissary support, military mobilization event) requires expedited replenishment;
- A quality hold or recall has eliminated available inventory for a critical SKU.

The emergency replenishment process requires:

1. Verbal notification to DC Supervisor (or designee) and documentation of the emergency condition;
2. Buyer/Planner creation of a manual PR in the Procurement Portal flagged as "EMERGENCY" priority;
3. DC Supervisor co-authorization of the emergency PR;
4. Buyer/Planner contacts vendor directly by phone to expedite delivery, with written follow-up via email within 2 hours;
5. All emergency replenishment actions documented in the DC Daily Operations Log.

8.7 Replenishment Parameter Reference Table

The following table provides the WMS-configured replenishment parameters for a representative sample of DeCA DC SKUs. Parameters are reviewed and updated quarterly by the assigned Buyer/Planner. All parameter changes must be approved by the DC Supervisor before implementation in WMS.

SKU ID	Product Description	Buyer ID	Storage Zone	ABC Tier	ROP (Units)	Reorder Qty	Max (Units)	Lead Time (Days)	UOM
DCA-10001	Boneless Chicken Breast 5lb	BYR-11	Cooler-A1/A2	A	30	100	250	3	Case
DCA-10002	Frozen Mixed Vegetables 12oz	BYR-11	Freezer-E1/E2	A	40	120	280	4	Case
DCA-10003	2% Milk Gallon	BYR-11	Cooler-A3	A	60	180	360	2	Each
DCA-10005	Rotini Pasta 16oz	BYR-14	Dry-Storage-D1	B	25	80	180	5	Case
DCA-10007	Whole Wheat Bread 20oz	BYR-14	Dry-Storage-C1	A	50	200	400	2	Each
DCA-10009	Shredded Cheddar Cheese 2lb	BYR-11	Cooler-A3/A4	A	35	100	220	3	Case
DCA-10013	Condensed Tomato Soup 10.75oz	BYR-14	Dry-Storage-C3	B	20	60	150	6	Case
DCA-10015	Frozen Breaded Fish Fillets 24oz	BYR-11	Freezer-E2/E3	B	20	60	140	5	Case
DCA-10017	Specialty Hot Sauce 12oz	BYR-14	Dry-Storage-D3	C	10	30	70	7	Case
DCA-10019	Organic Baby	BYR-14	Product-F1	C	12	36	80	4	Case

SKU ID	Product Description	Buyer ID	Storage Zone	ABC Tier	ROP (Units)	Reorder Qty	Max (Units)	Lead Time (Days)	UOM
	Food Pouches 4oz								

NOTE — Parameter Review Cycle

Replenishment parameters (ROP, Reorder Qty, Max, Lead Time) shall be reviewed no less than quarterly by the assigned Buyer/Planner (BYR-11 for cold chain SKUs; BYR-14 for dry/produce SKUs). Reviews shall be triggered by: (a) sustained stockout events, (b) sustained overstock conditions (

>

120% of Max), (c) vendor lead time changes, or (d) demand pattern shifts exceeding 15% from the prior quarter average.

9. FIFO Enforcement

First-In, First-Out (FIFO) compliance is mandatory for all product categories across all DeCA DC storage zones. FIFO enforcement is a shared responsibility between the WMS system configuration, Inventory Control Specialists, Warehouse Associates, and DC Supervisors. Failures in FIFO compliance can result in product spoilage, food safety violations, patron health risks, and financial losses.

9.1 WMS FIFO Pick Logic Configuration

The WMS is configured to enforce FIFO pick sequencing for all outbound orders. The WMS pick logic operates as follows:

- For all SKUs, the WMS assigns pick tasks based on the earliest receipt date (or production date for items with lot-level date tracking) in the inventory record;
- For chilled and frozen SKUs (Zones Cooler-A1 through B4, Freezer-E1 through E3, Produce-F1), the WMS enforces FIFO at the lot/expiration date level, selecting the nearest expiration date first;
- For dry storage SKUs (Dry-Storage-C1 through D4), FIFO is enforced at the pallet/receipt date level;
- The WMS shall not allow a pick task to be overridden to select a newer-dated pallet or lot when older stock is available in the same location, unless the older stock is on a QA Hold status. Any pick override requires WMS Administrator authorization and generates an automatic audit record.

9.2 Slot Rotation on Receipt

Step 1: Upon receipt of a new shipment of any SKU, the Receiving Team must verify the production or receipt date on all incoming units before putaway.

Step 2: The WMS Receiving transaction assigns a putaway location. For FIFO compliance, newly received product must be placed behind or beneath existing stock of the same SKU in the designated storage location, ensuring that older stock is accessible first at the pick face.

Step 3: If existing stock in the slot has a later date than the incoming product (indicating a potential FIFO violation), the Inventory Control Specialist must be notified immediately. The Inventory Control Specialist will conduct a slot rotation — physically moving the newer-dated stock to the rear and placing the older-dated stock at the pick face — before completing the putaway transaction in WMS.

Step 4: For chilled zones (Cooler-A1 through B4 and Produce-F1), all pallets must display a DeCA-standard date label on the outermost visible face, formatted as:

RCVD: [MM/DD/YYYY] | LOT: [Lot #] | EXP: [MM/DD/YYYY]. Labels must be applied at receiving, before putaway.

9.3 FIFO Compliance Inspection

DC Supervisors are required to conduct a FIFO compliance walk-through inspection no less than once per week for all active storage zones. The inspection checklist must verify:

- All pallets and cases in chilled, frozen, and produce zones display current, legible date labels;
- Pick face in each location contains the oldest-dated product for each SKU;
- No unlabeled or illegibly labeled product is present in any zone;
- WMS pick task history for A-tier SKUs reflects correct FIFO sequencing (validated by WMS pick report);
- Any product within 30 days of expiration is flagged in WMS and priority-picked for outbound shipment.

Inspection findings must be recorded in the DC FIFO Inspection Log. Deficiencies must be corrected within the same business day. Recurring FIFO violations (more than two instances per month for the same zone or SKU) must be reported to the DC Supervisor for root cause analysis and corrective action planning.

EXPIRED PRODUCT PROTOCOL

Any product found to be past its expiration or SELL-BY date must be immediately removed from available inventory, placed under QA Hold in WMS, physically segregated in a designated quarantine area, and reported to the QA Representative within 2 hours of discovery. Expired product must NOT be shipped to commissary stores under any circumstances. Disposition of expired product follows the Discrepancy Resolution process in Section 11.

10. Annual Physical Inventory

The Annual Physical Inventory (API) is a mandatory wall-to-wall physical count of all inventory within the DeCA DC, conducted once per fiscal year. The API serves as the official basis for inventory financial reconciliation and DeCA HQ reporting. All DC operations, including receiving and shipping, are suspended during the active count window to ensure count accuracy.

10.1 API Planning and Scheduling

The DC Supervisor, in coordination with the Supply Chain Operations Division, shall schedule the API no fewer than 60 days in advance. The following planning actions are required:

- API date is communicated to all vendors, commissary stores, and DeCA HQ at least 30 days prior;
- All open inbound POs are expedited or deferred to avoid inbound receipts during the count window;
- All outbound shipment orders are fulfilled and closed before the count window begins;
- Count teams are organized: each team covers a designated zone (Dry Storage, Cooler, Freezer, Produce), with at least two counters per team for all high-value zones;
- Count sheets are pre-generated by the WMS Administrator (blind) and organized by zone and location sequence.

10.2 WMS Freeze Period

Step 1: The WMS Administrator initiates the WMS Inventory Freeze at 18:00 on the day preceding the API count. During the freeze period, no inventory transactions (receipts, shipments, adjustments, transfers) may be processed in WMS. The WMS is set to "Count Mode."

Step 2: The WMS prints the official API count snapshot report, which records the system on-hand quantity for every active SKU at every location at the freeze timestamp. This snapshot is the official "pre-count" system record and is retained for reconciliation purposes.

Step 3: The freeze period is maintained until all physical count teams have completed their counts, all count data has been entered into WMS, and the WMS Administrator has confirmed the count is complete. The DC Supervisor authorizes the lift of the WMS freeze.

Step 4: WMS transaction processing resumes immediately upon freeze lift. All pending transactions that accumulated during the freeze are processed in chronological order. The WMS Administrator monitors the post-freeze transaction queue and confirms all transactions are cleared before end of the business day following count completion.

10.3 Physical Count Execution

API count execution follows the same blind count and documentation requirements as cycle counts (Section 7.2–7.3), with the following additional requirements:

- All count teams begin simultaneously at the designated start time (typically 06:00) to minimize the elapsed time of the WMS freeze;
- A second, independent recount team must verify all locations containing A-tier SKUs or any location with a value exceeding \$10,000 in the pre-count snapshot;
- Any location where two consecutive counts do not agree must be escalated to the DC Supervisor for a third "tiebreaker" count before the quantity is recorded as final;
- All count sheets are signed by both the counter and a witness for each location.

10.4 Reconciliation and DeCA HQ Reporting

Upon completion of physical counting, the WMS Administrator processes all count entries and generates the API Variance Report, which compares the physical count to the pre-count WMS snapshot. The following reconciliation and reporting steps apply:

6. All variances are investigated per the thresholds in Section 7.4. Level 2 variances (>5%) must be fully documented and DC Supervisor-signed before adjustment;
7. The DC Supervisor prepares the Annual Physical Inventory Reconciliation Report, which includes: total SKUs counted, total units counted, total system units, overall inventory accuracy rate, total variance by dollar value, and root cause summary for all Level 2 variances;
8. The Reconciliation Report is reviewed and signed by the DC Supervisor and submitted to the Supply Chain Operations Division and DeCA HQ Comptroller within 15 business days of API completion;
9. DeCA HQ posts the reconciled API results to the DeCA Annual Inventory Report filed with the DoD Office of the Under Secretary of Defense (Comptroller) in compliance with DoD 4140.01 financial inventory reporting requirements;
10. All API documentation (count sheets, WMS reports, variance reports, reconciliation report) is archived for a minimum of seven (7) years.

IMPORTANT — API FINANCIAL IMPACT

All inventory adjustments resulting from the API that represent a net loss in inventory value exceeding \$50,000 in aggregate must be reviewed by the DeCA Comptroller and reported to the DoD Inspector General as required under DoD financial management regulations. The Contracting Officer must be notified of any individual SKU loss exceeding \$10,000 per Section 11 of this SOP.

11. Discrepancy Resolution

Inventory discrepancies — defined as any confirmed difference between the physical count and the WMS system quantity that cannot be attributed to a timing variance (in-transit transactions, pending receipts, etc.) — must be resolved through a documented, authorized process. This section establishes the investigation, authorization, and write-off procedures for all unresolved inventory discrepancies in compliance with FAR Part 46 and FAR 45.602.

11.1 Discrepancy Categories

Category	Description	Common Causes
Short Count	Physical count is less than WMS system quantity (inventory shortage)	Picking errors, receiving short-shipment not caught, theft, mislocation, product spoilage, unreported damage
Over Count	Physical count is greater than WMS system quantity (inventory overage)	Receiving overshipment not caught, mis-keyed counts, product placed in wrong WMS location, unprocessed returns
Mislocation	Product found in a WMS location different from the system-assigned location	Putaway to wrong slot, WMS scan error, unauthorized transfer without system transaction
Quality Defect / Damage	Product exists physically but is unserviceable, damaged, or expired	Temperature excursion, physical damage during handling, vendor quality defect, FIFO non-compliance leading to expiration

11.2 Authorization Thresholds for Write-Off

The following authorization thresholds govern the write-off of confirmed inventory discrepancies. Write-off authorization must be documented in writing (electronic or paper) and filed with the DC Supervisor's official records. All write-offs are reported

in the monthly Discrepancy Resolution Log submitted to the Supply Chain Operations Division.

Discrepancy Dollar Value	Write-Off Authorized By	Documentation Required	Regulatory Reference
Up to \$500.00 per incident	Inventory Control Specialist (with DC Supervisor notification)	WMS adjustment transaction, reason code, brief written explanation, ICS signature	DeCA Directive 40-13, Para. 6.3
\$500.01 – \$5,000.00 per incident	DC Supervisor sign-off required	Full investigative report, WMS audit trail, Supervisor signed adjustment authorization form	DeCA Directive 40-13, Para. 6.4; FAR Part 46
\$5,000.01 – \$25,000.00 per incident	Contracting Officer review and authorization required	Formal discrepancy report package, investigative findings, QA assessment, legal/CO coordination per FAR 45.602	FAR 45.602; FAR Part 46; DoD 4140.01
Above \$25,000.00 per incident	DeCA HQ Comptroller and CO authorization required ; potential referral to DoD IG	Full formal investigation report, CO authorization, Comptroller notification, DoD IG referral if warranted	FAR 45.602; DoD 4140.01; DoD IG referral thresholds

SUSPECTED THEFT OR FRAUD

In any case where theft, fraud, or willful misconduct is suspected as the cause of an inventory discrepancy — regardless of dollar value — the DC Supervisor must immediately notify the DeCA Security Officer and the Installation's Office of the Inspector General (OIG). Normal write-off procedures are suspended pending the outcome of any criminal investigation. Refer to DeCA Security Directive for reporting timelines.

11.3 FAR 45.602 Compliance

In accordance with FAR 45.602, any inventory item determined to be lost, damaged, or destroyed that was provided by or procured with Government funds must be reported through the appropriate channels. The Contracting Officer is responsible for determining the appropriate disposition action, which may include: demand for replacement, financial recovery from vendor (if vendor-caused), contractor liability assessment, or formal write-off with full documentation. The DC Supervisor is responsible for ensuring all required FAR 45.602 notifications are submitted to the Contracting Officer within 5 business days of confirming a discrepancy that meets the reporting threshold.

12. Key Performance Indicators (KPIs)

The following KPIs are established to measure the effectiveness of inventory control and replenishment operations across all DeCA DCs. KPIs are reported monthly by the WMS Administrator, reviewed by the DC Supervisor, and submitted to the Supply Chain Operations Division quarterly. Persistent failure to meet KPI targets (two consecutive months below threshold) requires a formal Corrective Action Plan (CAP) within 30 days.

KPI	Definition / Formula	Target	Measurement Frequency	Responsible Party	Data Source
Inventory Accuracy Rate	(# Locations with Zero Variance ÷ Total Locations Counted) × 100	≥ 99.5%	Weekly (cycle count data); Monthly summary	Inventory Control Specialist / WMS Admin	WMS Cycle Count Variance Report
Cycle Count Completion Rate	(# Counts Completed on Schedule ÷ # Counts Scheduled) × 100	100% (all scheduled counts completed on time)	Weekly	Inventory Control Specialist / DC Supervisor	WMS Cycle Count Schedule vs. Completion Report
Stockout Rate	(# SKUs with On-Hand = 0 at any point	≤ 0.5%	Daily monitoring; Monthly	Buyer/ Planner (BYR-11,	WMS On-Hand Status Report;

KPI	Definition / Formula	Target	Measurement Frequency	Responsible Party	Data Source
	during the period ÷ Total Active SKUs) × 100		reporting	BYR-14) / DC Supervisor	Procurement Portal
Days on Hand — Frozen Products	Total On-Hand Units (Frozen) ÷ Average Daily Units Shipped (Frozen)	≤ 30 Days	Weekly	Buyer BYR-11	WMS Inventory Report; Outbound Shipment Report
Days on Hand — Refrigerated Products	Total On-Hand Units (Refrigerated) ÷ Average Daily Units Shipped (Refrigerated)	≤ 7 Days	Daily	Buyer BYR-11	WMS Inventory Report; Outbound Shipment Report
Days on Hand — Dry Grocery	Total On-Hand Units (Dry) ÷ Average Daily Units Shipped (Dry)	≤ 45 Days	Weekly	Buyer BYR-14	WMS Inventory Report; Outbound Shipment Report
Variance Rate	(Total Absolute Variance Units ÷ Total Units Counted) × 100	≤ 1.0%	Monthly (all counts aggregated)	Inventory Control Specialist / WMS Admin	WMS Monthly Variance Summary Report
Replenishment Order Cycle Time	Average elapsed time (hours) from PR generation to PO issuance to vendor	≤ 4 hours for A-tier; ≤ 24 hours for B/C-tier	Monthly	Buyer/Planner (BYR-11, BYR-14)	Procurement Portal PR/PO Timestamp Report
FIFO Compliance Rate	(# FIFO-compliant locations per inspection ÷ Total locations inspected) ×	≥ 99%	Weekly (supervisor inspection)	DC Supervisor	DC FIFO Inspection Log

KPI	Definition / Formula	Target	Measurement Frequency	Responsible Party	Data Source
	100				

KPI DASHBOARD

The WMS Administrator shall maintain a real-time KPI dashboard accessible to all DC Supervisors and Buyers/Planners. The dashboard shall display current-period performance against all KPI targets listed above, with color-coded status indicators: Green = at or above target; Yellow = within 10% of target; Red = below target by more than 10%. The dashboard is reviewed at the daily DC Operations Stand-Up meeting.

13. Training Requirements

All personnel assigned to roles defined in Section 5 of this SOP must complete the applicable training requirements listed below before performing those duties independently. Training records are maintained in the DeCA Learning Management System (LMS) and are subject to audit. The DC Supervisor is responsible for ensuring all assigned personnel maintain current certifications.

13.1 WMS Certification

All Inventory Control Specialists, Buyers/Planners, WMS Administrators, and DC Supervisors must complete the DeCA WMS Certification Program prior to performing any WMS inventory transaction. The WMS Certification Program consists of:

- **WMS-101: WMS Fundamentals** — 8-hour instructor-led course covering WMS navigation, transaction types, and data entry standards. Prerequisite for all WMS roles.

- **WMS-201: Inventory Control and Cycle Counting in WMS** — 4-hour course specific to cycle count scheduling, count entry, variance processing, and adjustment workflows. Required for Inventory Control Specialists and WMS Administrators.
- **WMS-202: Replenishment Configuration and Monitoring** — 4-hour course covering replenishment parameter setup, PR/PO workflow, and emergency override procedures. Required for Buyers/Planners and WMS Administrators.
- **WMS Certification Exam** — Minimum passing score of 80%. Personnel who do not pass on the first attempt must complete a 2-hour remedial session before retesting. A maximum of three attempts is permitted; failure after three attempts requires supervisory review and reassignment consideration.

WMS Certification is valid for two (2) years. Recertification (WMS-201 or WMS-202 refresher + exam) is required prior to expiration.

13.2 Cycle Count On-the-Job Training (OJT)

New Inventory Control Specialists and Cycle Count Team members must complete a supervised On-the-Job Training (OJT) period before performing independent cycle counts. OJT requirements include:

- Minimum ten (10) supervised cycle counts across at least three different storage zones (Dry, Cooler, Freezer), observed and signed off by a certified Inventory Control Specialist;
- Demonstrated ability to: correctly read blind count sheets, accurately count product in each zone type, record quantities without system reference, and submit count documentation per Section 7.6;
- Completion of safety training specific to each storage zone (temperature zone PPE, forklift awareness, safe lifting practices) before entering any zone for counting purposes;
- OJT sign-off form signed by the supervising Inventory Control Specialist and DC Supervisor, filed in the employee's training record in DeCA LMS.

13.3 Annual Refresher Training

All personnel covered by this SOP must complete an Annual Refresher Training module each calendar year. The refresher training is delivered via DeCA LMS as a self-paced online course and covers:

- Review of any SOP revisions issued in the prior 12 months;
- Lessons learned from variance investigations and discrepancy reports from the prior year;
- FIFO compliance best practices and common failure modes identified during inspections;
- Updates to WMS functionality or replenishment parameter standards;
- Regulatory and compliance reminders (FAR Part 46, FAR 45.602, DoD 4140.01).

Annual refresher training must be completed no later than December 31 of each year. Personnel who fail to complete refresher training by the deadline are placed in "Supervised Operations" status and may not perform independent inventory actions until the training is complete. The DC Supervisor is responsible for tracking and enforcing compliance.

13.4 Role-Specific Training Matrix

Training Requirement	Inv. Control Specialist	Buyer / Planner	DC Supervisor	WMS Admin	Cycle Count Team
WMS-101: WMS Fundamentals	Required	Required	Required	Required	Recommended
WMS-201: Inventory Control & Cycle Count	Required	—	Recommended	Required	—
WMS-202: Replenishment Config & Monitoring	—	Required	Recommended	Required	—
Cycle Count	Required	—	—	—	Required

Training Requirement	Inv. Control Specialist	Buyer / Planner	DC Supervisor	WMS Admin	Cycle Count Team
OJT (10 supervised counts)					
Zone Safety Training (PPE, temp zone protocols)	Required	—	Required	—	Required
Annual SOP Refresher (DeCA LMS)	Required	Required	Required	Required	Required
FAR Compliance Awareness (FAR 45.602, FAR 46)	Recommended	Required	Required	—	—

14. Revision History

The following table records all revisions to this Standard Operating Procedure. All revisions are reviewed by the Supply Chain Operations Division and approved by the Director, Logistics & Distribution before taking effect. Personnel are responsible for ensuring they are working from the current revision of this SOP. Superseded revisions are archived in the DeCA Document Control System.

Revision	Effective Date	Author / Prepared By	Reviewed By	Approved By	Summary of Changes
1.0	August 1, 2026	Supply Chain Operations Division	Supply Chain Operations Division	Director, Logistics & Distribution	Initial Release. Establishes all baseline procedures for inventory control, cycle counting (ABC-driven), replenishment

Revision	Effective Date	Author / Prepared By	Reviewed By	Approved By	Summary of Changes
					nt triggering (WMS automated and manual override), FIFO enforcement , annual physical inventory, discrepancy resolution (FAR 45.602 aligned), KPI framework, and training requirements across all DeCA DC zones (Cooler-A1 through Produce-F1). Covers SKU range DCA-10001 through DCA-10020 with specific replenishment parameters for assigned buyers BYR-11 and BYR-14.

NEXT SCHEDULED REVIEW

This SOP is scheduled for full review by the Supply Chain Operations Division no later than

August 1, 2027

. The review will assess KPI performance data from the prior year, incorporate lessons learned from cycle count and annual physical inventory operations, and

integrate any regulatory changes to DoD 4140.01, FAR Part 46, or DeCA Directive 40-13 issued since the effective date of this revision.

Document Approval Signatures

By signing below, the authorized officials certify that this Standard Operating Procedure has been reviewed, is accurate, and is approved for implementation effective August 1, 2026.

Reviewed By: Supply Chain
Operations Division Date:

Approved By: Director,
Logistics & Distribution Date:

**DeCA-SC-SOP-02 | Revision 1.0 | Effective: August 1, 2026 | Next Review:
August 1, 2027**

Defense Commissary Agency (DeCA) — Supply Chain Operations Division

UNCLASSIFIED // FOR OFFICIAL USE ONLY — Do not release to the public. Destroy by shredding when no longer required.

UNCLASSIFIED // FOR OFFICIAL USE ONLY