

Topic:

3.8.2 Write SQL query to find which District in each state/ut has the highest number of murders yearwise. Your output should show STATE/UT, YEAR, DISTRICT, and MURDERS:

- * Here I analysis, District wise Murder record of each State in Indian,
- * I try to find in which district had highest Murder happened from 2001 to 2012 of each state.

1) For Andhra Pradesh

```
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ANDHRA PRADESH | RANGA REDDY | 2001 |    214 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ANDHRA PRADESH | RANGA REDDY | 2002 |    214 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ANDHRA PRADESH | GUNTUR | 2003 |    210 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ANDHRA PRADESH | MAHABOONNAGAR | 2004 |    183 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ANDHRA PRADESH | MAHABOONNAGAR | 2005 |    212 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2006 |    193 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2007 |    186 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2008 |    197 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2009 |    186 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2010 |    187 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2011 |    213 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='andhra pradesh' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ANDHRA PRADESH | CYBERABAD | 2012 |    198 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

2) Arunachal Pradesh

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2001 |    16 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2002 |    14 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2003 |    16 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2004 |    10 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2005 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2005 | 14 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2006 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | PAPUM PARE | 2006 | 10 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2007 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2007 | 17 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2008 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2008 | 11 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2009 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | SIANG WEST | 2009 | 11 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2010 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | SIANG WEST | 2010 | 9 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2011 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2011 | 12 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Arunachal Pradesh' and year=2012 order by m
order desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ARUNACHAL PRADESH | LOHIT | 2012 | 11 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

3) ASSAM

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | DIBRUGARH | 2001 |    110 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | TINSUKIA | 2002 |    115 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | DIBRUGARH | 2003 |    107 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | DIBRUGARH | 2004 |    125 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | DIBRUGARH | 2005 |    113 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | DIBRUGARH | 2006 |    104 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | TINSUKIA | 2007 |    143 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | TINSUKIA | 2008 |    114 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | SONITPUR | 2009 |    109 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | TINSUKIA | 2010 |     96 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | TINSUKIA | 2011 |     98 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='assam' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ASSAM   | KOKRAJHAR | 2012 |    110 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

4) BIHAR

```
mysql> use capston_project;
Database changed
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2001 |    434 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2002 |    472 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2003 |    484 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2004 |    542 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2005 |    436 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2006 |    338 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2007 |    317 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| BIHAR    | PATNA   | 2008 |    341 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| BIHAR   | PATNA   | 2009 |    314 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| BIHAR   | PATNA   | 2010 |    304 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| BIHAR   | PATNA   | 2011 |    248 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='BIHAR' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| BIHAR   | PATNA   | 2012 |    356 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

5) Chhattisgarh

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | SARGUJA | 2001 |    105 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | SARGUJA | 2002 |    101 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2003 |     95 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | SARGUJA | 2004 |    111 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2005 |    94 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BIZAPUR | 2006 |   139 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BIZAPUR | 2007 |   113 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2008 |   112 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | RAIPUR | 2009 |   101 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2010. order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2010 |   106 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2011 |   112 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Chhattisgarh' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| CHHATTISGARH | BILASPUR | 2012 |    74 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

6) GOA

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA | NORTH GOA | 2001 |    22 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA | NORTH GOA | 2002 |    18 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA | NORTH GOA | 2003 |    22 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA | NORTH GOA | 2004 |    23 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2005 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | SOUTH GOA | 2005 |    23 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2006 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2006 |    24 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2007 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | SOUTH GOA | 2007 |    18 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2008 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2008 |    26 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2009 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2009 |    33 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2010 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2010 |    25 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2011 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2011 |    33 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='GOA' and year=2012 order by murder desc li
mit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| GOA     | NORTH GOA | 2012 |    28 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

7) GUJARAT

9) HIMACHAL PRADESH

10) JHARKAHAND

11) KARNATAKA

12) KERALA

```
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | TRIVANDRUM | 2001 |      53 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | TRIVANDRUM | 2002 |      58 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | PALAKKAD | 2003 |      52 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | KOLLAM | 2004 |      46 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | THRISSUR | 2005 |      41 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | PALAKKAD | 2006 |      44 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | KOLLAM | 2007 |      43 |
+-----+-----+-----+
1 row in set (0.02 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | THRISSUR | 2008 |      38 |
+-----+-----+-----+
1 row in set (0.01 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | PALAKKAD | 2009 | 36 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | PALAKKAD | 2010 | 42 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | PALAKKAD | 2011 | 41 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Kerala' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| KERALA | TRIVANDRUM RURAL | 2012 | 42 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

13) MADHYA PRADESH

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2001 | 124 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2002 | 133 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2003 | 119 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2004 | 139 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2005 | 129 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | JHABUA | 2006 | 117 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2007 | 111 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2008 | 125 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2009 | 132 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2010 | 108 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2011 | 135 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Madhya Pradesh' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MADHYA PRADESH | INDORE | 2012 | 123 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

14) MAHARASHTRA

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI | 2001 | 295 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI | 2002 | 252 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI | 2003 | 242 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI | 2004 | 253 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI | 2005 | 212 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2006 | 239 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2007 | 230 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2008 | 210 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2009 |    217 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2010 |    228 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2011 |    203 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Maharashtra' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MAHARASHTRA | MUMBAI COMMR. | 2012 |    215 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

15) MANIPUR

```

mysql> \
mysql>
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL(WEST) | 2001 |     44 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL(WEST) | 2002 |     32 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL(WEST) | 2003 |     28 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | THOUBAL | 2004 |     38 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | CHURACHANDPUR | 2005 |    49 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | CHURACHANDPUR | 2006 |    43 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL WEST | 2007 |    61 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | THOUBAL | 2008 |    46 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL WEST | 2009 |    32 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL EAST | 2010 |    19 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | IMPHAL WEST | 2011 |    24 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='MANIPUR' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| MANIPUR | THOUBAL | 2012 |    16 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

16) MEGHALAYA

19) ODISHA

```
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | MAYURBHANJ | 2001 |    74 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | SUNDARGARH | 2002 |    87 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | SUNDARGARH | 2003 |    83 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | MAYURBHANJ | 2004 |    77 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | SUNDARGARH | 2005 |    82 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | KEONJHAR | 2006 |    84 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | MAYURBHANJ | 2007 |    98 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| ODISHA   | KEONJHAR | 2008 |    91 |
+-----+-----+-----+-----+
1 row in set (0.02 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2009 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ODISHA   | KEONJHAR | 2009 |    109 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2010 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ODISHA   | MAYURBHANDJ | 2010 |     88 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2011 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ODISHA   | MAYURBHANDJ | 2011 |    103 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Odisha' and year=2012 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| ODISHA   | KEONJHAR | 2012 |     97 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

20) PUNJAB

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2001 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| PUNJAB   | JALANDHAR | 2001 |    74 |
+-----+-----+-----+
1 row in set (0.02 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2002 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| PUNJAB   | LUDHIANA | 2002 |    68 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2003 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| PUNJAB   | LUDHIANA | 2003 |    64 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2004 order by murder desc
limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| PUNJAB   | JALANDHAR | 2004 |    74 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | JALANDHAR | 2005 | 63 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | JALANDHAR | 2006 | 80 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | JALANDHAR | 2007 | 63 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | LUDHIANA | 2008 | 73 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

```

OneDrive - Personal

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2009 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | LUDHIANA | 2009 | 68 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2010 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | CP LUDHIANA | 2010 | 90 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2011 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | CP LUDHIANA | 2011 | 76 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='PUNJAB' and year=2012 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| PUNJAB | CP LUDHIANA | 2012 | 79 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

```

21) RAJASTHAN

22) SIKKIM

```
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2001 | 13 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2002 | 6 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2003 | 7 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | WEST | 2004 | 5 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2005 | 5 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2006 | 10 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | WEST | 2007 | 6 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2008 | 5 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2009 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2009 | 7 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2010 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | SOUTH | 2010 | 7 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2011 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2011 | 8 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Sikkim' and year=2012 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| SIKKIM | EAST | 2012 | 3 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

```

23) TAMIL NADU

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2001 | 91 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | DHARMAPURI | 2002 | 94 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | DHARMAPURI | 2003 | 90 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENGAI | 2004 | 79 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2005 | 123 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2006 | 131 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2007 | 145 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2008 | 100 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2009 |    96 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2010 |   103 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2011 |   168 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='Tamil Nadu' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TAMIL NADU | CHENNAI | 2012 |   180 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

24) TRIPURA

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TRIPURA | WEST | 2001 |   125 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TRIPURA | WEST | 2002 |   113 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TRIPURA | WEST | 2003 |   136 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| TRIPURA | WEST | 2004 |    97 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2005 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2005 |    61 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2006 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2006 |    74 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2007 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2007 |    65 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2008 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2008 |    72 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2009 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2009 |    61 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2010 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2010 |    83 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2011 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2011 |    71 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='TRIPURA' and year=2012 order by murder desc
  limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| TRIPURA | WEST     | 2012 |    26 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

```

25) UTTAR PRADESH

26) UTTARAKHAND

27) WEST BENGAL

1) Andaman and Nicobar Islands

2) Chandigarh

3) Dadra and Nagar Haveli and Daman and Diu

```
mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2001 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2001 |      3 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2002 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2002 |     11 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2003 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2003 |     11 |
+-----+-----+-----+-----+
1 row in set (0.02 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2004 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2004 |     11 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2005 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2005 |      7 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2006 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2006 |      9 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2007 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2007 |     10 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2008 order by murder desc limit 1;
+-----+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2008 |      9 |
+-----+-----+-----+-----+
1 row in set (0.01 sec)
```

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2009 |    10 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2010 order by murder desc limit 1;
Empty set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2010 |     6 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2011 |    14 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='D & N HAVELI' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| D & N HAVELI | D and N HAVELI | 2012 |     7 |
+-----+-----+-----+

```

4) Lakshadweep

```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='LAKSHADWEEP' and year=2001 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| LAKSHADWEEP | LAKSHADWEEP | 2001 |     1 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='LAKSHADWEEP' and year=2002 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| LAKSHADWEEP | LAKSHADWEEP | 2002 |     0 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='LAKSHADWEEP' and year=2003 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| LAKSHADWEEP | LAKSHADWEEP | 2003 |     0 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='LAKSHADWEEP' and year=2004 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| LAKSHADWEEP | LAKSHADWEEP | 2004 |     0 |
+-----+-----+-----+
1 row in set (0.01 sec)

```



```

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2005 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2005 |    455 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2006 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2006 |    476 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2007 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2007 |    495 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2008 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2008 |    554 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2009 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2009 |    552 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2010 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2010 |    565 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2011 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2011 |    543 |
+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=20112 order by murder desc limit 1;
Empty set (0.01 sec)

mysql> select state_ut, district, year, murder from edit_district_wise where district !='total' and state_ut ='DELHI UT' and year=2012 order by murder desc limit 1;
+-----+-----+-----+
| state_ut | district | year | murder |
+-----+-----+-----+
| DELHI UT | DELHI UT TOTAL | 2012 |    521 |
+-----+-----+-----+
1 row in set (0.01 sec)

```

Puducherry (Pondicherry)

Lakshadweep