

```
siri_chandana@LAPTOP-MMV  ×  +  ▾
GNU nano 8.7.1
#include <stdio.h>
#include <sys/types.h>
#include <sys/stat.h>

int main()
{
    if (mkfifo("myfifo", 0666) == -1)
    {
        perror("mkfifo");
        return 1;
    }

    printf("FIFO created\n");
    return 0;
}|
```

GNU nano 8.7.1

```
#include <stdio.h>
#include <fcntl.h>
#include <unistd.h>

int main()
{
    int fd;
    char buffer[100];

    fd = open("myfifo", O_RDONLY);

    read(fd, buffer, sizeof(buffer));

    printf("Received: %s\n", buffer);

    close(fd);

    return 0;
}
```

```
siri_chandana@LAPTOP-MMV  ×  +  ▾
GNU nano 8.7.1
#include <stdio.h>
#include <fcntl.h>
#include <unistd.h>
#include <string.h>

int main()
{
    int fd;
    char message[] = "Hello from Writer";

    fd = open("myfifo", O_WRONLY);

    write(fd, message, strlen(message) + 1);

    close(fd);

    printf("Message sent\n");

    return 0;
}
```

```
siri_chandana@LAPTOP-MMV  ×  siri_chandana@LAPTOP-MMVI  ×  +  ▾
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ nano fifo_create.c
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ gcc fifo_create.c -o fifo_create
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ ./fifo_create
FIFO created
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ nano fifo_read.c
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ gcc fifo_read.c -o fifo_read
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ nano fifo_write.c
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ gcc fifo_write.c -o fifo_write
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ ./fifo_read
Received: Hello from Writer
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ ◊
```

```
siri_chandana@LAPTOP-MMVI x siri_chandana@LAPTOP-MMV x + v
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\Siri Chandana> wsl
siri_chandana@LAPTOP-MMVMUDEP:/mnt/c/Users/Siri Chandana$ cd ~/OS_Lab/Skill2
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ ./fifo_write
Message sent
siri_chandana@LAPTOP-MMVMUDEP:~/OS_Lab/Skill2$ |
```