

## Extracting and Visualizing Stock Data

## Description

Extracting essential data from a dataset and displaying it is a necessary part of data science; therefore individuals can make correct decisions based on the data. In this assignment, you will extract some stock data, you will then display this data in a graph.

## **Table of Contents**

- · Define a Function that Makes a Graph
- Question 1: Use yfinance to Extract Stock Data
- Question 2: Use Webscraping to Extract Tesla Revenue Data
- Question 3: Use yfinance to Extract Stock Data
- Question 4: Use Webscraping to Extract GME Revenue Data
- Question 5: Plot Tesla Stock Graph
- Question 6: Plot GameStop Stock Graph

Estimated Time Needed: 30 min

\*Note\*:- If you are working in IBM Cloud Watson Studio, please replace the command for installing nbformat from !pip install nbformat==4.2.0 to simply !pip install nbformat

```
In [11]: !pip install yfinance==0.1.67
!mamba install bs4==4.10.0 -y
!pip install nbformat==4.2.0
```

Collecting yfinance==0.1.67

Downloading yfinance-0.1.67-py2.py3-none-any.whl (25 kB)

Requirement already satisfied: pandas>=0.24 in /home/jupyterlab/conda/envs/py thon/lib/python3.7/site-packages (from yfinance==0.1.67) (1.3.5)

Requirement already satisfied: numpy>=1.15 in /home/jupyterlab/conda/envs/pyt hon/lib/python3.7/site-packages (from yfinance==0.1.67) (1.21.6)

Requirement already satisfied: requests>=2.20 in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from yfinance==0.1.67) (2.29.0)

Collecting multitasking>=0.0.7 (from yfinance==0.1.67)

Downloading multitasking-0.0.11-py3-none-any.whl (8.5 kB)

Requirement already satisfied: lxml>=4.5.1 in /home/jupyterlab/conda/envs/pyt hon/lib/python3.7/site-packages (from yfinance==0.1.67) (4.9.2)

Requirement already satisfied: python-dateutil>=2.7.3 in /home/jupyterlab/con da/envs/python/lib/python3.7/site-packages (from pandas>=0.24->yfinance==0.1.67) (2.8.2)

Requirement already satisfied: pytz>=2017.3 in /home/jupyterlab/conda/envs/py thon/lib/python3.7/site-packages (from pandas>=0.24->yfinance==0.1.67) (2023. 3)

Requirement already satisfied: charset-normalizer<4,>=2 in /home/jupyterlab/c onda/envs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance== 0.1.67) (3.1.0)


Requirement already satisfied: idna<4,>=2.5 in /home/jupyterlab/conda/envs/py thon/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (3.4)

Requirement already satisfied: urllib3<1.27,>=1.21.1 in /home/jupyterlab/cond a/envs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (1.26.15)

Requirement already satisfied: certifi>=2017.4.17 in /home/jupyterlab/conda/e nvs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.6 7) (2023.5.7)

Requirement already satisfied: six>=1.5 in /home/jupyterlab/conda/envs/pytho n/lib/python3.7/site-packages (from python-dateutil>=2.7.3->pandas>=0.24->yfi nance==0.1.67) (1.16.0)

Installing collected packages: multitasking, yfinance Successfully installed multitasking-0.0.11 yfinance-0.1.67



mamba (1.4.2) supported by @QuantStack

GitHub: https://github.com/mamba-org/mamba
Twitter: https://twitter.com/QuantStack

Looking for: ['bs4==4.10.0'] [+] 0.0s [+] 0.1s pkgs/main/linux-64 — 0.0 B / ??.? MB @ ??.?MB/s 0.1s 0.0 B / ??.? pkgs/main/noarch MB @ ??.?MB/s 0.1s pkgs/r/linux-64 0.0 B / ??.? MB @ ??.?MB/s 0.1s pkgs/r/noarch 0.0 B / ??.? MB @ ??.?MB/s 0.1s[+] 0.2s 57.4kB / ??.? pkgs/main/linux-64 — MB @ 375.1kB/s 0.2s pkgs/main/noarch —— ——— 57.4kB / ??.? MB @ 372.6kB/s 0.2s - 57.4kB / ??.? pkgs/r/linux-64 MB @ 374.5kB/s 0.2s - 57.4kB / ??.? pkgs/r/noarch MB @ 374.7kB/s 0.2s[+] 0.3s 548.9kB / ??.? pkgs/main/linux-64 ———— MB @ 2.1MB/s 0.3s - 495.6kB / ??.? pkgs/main/noarch MB @ 1.9MB/s 0.3s \_\_\_\_\_\_ 544.8kB / ??.? pkgs/r/linux-64 MB @ 2.1MB/s 0.3s ----- 553.0kB / ??.? pkgs/r/noarch MB @ 2.2MB/s 0.3spkgs/main/noarch 853.2k B @ 2.6MB/s 0.3s [+] 0.4s1.2MB / ??.? pkgs/main/linux-64 — 3.2MB/s 0.4s pkgs/r/linux-64 1.1MB / ??.? MB @ 3.0MB/s 0.4s pkgs/r/noarch 1.1MB / ??.? MB @ 2.9MB/s 0.4s[+] 0.5s pkgs/main/linux-64 -\_\_\_\_\_\_ 1.7MB @ 3.6M B/s 0.5s **—** 1.7MB @ pkgs/r/linux-64 3.6M B/s Finalizing 0.5s pkgs/r/noarch 1.6MB @ 3.5M B/s 0.5spkgs/r/linux-64 @ 3. 6MB/s 0.5s [+] 0.6s pkgs/main/linux-64 —— 2.2MB @ 3.9M B/s 0.6s 2.0MB @ pkgs/r/noarch 3.4M B/s Finalizing 0.6spkgs/r/noarch @ 3. 4MB/s 0.6s [+] 0.7s 2.8MB / ??.? pkgs/main/linux-64 ——— MB @ 4.1MB/s 0.7s[+] 0.8s 3.3MB / ??.? pkgs/main/linux-64 —

```
MB @ 4.2MB/s 0.8s[+] 0.9s
pkgs/main/linux-64 -
                                                          3.8MB / ??.?
     4.3MB/s 0.9s[+] 1.0s
pkgs/main/linux-64 — —
                                                          4.4MB / ??.?
      4.4MB/s 1.0s[+] 1.1s
pkgs/main/linux-64 —
                                                          5.0MB / ??.?
      4.6MB/s 1.1s[+] 1.2s
pkgs/main/linux-64 ——
                                                          5.6MB / ??.?
      4.6MB/s 1.2s[+] 1.3s
MB @
pkgs/main/linux-64 ———
                                                           5.9MB / ??.?
MB @ 4.7MB/s 1.3s[+] 1.4s
pkgs/main/linux-64 —
                                                   ---- 6.2MB @
                                                                  4.8M
B/s Finalizing 1.4spkgs/main/linux-64
                                                                  @ 4.
8MB/s 1.4s
```

### Pinned packages:

- python 3.7.\*

#### Transaction

Prefix: /home/jupyterlab/conda/envs/python

#### Updating specs:

- bs4==4.10.0
- ca-certificates
- certifi
- openssl

Summary:

Install: 1 packages
Upgrade: 2 packages

Package	Version	Build	Channel	Size
Install:				
+ bs4	4.10.0	hd3eb1b0_0	pkgs/main/noarch	10kB
Upgrade:				
- ca-certificates + ca-certificates - openssl + openssl	2023.5.7 2023.08.22 1.1.1t 1.1.1w	hbcca054_0 h06a4308_0 h0b41bf4_0 h7f8727e_0	conda-forge pkgs/main/linux-64 conda-forge pkgs/main/linux-64	125kB 4MB
Downgrade:				
- beautifulsoup4 + beautifulsoup4	4.11.1 4.10.0	pyha770c72_0 pyh06a4308_0	conda-forge pkgs/main/noarch	87kB

Downgrade: 1 packages

Total download: 4MB

[+] 0.0s	
Downloading ————	0.0 B
0.0s	
Extracting ————	
0.0s[+] 0.1s	
Downloading (4)	0.0 B beautifulsoup
4 0.0s	
Extracting —————	<del></del> 0
0.0sca-certificates	125.5kB @ 890.6kB/s
0.1s	
bs4	10.2kB @ 67.0kB/s 0.2s
beautifulsoup4	86.6kB @ 531.4kB/s 0.2s
openssl	3.9MB @ 22.3MB/s 0.2s
[+] 0.2s	
Downloading ————————	4.1MB
0.1s	
Extracting (4)	0 beautifulsoup
4 0.0s[+] 0.3s	
Downloading —————	4.1MB
0.1s	
Extracting (4)	0 beautifulsoup
4 0.1s[+] 0.4s	
Downloading ————————————————————————————————————	4.1MB
0.1s	
Extracting (4)	0 beautifulsoup
4 0.2s[+] 0.5s	
Downloading ————————————————————————————————————	4.1MB
0.1s	0 haantifulaana
Extracting (4)	0 beautifulsoup
4 0.3s[+] 0.6s	
Downloading ————————————————————————————————————	4.1MB
	0 bs4
Extracting (4) ———————————————————————————————————	0 054
Downloading ————————————————————————————————————	4.1MB
0.1s	4. IND
Extracting (4)	0 bs4
0.5s[+] 0.8s	0 534
Downloading ————	
0.1s	712110
Extracting (4)	0 bs4
0.6s[+] 0.9s	0 501
Downloading ————	4.1MB
0.1s	
Extracting (4) -	0 bs4
0.7s[+] 1.0s	
Downloading ————	
0.1s	
Extracting (4) —	0 ca-certificat

```
0.8s[+] 1.1s
                                           ----- 4.1MB
Downloading
0.1s
           (4) ———
                                                      0 ca-certificat
Extracting
            0.9s[+] 1.2s
                                             —— 4.1MB
Downloading
0.1s
           (4) ————
                                           — — 0 ca-certificat
Extracting
            1.0s[+] 1.3s
es
Downloading
                                                 4.1MB
0.1s
                                      — 0 ca-certificat
Extracting
            1.1s[+] 1.4s
                                        ----- 4.1MB
Downloading
0.1s
Extracting (4) ——
                                                   0 openssl
1.2s[+] 1.5s
Downloading
0.1s
Extracting (4) ——
                                                      0 openssl
1.3s[+] 1.6s
Downloading
0.1s
Extracting (4) —————
                                                      0 openssl
1.4s[+] 1.7s
Downloading
                                                  4.1MB
0.1s
           (4) ——————
Extracting
                                                      0 openssl
1.5s[+] 1.8s
Downloading
                                                 4.1MB
0.1s
           (3) ————
                                                      1 beautifulsoup
Extracting
            1.6s[+] 1.9s
Downloading
0.1s
Extracting
           (3) ———
                                                  1 beautifulsoup
            1.7s[+] 2.0s
Downloading
                                                 4.1MB
0.1s
Extracting
           (3) ———
                                                      1 beautifulsoup
            1.8s[+] 2.1s
                                           ---- 4.1MB
Downloading
0.1s
           (3) ——
Extracting
                                                      1 beautifulsoup
            1.9s[+] 2.2s
Downloading
0.1s
                                _____ 2 bs4
           (2) ——
Extracting
2.0s
Downloading and Extracting Packages
Preparing transaction: done
Verifying transaction: done
Executing transaction: done
Collecting nbformat==4.2.0
 Downloading nbformat-4.2.0-py2.py3-none-any.whl (153 kB)
```

153.3/15

```
3.3 kB 21.8 MB/s eta 0:00:00
Requirement already satisfied: ipython-genutils in /home/jupyterlab/conda/env
s/python/lib/python3.7/site-packages (from nbformat==4.2.0) (0.2.0)
Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in /home/jupyterlab/co
nda/envs/python/lib/python3.7/site-packages (from nbformat==4.2.0) (4.17.3)
Requirement already satisfied: jupyter-core in /home/jupyterlab/conda/envs/py
thon/lib/python3.7/site-packages (from nbformat==4.2.0) (4.12.0)
Requirement already satisfied: traitlets>=4.1 in /home/jupyterlab/conda/envs/
python/lib/python3.7/site-packages (from nbformat==4.2.0) (5.9.0)
Requirement already satisfied: attrs>=17.4.0 in /home/jupyterlab/conda/envs/p
ython/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.
2.0) (23.1.0)
Requirement already satisfied: importlib-metadata in /home/jupyterlab/conda/e
nvs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbforma
t==4.2.0) (4.11.4)
Requirement already satisfied: importlib-resources>=1.4.0 in /home/jupyterla
b/conda/envs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4
->nbformat==4.2.0) (5.12.0)
Requirement already satisfied: pkgutil-resolve-name>=1.3.10 in /home/jupyterl
ab/conda/envs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.
4 - \text{nbformat} = 4.2.0) (1.3.10)
Requirement already satisfied: pyrsistent!=0.17.0,!=0.17.1,!=0.17.2,>=0.14.0
in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from jsons
chema!=2.5.0,>=2.4->nbformat==4.2.0) (0.19.3)
Requirement already satisfied: typing-extensions in /home/jupyterlab/conda/en
vs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbformat
==4.2.0) (4.5.0)
Requirement already satisfied: zipp>=3.1.0 in /home/jupyterlab/conda/envs/pyt
hon/lib/python3.7/site-packages (from importlib-resources>=1.4.0->jsonschema!
=2.5.0, >=2.4- nbformat ==4.2.0) (3.15.0)
Installing collected packages: nbformat
  Attempting uninstall: nbformat
    Found existing installation: nbformat 5.8.0
    Uninstalling nbformat-5.8.0:
     Successfully uninstalled nbformat-5.8.0
ERROR: pip's dependency resolver does not currently take into account all the
packages that are installed. This behaviour is the source of the following de
pendency conflicts.
jupyter-server 1.24.0 requires nbformat>=5.2.0, but you have nbformat 4.2.0 w
hich is incompatible.
nbclient 0.7.4 requires nbformat>=5.1, but you have nbformat 4.2.0 which is i
ncompatible.
nbconvert 7.4.0 requires nbformat>=5.1, but you have nbformat 4.2.0 which is
incompatible.
Successfully installed nbformat-4.2.0
```

```
In [12]: import yfinance as yf
import pandas as pd
import requests
from bs4 import BeautifulSoup
import plotly.graph_objects as go
from plotly.subplots import make_subplots
```

## **Define Graphing Function**

In this section, we define the function <a href="make\_graph">make\_graph</a>. You don't have to know how the function works, you should only care about the inputs. It takes a dataframe with stock data (dataframe must contain Date and Close columns), a dataframe with revenue data (dataframe must contain Date and Revenue columns), and the name of the stock.

```
In [13]: def make_graph(stock_data, revenue_data, stock):
    fig = make_subplots(rows=2, cols=1, shared_xaxes=True, subplot_titles=("
        stock_data_specific = stock_data[stock_data.Date <= '2021--06-14']
        revenue_data_specific = revenue_data[revenue_data.Date <= '2021-04-30']
        fig.add_trace(go.Scatter(x=pd.to_datetime(stock_data_specific.Date, infe fig.add_trace(go.Scatter(x=pd.to_datetime(revenue_data_specific.Date, infig.update_xaxes(title_text="Date", row=1, col=1)
        fig.update_xaxes(title_text="Date", row=2, col=1)
        fig.update_yaxes(title_text="Price ($US)", row=1, col=1)
        fig.update_yaxes(title_text="Revenue ($US Millions)", row=2, col=1)
        fig.update_layout(showlegend=False, height=900, title=stock, xaxis_rangeslider_visible=True)
        fig.show()</pre>
```

## Question 1: Use yfinance to Extract Stock Data

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is Tesla and its ticker symbol is TSLA.

```
In [14]: tesla=yf.Ticker('TSLA')
```

Using the ticker object and the function history extract stock information and save it in a dataframe named tesla\_data. Set the period parameter to max so we get information for the maximum amount of time.

```
In [15]: tesla_data=tesla.history(period="max")
```

Reset the index using the reset\_index(inplace=True) function on the tesla\_data

DataFrame and display the first five rows of the tesla\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Question 1 to the results below.

```
In [16]: tesla_data.reset_index(inplace=True)
    tesla_data.head()
```

Out[16]:		Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
	0	2010-06- 29	1.266667	1.666667	1.169333	1.592667	281494500	0	0.0
	1	2010-06- 30	1.719333	2.028000	1.553333	1.588667	257806500	0	0.0
	2	2010-07- 01	1.666667	1.728000	1.351333	1.464000	123282000	0	0.0
	3	2010-07- 02	1.533333	1.540000	1.247333	1.280000	77097000	0	0.0
	4	2010-07-	1.333333	1.333333	1.055333	1.074000	103003500	0	0.0

# Question 2: Use Webscraping to Extract Tesla Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm Save the text of the response as a variable named html\_data.

```
In [22]: url="https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMD
html_data=requests.get(url).text
```

Parse the html data using beautiful\_soup.

```
In [24]: soup=BeautifulSoup(html_data,"html.parser")
```

Using BeautifulSoup or the read\_html function extract the table with Tesla Revenue and store it into a dataframe named tesla\_revenue. The dataframe should have columns Date and Revenue.

► Click here if you need help locating the table

```
In [25]: url="https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMD
html_data=requests.get(url).text

soup=BeautifulSoup(html_data, "html.parser")

tesla_revenue=pd.DataFrame(columns=["Date", "Revenue"])
for row in soup.find_all("tbody")[1].find_all("tr"):
    col=row.find_all("td")
    date=col[0].text
    revenue=col[1].text
    tesla_revenue=tesla_revenue.append({"Date":date, "Revenue":revenue}, ign
tesla_revenue.head()
```

Out[25]:		Date	Revenue
	0	2022-09-30	\$21,454
	1	2022-06-30	\$16,934
	2	2022-03-31	\$18,756
	3	2021-12-31	\$17,719
	4	2021-09-30	\$13,757

Execute the following line to remove the comma and dollar sign from the Revenue column.

```
In [26]: tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(',|\$',"")
    /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages/ipykernel_laun    cher.py:1: FutureWarning: The default value of regex will change from True to    False in a future version.
    """Entry point for launching an IPython kernel.
```

Execute the following lines to remove an null or empty strings in the Revenue column.

```
In [27]: tesla_revenue.dropna(inplace=True)

tesla_revenue = tesla_revenue[tesla_revenue['Revenue'] != ""]
print(tesla_revenue)

tesla_revenue.dropna(inplace=True)
not_empty=tesla_revenue["Revenue"]!=""
tesla_revenue=tesla_revenue[not_empty]
```

	Data	Povonuo
0	Date	
0	2022-09-30	21454
1	2022-06-30	16934
2	2022-03-31 2021-12-31	18756
		17719
4	2021-09-30	13757
5	2021-06-30	11958
6	2021-03-31	10389
7	2020-12-31	10744
8	2020-09-30	8771
9	2020-06-30	6036
10	2020-03-31	5985
11	2019-12-31	7384
12	2019-09-30	6303
13	2019-06-30	6350
14	2019-03-31	4541
15	2018-12-31	7226
16	2018-09-30	6824
17	2018-06-30	4002
18	2018-03-31	3409
19	2017-12-31	3288
20	2017-09-30	2985
21	2017-06-30	2790
22	2017-03-31	2696
23	2016-12-31	2285
24	2016-09-30	2298
25	2016-06-30	1270
26	2016-03-31	1147
27	2015-12-31	1214
28	2015-09-30	937
29	2015-06-30	955
30	2015-03-31	940
31	2014-12-31	957
32	2014-09-30	852
33	2014-06-30	769
34	2014-03-31	621
35	2013-12-31	615
36	2013-09-30	431
37	2013-06-30	405
38	2013-03-31	562
39	2012-12-31	306
40	2012-09-30	50
41	2012-06-30	27
42	2012-03-31	30
43	2011-12-31	39
44	2011-09-30	58
45	2011-06-30	58
46	2011-03-31	49
47	2010-12-31	36
48	2010-09-30	31
49	2010-06-30	28
50	2010-03-31	21
52	2009-09-30	46
53	2009-06-30	27

Display the last 5 row of the tesla\_revenue dataframe using the tail function. Take a screenshot of the results.

In [28]:	tes	la_revenue	.tail()
Out[28]:		Date	Revenue
	48	2010-09-30	31
	49	2010-06-30	28
	50	2010-03-31	21
	52	2009-09-30	46
	53	2009-06-30	27

## Question 3: Use yfinance to Extract Stock Data

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is GameStop and its ticker symbol is GME.

```
In [29]: gmestop=yf.Ticker("GME")
```

Using the ticker object and the function history extract stock information and save it in a dataframe named gme\_data. Set the period parameter to max so we get information for the maximum amount of time.

```
In [30]: gme_data=gmestop.history(period="max")
```

Reset the index using the reset\_index(inplace=True) function on the gme\_data

DataFrame and display the first five rows of the gme\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

```
In [31]: gme_data.reset_index(inplace=True)
    gme_data.head()
```

Out[31]: Stock Open High Close Volume Dividends Date Low Splits 2002-02-0 1.620128 1.693350 1.603296 1.691667 76216000 0.0 0.0 2002-02-1.712708 1.716074 1.670626 1.683251 11021600 0.0 0.0 1 2002-02-2 1.683250 1.687458 1.658001 1.674834 8389600 0.0 0.0 2002-02-7410400 0.0 0.0 2002-02-1.615920 1.662209 1.603296 1.662209 6892800 0.0 0.0 20

# Question 4: Use Webscraping to Extract GME Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html. Save the text of the response as a variable named html\_data.

```
In [32]: url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IB
html_data= requests.get(url).text
```

Parse the html data using beautiful\_soup.

```
In [33]: beautiful_soup=BeautifulSoup(html_data, "html.parser")
```

Using BeautifulSoup or the read\_html function extract the table with GameStop Revenue and store it into a dataframe named gme\_revenue. The dataframe should have columns Date and Revenue. Make sure the comma and dollar sign is removed from the Revenue column using a method similar to what you did in Question 2.

► Click here if you need help locating the table

```
In [37]: gme_revenue = pd.DataFrame(columns=["Date", "Revenue"])
tables = soup.find_all('table')

table_index=0
for index, table in enumerate(tables):
    if ('GameStop Quarterly Revenue'in str(table)):
        table_index=index

for row in tables[table_index].tbody.find_all("tr"):
    col = row.find_all("td")
    if (col!=[]):
```

# Out[37]: Date Revenue 0 2021 53823 1 2020 31536 2 2019 24578 3 2018 21461 4 2017 11759

Display the last five rows of the gme\_revenue dataframe using the tail function. Take a screenshot of the results.

## Question 5: Plot Tesla Stock Graph

Use the make\_graph function to graph the Tesla Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph(tesla\_data, tesla\_revenue, 'Tesla'). Note the graph will only show data upto June 2021.

```
In [39]: make_graph(tesla_data,tesla_revenue,'Tesla')
```

Use the make\_graph function to graph the GameStop Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph(gme\_data, gme\_revenue, 'GameStop'). Note the graph will only show data upto June 2021.

In [41]: make\_graph(gme\_data, gme\_revenue, 'GameStop')

## About the Authors:

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Azim Hirjani

## Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2022-02-28	1.2	Lakshmi Holla	Changed the URL of GameStop
2020-11-10	1.1	Malika Singla	Deleted the Optional part
2020-08-27	1.0	Malika Singla	Added lab to GitLab

© IBM Corporation 2020. All rights reserved.