$: \overrightarrow{N}^{prev}, \text{ iterationNo, } \mathcal{D}, \text{ acceptedCandSet} = \{ \overrightarrow{\text{cand}}_1, \dots, \overrightarrow{\text{cand}}_k \}; \\ \text{where } \forall_{i \in \{1, \dots, k\}} \text{ cand}_i = (\overrightarrow{X}_i, \text{ O.m}_i, \text{ O.sd}_i, \overrightarrow{SC.m}_i, \overrightarrow{SC.sd}_i, \text{ N}_i)$ Input ConfigParams: noSimulations, budgetDelta $: \overrightarrow{N}$, a vector of number of simulations allocated for each candidate Output 1 bestCand $\leftarrow \arg\min_{i \in acceptedCandSet} O.m_i \text{ s.t. } \forall_{i \in \mathcal{D}} P(SC.m_i \geq PB_i) \geq CB$ 1 bestCand \leftarrow arg $\min_{i \in acceptedCandSet}$ $O.in_i$ s.t. $v_{i \in DI}$ (bc.in_i $\geq I$ D_i) $\geq CD$ 2 $\Theta_O \leftarrow \left\{i | i \in acceptedCandSet, i \neq bestCand, \frac{(SC.m_{s,i} - PB_{s,i})}{SC.sd_{s,i}} \leq \frac{(O.m_i - O.m_{bestCand})}{O.sd_i} \right\}$ 3 $\Theta_F \leftarrow \left\{i | i \in acceptedCandSet, i \neq bestCand, \frac{(SC.m_{s,i} - PB_{s,i})}{SC.sd_{s,i}} > \frac{(O.m_i - O.m_{bestCand})}{O.sd_i} \right\}$ 4 $\forall_{i \in acceptedCandSet}$ $\eta_i \leftarrow \begin{cases} \frac{SC.sd_{s,i}}{(SC.m_{s,i} - PB_{s,i})} & \text{if } i \in \Theta_F \\ \frac{O.sd_i}{(O.m_i - O.m_{bestCand})} & \text{if } i \in \Theta_O \\ \frac{SC.sd_{s,bestCand}}{(SC.m_{s,bestCand} - PB_{s,bestCand})} & \text{if } i = bestCand \\ 0 & \text{otherwise} \end{cases}$

Algorithm 8: ExtendedOCBA

11 return N

$$\mathbf{4} \ \forall_{i \in acceptedCandSet} \ \eta_{i} \leftarrow \begin{cases} \frac{SC.sd_{s,i}}{(SC.m_{s,i} - PB_{s,i})} & \text{if } i \in \Theta_{F} \\ \frac{O.sd_{i}}{(O.m_{i} - O.m_{bestCand})} & \text{if } i \in \Theta_{O} \\ \frac{SC.sd_{s,bestCand}}{(SC.sd_{s,bestCand})} & \text{if } i \in \Theta_{O} \end{cases}$$

5 $\forall_{i \in acceptedCandSet \setminus \{bestCand\}} \alpha_i \leftarrow \text{proportional to } \eta_i, \text{ i.e., } (\alpha_i/\alpha_j) = (\eta_i/\eta_j)^2 \text{ for all } i \neq j \neq \text{bestCand}$

6 $\forall_{i \in acceptedCandSet \setminus \{bestCand\}} N_i \leftarrow \alpha_i(k \times noSimulations + iterationNo \times budgetDelta)$

7 $\alpha_O \leftarrow O.sd_{bestCand} \sqrt{\sum_{i \in \Theta_O} (\alpha_i/O.sd_i)^2}$

8 $\alpha_F \leftarrow \text{proportional to } \eta_{bestCand}, \text{ i.e., } (\alpha_F/\alpha_i) = (\eta_{bestCand}/\eta_i)^2 \text{ for all } i \neq \text{bestCand}$

9 $\alpha_{bestCand} \leftarrow \max(\alpha_F, \alpha_O)$

10 $\forall_{i \in acceptedCandSet} N_i \leftarrow Adjust the allocation for each candidate accordingly so that$