



EVOBRAND CONCEPTS

INSTRUCTOR GUIDE

The AI Executive Sandbox

Applied Leadership & Innovation

A facilitation booklet for eight sessions

How to run each 90-minute session, what to watch for in the room, and how to review the work that comes out of it.

COHORT

Programme default

CALENDAR

October 16, 2026 to May 11,
2027

LEAD INSTRUCTOR

Keisha Solomon

CONTENTS

What’s inside

How to use this guide

The 90-minute run of show

Reviewing work and giving feedback

SESSION 1	Executive AI Mindset & Strategic Landscape	OCT 16
SESSION 2	AI Red-Teaming, Governance, Ethics & Privacy	NOV 20
SESSION 3	The 5-Hour Workweek Reclaim & Executive Workflows	DEC 18
SESSION 4	No-Code Automation & Business Pipelines	JAN 15
SESSION 5	Brand Authority & Content Engines	FEB 19
SESSION 6	Rapid Prototyping & Web Strategy	MAR TBA
SESSION 7	Capstone Incubator & Change Management	APR 16
SESSION 8	Final Showcase, Project Presentations & Graduation	MAY 11

Appendix: capstone path and review criteria at a glance

SUGGESTIONS, NOT SCRIPTS

The timings, prompts and warnings here are starting points built from each session’s own hook, lab and review criteria. Adapt them to the room. Where this guide says something must happen (approval, invented data, human review), that comes straight from the programme’s Safe Harbor commitments.

How to use this guide

Read the run of show and feedback chapters once. Then, before each session, read that session's chapter: prep, run of show, coaching notes and review criteria fit on two pages you can print and carry.

SESSION	DATE	HOOK	BUILD LAB	DELIVERABLE
1	Oct 16	The Prompt Duel	Build Your Personal AI Assistant	AI Readiness Audit
2	Nov 20	The Security Escape Room	The Policy Sprint	Safe Harbor Usage Policy
3	Dec 18	The Tedium Audit	Build an Executive Triage Workflow	Executive Triage Workspace
4	Jan 15	The Zero-Touch Lead	The Mini-Automation Pipeline	Operational Trigger Pipeline
5	Feb 19	The Imposter Test	Brand Voice Calibration	Brand Knowledge Base & Content Calendar
6	Mar TBA	Concept to Mockup in 20 Minutes	Interactive Asset Build	Interactive Intake / Prototype Mockup
7	Apr 16	The Shark Tank Dry Run	Capstone Polish	Stakeholder Capstone Package
8	May 11	Peer Awards	Lightning Presentations	Live showcase

8 sessions of 90 minutes, 7 working assets, one showcase. Focus areas: Mindset & Governance, Workflow & Automation, Brand & Prototyping, Capstone & Launch.

Four principles

Do, then explain

Participants build on their own laptops in every session. Put the hook before the framework, and let people try before you tell them why.

Make failure cheap and visible

Peer review is there to break things. Reward the person who finds a flaw and the person who fixes one.

Measure honestly

Insist on baselines, sample counts and review time. An outcome of “we should not scale this” is a legitimate result.

Keep it safe

Invented or sanitized data only. Private friction entries and submissions are never shared with the group.

The programme promises participants: active over passive; gamified builds; useful work, measured results.

Room and technology

- ☐ **Your laptop and charger.** Every session is an interactive build lab. Tablets and phones alone don't give you enough flexibility for the exercises.
- ☐ **A "Workplace Friction" log.** Track repetitive, time-consuming tasks such as inbox triage, recurring communications, agendas or data re-entry. The labs target these directly. You can keep it right in your participant dashboard.
- ☐ **A primary AI account: ChatGPT and/or Claude.** A free or Plus/Pro account works. A paid plan unlocks advanced reasoning models, project workspaces and custom agents, but isn't required for Day 1.
- ☐ **A Google account.** Used for shared cohort resources, session prompt sheets and collaborative templates.
- ☐ **Access to your everyday business tools.** Word/Excel, Google Docs/Sheets or your email client, so you can plug what we build straight into your daily flow.
- ☐ A projector or shared screen, and a visible timer.
- ☐ Reliable wifi for every laptop in the room.

Safe Harbor in the room

You will never be asked to put proprietary customer records, confidential health details or private financial accounts into unapproved public models during class.

- **Confidentiality first.** No live exercise requires real proprietary data. If it isn't yours to share, it stays out of the model.
- **Sanitized data, always.** You'll learn to sanitize documents and build custom guardrails, so organizational compliance and privacy standards stay intact.
- **Your work stays yours.** Your friction log, submissions and progress are visible to you and authorized instructors. Other participants cannot view your private work on this platform.

IF SOMEONE PASTES REAL DATA

Pause the exercise, thank them for catching it, and switch to an invented example. Treat it as a teaching moment for everyone, not a mistake to single out.

The 90-minute run of show

Sessions one to seven follow the same five blocks. Keeping the shape steady lets participants relax into the routine and lets you spend your attention on the content.

00:00–00:10
10 MIN

The Brag Board

Wins and troubleshooting from last month's build.

Your move: Open with wins. Invite two or three people to share what they built or measured since last time, what broke and how they fixed it. About ninety seconds each. Normalize troubleshooting out loud.

Watch for: Anyone who is stuck and quiet. Note them for the build lab. Keep it to ten minutes; the lab is where the value is.

00:10–00:35
25 MIN

Interactive Concept & Executive Framework

The hook plus the month's strategy, live and unscripted.

Your move: Run the hook first (about ten minutes), then teach the month's framework by asking before telling. Keep slides to a minimum and tie every idea to a task from the cohort's friction logs.

Watch for: Lecturing. If you have talked for five minutes without a question or a task, stop and ask the room to do something.

00:35–01:10
35 MIN

The Build Lab

Everyone builds the tool live on their laptop.

Your move: Everyone builds on their own laptop. Announce the three steps and their timing (about 10, 15 and 10 minutes). Ask for a hand up at each checkpoint so you know who is behind.

Watch for: Real, sensitive data in a prompt (stop and swap it for invented data), and people waiting silently for help.

01:10–01:25
15 MIN

Peer Review & Stress Testing

Pair up and try to break each other's work.

Your move: Pairs swap laptops and try to break each other's work with the stress-test prompts. Roughly six minutes each way, then a short debrief: what broke, what will you change?

Watch for: Polite pairs. The point is to find failures. Model a good, kind challenge.

01:25-01:30

5 MIN

Next Month Challenge & Adjourn

The milestone to hit before the next session.

Your move: State the milestone in one sentence: what to submit, which capstone step is due, and to keep logging friction. Point to the deliverable hub. Finish on time.

Watch for: Vague homework. Name the exact deliverable and the date.

TIME CUES

Use the clock to protect the build lab. If the Brag Board or the concept block runs long, shorten the framework, not the lab or the peer review.

Before every session

- ☐ Confirm the session time, time zone and venue with participants. The platform holds dates but not times or locations yet.
- ☐ Publish this session's prompt sheets, slides and templates in the Resource manager for this cohort.
- ☐ Read the friction log summary in the instructor view and pick two or three examples for the room (no names).
- ☐ Review any submitted work from the previous session and send feedback before you meet.

After every session

- ☐ Mark attendance in the instructor view.
- ☐ Review submitted deliverables against the criteria and save feedback: a strength, what to improve, one concrete next step.
- ☐ Note who was stuck in the lab and follow up within the week.
- ☐ Add anything you learned to next session's plan, and update the cohort's dates if they moved.

Reviewing work and giving feedback

Participants submit a link or a file for each deliverable. You review it in the instructor view against the session's criteria (printed in each chapter and again in the appendix).

The feedback formula

1. Name a specific strength.
2. Say what to improve and why it matters.
3. Give one concrete next step the participant can do this week.

Two decisions

Needs revision

One or more criteria are missing or unclear. Always include the next step.

Reviewed

The work meets the session's criteria. Feedback still names one thing to carry forward.

How the platform behaves

- You can only review work that has a link or a file attached.
- Feedback is tied to the revision you reviewed. If a participant changes the evidence or notes, the work returns for review.
- The platform cannot see edits inside a linked document. Ask participants to describe changes in their progress notes and resubmit.
- If two people review at once, the second save is refused. Reload and check the newer version.

EXAMPLE OF USEFUL FEEDBACK

"Your baseline is clear and the missing-owner rule is a strong idea. The output still invents a deadline in the second test: add 'mark missing deadlines as not specified' to the playbook and rerun that case this week."

FEEDBACK PHRASES I WANT TO REUSE

Executive AI Mindset & Strategic Landscape

HOOK The Prompt Duel Raw, basic instructions go head to head with advanced, persona-driven prompts. The outputs are judged live on screen.	BUILD LAB Build Your Personal AI Assistant Build a personal AI assistant that uses your instructions, preferences and approved examples to help you draft, organize and review everyday work.	DELIVERABLE AI Readiness Audit A personal AI Readiness & Opportunity Audit for your business or role, plus a Personal AI Assistant configured and tested for email drafting, meeting summaries and decision support, with human review.
--	---	---

LEAVE THEM BELIEVING

Output quality follows the quality of the brief, and you only know that by measuring against a baseline.

Prepare

- ☐ Pick one everyday task and write an invented input for it. Prepare two prompts for the same task: a bare one-liner and a structured brief (role, context, constraints, output format, ask-a-question-first). Run both beforehand so you know where the outputs differ.
- ☐ Decide how the room will judge the duel: accuracy, missing facts, and minutes to fix. Have the screen and a timer ready.
- ☐ Read the friction logs in the instructor view so you can steer examples toward what the cohort actually struggles with. Never read a private entry aloud with a name attached.

What participants will learn

- Generative AI vs. traditional automation: cutting through the hype
- The anatomy of a high-leverage prompt: context, role, constraints and feedback loops
- Cognitive offloading: identify repetitive mental tasks and measure the time they take
- Finding operational bottlenecks and high-impact use cases

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Show the task and the invented input. Say what a good result would look like before running anything.
2. Run the bare prompt live. Read the output aloud and have the room call out errors and gaps.
3. Run the structured brief on the same input and put the two outputs side by side.
4. Ask what changed: the model, or the instructions? Name the parts of a strong brief (context, role, constraints, feedback loop) and tie each to something they just saw.

00:35–
01:10

The Build Lab

Build Your Personal AI Assistant. Build a personal AI assistant that uses your instructions, preferences and approved examples to help you draft, organize and review everyday work.

~10
MIN

Describe the task, its owner, and what a useful result looks like. Ask the AI to identify the weakest assumption in your plan.

~15
MIN

Write a brief with role, task, context, constraints, output format, and instructions to ask a clarifying question when important information is missing.

~10
MIN

Run a basic prompt and your structured brief on the same synthetic input. Compare errors, missing facts, and correction time; revise one instruction.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Give your partner's brief an input with a fact missing. Does it ask a question or invent an answer?
- Name the weakest assumption in their time-saving claim. What would they measure to check it?
- Swap in a different invented example. Does the brief still hold?

01:25–
01:30

Next Month Challenge & Adjourn

Submit **AI Readiness Audit** in the deliverable hub; capstone step due by this session: Choose your capstone problem. To prepare for Session 2: Bring your Session 1 use case and your organization's existing AI/data rules, if available. Use descriptions of data categories rather than actual private records.

DURING THE LAB

Coach for these

- Tasks that are too big (“run my inbox”). Narrow to one task, one owner, one frequency.
- Real customer, employee or financial data in a prompt. Stop the exercise and swap in invented data (Safe Harbor).
- A baseline that is a feeling, not a number. The audit is not done until current minutes per task are recorded.
- Prompts that ask the AI to agree with the plan. Point them to the challenge prompt: weakest assumption, evidence that would change the decision, smallest test.

Ask for evidence, not agreement

Your assistant praises a plan to save five hours a week, but you have not timed the task. What is the most useful next instruction?

TEMPTING WRONG TURNS

“Make the proposal sound more confident.” Confidence in the wording does not establish that the plan will work. Keep the savings claim provisional until it is tested.

“Ask whether the assistant is at least 95% confident.” A model's confidence statement is not a measurement. Ask what evidence is missing and how you could check it.

Stronger move: Name the weakest assumption and design a small baseline test. This turns agreement into useful scrutiny. Time the existing task, define an acceptable result, and compare it with the assisted version including review time.

TAKEAWAY

Save a challenge prompt: ‘What am I assuming? What evidence would change this recommendation? What is the smallest test?’

WHEN REVIEWING

Criteria: work that meets this session

- ☐ One specific task, owner, frequency, and baseline duration are recorded.
- ☐ The prompt includes context, constraints, and a clear output format.
- ☐ A synthetic input and sample output show what was tested.
- ☐ Data boundaries and human checks are explicit.
- ☐ One limitation and the next experiment are identified.

What good looks like

A fictional office manager spends 30 minutes each Monday turning meeting notes into tasks. A test prompt produces an owner / action / deadline table and marks missing deadlines as ‘not specified’. The manager checks every row against the notes before using it.

CAPSTONE DUE BY SESSION 2

Capture your baseline: Record how long it takes and what it costs today, so your ROI is measurable later. Apply your Safe Harbor guardrails: Define which data the capstone may touch and which it never will.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 1 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

AI Red-Teaming, Governance, Ethics & Privacy

HOOK The Security Escape Room In pairs, review realistic mock employee prompts and hunt for data leaks, copyright traps and implicit bias.	BUILD LAB The Policy Sprint Draft a straightforward one-page Safe Harbor AI Guide for internal staff and contractors.	DELIVERABLE Safe Harbor Usage Policy An executive-approved Organizational AI Usage Policy tailored to your sector: acceptable tools, data boundaries and escalation paths.
--	---	--

LEAVE THEM BELIEVING

A playbook describes a task; it does not grant permission. Keep instructions, tool access and human approval as three separate decisions.

Prepare

- ☐ Write five or six invented “employee prompts”, each hiding at least one problem: client data pasted in, a proprietary formula, copyrighted text, a biased screening instruction, an output that only works if you can see colour. Keep an answer key.
- ☐ Remind yourself this session produces a draft policy. Participants still need their own organization's approval, and nothing here replaces legal or compliance review. Say so out loud.
- ☐ Have a one-page policy skeleton ready to project: scope and owner, allowed, prohibited, ask-first, required human checks, approval status and review date.

What participants will learn

- Safe harbor rules: protecting customer data, proprietary formulas and internal documents in public models
- Ethical implementation and bias mitigation in client-facing and regulated settings
- Digital accessibility and fairness: keeping AI-assisted communication inclusive
- IP and confidentiality when using third-party models

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Pair people up and hand out the mock prompts. Each pair marks every leak, trap and bias they can find.
2. Reveal your answer key one prompt at a time. Tally which traps the room caught and which slipped through.
3. Ask what rule would have stopped the one most people missed. That rule is the first line of the policy sprint.

00:35–
01:10

The Build Lab

The Policy Sprint. Draft a straightforward one-page Safe Harbor AI Guide for internal staff and contractors.

~10
MIN

List the tools, tasks, and data categories the policy should cover. Separate what the assistant may draft from what it may send, publish, or change.

~15
MIN

For any connected tool, name the account owner, minimum required access, approval point, and way to revoke access. Write allowed, prohibited, and ask-first examples.

~10
MIN

Test the draft against a routine task, a sensitive-data request, and an uncertain case. A reusable playbook does not grant permission to act.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Apply your partner's policy to a routine task. Is the answer clear and quick?
- Apply it to a sensitive-data request. Where does the policy say no, and who do they ask?
- Apply it to an uncertain case. Does it escalate to a named role?

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Safe Harbor Usage Policy** in the deliverable hub; capstone steps due by this session: Capture your baseline; Apply your Safe Harbor guardrails. To prepare for Session 3: Choose a recurring triage task. Bring synthetic notes or emails and your baseline time. Include one ambiguous request.

DURING THE LAB

Coach for these

- Policies that ban everything (unusable) or say nothing specific (unenforceable). Ask for one concrete allowed, one prohibited and one ask-first example.
- A missing owner or approval status. Every policy needs a named approver, an approval status and a next review date.
- Confusing instructions with permission when a connector offers account access. Send them to the discussion case below.
- Sector-specific rules (regulated settings, client contracts) that need a specialist. Note it as an open question for organizational approval instead of guessing.

Separate instructions from permission

A reusable content playbook is ready. A connector now offers the assistant access to your organization's social accounts. What must happen before it can act?

TEMPTING WRONG TURNS

“The playbook is enough; let it publish.” A playbook describes a task. It does not grant approval to use accounts or publish on the organization's behalf.

“Give it every available permission to avoid interruptions.” Access should match the approved task. Unneeded permissions increase the consequences of a mistake.

Stronger move: Confirm the account owner, minimum access, allowed actions, and approval boundary. Now the team knows which account may be used, what the assistant may do, and who must approve a consequential action. Begin in a test or draft-only workflow.

TAKEAWAY

Document instructions, tool access, and human approval separately. A connector enables an action; it does not make the action appropriate.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ Allowed tools and use cases are named or explicitly awaiting approval.
- ☐ Prohibited data and actions have concrete examples.
- ☐ Human review and escalation ownership are clear.
- ☐ Three scenarios demonstrate how the policy is applied.
- ☐ The policy's approval status and next review date are recorded.

What good looks like

A fictional consultancy allows drafting public event descriptions, prohibits uploading client contracts to unapproved tools, and sends uncertain requests to the operations lead. Every external draft needs a human accuracy check.

CAPSTONE DUE BY SESSION 3

Build a first working version: Use your triage workspace or prompt suite to solve the core of the problem end to end.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 2 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

The 5-Hour Workweek Reclaim & Executive Workflows

HOOK The Tedium Audit Everyone writes down their single most annoying, repetitive task, and the room competes to solve or eliminate it with AI.	BUILD LAB Build an Executive Triage Workflow Set up a template that ingests messy agendas, notes or customer emails and returns prioritized action items with deadlines.	DELIVERABLE Executive Triage Workspace A reusable Triage Assistant template, with before-and-after timing that includes human review and correction.
---	--	--

LEAVE THEM BELIEVING

Time the whole task, including human correction. Keep a workflow only if quality and effort justify it.

Prepare

- ☐ Prepare a small set of invented messy inputs: an agenda, meeting notes with a missing owner, and an email with two conflicting deadlines. Include one truly ambiguous request.
- ☐ Do the triage by hand once and time it, so you can model an honest baseline before running the assistant.
- ☐ Bring index cards or a shared sheet for the Tedium Audit. Tasks can be anonymous.

What participants will learn

- Inbox triage, calendar planning and meeting synthesis
- Document dissection: contract extraction, vendor invoice comparison, policy translation
- Managing AI output: verifying accuracy, catching hallucinations, fact-checking
- Maximizing personal productivity without breaking corporate tool limits

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Everyone writes down their single most annoying repetitive task. No names needed.
2. Read a handful aloud (with permission) and sort them as a room: worth automating, needs a person, or should simply stop.
3. Pick one and solve it live with the class watching the instructions, not just the output.

00:35–
01:10

The Build Lab

Build an Executive Triage Workflow. Set up a template that ingests messy agendas, notes or customer emails and returns prioritized action items with deadlines.

~10
MIN

Define priority rules and the fields a useful action list needs. Interview yourself about the recurring decisions you currently make.

~15
MIN

Save a reusable playbook with inputs, examples, output format, missing-data rules, and checks. Reopen it in a fresh task and confirm the assistant is using the current instructions.

~10
MIN

Test a routine case, a missing-information case, and a conflicting case. Time the complete task including correction; update the playbook after the weakest result.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Give your partner's assistant a request with no owner. What does it do?
- Give it two conflicting deadlines. Does it flag the conflict or quietly pick one?
- Ask who approves and acts on the final list. Is the hand-off clear?

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Executive Triage Workspace** in the deliverable hub; capstone step due by this session: Build a first working version. To prepare for Session 4: Choose a small intake or routing process. Use a test workspace and fictional submissions; identify any action that would send a message or alter real records.

DURING THE LAB

Coach for these

- Savings that are assumed, not timed. Ask for before and after minutes, with review time included.
- Assistants inventing owners or deadlines. Add a missing-data rule (“mark as not specified”) and retest.
- Expecting the tool to “just remember.” Have them save an explicit, versioned playbook and confirm the current instructions are loaded in a fresh task.
- Only one test input. Require a routine, a missing-information and a conflicting case.

DISCUSSION CASE

Improve the playbook after a failed test

Your meeting-summary prompt keeps inventing owners when notes omit them. You need to reuse it next week. What should you change?

TEMPTING WRONG TURNS

“Tell the assistant to remember everything forever.” Context and memory behavior depend on the tool and setup. Keep an explicit, versioned playbook you can inspect and reuse.

“Fix the names manually each time and call the workflow complete.” Manual correction may be necessary, but repeated errors are a signal to improve the instructions. Include correction time when comparing effort.

Stronger move: Add a missing-owner rule, an example, and a repeatable test. Store ‘mark missing owners as unassigned’ in the playbook, add a synthetic example, and retest it. Confirm that the tool has loaded the current instructions before relying on them.

TAKEAWAY

A useful playbook includes the task, inputs, examples, rules, checks, owner, and last-tested date.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ Priority rules and required output fields are explicit.
- ☐ The template handles missing or contradictory information.
- ☐ At least two test inputs and outputs are included.
- ☐ Timing includes human review, with no assumed savings.
- ☐ A reusable template and a clear hand-off are provided.

What good looks like

A fictional team tests five made-up requests. The assistant sorts them by an agreed urgency rule, flags two missing owners, and leaves an uncertain deadline blank. A person approves the final list.

CAPSTONE DUE BY SESSION 4

Automate the hand-offs: Wire triggers, routing or follow-ups so the solution runs with minimal manual effort.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 3 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

No-Code Automation & Business Pipelines

HOOK

The Zero-Touch Lead

Watch a client intake form qualify a lead, update records and draft a custom response without a single manual click.

BUILD LAB

The Mini-Automation Pipeline

Configure a live automated trigger, such as customer request routing or a follow-up sequence.

DELIVERABLE

Operational Trigger Pipeline

An operational automated intake or routing workflow deployed for your business.

LEAVE THEM BELIEVING

An assistant saying it worked is not proof. Check the destination, keep a human approval point and know how to pause.

Prepare

- ☐ Build the demo in a test workspace with invented data: form, sheet, draft reply. Confirm that nothing in it can send a real message or change a real record.
- ☐ Prepare a manual simulation (paper flow or a spreadsheet walk-through) for anyone whose tools or accounts don't allow automation. The learning is in the design, not the software.
- ☐ Prepare a valid submission, an invalid one and a duplicate, so you can show what happens to each.

What participants will learn

- Trigger-based automation: connecting forms, spreadsheets and email with accessible no-code tools
- Layering AI onto legacy workplace tools without expensive overhauls
- Routine process optimization: invoicing, customer inquiries, lead qualification

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Run the intake live: submit a form and watch the record, the draft reply and the routing appear.
2. Break it on purpose with an invalid email and a duplicate. Show what the pipeline does with each.
3. Ask: how do you know it worked? Open the destination and check, instead of trusting the summary.

00:35–
01:10

The Build Lab

The Mini-Automation Pipeline. Configure a live automated trigger, such as customer request routing or a follow-up sequence.

~10
MIN

Plan the smallest pipeline: trigger → input checks → draft → human approval → action → destination verification. Agree on expected outputs before connecting tools.

~15
MIN

Use a test workspace or a manual simulation. Add checks for missing fields, unsupported claims, and duplicate inputs; block the action until a human approves the exact draft.

~10
MIN

Test a valid request, an invalid request, a duplicate, and a partial failure. Compare the destination records with the intended actions before retrying anything.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Submit a valid, an invalid, a duplicate and a partly failing input. Can your partner tell what happened without your help?
- Follow their pause instructions cold. Where do you get stuck?
- Ask which action would be hardest to undo, and what stops it running without approval.

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Operational Trigger Pipeline** in the deliverable hub; capstone step due by this session: Automate the hand-offs. To prepare for Session 5: Bring two pieces of writing you own and may share, or use invented samples. Choose one audience, one goal, and three channels relevant to that audience. A document and spreadsheet are enough for the lab; no scheduling subscription is required.

DURING THE LAB

Coach for these

- Connecting real accounts or records. Move them to a test workspace or manual simulation.
- No approval step before an external action. The exact draft must be approved by a person first.
- No pause or rollback procedure. Ask what they would do if it misfires at 2 a.m.
- Untested edge cases. Require valid, invalid, duplicate and partial-failure evidence.

DISCUSSION CASE

Know whether an action actually happened

Your test automation says three posts were scheduled, but only two appear in the destination calendar. What happens next?

TEMPTING WRONG TURNS

“Mark all three successful because the assistant said so.” The assistant's summary is not proof of delivery. Check the destination and record the actual state of each item.

“Rerun all three immediately.” That could duplicate the two successful items. Identify the missing item and its state before a targeted retry.

Stronger move: Pause, reconcile each item with its destination record, and retry only when safe. Record the account, scheduled time and time zone, status, and confirmation identifier. Retry only the missing item after checking that it was not already accepted.

TAKEAWAY

Log what the destination confirms. Include a pause switch, duplicate prevention, and a human owner in every workflow hand-off.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ Trigger, destinations, and a workflow owner are documented.
- ☐ Valid, invalid, and duplicate inputs have test evidence.
- ☐ External actions have explicit approval boundaries.
- ☐ A pause/rollback procedure and failure route exist.
- ☐ The hand-off states whether this is a test, pilot, or approved deployment.

What good looks like

A fictional event team routes a test registration to a sandbox spreadsheet and creates a draft reply. A repeated submission is flagged, and an invalid email goes to manual review rather than sending a message.

CAPSTONE DUE BY SESSION 5

Draft your communication assets: Use your Brand Voice Bible to write the announcement, training note or client message.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 4 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

Brand Authority & Content Engines

HOOK The Imposter Test Three versions of one article: human-written, generic AI, and voice-calibrated AI. The room votes on which is genuine.	BUILD LAB Brand Voice Calibration Feed past speeches, newsletters or emails into your AI workspace to extract and save a distinctive brand style matrix.	DELIVERABLE Brand Knowledge Base & Content Calendar A reusable Brand Voice Bible and a draft 30-day editorial campaign, ready to publish.
---	--	---

LEAVE THEM BELIEVING

A convincing voice can make an unsupported claim more misleading. Check voice and facts separately, and have a human approve the exact version.

Prepare

- ☐ Prepare one short piece in three versions: human-written, generic AI, and voice-calibrated AI. Use your own writing or invented text. Number them and keep the key private.
- ☐ Have a sample voice playbook ready (audience, pillars, do and don't examples, phrases to avoid) to show the level of specificity you expect.
- ☐ Decide up front that nothing gets published live in class. Scheduling steps are simulated unless a participant has explicit approval.

What participants will learn

- Thought leadership vs. robotic fluff: infusing lived experience into AI-assisted writing
- Multi-modal repurposing: one voice memo becomes a 30-day multi-channel calendar
- Using image, voice and video synthesis safely and effectively

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Show the three versions without labels. Have the room vote for the one they think is genuine.
2. Reveal the key. Ask what gave each one away.
3. Ask which version was most accurate, not most convincing. Voice and truth are separate checks.

00:35–
01:10

The Build Lab

Brand Voice Calibration. Feed past speeches, newsletters or emails into your AI workspace to extract and save a distinctive brand style matrix.

~10
MIN

Build a voice playbook by answering: Who are we helping? What do they need? What do we sound like? Which phrases and claims must we avoid? Save examples, content pillars, and review rules.

~15
MIN

Turn one source idea into three channel-specific drafts and a visual brief. Keep the underlying facts consistent; adapt the format and call to action to each channel.

~10
MIN

Follow the six stages: voice brief, drafts, supporting visuals, checks and human approval, scheduling, destination verification. Build a 30-day draft calendar; simulate the scheduling steps unless real publication is explicitly approved.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Find one claim in your partner's draft with no source. Would their editor checklist have caught it?
- Check alt text and links. Would the post work for someone using a screen reader?
- Ask which version was approved, by whom, and where that exact text is saved.

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Brand Knowledge Base & Content Calendar** in the deliverable hub; capstone step due by this session: Draft your communication assets. To prepare for Session 6: Choose one visitor goal and sketch the shortest route to it. Use fictional content and records; decide what the prototype must not collect or do.

DURING THE LAB

Coach for these

- Voice playbooks built from generic adjectives (“warm, professional”). Ask for a do and a don't example of each trait.
- Statistics or testimonials nobody supplied. Remove or verify before anything is approved.
- Skipping the human editor. Checks cover source support, permissions, voice, links and accessibility.
- Calendars with no owner or status. Each item is draft, approved or scheduled, and someone owns it.

DISCUSSION CASE

Review the claim before scheduling

A draft sounds exactly like your brand, but includes a customer testimonial and a 40% savings figure that nobody supplied. What should the editor do?

TEMPTING WRONG TURNS

“Publish it; matching the brand voice is the quality check.” Style and factual accuracy are different checks. A convincing voice can make an unsupported claim more misleading.

“Keep the claims and add a generic AI disclaimer.” A disclaimer does not establish the truth of a claim or permission to use a testimonial. Resolve the specific issue before publication.

Stronger move: Remove or verify the unsupported claims, approve the final draft, then schedule. Review source support, permissions, tone, accessibility, and the intended action before approving an exact version. Afterwards, verify the correct account and schedule in the destination tool.

TAKEAWAY

Use this order: voice brief → drafts → supporting visuals → checks and human approval → scheduling → destination verification.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ The voice playbook includes audience, pillars, do/don't examples, and phrases to avoid.
- ☐ One source idea becomes three appropriate channel drafts and a visual brief.
- ☐ A human editor checks source support, permissions, voice, links, and accessibility before approving a version.
- ☐ The 30-day calendar has a realistic cadence, owners, and explicit draft/approved/scheduled states.
- ☐ A test or simulated destination log verifies account, time zone, time, and status; no publishing is assumed.

What good looks like

A fictional neighborhood business chooses a warm, direct voice. One invented customer question becomes a helpful post, a short email, and an FAQ draft. All statistics and testimonials are omitted unless verified.

CAPSTONE DUE BY SESSION 6

Prototype the customer or team touchpoint: Mock up the intake page, portal or guide people will actually use.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 5 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

Rapid Prototyping @ Web Strategy

HOOK Concept to Mockup in 20 Minutes Take an idea from conversation to interactive prototype in real time.	BUILD LAB Interactive Asset Build Build a live prototype of a customer feedback portal, landing page or interactive event guide.	DELIVERABLE Interactive Intake / Prototype Mockup A functional, shareable interactive prototype or digital asset link.
--	--	--

LEAVE THEM BELIEVING

Build one path, watch someone use it, fix the first confusion. A prototype demonstrates an idea; it is not a finished product.

Prepare

- ☐ Pick an invented idea (a feedback portal, an event guide) and rehearse the 20-minute build so you know where tools stall.
- ☐ Have a phone and a keyboard-only test ready to demonstrate the usability check.
- ☐ Prepare a short list of things a prototype in this room must not do: collect real data, submit real registrations, make promises to real customers.

What participants will learn

- Demystifying tech builds: AI-generated wireframes, customer portals and landing pages
- Customer touchpoints: chatbots, FAQ automation and interactive intake forms
- Scoping tech partners: evaluating developer estimates and avoiding overpaying for routine builds

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Take an idea from conversation to a clickable mockup in about twenty minutes, narrating each scoping choice out loud.
2. Stop at one working path. Say what you deliberately left out.
3. Hand it to someone who hasn't seen it and ask them to complete the task without explanation. Watch where they hesitate.

00:35–
01:10

The Build Lab

Interactive Asset Build. Build a live prototype of a customer feedback portal, landing page or interactive event guide.

~10
MIN

Define the visitor, one goal, and a three-step journey. Ask the assistant to challenge the scope and identify what can be tested without a full product.

~15
MIN

Agree on a short plan, then build one interactive path with a primary action and success/error states. Review the result before adding features.

~10
MIN

Ask someone to complete the task on a phone and with a keyboard. Record the first confusion, make one change, and repeat the test.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- Give your partner the task with no explanation. Note the first hesitation.
- Try it on a phone. Try it with the keyboard only.
- Ask what happens when something goes wrong. Is there a way back?

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Interactive Intake / Prototype Mockup** in the deliverable hub; capstone step due by this session: Prototype the customer or team touchpoint. To prepare for Session 7: Bring your capstone problem, working artifact, prior feedback, and baseline/result evidence. Mark assumptions and missing evidence honestly.

DURING THE LAB

Coach for these

- Feature creep (a chatbot, extra pages) before the core task works. Bring them back to one visitor, one goal, three steps.
- Prototypes that collect real data. Make what is simulated visible on the page.
- Polish over usability. Ask what the tester tried first.
- Missing error and empty states. Success is the easy part.

DISCUSSION CASE

Test the smallest useful prototype

Your intake prototype looks polished, but a colleague cannot find the submission button. You have an hour left in the lab. What is the best use of it?

TEMPTING WRONG TURNS

“Add an AI chatbot to explain the interface.” That adds scope before the original task works. Fix the confusing step and retest it first.

“Launch now because a working page is a finished product.” A prototype demonstrates an idea. Real use also needs appropriate handling of data, failures, support, and deployment approval.

Stronger move: Clarify the primary action and repeat the same task test. A small, observed improvement is better evidence than another feature. Ask the tester to complete the task without explanation, then check keyboard and mobile use.

TAKEAWAY

Plan the user task, build one path, observe someone using it, and revise. Tool output is the beginning of validation.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ A shareable link or walkthrough demonstrates one complete task.
- ☐ The main action, success state, and error recovery are clear.
- ☐ Mobile and keyboard checks are documented.
- ☐ A user test records confusion and a resulting improvement.
- ☐ Prototype limits and real-data boundaries are visible.

What good looks like

A fictional community program prototypes an interest form. A visitor chooses a topic, enters sample details, and sees a confirmation. The prototype clearly states that it does not submit a real registration.

CAPSTONE DUE BY SESSION 7

Survive the Shark Tank Dry Run: Deliver a two-minute pitch and capture peer feedback. Measure ROI and write your 30-60-90 plan: Time saved, response times, dollars preserved, plus your post-cohort rollout roadmap.

Assemble the Stakeholder Capstone Package: Bundle the solution, guardrails, ROI evidence and roadmap for stakeholder review.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 6 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

Capstone Incubator & Change Management

HOOK The Shark Tank Dry Run Peer-to-peer two-minute pitch rounds to pressure-test every capstone project before graduation.	BUILD LAB Capstone Polish Fine-tune prompt setups, automations and presentation decks with one-on-one troubleshooting.	DELIVERABLE Stakeholder Capstone Package A completed capstone project and executive AI strategic plan, ready for stakeholder demonstration.
---	--	---

LEAVE THEM BELIEVING

A capstone should help someone decide whether to adopt, revise or stop a workflow. Report the full result, not the best trial.

Prepare

- ☐ Plan the pitch rounds for your headcount: groups of three work well (two-minute pitch, one-minute challenge, rotate). Put a timer on the screen.
- ☐ Prepare a signup sheet for one-on-one troubleshooting during Capstone Polish.
- ☐ Read every participant's submitted work first. Know who needs the most help with evidence and who is ready to be pushed.

What participants will learn

- Overcoming organizational inertia: guiding hesitant teams through adoption
- Measuring ROI: time saved, response times shortened, operational dollars preserved
- 30-60-90 day deployment roadmaps after the cohort ends

90 MINUTES

Run of show

00:00–
00:10

The Brag Board

Ask about last month's deliverable and what people measured. Follow up with anyone who didn't submit.

00:10–
00:35

Interactive Concept & Executive Framework

Run the hook (about ten minutes), then the framework.

1. Model a two-minute pitch on an invented project: problem, solution, evidence, remaining risk.
2. Put one weak spot in it on purpose. Ask the room to find it.
3. Set the round rules: strict timer, one challenge per pitch, nobody defends. The pitcher just writes the challenge down.

00:35–
01:10

The Build Lab

Capstone Polish. Fine-tune prompt setups, automations and presentation decks with one-on-one troubleshooting.

~10
MIN

Tell the story: problem, solution, test result, and remaining risk.

~15
MIN

Run a two-minute dry pitch and capture one challenge from a peer.

~10
MIN

Bundle the artifact, operating guidance, evidence, and a 30/60/90-day adoption plan.

01:10–
01:25

Peer Review & Stress Testing

Pairs swap laptops and try to break the work. Suggested challenges:

- What is the true review effort, in minutes, per use?
- What is the weakest assumption behind the result?
- Which trial hurt the numbers, and did you include it?

01:25–
01:30

Next Month Challenge & Adjourn

Submit **Stakeholder Capstone Package** in the deliverable hub; capstone steps due by this session: Survive the Shark Tank Dry Run; Measure ROI and write your 30-60-90 plan; Assemble the Stakeholder Capstone Package.

DURING THE LAB

Coach for these

- Only the fastest trial shown. Ask for comparable trials and the full effort, including review.
- Future savings stated as fact. Label them a hypothesis and define the test.
- No owner in the 30-60-90 plan. Every stage needs a named person and a decision.
- Overbuilt decks and underbuilt evidence. Send them back to baseline, method and sample count.

DISCUSSION CASE

Make an honest adoption decision

Three trials are faster before review, but corrections erase the time saving. The prototype is attractive. What belongs in the stakeholder package?

TEMPTING WRONG TURNS

“Only show the fastest trial.” That hides variability and can mislead the adoption decision. Include comparable trials and the full work required.

“Assume the team will get faster and claim the expected saving.” A hypothesis about future improvement is not an observed result. Label it as a hypothesis and define a test.

Stronger move: Report the full result and propose a specific improvement or a decision not to scale. Include review effort, errors, limitations, and a next test. Stopping an ineffective workflow can be a valuable outcome of the cohort.

TAKEAWAY

A capstone should help someone decide whether to adopt, revise, or stop a workflow—not merely demonstrate that it runs.

WHEN REVIEWING

Criteria: work that meets this session

- ☐ The problem, intended user, and working artifact are linked.
- ☐ Baseline and results include method, sample count, and human review effort.
- ☐ Limitations, data boundaries, and quality checks are explicit.
- ☐ Peer feedback and the resulting change are documented.
- ☐ The 30/60/90-day plan names owners and adoption decisions.

What good looks like

A fictional manager reports a 30-minute weekly task now taking 22 minutes including review across three trials. The package shows eight minutes saved per trial, one unresolved quality issue, and a limited pilot with a named owner.

CAPSTONE DUE BY SESSION 8

Rehearse your 5-minute lightning demo: Problem, solution, measurable impact. Time it, then time it again.

After the session: follow the after-every-session checklist in the run of show chapter (attendance, feedback, follow-ups).

SESSION 7 NOTES: WINS TO SHARE, WHO NEEDS FOLLOW-UP

Final Showcase, Project Presentations & Graduation

The final session has no build lab and no deliverable. It is a showcase: each participant demonstrates their working capstone, the cohort gives peer feedback, and the group graduates together.

Your numbers

PARTICIPANTS	DEMO TIME NEEDED	CAPSTONE COMPLETE
0	n/a 6 min each (5-minute demo plus a 1-minute changeover)	n/a Every step ticked, so the certificate is unlocked

TIMING

The standard 60-minute demo block fits 10 demos (a 5-minute demo plus a 1-minute changeover each). If your cohort is larger, add time, run two rooms in parallel, or shorten each slot, and decide a week ahead.

Prepare

- ☐ Confirm the running order and timing with participants a week ahead, and ask whether they are comfortable being photographed or recorded before you do either.
- ☐ Put a visible timer on screen and agree a hard stop for each demo. Decide who signals time, and how.
- ☐ Check who has finished every capstone step in the instructor view so certificates are ready for the people who have earned them (see the readiness count in this chapter).
- ☐ Set up the peer awards: nominations open during the demos, a short ballot afterwards. Categories from the programme: Biggest Time Saver, Most Creative Automation, Best Governance Champion. Add your own if the cohort suggests them.

90 MINUTES

Run of show

00:00–
00:10

Welcome & Opening Remarks

Program reflection and introductions.

Reflect on the programme and introduce the format and the feedback themes for the demos.

00:10–
01:10

Capstone Lightning Demos

Each participant shows a working AI project: problem, solution, measurable impact.

Five minutes each, strictly timed: problem, solution, measured impact. One or two peer questions maximum, then move on.

01:10–
01:20

Future-Proofing & Strategic AI Roadmap

Sustaining experimentation and navigating next-generation tools.

Facilitate a short discussion on sustaining experimentation, focused on re-testing habits and owners rather than predicting products.

01:20–
01:30

Peer Awards & Graduation

Cohort-voted recognitions, certificates and credential conferral.

Announce the cohort-voted recognitions, present certificates to those who have completed every capstone step and close.

Opening remarks

- Welcome people and name what the room has done: eight months, working assets, real measurements.
- Explain the demo format once: problem, solution, measurable impact, in five minutes.
- Ask the audience to listen for scalability, governance and sustainability. Those are the peer feedback themes.

The demo format

1. Problem: the operational problem in one or two sentences.
2. Solution: what they built, shown working (or as a walk-through if a live demo is risky).
3. Measured impact: baseline, result and what it took to review, including anything that did not work.
4. Decision: adopt, revise or stop, and the first step in their 30-60-90 plan.

Peer feedback themes

- What would make this easier to scale to a second team?
- Where would governance or approval need to be stronger?
- What would keep this working six months from now?

Future-proofing discussion

- Do not predict tools. Ask what each person will re-test when the tools they rely on change.
- Have every participant name one review habit (a monthly re-test, an owner, a checklist) that outlasts today's setup.
- Close the loop with the 30-60-90 plans: who will check in with whom, and when?

Awards and graduation

- Read the awards, then present certificates. Certificates unlock in the platform once every capstone step is complete.

- Thank the cohort, remind them where their work and evidence live, and tell them how to reach you afterwards.

AWARDS BALLOT AND FOLLOW-UPS

The capstone path

Each participant works toward one capstone problem across the programme. Use this to check progress at every session.

DUE BY	STEP	WHAT IT MEANS
S1 · Oct 16	Choose your capstone problem	Pick the highest-impact item from your Workplace Friction log and Readiness Audit. One problem, clearly stated.
S2 · Nov 20	Capture your baseline	Record how long it takes and what it costs today, so your ROI is measurable later.
S2 · Nov 20	Apply your Safe Harbor guardrails	Define which data the capstone may touch and which it never will.
S3 · Dec 18	Build a first working version	Use your triage workspace or prompt suite to solve the core of the problem end to end.
S4 · Jan 15	Automate the hand-offs	Wire triggers, routing or follow-ups so the solution runs with minimal manual effort.
S5 · Feb 19	Draft your communication assets	Use your Brand Voice Bible to write the announcement, training note or client message.
S6 · Mar TBA	Prototype the customer or team touchpoint	Mock up the intake page, portal or guide people will actually use.
S7 · Apr 16	Survive the Shark Tank Dry Run	Deliver a two-minute pitch and capture peer feedback.
S7 · Apr 16	Measure ROI and write your 30-60-90 plan	Time saved, response times, dollars preserved, plus your post-cohort rollout roadmap.
S7 · Apr 16	Assemble the Stakeholder Capstone Package	Bundle the solution, guardrails, ROI evidence and roadmap for stakeholder review.
S8 · May 11	Rehearse your 5-minute lightning demo	Problem, solution, measurable impact. Time it, then time it again.

Review criteria at a glance

Work meets the session when every criterion is satisfied. If one is missing, request a revision with a concrete next step.

Session 1 • AI Readiness Audit

- ☐ One specific task, owner, frequency, and baseline duration are recorded.
- ☐ The prompt includes context, constraints, and a clear output format.
- ☐ A synthetic input and sample output show what was tested.
- ☐ Data boundaries and human checks are explicit.
- ☐ One limitation and the next experiment are identified.

Session 2 • Safe Harbor Usage Policy

- ☐ Allowed tools and use cases are named or explicitly awaiting approval.
- ☐ Prohibited data and actions have concrete examples.
- ☐ Human review and escalation ownership are clear.
- ☐ Three scenarios demonstrate how the policy is applied.
- ☐ The policy's approval status and next review date are recorded.

Session 3 • Executive Triage Workspace

- ☐ Priority rules and required output fields are explicit.
- ☐ The template handles missing or contradictory information.
- ☐ At least two test inputs and outputs are included.
- ☐ Timing includes human review, with no assumed savings.
- ☐ A reusable template and a clear hand-off are provided.

Session 4 • Operational Trigger Pipeline

- ☐ Trigger, destinations, and a workflow owner are documented.
- ☐ Valid, invalid, and duplicate inputs have test evidence.
- ☐ External actions have explicit approval boundaries.
- ☐ A pause/rollback procedure and failure route exist.
- ☐ The hand-off states whether this is a test, pilot, or approved deployment.

Session 5 • Brand Knowledge Base & Content Calendar

- ☐ The voice playbook includes audience, pillars, do/don't examples, and phrases to avoid.
- ☐ One source idea becomes three appropriate channel drafts and a visual brief.
- ☐ A human editor checks source support, permissions, voice, links, and accessibility before approving a version.
- ☐ The 30-day calendar has a realistic cadence, owners, and explicit draft/approved/scheduled states.
- ☐ A test or simulated destination log verifies account, time zone, time, and status; no publishing is assumed.

Session 6 · Interactive Intake / Prototype Mockup

- ☐ A shareable link or walkthrough demonstrates one complete task.
- ☐ The main action, success state, and error recovery are clear.
- ☐ Mobile and keyboard checks are documented.
- ☐ A user test records confusion and a resulting improvement.
- ☐ Prototype limits and real-data boundaries are visible.

Session 7 · Stakeholder Capstone Package

- ☐ The problem, intended user, and working artifact are linked.
- ☐ Baseline and results include method, sample count, and human review effort.
- ☐ Limitations, data boundaries, and quality checks are explicit.
- ☐ Peer feedback and the resulting change are documented.
- ☐ The 30/60/90-day plan names owners and adoption decisions.