



	1	2	3	4	5	6
A	Sheet 1 File: Sequencer-Logic-Prod-V2.1-copy-sheet1.kicad_sch	Sheet 6 File: Sequencer-Logic-Prod-V2.1-copy-sheet6.kicad_sch				
B	Sheet 2 File: Sequencer-Logic-Prod-V2.1-copy-sheet2.kicad_sch	Sheet 7 File: Sequencer-Logic-Prod-V2.1-copy-sheet7.kicad_sch	Sheet 8 File: Sequencer-Logic-Prod-V2.1-copy-sheet8.kicad_sch			
C	Sheet 4 File: Sequencer-Logic-Prod-V2.1-copy-sheet4.kicad_sch	Sheet 9 File: Sequencer-Logic-Prod-V2.1-copy-sheet9.kicad_sch				
D	Sheet 5 File: Sequencer-Logic-Prod-V2.1-copy-sheet5.kicad_sch				Converted from Eagle schematic; see README.md Sheet: / File: Sequencer-Logic-Prod-V2.1-copy.kicad_sch Title: Sequencer-Logic-Prod-V2.1-copy Size: A4 Date: Rev: KiCad E.D.A. 10.0.6 Id: 1/10	
	1	2	3	4	5	6



Size: A3	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 3/10



Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 3


Sheet: /Sheet 3/
File: Sequencer-Logic-Prod-V2.1-copy-sheet3.kicad_sch


Title: Sequencer-Logic-Prod-V2.1-copy sheet 3

Size: A4
KiCad E.D.A. 10.0.6


Date:

Rev:
Id: 4/10





Should operand clk be part of mem-logic or generated signal
drive reg-rd/ld and ioaddr from separate signals and add to drive addr line driving



Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 6

Sheet: /Sheet 6/
File: Sequencer-Logic-Prod-V2.1-copy-sheet6.kicad_sch


Title: Sequencer-Logic-Prod-V2.1-copy sheet 6

Size: A4
KiCad E.D.A. 10.0.6

Date:

Rev:

Id: 7/10





Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 7

Sheet: /Sheet 7/
File: Sequencer-Logic-Prod-V2.1-copy-sheet7.kicad_sch

Title: Sequencer-Logic-Prod-V2.1-copy sheet 7

Size: A4	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 8/10





Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 9

Sheet: /Sheet 9/
File: Sequencer-Logic-Prod-V2.1-copy-sheet9.kicad_sch

Title: Sequencer-Logic-Prod-V2.1-copy sheet 9

Size: A4	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 10/10