




	1	2	3	4	5	6
A	Sheet 1 File: Sequencer-Logic-Prod-V2.1l-sheet1.kicad_sch					
B	Sheet 2 File: Sequencer-Logic-Prod-V2.1l-sheet2.kicad_sch					
C	Sheet 3 File: Sequencer-Logic-Prod-V2.1l-sheet3.kicad_sch					
	Sheet 4 File: Sequencer-Logic-Prod-V2.1l-sheet4.kicad_sch					
	Sheet 5 File: Sequencer-Logic-Prod-V2.1l-sheet5.kicad_sch					
	Sheet 6 File: Sequencer-Logic-Prod-V2.1l-sheet6.kicad_sch					
D	Sheet 7 File: Sequencer-Logic-Prod-V2.1l-sheet7.kicad_sch				Converted from Eagle schematic; see README.md Sheet: / File: Sequencer-Logic-Prod-V2.1l.kicad_sch Title: Sequencer-Logic-Prod-V2.1l Size: A4 Date: KiCad E.D.A. 10.0.6 Rev: Id: 1/11	
	1	2	3	4	5	6


Sheet 8













Converted from Eagle: Sequencer-Logic-Prod-V2.1l.sch sheet 5


Sheet: /Sheet 5/ File: Sequencer-Logic-Prod-V2.1l-sheet5.kicad_sch		
Title: Sequencer-Logic-Prod-V2.1l sheet 5		
Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 6/11

Should operand clk be part of mem-logic or generated signal

drive reg-rd/ld and ioaddr from separte signals and add to drive addr line driving







Converted from Eagle: Sequencer-Logic-Prod-V2.1l.sch sheet 8

Sheet: / Sheet 8/

File: Sequencer-Logic-Prod-V2.1l-sheet8.kicad_sch

Title: Sequencer-Logic-Prod-V2.1l sheet 8


Size: User

Date:

Rev:

KiCad E.D.A. 10.0.6

Id: 9/11



Converted from Eagle: Sequencer-Logic-Prod-V2.1l.sch sheet 10

Sheet: /Sheet 10/
File: Sequencer-Logic-Prod-V2.1l-sheet10.kicad_sch

Title: Sequencer-Logic-Prod-V2.1l sheet 10

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 11/11