




	1	2	3	4	5	6
A	Sheet 1 File: Sequencer-Logic-Prod-V2.1-copy-sheet1.kicad_sch					A
B	Sheet 2 File: Sequencer-Logic-Prod-V2.1-copy-sheet2.kicad_sch Sheet 3 File: Sequencer-Logic-Prod-V2.1-copy-sheet3.kicad_sch Sheet 4 File: Sequencer-Logic-Prod-V2.1-copy-sheet4.kicad_sch Sheet 5 File: Sequencer-Logic-Prod-V2.1-copy-sheet5.kicad_sch Sheet 6 File: Sequencer-Logic-Prod-V2.1-copy-sheet6.kicad_sch Sheet 7 File: Sequencer-Logic-Prod-V2.1-copy-sheet7.kicad_sch					B
C						C
D	Converted from Eagle schematic; see README.md Sheet: / File: Sequencer-Logic-Prod-V2.1-copy.kicad_sch Title: Sequencer-Logic-Prod-V2.1-copy Size: A4 Date: Rev: KiCad E.D.A. 10.0.6 Id: 1/10					D
	1	2	3	4	5	6

Sheet 8









Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 2


Sheet: /Sheet 2/
File: Sequencer-Logic-Prod-V2.1-copy-sheet2.kicad_sch

Title: Sequencer-Logic-Prod-V2.1-copy sheet 2

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 3/10







Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 5

Sheet: /Sheet 5/
File: Sequencer-Logic-Prod-V2.1-copy-sheet5.kicad_sch

Title: Sequencer-Logic-Prod-V2.1-copy sheet 5


Size: User
KiCad E.D.A. 10.0.6

Date:

Rev:
Id: 6/10

Should operand clk be part of mem-logic or generated signal

drive reg-rd/ld and ioaddr from separte signals and add to drive addr line driving





Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 6

Sheet: /Sheet 6/
File: Sequencer-Logic-Prod-V2.1-copy-sheet6.kicad_sch


Title: Sequencer-Logic-Prod-V2.1-copy sheet 6

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 7/10





Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 9/10



Converted from Eagle: Sequencer-Logic-Prod-V2.1 copy.sch sheet 9

Sheet: /Sheet 9/
File: Sequencer-Logic-Prod-V2.1-copy-sheet9.kicad_sch

Title: Sequencer-Logic-Prod-V2.1-copy sheet 9

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 10/10