


	1	2	3	4	5	6
A	Sheet 1 File: Sequencer-Logic-Prod-V2.1-sheet1.kicad_sch					
B	Sheet 2 File: Sequencer-Logic-Prod-V2.1-sheet2.kicad_sch					
C	Sheet 3 File: Sequencer-Logic-Prod-V2.1-sheet3.kicad_sch					
	Sheet 4 File: Sequencer-Logic-Prod-V2.1-sheet4.kicad_sch					
	Sheet 5 File: Sequencer-Logic-Prod-V2.1-sheet5.kicad_sch					
	Sheet 6 File: Sequencer-Logic-Prod-V2.1-sheet6.kicad_sch					
D	Sheet 7 File: Sequencer-Logic-Prod-V2.1-sheet7.kicad_sch				Converted from Eagle schematic; see README.md Sheet: / File: Sequencer-Logic-Prod-V2.1.kicad_sch Title: Sequencer-Logic-Prod-V2.1 Size: A4Date:KiCad E.D.A. 10.0.6 Rev:Id: 1/11	
	1	2	3	4	5	6

Sheet 8







Converted from Eagle: Sequencer-Logic-Prod-V2.1.sch sheet 2


Sheet: /Sheet 2/
File: Sequencer-Logic-Prod-V2.1-sheet2.kicad_sch

Title: Sequencer-Logic-Prod-V2.1 sheet 2

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 3/11








Should operand clk be part of mem-logic or generated signal

drive reg-rd/ld and ioaddr from separte signals and add to drive addr line driving



Converted from Eagle: Sequencer-Logic-Prod-V2.1.sch sheet 6

Sheet: /Sheet 6/

File: Sequencer-Logic-Prod-V2.1-sheet6.kicad_sch

Title: Sequencer-Logic-Prod-V2.1 sheet 6


Size: User


Date:

Rev:

KiCad E.D.A. 10.0.6

Id: 7/11





Converted from Eagle: Sequencer-Logic-Prod-V2.1.sch sheet 8

Sheet: /Sheet 8/

File: Sequencer-Logic-Prod-V2.1-sheet8.kicad_sch

Title: Sequencer-Logic-Prod-V2.1 sheet 8

Size: User

Date:

Rev:

KiCad E.D.A. 10.0.6

Id: 9/11

