Decode and IDE strobes

File: p8x-cf-card-1.kicad_sch

CF socket 0: data path

File: p8x-cf-card-2.kicad_sch

CF socket 1: data path

File: p8x-cf-card-3.kicad_sch

Bus connector, decoupling


File: p8x-cf-card-4.kicad_sch

Generated by generators/sch/p8x_kicad_sch.py — do not edit
Root sheet: one block per functional sheet
P8X

Sheet: /
File: p8x-cf-card.kicad_sch

Title: P8X CF-IDE CARD REV B — 2x 8-BIT TRUE IDE ($FF10 + $FF18)

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 1/5




Generated by generators/sch/p8x_kicad_sch.py from gen_eagle.py — do not edit
Decode and IDE strobes

P8X

Sheet: /Decode and IDE strobes/
File: p8x-cf-card-1.kicad_sch

Title: P8X CF-IDE CARD REV B — 2x 8-BIT TRUE IDE ($FF10 + $FF18)

Size: A2	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 2/5




Generated by generators/sch/p8x_kicad_sch.py from gen_eagle.py — do not edit
CF socket 0: data path

P8X

Sheet: /CF socket 0: data path/
File: p8x-cf-card-2.kicad_sch

Title: P8X CF-IDE CARD REV B - 2x 8-BIT TRUE IDE ($FF10 + $FF18)

Size: A3	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 3/5




Generated by generators/sch/p8x_kicad_sch.py from gen_eagle.py — do not edit
CF socket 1: data path

P8X

Sheet: /CF socket 1: data path/
File: p8x-cf-card-3.kicad_sch

Title: P8X CF-IDE CARD REV B — 2x 8-BIT TRUE IDE ($FF10 + $FF18)

Size: A3	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 4/5



Generated by generators/sch/p8x_kicad_sch.py from gen_eagle.py – do not edit
Bus connector, decoupling

P8X

Sheet: /Bus connector, decoupling/
File: p8x-cf-card-4.kicad_sch

Title: P8X CF-IDE CARD REV B – 2x 8-BIT TRUE IDE ($FF10 + $FF18)

Size: A2	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 5/5