

```
In [1]: import pandas as pd
import numpy as np
import matplotlib as plt
%matplotlib inline

df = pd.read_csv("C:\\Users\\Suresh Jamadagni\\downloads\\train.csv")
```

```
In [2]: print(df)
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

  

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

  

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

```
In [3]: df.head() #displays first 5 rows
```

```
Out[3]:
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	ApplicantIncome	Coapplica
0	LP001002	Male	No	0	Graduate	No	5849	
1	LP001003	Male	Yes	1	Graduate	No	4583	
2	LP001005	Male	Yes	0	Graduate	Yes	3000	

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	ApplicantIncome	Coapplicant
<b>3</b>	LP001006	Male	Yes	0	Not Graduate	No	2583	
<b>4</b>	LP001008	Male	No	0	Graduate	No	6000	

In [3]:

```
df.head()
to_drop = ['Dependents']
#df.drop(to_drop)
print(df)
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

In [4]:

```
df.tail() #displays last 5 rows
```

Out[4]:

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	ApplicantIncome	Coapplic
<b>609</b>	LP002978	Female	No	0	Graduate	No	2900	
<b>610</b>	LP002979	Male	Yes	3+	Graduate	No	4106	

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	ApplicantIncome	Coapplic
611	LP002983	Male	Yes	1	Graduate	No	8072	
612	LP002984	Male	Yes	2	Graduate	No	7583	
613	LP002990	Female	No	0	Graduate	Yes	4583	

In [5]:

```
print(df.tail(10))
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
604	LP002959	Female	Yes	1	Graduate	No	
605	LP002960	Male	Yes	0	Not Graduate	No	
606	LP002961	Male	Yes	1	Graduate	No	
607	LP002964	Male	Yes	2	Not Graduate	No	
608	LP002974	Male	Yes	0	Graduate	No	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
604	12000	0.0	496.0	360.0	
605	2400	3800.0	NaN	180.0	
606	3400	2500.0	173.0	360.0	
607	3987	1411.0	157.0	360.0	
608	3232	1950.0	108.0	360.0	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

	Credit_History	Property_Area	Loan_Status
604	1.0	Semiurban	Y
605	1.0	Urban	N
606	1.0	Semiurban	Y
607	1.0	Rural	Y
608	1.0	Rural	Y
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

In [6]:

```
df.describe() #Provides summary measures for variables of type : int or float
```

Out[6]:

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	Credit_History
count	614.000000	614.000000	592.000000	600.00000	564.000000
mean	5403.459283	1621.245798	146.412162	342.00000	0.842199
std	6109.041673	2926.248369	85.587325	65.12041	0.364878
min	150.000000	0.000000	9.000000	12.00000	0.000000
25%	2877.500000	0.000000	100.000000	360.00000	1.000000
50%	3812.500000	1188.500000	128.000000	360.00000	1.000000

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	Credit_History
<b>75%</b>	5795.000000	2297.250000	168.000000	360.00000	1.000000
<b>max</b>	81000.000000	41667.000000	700.000000	480.00000	1.000000

In [11]: `print(df['Property_Area'].value_counts())` *#for categorial data(works like group\_*

```
Semiurban    233
Urban        202
Rural        179
Name: Property_Area, dtype: int64
```

In [12]: `print(df['Gender'].value_counts())` *#for categorial data(works like group\_by)*

```
Male        489
Female      112
Name: Gender, dtype: int64
```

In [13]: `df.dtypes` *#displays type of each variable*

```
Out[13]: Loan_ID          object
Gender          object
Married         object
Dependents      object
Education       object
Self_Employed  object
ApplicantIncome    int64
CoapplicantIncome  float64
LoanAmount        float64
Loan_Amount_Term  float64
Credit_History    float64
Property_Area     object
Loan_Status       object
dtype: object
```

In [14]: `df.columns` *#displays variable names ( Column name) as a list*

```
Out[14]: Index(['Loan_ID', 'Gender', 'Married', 'Dependents', 'Education',
               'Self_Employed', 'ApplicantIncome', 'CoapplicantIncome', 'LoanAmount',
               'Loan_Amount_Term', 'Credit_History', 'Property_Area', 'Loan_Status'],
              dtype='object')
```

In [15]: `df.columns[0]` *#displays 1st column name*

```
Out[15]: 'Loan_ID'
```

In [16]: `print(df)`

```
   Loan_ID  Gender  Married  Dependents  Education  Self_Employed  \
0  LP001002   Male      No           0   Graduate             No
1  LP001003   Male     Yes           1   Graduate             No
2  LP001005   Male     Yes           0   Graduate             Yes
3  LP001006   Male     Yes           0  Not Graduate             No
4  LP001008   Male      No           0   Graduate             No
..      ...     ...     ...         ...         ...             ...
609 LP002978  Female      No           0   Graduate             No
610 LP002979   Male     Yes           3+   Graduate             No
611 LP002983   Male     Yes           1   Graduate             No
```

612	LP002984	Male	Yes	2	Graduate	No
613	LP002990	Female	No	0	Graduate	Yes

  

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

  

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

In [17]:

```
print (df.replace('NaN',0))
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

  

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

  

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y

4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

In [19]:

```
print ("NaN replaced with '0':")
print( df.fillna(method='pad'))
```

NaN replaced with '0':

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

In [20]:

```
print (df['Loan_ID'].isnull())
```

0	False
1	False
2	False
3	False
4	False
..	...
609	False

```
610    False
611    False
612    False
613    False
Name: Loan_ID, Length: 614, dtype: bool
```

In [21]:

```
print (df['Dependents'].notnull())
```

```
0      True
1      True
2      True
3      True
4      True
...
609    True
610    True
611    True
612    True
613    True
Name: Dependents, Length: 614, dtype: bool
```

In [31]:

```
print( df['Self_Employed'].isnull())
```

```
1      False
2      False
3      False
4      False
5      False
6      False
7      False
8      False
9      False
10     False
12     False
13     False
14     False
15     False
17     False
18     False
20     False
21     False
22     False
25     False
26     False
27     False
28     False
31     False
32     False
33     False
34     False
37     False
38     False
39     False
...
575    False
577    False
578    False
580    False
581    False
582    False
584    False
585    False
586    False
587    False
```

```

589 False
590 False
591 False
593 False
594 False
595 False
596 False
598 False
599 False
602 False
603 False
604 False
606 False
607 False
608 False
609 False
610 False
611 False
612 False
613 False
Name: Self_Employed, dtype: bool

```

In [8]:

```

print(df)
print ("NaN replaced with '0':")
print( df.fillna(3))

```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	NaN	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N



[614 rows x 13 columns]

NaN replaced with '0':

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
0	LP001002	Male	No	0	Graduate	No	
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
0	5849	0.0	3.0	360.0	
1	4583	1508.0	128.0	360.0	
2	3000	0.0	66.0	360.0	
3	2583	2358.0	120.0	360.0	
4	6000	0.0	141.0	360.0	
..	...	...	...	...	
609	2900	0.0	71.0	360.0	
610	4106	0.0	40.0	180.0	
611	8072	240.0	253.0	360.0	
612	7583	0.0	187.0	360.0	
613	4583	0.0	133.0	360.0	

	Credit_History	Property_Area	Loan_Status
0	1.0	Urban	Y
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[614 rows x 13 columns]

```
In [9]: df = df.dropna() #drops rows with null values
```

```
In [24]: print(df)
```

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	\
1	LP001003	Male	Yes	1	Graduate	No	
2	LP001005	Male	Yes	0	Graduate	Yes	
3	LP001006	Male	Yes	0	Not Graduate	No	
4	LP001008	Male	No	0	Graduate	No	
5	LP001011	Male	Yes	2	Graduate	Yes	
..	...	...	...	...	...	...	
609	LP002978	Female	No	0	Graduate	No	
610	LP002979	Male	Yes	3+	Graduate	No	
611	LP002983	Male	Yes	1	Graduate	No	
612	LP002984	Male	Yes	2	Graduate	No	
613	LP002990	Female	No	0	Graduate	Yes	

	ApplicantIncome	CoapplicantIncome	LoanAmount	Loan_Amount_Term	\
1	4583	1508.0	128.0	360.0	

2	3000	0.0	66.0	360.0
3	2583	2358.0	120.0	360.0
4	6000	0.0	141.0	360.0
5	5417	4196.0	267.0	360.0
..	...	...	...	...
609	2900	0.0	71.0	360.0
610	4106	0.0	40.0	180.0
611	8072	240.0	253.0	360.0
612	7583	0.0	187.0	360.0
613	4583	0.0	133.0	360.0

	Credit_History	Property_Area	Loan_Status
1	1.0	Rural	N
2	1.0	Urban	Y
3	1.0	Urban	Y
4	1.0	Urban	Y
5	1.0	Urban	Y
..	...	...	...
609	1.0	Rural	Y
610	1.0	Rural	Y
611	1.0	Urban	Y
612	1.0	Urban	Y
613	0.0	Semiurban	N

[480 rows x 13 columns]

In [13]:

```
import pandas as pd
import numpy as np
df = pd.read_csv("C:\\Users\\Suresh Jamadagni\\downloads\\train.csv")
df.head()
```

Out[13]:

	Loan_ID	Gender	Married	Dependents	Education	Self_Employed	ApplicantIncome	Coapplicant
0	LP001002	Male	No	0	Graduate	No	5849	
1	LP001003	Male	Yes	1	Graduate	No	4583	
2	LP001005	Male	Yes	0	Graduate	Yes	3000	
3	LP001006	Male	Yes	0	Not Graduate	No	2583	
4	LP001008	Male	No	0	Graduate	No	6000	

In [14]:

```
to_drop = ['Gender', 'Married']
#df.drop(columns=to_drop, inplace=True)
df.drop(to_drop, inplace=True, axis=1)
```

In [15]:

```
df.head()
```

Out[15]:

	Loan_ID	Dependents	Education	Self_Employed	ApplicantIncome	CoapplicantIncome	LoanAmount
0	LP001002	0	Graduate	No	5849	0.0	
1	LP001003	1	Graduate	No	4583	1508.0	1
2	LP001005	0	Graduate	Yes	3000	0.0	
3	LP001006	0	Not Graduate	No	2583	2358.0	1

	Loan_ID	Dependents	Education	Self_Employed	ApplicantIncome	CoapplicantIncome	LoanAmount
4	LP001008	0	Graduate	No	6000	0.0	1

In [ ]:

In [ ]: