Project 1

Keshav Ramesh & Calista Harris

Load require packages

library(tidyverse)

Data Processing

Question 1: Reading in Data

```
EDU01 = read_csv("EDU01a.csv", show_col_types = F) %>%
   select(Area_name, STCOU, ends_with("D")) %>%
   rename(area_name = Area_name)
head(EDU01, 5)
```

```
# A tibble: 5 x 12
                STCOU EDU010187D EDU010188D EDU010189D EDU010190D EDU010191D
  area_name
  <chr>
                            <dbl>
                                       <dbl>
                                                   <dbl>
                                                              <dbl>
                                                                          <dbl>
                <chr>>
1 UNITED STATES 00000
                         40024299
                                    39967624
                                                40317775
                                                           40737600
                                                                      41385442
2 ALABAMA
                01000
                           733735
                                      728234
                                                  730048
                                                             728252
                                                                         725541
3 Autauga, AL
                01001
                             6829
                                        6900
                                                    6920
                                                               6847
                                                                           7008
4 Baldwin, AL
                01003
                            16417
                                       16465
                                                   16799
                                                              17054
                                                                          17479
5 Barbour, AL
                             5071
                                        5098
                                                    5068
                01005
                                                               5156
                                                                           5173
# i 5 more variables: EDU010192D <dbl>, EDU010193D <dbl>, EDU010194D <dbl>,
    EDU010195D <dbl>, EDU010196D <dbl>
```

Question 2: Pivot Data

```
EDU01_long = EDU01 %>%
  pivot_longer(
    cols = ends_with("D"),
    names_to = "surveyID_full",
    values_to = "enrollment"
)
head(EDU01_long, 5)
```

Question 3: Extracting the year

```
EDUO1_long_updated = EDUO1_long %>%
  mutate(
    surveyID_year = substr(surveyID_full, 8, 9)
    ) %>%
  mutate(
    year = as.numeric(pasteO("19", surveyID_year))
) %>%
  mutate(
    surveyID = substr(surveyID_full, 1, 7)
) %>%
  select(-surveyID_year)
```

```
      1 UNITED STATES 00000 EDU010187D
      40024299
      1987 EDU0101

      2 UNITED STATES 00000 EDU010188D
      39967624
      1988 EDU0101

      3 UNITED STATES 00000 EDU010189D
      40317775
      1989 EDU0101

      4 UNITED STATES 00000 EDU010190D
      40737600
      1990 EDU0101

      5 UNITED STATES 00000 EDU010191D
      41385442
      1991 EDU0101
```

Question 4: Identifying County Data

area name

```
county_locations = grep(pattern = ", \\w\\w", EDU01_long_updated$area_name)
EDU01_long_updated_county = EDU01_long_updated[county_locations,]
class(EDU01_long_updated_county) <- c("County", class(EDU01_long_updated_county))</pre>
EDU01_long_updated_non_county = EDU01_long_updated[-county_locations, ]
class(EDU01_long_updated_non_county) <- c("State", class(EDU01_long_updated_non_county))</pre>
head(EDU01 long updated county, 10)
# A tibble: 10 x 6
   area name
               STCOU surveyID_full enrollment year surveyID
                                        <dbl> <dbl> <chr>
   <chr>
               <chr> <chr>
 1 Autauga, AL 01001 EDU010187D
                                         6829 1987 EDU0101
 2 Autauga, AL 01001 EDU010188D
                                         6900 1988 EDU0101
                                         6920 1989 EDU0101
 3 Autauga, AL 01001 EDU010189D
 4 Autauga, AL 01001 EDU010190D
                                         6847 1990 EDU0101
 5 Autauga, AL 01001 EDU010191D
                                         7008 1991 EDU0101
                                         7137 1992 EDU0101
 6 Autauga, AL 01001 EDU010192D
                                         7152 1993 EDU0101
 7 Autauga, AL 01001 EDU010193D
 8 Autauga, AL 01001 EDU010194D
                                         7381 1994 EDU0101
 9 Autauga, AL 01001 EDU010195D
                                         7568 1995 EDU0101
10 Autauga, AL 01001 EDU010196D
                                         7834 1996 EDU0101
head(EDU01_long_updated_non_county, 10)
# A tibble: 10 x 6
```

STCOU surveyID_full enrollment year surveyID

	<chr></chr>		<chr></chr>	<chr></chr>	<dbl></dbl>	<dbl></dbl>	<chr></chr>
1	UNITED	STATES	00000	EDU010187D	40024299	1987	EDU0101
2	UNITED	STATES	00000	EDU010188D	39967624	1988	EDU0101
3	UNITED	STATES	00000	EDU010189D	40317775	1989	EDU0101
4	UNITED	STATES	00000	EDU010190D	40737600	1990	EDU0101
5	UNITED	STATES	00000	EDU010191D	41385442	1991	EDU0101
6	UNITED	STATES	00000	EDU010192D	42088151	1992	EDU0101
7	UNITED	STATES	00000	EDU010193D	42724710	1993	EDU0101
8	UNITED	STATES	00000	EDU010194D	43369917	1994	EDU0101
9	UNITED	STATES	00000	EDU010195D	43993459	1995	EDU0101
10	UNITED	STATES	00000	EDU010196D	44715737	1996	EDU0101