Cloud Beauty Salon Appointment System

PROGRAM

index.html — source code reproduced with original indentation and blank lines

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Cloud Beauty Salon Appointment System</title>

<style>
:root {
  --pink: #d85d91;
  --light-pink: #fff0f6;
  --purple: #7654a6;
  --dark: #33283b;
  --muted: #807786;
  --border: #eee4ed;
  --white: #ffffff;
  --green: #18865b;
  --red: #c64252;
}

* { box-sizing: border-box; }

body {
  margin: 0;
  font-family: "Segoe UI", Arial, sans-serif;
  background: #fcf8fc;
  color: var(--dark);
}

button, input, select, textarea { font: inherit; }

button { cursor: pointer; }

.app {
  display: grid;
  grid-template-columns: 245px minmax(0, 1fr);
  min-height: 100vh;
}

.sidebar {
  background: #fff;
  border-right: 1px solid var(--border);
  padding: 25px 17px;
}

.brand {
  font-size: 21px;
  font-weight: 800;
  color: var(--pink);
  margin: 0 0 8px;
}

.brand small {
  display: block;
  font-size: 11px;
  color: var(--muted);
  font-weight: 400;
  margin-top: 5px;
}

.nav-title {
  margin: 34px 12px 12px;
  font-size: 11px;
  color: var(--muted);
```

```
  letter-spacing: 1.4px;
}

.nav {
  width: 100%;
  text-align: left;
  padding: 13px 12px;
  border: 0;
  border-radius: 10px;
  background: transparent;
  color: #6c6071;
  margin-bottom: 5px;
}

.nav.active, .nav:hover {
  background: var(--light-pink);
  color: var(--pink);
}

.sidebar-note {
  margin-top: 40px;
  padding: 15px;
  background: #fbf3ff;
  border-radius: 12px;
  color: #7654a6;
  font-size: 13px;
  line-height: 1.7;
}

.main { min-width: 0; }

.topbar {
  background: #fff;
  padding: 20px 30px;
  border-bottom: 1px solid var(--border);
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 15px;
}

.topbar h2 { margin: 0; font-size: 22px; }

.topbar p {
  color: var(--muted);
  font-size: 13px;
  margin: 5px 0 0;
}

.top-actions { display: flex; gap: 9px; flex-wrap: wrap; }

.content { padding: 27px 30px; }

.welcome {
  background: linear-gradient(120deg, #fce5f0, #f0e9ff);
  border-radius: 17px;
  padding: 27px;
  margin-bottom: 23px;
}

.welcome h1 { margin: 0 0 10px; font-size: 26px; }

.welcome p { margin: 0; color: #716277; line-height: 1.6; }

.stats {
  display: grid;
  grid-template-columns: repeat(4, minmax(0, 1fr));
  gap: 15px;
  margin-bottom: 27px;
}

.stat {
  background: #fff;
  padding: 20px;
  border: 1px solid var(--border);
  border-radius: 14px;
```

```
}

.stat-label { color: var(--muted); font-size: 12px; }

.stat-value {
  font-size: 29px;
  font-weight: 750;
  margin: 10px 0 4px;
}

.stat-desc { font-size: 12px; color: var(--muted); }

.panel {
  background: #fff;
  padding: 22px;
  border: 1px solid var(--border);
  border-radius: 14px;
  margin-bottom: 22px;
}

.panel-head {
  display: flex;
  justify-content: space-between;
  align-items: center;
  flex-wrap: wrap;
  gap: 12px;
  margin-bottom: 20px;
}

.panel-head h3 { margin: 0; font-size: 18px; }

.toolbar {
  display: flex;
  flex-wrap: wrap;
  gap: 10px;
  margin-bottom: 18px;
}

input, select, textarea {
  width: 100%;
  padding: 11px 12px;
  border: 1px solid #e4d8e5;
  border-radius: 9px;
  background: white;
  outline: none;
  color: var(--dark);
}

input:focus, select:focus, textarea:focus {
  border-color: var(--pink);
}

.toolbar input { flex: 1; min-width: 180px; }
.toolbar select { width: auto; min-width: 145px; }

.btn {
  border: 0;
  border-radius: 9px;
  padding: 11px 15px;
  font-weight: 600;
}

.btn-primary { background: var(--pink); color: white; }
.btn-primary:hover { background: #bf477a; }
.btn-light { background: var(--light-pink); color: #b94178; }
.btn-secondary { background: #f0eafa; color: #7654a6; }
.btn-danger { background: #fff0f0; color: var(--red); }
.btn-small { padding: 7px 10px; font-size: 12px; }

.table-wrap { overflow-x: auto; }

table {
  width: 100%;
  border-collapse: collapse;
  white-space: nowrap;
}
```

```
th {
  background: #fcf8fc;
  text-align: left;
  padding: 13px 12px;
  color: var(--muted);
  font-size: 12px;
  font-weight: 600;
}

td {
  padding: 14px 12px;
  border-bottom: 1px solid #f2ebf2;
  font-size: 13px;
}

.status {
  display: inline-block;
  padding: 6px 9px;
  border-radius: 20px;
  font-size: 11px;
  font-weight: 700;
}

.status.Pending { background: #fff2d9; color: #9a6913; }
.status.Confirmed { background: #e6f2ff; color: #2869a5; }
.status.Completed { background: #e3f8ed; color: #18865b; }
.status.Cancelled { background: #ffe8e8; color: #b83243; }

.actions { display: flex; gap: 6px; }

.page { display: none; }
.page.active { display: block; }

.form-grid {
  display: grid;
  grid-template-columns: repeat(2, minmax(0, 1fr));
  gap: 17px;
}

.field { display: flex; flex-direction: column; gap: 7px; }
.field label { font-size: 13px; font-weight: 650; }
.field.full { grid-column: 1 / -1; }

.form-footer {
  display: flex;
  gap: 10px;
  justify-content: flex-end;
  margin-top: 20px;
}

.service-grid {
  display: grid;
  grid-template-columns: repeat(3, minmax(0, 1fr));
  gap: 15px;
}

.service-card {
  padding: 19px;
  border: 1px solid var(--border);
  border-radius: 12px;
  background: #fffafd;
}

.service-icon { font-size: 28px; }
.service-card h4 { margin: 12px 0 7px; }
.service-card p { font-size: 12px; color: var(--muted); line-height: 1.6; }
.service-price { color: var(--pink); font-size: 19px; font-weight: 750; }

.empty {
  text-align: center;
  padding: 30px;
  color: var(--muted);
}

.notice {
  background: #f1ebff;
```

```
  color: #7654a6;
  padding: 13px;
  border-radius: 9px;
  font-size: 13px;
  line-height: 1.6;
  margin-bottom: 16px;
}

.footer {
  text-align: center;
  color: var(--muted);
  font-size: 12px;
  padding: 20px;
}

@media (max-width: 1050px) {
  .stats { grid-template-columns: repeat(2, minmax(0, 1fr)); }
  .service-grid { grid-template-columns: repeat(2, minmax(0, 1fr)); }
}

@media (max-width: 720px) {
  .app { grid-template-columns: 1fr; }
  .sidebar { border-right: 0; border-bottom: 1px solid var(--border); padding: 15px; }
  .nav-title, .sidebar-note { display: none; }
  .nav-list { display: flex; overflow-x: auto; gap: 5px; margin-top: 15px; }
  .nav { white-space: nowrap; width: auto; margin: 0; }
  .topbar { padding: 18px; align-items: flex-start; flex-direction: column; }
  .content { padding: 17px; }
  .welcome { padding: 20px; }
  .welcome h1 { font-size: 22px; }
  .stats { gap: 10px; }
  .stat { padding: 14px; }
  .stat-value { font-size: 24px; }
  .form-grid, .service-grid { grid-template-columns: 1fr; }
  .field.full { grid-column: auto; }
  .panel { padding: 15px; }
}
</style>
</head>

<body>
<div class="app">

  <aside class="sidebar">
    <div class="brand">
      ✿ Cloud Beauty
      <small>BEAUTY SALON MANAGEMENT</small>
    </div>

    <div class="nav-title">MAIN MENU</div>

    <div class="nav-list">
      <button class="nav active" data-page="dashboard">■ Dashboard</button>
      <button class="nav" data-page="appointments">■ Appointments</button>
      <button class="nav" data-page="booking">■ Book Appointment</button>
      <button class="nav" data-page="services">✿ Salon Services</button>
    </div>

    <div class="sidebar-note">
      ■ Beauty begins with self-care.
      <br><br>
      Manage your salon appointments easily with Cloud Beauty.
    </div>
  </aside>

  <main class="main">
    <header class="topbar">
      <div>
        <h2 id="pageTitle">Dashboard</h2>
        <p id="todayText"></p>
      </div>
      <div class="top-actions">
        <button class="btn btn-light" onclick="exportCSV()">↓ Export CSV</button>
        <button class="btn btn-primary" onclick="showPage('booking')">+ New Booking</button>
      </div>
    </header>
```

```
<div class="content">

  <section class="page active" id="dashboard">
    <div class="welcome">
      <h1>Welcome to Cloud Beauty ■</h1>
      <p>Your salon, your schedule, your beautiful business.<br>
      Manage customer appointments and salon services in one place.</p>
    </div>

    <div class="stats">
      <div class="stat">
        <div class="stat-label">TOTAL APPOINTMENTS</div>
        <div class="stat-value" id="totalStat">0</div>
        <div class="stat-desc">All bookings</div>
      </div>
      <div class="stat">
        <div class="stat-label">TODAY'S BOOKINGS</div>
        <div class="stat-value" id="todayStat">0</div>
        <div class="stat-desc">Scheduled for today</div>
      </div>
      <div class="stat">
        <div class="stat-label">CONFIRMED</div>
        <div class="stat-value" id="confirmedStat">0</div>
        <div class="stat-desc">Confirmed appointments</div>
      </div>
      <div class="stat">
        <div class="stat-label">COMPLETED REVENUE</div>
        <div class="stat-value" id="revenueStat">■0</div>
        <div class="stat-desc">Value of completed services</div>
      </div>
    </div>

    <div class="panel">
      <div class="panel-head">
        <h3>Recent Appointments</h3>
        <button class="btn btn-light" onclick="showPage('appointments')">View All →</button>
      </div>
      <div class="table-wrap">
        <table>
          <thead>
            <tr>
              <th>CUSTOMER</th>
              <th>SERVICE</th>
              <th>DATE</th>
              <th>TIME</th>
              <th>STATUS</th>
            </tr>
          </thead>
          <tbody id="recentTable"></tbody>
        </table>
      </div>
    </div>
  </section>

  <section class="page" id="appointments">
    <div class="panel">
      <div class="panel-head">
        <h3>Appointment Management</h3>
        <button class="btn btn-primary" onclick="showPage('booking')">+ Add Appointment</button>
      </div>

      <div class="toolbar">
        <input id="searchInput" placeholder="Search customer, phone, or service..."
               oninput="renderAppointments()">
        <select id="filterStatus" onchange="renderAppointments()">
          <option value="">All Statuses</option>
          <option>Pending</option>
          <option>Confirmed</option>
          <option>Completed</option>
          <option>Cancelled</option>
        </select>
        <input type="date" id="filterDate" aria-label="Filter by date"
               onchange="renderAppointments()" style="max-width:180px">
      </div>

      <div class="table-wrap">
```

```
      <table>
        <thead>
          <tr>
            <th>CUSTOMER</th>
            <th>PHONE</th>
            <th>SERVICE</th>
            <th>DATE</th>
            <th>TIME</th>
            <th>PRICE</th>
            <th>STATUS</th>
            <th>ACTIONS</th>
          </tr>
        </thead>
        <tbody id="appointmentsTable"></tbody>
      </table>
    </div>
  </div>
</section>

<section class="page" id="booking">
  <div class="panel">
    <div class="panel-head">
      <h3 id="formTitle">Book a Salon Appointment</h3>
    </div>

    <div class="notice">
      Enter the customer's details and choose a service to create a booking.
      Required fields are marked with *.
    </div>

    <form id="bookingForm">
      <input type="hidden" id="editId">

      <div class="form-grid">
        <div class="field">
          <label for="customer">Customer Name *</label>
          <input id="customer" required maxlength="80"
                 placeholder="Enter full name">
        </div>

        <div class="field">
          <label for="phone">Phone Number *</label>
          <input id="phone" required type="tel"
                 pattern="[0-9+() -]{7,20}" maxlength="20"
                 placeholder="Enter phone number">
        </div>

        <div class="field">
          <label for="service">Salon Service *</label>
          <select id="service" required></select>
        </div>

        <div class="field">
          <label for="staff">Preferred Stylist</label>
          <select id="staff">
            <option>Any Available Stylist</option>
            <option>Ananya</option>
            <option>Priya</option>
            <option>Sneha</option>
            <option>Meera</option>
          </select>
        </div>

        <div class="field">
          <label for="date">Appointment Date *</label>
          <input type="date" id="date" required>
        </div>

        <div class="field">
          <label for="time">Appointment Time *</label>
          <select id="time" required>
            <option value="">Select a time</option>
            <option>09:00</option>
            <option>10:00</option>
            <option>11:00</option>
            <option>12:00</option>
```

```
                <option>13:00</option>
                <option>14:00</option>
                <option>15:00</option>
                <option>16:00</option>
                <option>17:00</option>
                <option>18:00</option>
                <option>19:00</option>
              </select>
            </div>

            <div class="field full">
              <label for="notes">Additional Notes</label>
              <textarea id="notes" rows="3" maxlength="500"
                        placeholder="Any preferences or special requests..."></textarea>
            </div>
          </div>

          <div class="form-footer">
            <button type="button" class="btn btn-secondary"
                    onclick="resetForm()">Clear Form</button>
            <button type="submit" class="btn btn-primary" id="saveButton">
              Save Appointment
            </button>
          </div>
        </form>
      </div>
    </section>

    <section class="page" id="services">
      <div class="panel">
        <div class="panel-head">
          <h3>Our Salon Services</h3>
          <span style="color:#807786;font-size:13px">Service catalogue</span>
        </div>
        <div class="service-grid" id="serviceGrid"></div>
      </div>
    </section>

  </div>

  <footer class="footer">
    Cloud Beauty Salon Appointment System · Frontend Project
  </footer>
 </main>
</div>

<script>
"use strict";

// Salon service catalogue
const services = [
  { name: "Haircut & Styling", price: 500, duration: "45 minutes", icon: "■",
    description: "Professional haircuts and styling for your look." },
  { name: "Facial Treatment", price: 1000, duration: "60 minutes", icon: "■",
    description: "Relaxing facial care and skin cleansing." },
  { name: "Manicure", price: 400, duration: "30 minutes", icon: "■",
    description: "Nail shaping, grooming and polish." },
  { name: "Pedicure", price: 600, duration: "45 minutes", icon: "■",
    description: "Foot care and relaxing nail treatment." },
  { name: "Hair Coloring", price: 1500, duration: "90 minutes", icon: "■",
    description: "Hair coloring and personalized styling." },
  { name: "Bridal Makeup", price: 5000, duration: "120 minutes", icon: "■",
    description: "Special occasion and bridal makeup service." },
  { name: "Waxing", price: 700, duration: "45 minutes", icon: "■",
    description: "Personal grooming and waxing services." },
  { name: "Hair Spa", price: 1200, duration: "60 minutes", icon: "■",
    description: "Nourishing hair and scalp treatment." },
  { name: "Threading", price: 150, duration: "15 minutes", icon: "■",
    description: "Eyebrow shaping and facial threading." }
];

const STORAGE_KEY = "cloudBeautyAppointmentsV1";

function loadAppointments() {
  try {
    const data = JSON.parse(localStorage.getItem(STORAGE_KEY) || "[]");
```

```
    if (!Array.isArray(data)) return [];
    return data.filter(a =>
      a && typeof a.id === "string" &&
      typeof a.customer === "string" &&
      typeof a.phone === "string" &&
      services.some(s => s.name === a.service) &&
      ["Pending", "Confirmed", "Completed", "Cancelled"].includes(a.status)
    );
  } catch (error) {
    console.error("Unable to read saved appointments:", error);
    return [];
  }
}

let appointments = loadAppointments();

const $ = id => document.getElementById(id);

function escapeHTML(value) {
  return String(value ?? "").replace(/[&<>"']/g, char => ({
    "&": "&amp;",
    "<": "&lt;",
    ">": "&gt;",
    '"': "&quot;",
    "'": "&#39;"
  })[char]);
}

function money(amount) {
  return "■" + Number(amount).toLocaleString("en-IN");
}

function localDate(date = new Date()) {
  const year = date.getFullYear();
  const month = String(date.getMonth() + 1).padStart(2, "0");
  const day = String(date.getDate()).padStart(2, "0");
  return `${year}-${month}-${day}`;
}

function displayDate(date) {
  if (!date) return "—";
  const parts = date.split("-").map(Number);
  if (parts.length !== 3 || parts.some(n => !n)) return escapeHTML(date);
  return new Date(parts[0], parts[1] - 1, parts[2])
    .toLocaleDateString("en-IN", {
      day: "2-digit", month: "short", year: "numeric"
    });
}

function displayTime(time) {
  if (!time) return "—";
  const [hours, minutes] = time.split(":").map(Number);
  if (!Number.isFinite(hours) || !Number.isFinite(minutes)) return "—";
  const date = new Date();
  date.setHours(hours, minutes, 0, 0);
  return date.toLocaleTimeString("en-IN", {
    hour: "2-digit", minute: "2-digit", hour12: true
  });
}

function saveAppointments() {
  try {
    localStorage.setItem(STORAGE_KEY, JSON.stringify(appointments));
    return true;
  } catch (error) {
    alert("Unable to save data in this browser. Check browser storage settings.");
    return false;
  }
}

function getService(name) {
  return services.find(s => s.name === name);
}

function init() {
  $("todayText").textContent = new Date().toLocaleDateString("en-IN", {
```

```
    weekday: "long", day: "numeric", month: "long", year: "numeric"
  });

  $("date").min = localDate();
  $("date").value = localDate();

  $("service").innerHTML =
    '<option value="">Select a service</option>' +
    services.map(s =>
      `<option value="${escapeHTML(s.name)}">${escapeHTML(s.name)} — ${money(s.price)}</option>`
    ).join("");

  renderServices();
  renderAll();
}

function showPage(pageId) {
  document.querySelectorAll(".page").forEach(page => {
    page.classList.toggle("active", page.id === pageId);
  });

  document.querySelectorAll(".nav").forEach(nav => {
    nav.classList.toggle("active", nav.dataset.page === pageId);
  });

  const titles = {
    dashboard: "Dashboard",
    appointments: "Appointments",
    booking: "Book Appointment",
    services: "Salon Services"
  };

  $("pageTitle").textContent = titles[pageId] || "Dashboard";
}

document.querySelectorAll(".nav").forEach(button => {
  button.addEventListener("click", () => showPage(button.dataset.page));
});

function renderAll() {
  renderStats();
  renderAppointments();
  renderRecent();
}

function renderStats() {
  const today = localDate();
  $("totalStat").textContent = appointments.length;

  $("todayStat").textContent = appointments.filter(a =>
    a.date === today && a.status !== "Cancelled"
  ).length;

  $("confirmedStat").textContent = appointments.filter(a =>
    a.status === "Confirmed"
  ).length;

  const revenue = appointments
    .filter(a => a.status === "Completed")
    .reduce((sum, a) => sum + Number(a.price || 0), 0);

  $("revenueStat").textContent = money(revenue);
}

function renderRecent() {
  const recent = [...appointments]
    .sort((a, b) =>
      (b.createdAt || "").localeCompare(a.createdAt || "")
    )
    .slice(0, 5);

  $("recentTable").innerHTML = recent.length
    ? recent.map(a => `
      <tr>
        <td>${escapeHTML(a.customer)}</td>
        <td>${escapeHTML(a.service)}</td>
```

```
        <td>${displayDate(a.date)}</td>
        <td>${displayTime(a.time)}</td>
        <td><span class="status ${a.status}">${a.status}</span></td>
      </tr>`).join("")
    : '<tr><td colspan="5" class="empty">No appointments yet. Create your first booking.</td></tr>';
}

function renderAppointments() {
  const query = $("searchInput").value.trim().toLowerCase();
  const status = $("filterStatus").value;
  const date = $("filterDate").value;

  const filtered = [...appointments]
    .filter(a => {
      const matchesQuery = [a.customer, a.phone, a.service, a.staff]
        .some(value => String(value || "").toLowerCase().includes(query));
      return matchesQuery &&
        (!status || a.status === status) &&
        (!date || a.date === date);
    })
    .sort((a, b) =>
      (a.date + a.time).localeCompare(b.date + b.time)
    );

  $("appointmentsTable").innerHTML = filtered.length
    ? filtered.map(a => `
      <tr>
        <td>${escapeHTML(a.customer)}</td>
        <td>${escapeHTML(a.phone)}</td>
        <td>${escapeHTML(a.service)}</td>
        <td>${displayDate(a.date)}</td>
        <td>${displayTime(a.time)}</td>
        <td>${money(a.price)}</td>
        <td>
          <select aria-label="Status for ${escapeHTML(a.customer)}"
            onchange="updateStatus('${a.id}', this.value)"
            style="min-width:120px;padding:7px">
            ${["Pending", "Confirmed", "Completed", "Cancelled"].map(s =>
              `<option ${a.status === s ? "selected" : ""}>${s}</option>`
            ).join("")}
          </select>
        </td>
        <td>
          <div class="actions">
            <button class="btn btn-secondary btn-small"
              onclick="editAppointment('${a.id}')">Edit</button>
            <button class="btn btn-danger btn-small"
              onclick="deleteAppointment('${a.id}')">Delete</button>
          </div>
        </td>
      </tr>`).join("")
    : '<tr><td colspan="8" class="empty">No matching appointments found.</td></tr>';
}

function renderServices() {
  $("serviceGrid").innerHTML = services.map(s => `
    <div class="service-card">
      <div class="service-icon">${s.icon}</div>
      <h4>${escapeHTML(s.name)}</h4>
      <p>${escapeHTML(s.description)}</p>
      <p>Duration: ${escapeHTML(s.duration)}</p>
      <div class="service-price">${money(s.price)}</div>
      <button class="btn btn-light" style="margin-top:14px"
        onclick="bookService('${escapeHTML(s.name)}')">Book Service</button>
    </div>`).join("");
}

function bookService(name) {
  resetForm();
  $("service").value = name;
  showPage("booking");
}

function resetForm() {
  $("bookingForm").reset();
  $("editId").value = "";
```

```
  $("formTitle").textContent = "Book a Salon Appointment";
  $("saveButton").textContent = "Save Appointment";
  $("date").value = localDate();
  $("staff").selectedIndex = 0;
}

$("bookingForm").addEventListener("submit", function(event) {
  event.preventDefault();

  if (!$("bookingForm").reportValidity()) return;

  const id = $("editId").value;
  const customer = $("customer").value.trim();
  const phone = $("phone").value.trim();
  const service = getService($("service").value);
  const date = $("date").value;
  const time = $("time").value;

  if (!customer || !phone || !service || !date || !time) {
    alert("Please complete all required fields.");
    return;
  }

  if (date < localDate()) {
    alert("Please choose today or a future date.");
    return;
  }

  // Prevent overlapping bookings for the same stylist and time.
  const staff = $("staff").value;
  const conflict = appointments.some(a =>
    a.id !== id &&
    a.date === date &&
    a.time === time &&
    a.status !== "Cancelled" &&
    (staff === "Any Available Stylist" ||
      a.staff === "Any Available Stylist" ||
      a.staff === staff)
  );

  if (conflict) {
    alert("This stylist or time slot already has a booking. Please choose another time or stylist.");
    return;
  }

  const existing = appointments.find(a => a.id === id);

  const appointment = {
    id: id || (
      window.crypto && crypto.randomUUID
        ? crypto.randomUUID()
        : String(Date.now()) + Math.random().toString(16).slice(2)
    ),
    customer,
    phone,
    service: service.name,
    price: service.price,
    duration: service.duration,
    staff,
    date,
    time,
    notes: $("notes").value.trim(),
    status: existing ? existing.status : "Pending",
    createdAt: existing ? existing.createdAt : new Date().toISOString()
  };

  const previous = appointments.slice();

  if (existing) {
    appointments = appointments.map(a => a.id === id ? appointment : a);
  } else {
    appointments.push(appointment);
  }

  if (!saveAppointments()) {
    appointments = previous;
```

```
    return;
  }

  alert(existing ? "Appointment updated successfully!" : "Appointment booked successfully!");
  resetForm();
  renderAll();
  showPage("appointments");
});

function updateStatus(id, status) {
  const allowed = ["Pending", "Confirmed", "Completed", "Cancelled"];
  if (!allowed.includes(status)) return;

  const previous = appointments.slice();
  appointments = appointments.map(a => a.id === id ? {...a, status} : a);

  if (!saveAppointments()) {
    appointments = previous;
  }

  renderAll();
}

function editAppointment(id) {
  const a = appointments.find(item => item.id === id);
  if (!a) return;

  $("editId").value = a.id;
  $("customer").value = a.customer;
  $("phone").value = a.phone;
  $("service").value = a.service;
  $("staff").value = a.staff;
  $("date").value = a.date;
  $("time").value = a.time;
  $("notes").value = a.notes || "";

  // Permit editing an existing appointment even if its date is in the past.
  $("date").min = a.date < localDate() ? a.date : localDate();

  $("formTitle").textContent = "Edit Appointment";
  $("saveButton").textContent = "Update Appointment";
  showPage("booking");
}

function deleteAppointment(id) {
  const a = appointments.find(item => item.id === id);
  if (!a) return;

  if (!confirm("Delete the appointment for " + a.customer + "?")) return;

  const previous = appointments.slice();
  appointments = appointments.filter(item => item.id !== id);

  if (!saveAppointments()) {
    appointments = previous;
  }

  renderAll();
}

function exportCSV() {
  const headers = [
    "Customer", "Phone", "Service", "Price",
    "Stylist", "Date", "Time", "Status", "Notes"
  ];

  const rows = appointments.map(a => [
    a.customer, a.phone, a.service, a.price,
    a.staff, a.date, a.time, a.status, a.notes || ""
  ]);

  function csvCell(value) {
    let str = String(value ?? "");

    // Avoid spreadsheet formula injection from text fields.
    if (/^[\s]*[=+\-@]/.test(str)) str = "'" + str;
```


```
    return '"' + str.replace(/"/g, '""') + '"';
  }

  const csv = "\uFEFF" + [headers, ...rows]
    .map(row => row.map(csvCell).join(","))
    .join("\r\n");

  const blob = new Blob([csv], {type: "text/csv;charset=utf-8;"});
  const url = URL.createObjectURL(blob);
  const link = document.createElement("a");
  link.href = url;
  link.download = "cloud-beauty-appointments.csv";
  link.click();
  URL.revokeObjectURL(url);
}

init();
</script>
</body>
</html>
```

OUTPUT


Cloud Beauty
BEAUTY SALON MANAGEMENT
MAIN MENU
Dashboard
Appointments
Book Appointment
Salon Services
Beauty begins with self-care.
Manage your salon appointments easily with Cloud Beauty.
Dashboard
Thursday, 22 October 2026
Export CSV
New Booking
Welcome to Cloud Beauty
Your salon, your schedule, your beautiful business.
Manage customer appointments and salon services in one place.
TOTAL APPOINTMENTS
0
All bookings
TODAY'S BOOKINGS
0
Scheduled for today
CONFIRMED
0
Confirmed appointments
COMPLETED REVENUE
₹0
Value of completed services
Recent Appointments
View All →
CUSTOMER
SERVICE
DATE
TIME
STATUS
No appointments yet. Create your first booking.
Cloud Beauty
BEAUTY SALON MANAGEMENT
MAIN MENU
Dashboard
Appointments
Book Appointment
Salon Services
Beauty begins with self-care.
Manage your salon appointments easily with Cloud Beauty.
Appointments
Thursday, 22 October 2026
Export CSV
New Booking
Appointment Management
Add Appointment
Search customer, phone, or service...
All Statuses
mm/dd/yyyy
CUSTOMER
PHONE
SERVICE
DATE
TIME
PRICE
STATUS
ACTIONS
No matching appointments found.
Cloud Beauty Salon Appointment System - Frontend Project