Exploring Regular Expression Usage and Context in Python

Carl Chapman, Kathryn T. Stolee*

Iowa State University, North Carolina State University carlallenchapman@gmail.com, ktstolee@ncsu.edu

19 July, 2016

• Regexes are everywhere! (we think...)

- Regexes are everywhere! (we think...)
- Everyone writes regexes! (we think...)

- Regexes are everywhere! (we think...)
- Everyone writes regexes! (we think...)
- Regexes are hard to read/write! (again, we think...)

• So, we wanted to write a tool to support regex creation.

- So, we wanted to write a tool to support regex creation.
- But...

- So, we wanted to write a tool to support regex creation.
- But...

Regex feature usage references are missing!

- So, we wanted to write a tool to support regex creation.
- But...

Regex feature usage references are missing!

and...

- So, we wanted to write a tool to support regex creation.
- But...

Regex feature usage references are missing!

and...

We don't know how/when/why developers use regexes!

Research goals

Explore regex

- Context (developer survey)
- Peatures (repository analysis)
- Use cases (similarity analysis)


```
• (ab*c|yz*)$

✓ abbbbbbbbc

✓ y

✓ abcy
```

• (ab*c|yz*)



Part 1

RQ1

In what contexts do professional developers use regular expressions?

Survey context

- 18 professional developers
- 9 years average development experience
- Small mobile payment management company
- 30 questions in a Google form

How frequently do developers use regexes?

- 50% at least once per week
- Regexes are most frequently composed within command line and text editor tools
- 2 developers write more than 50 regexes annually in general programming languages (e.g., Java)
- Database queries using regexes were rare

Common regex activities

How often do you use regexes for...

Activity	Frequency
Locating content within a file or files	4.4
Capturing parts of strings	4.3
Parsing user input	4.0

Key: 6 = very frequently, 5 = frequently, 4 = occasionally, 3 = rarely, 2 = very rarely, 1 = never

Testing regular expressions

Developers test regular expressions <u>less often</u> than other code.

Testing regular expressions

Developers test regular expressions less often than other code.



50% say they use testing tools like www.regex101.com



Pain points

hard to compose (11 = 61%)

...very difficult to write them since I've never read up on them.

...trickiness to getting the expression right

Pain points

hard to compose (11=61%)

...very difficult to write them since I've never read up on them.

...trickiness to getting the expression right

hard to read (7 = 39%)

long ones can be hard to read

Readability. Edge cases.

It is terrible to read (especially later after initial development)

Pain points

hard to compose (11=61%)

...very difficult to write them since I've never read up on them.

...trickiness to getting the expression right

hard to read (7 = 39%)

long ones can be hard to read

Readability. Edge cases.

It is terrible to read (especially later after initial development)

inconsistency across implementations (3 = 17%)

Differences in implementation across languages

Some regexes work differently (or don't work) in some languages.

Notable Observations

- Regexes are composed fairly frequently by developers
- Testing regexes is less common than testing other code
- Developers find regexes hard to read and write

Notable Observations

- Regexes are composed fairly frequently by developers
- Testing regexes is less common than testing other code
- Developers find regexes hard to read and write

but....

Notable Observations

- Regexes are composed fairly frequently by developers
- Testing regexes is less common than testing other code
- Developers find regexes hard to read and write

but....


How do developers really use regexes?

Part 2

RQ3

Which regular expression language features are most commonly used in Python?

Project selection with the GitHub API



3,898 total Python projects found (out of 42,000 inspected IDs)



Out of 3,898 pseudo-randomly selected Python projects, 1,645 (42%) contained one or more regex utilization.

In Python: Utilizations of the re module

```
function pattern flags
r1 = re.compile("(0|-?[1-9][0-9]*)$", re.MULTILINE)
```

```
function which function of the re module is called?

pattern string used to specify regex behavior

flags modifies the regex engine
```

Filtering utilizations and patterns

53,894 unique utilizations observed.

12.7% use behavioral flags

6.5% were non-static patterns

43,525 utilizations remain



Filtering utilizations and patterns

53,894 unique utilizations observed.

12.7% use behavioral flags

6.5% were non-static patterns

43,525 utilizations remain

13,711 distinct normalized patterns

114 had various errors

Filtering utilizations and patterns

- **53,894** unique utilizations observed.
- 12.7% use behavioral flags
- 6.5% were non-static patterns
- 43,525 utilizations remain
- **13,711** distinct normalized patterns
- 114 had various errors
- 13,597 usable patterns from 1,645 projects remain for analysis

PCRE parsing patterns



Feature statistics - Top 8

Rank	Code	Example	% Projects	% Patterns
1	ADD	z+	73.2	44.1
2	CG	(caught)	72.6	52.4
3	KLE	.*	66.8	44.3
4	CCC	[aeiou]	62.4	32.9
5	ANY	•	61.1	34.3
6	RNG	[a-z]	51.6	19.3
7	STR	^	51.4	26.2
8	END	\$	50.3	23.3

Regex research tools

 Remember that we wanted to write a tool to support regex creation?

Regex research tools

- Remember that we wanted to write a tool to support regex creation?
- But regex feature usage references were missing (not anymore!).

Regex research tools

- Remember that we wanted to write a tool to support regex creation?
- But regex feature usage references were missing (not anymore!).
- So,

Regex research tools

- Remember that we wanted to write a tool to support regex creation?
- But regex feature usage references were missing (not anymore!).
- So,

How well do past and present regex research tools meet the needs of developers? (Hampi, Rex, RE2, brics)

Which features are supported by analysis tools?

Rank	Code	Example	Brics	Hampi	Rex	RE2
1	ADD	z+	•	•	•	•
2	CG	(caught)	•	•	•	•
3	KLE	.*	•	•	•	•
4	CCC	[aeiou]	•	•	•	•
5	ANY		•	•	•	•
6	RNG	[a-z]	•	•	•	•
7	STR	^	•	•	•	•
8	END	\$	•	•	•	•
9	NCCC	[^qwxf]	•	•	•	•
10	WSP	\s	•	•	•	•
11	OR	alb	•	•	•	•
12	DEC	\d	•	•	•	•
13	WRD	\w	•	•	•	•
14	QST	z?	•	•	•	•
15	LZY	z+?	•	•	•	•
16	NCG	a(?:b)c	•	•	•	•
17	PNG	(?P <name></name>	×x)	•	•	•

Rank	Code	Example	Brics	Hampi	Rex	RE2
18	SNG	z{8}	•	•	•	•
19	NWSP	\S	•	•	•	•
20	DBB	z{3,8}	•	•	•	•
21	NLKA	a(?!yz)	•	•	•	•
22	WNW	\b	•	•	•	•
23	NWRD	\W	•	•	•	•
24	LWB	z{15,}	•	•	•	•
25	LKA	a(?=bc)	•	•	•	•
26	OPT	(?i)CasE	•	•	•	•
27	NLKB	(? x)yz</td <td>•</td> <td>•</td> <td>•</td> <td>•</td>	•	•	•	•
28	LKB	(?<=a)bc	•	•	•	•
29	ENDZ	\Z	•	•	•	•
30	BKR	\1	•	•	•	•
31	NDEC	\D	•	•	•	•
32	BKRN	\g <name></name>	•	•	•	•
33	VWSP	\v	•	•	•	•
34	NWNW	' \B	•	•	•	•

Survey vs. Repository

How often do you use....

Group	Code	Survey	Repo Rank
endpoint anchors	(STR, END)	4.4	7, 8
capture groups	(CG)	4.2	2
word boundaries	(WNW)	3.5	22
lazy repetition	(LZY)	2.9	15

Key: 6 = very frequently, 5 = frequently, 4 = occasionally, 3 = rarely, 2 = very rarely, 1 = never

- Regexes are common, but not everywhere (42% of projects, 32 utilizations per project)
- Current regex research tools cover the most common features

- Regexes are common, but not everywhere (42% of projects, 32 utilizations per project)
- Current regex research tools cover the most common features

but....

- Regexes are common, but not everywhere (42% of projects, 32 utilizations per project)
- Current regex research tools cover the most common features

but....

What are the regexes doing?

Part 3

RQ4

How behaviorally similar are regexes across projects?

thorough inspection of 53K utilizations

- thorough inspection of 53K utilizations
- cluster by syntactic similarity like Jaccard or longest substring

- thorough inspection of 53K utilizations
- cluster by syntactic similarity like Jaccard or longest substring
- formal analytical subsumption, no sufficient tools at the moment

- thorough inspection of 53K utilizations
- cluster by syntactic similarity like Jaccard or longest substring
- formal analytical subsumption, no sufficient tools at the moment
- Chosen technique: cluster by behavioral similarity using Rex

- A (ab*c|yz*)\$
 - abbbbbbbc
 - y
 - abcy
 - pac
 - abcyzzz

- B (ab*c|yz*)
 - y
 - abc
 - abcy
 - abcccc
 - yxw

- A (ab*c|yz*)\$
 - abbbbbbbc
 - y
 - abcy
 - pac
 - abcyzzz

A matches 3/5 = 60% of B's strings

B (ab*c|yz*)

- y
- abc
- abcy
- abcccc
- yxw

- A (ab*c|yz*)\$
 - abbbbbbbc
 - y
 - abcy
 - pac
 - abcyzzz

A matches 3/5 = 60% of B's strings

B (ab*c|yz*)

- y
- abc
- abcy
- abcccc
- yxw

B matches 5/5 = 100% of A's strings

A (ab*c|yz*)\$

- abbbbbbbc
- y
- abcy
- pac
- abcyzzz

A matches 3/5 = 60% of B's strings


B (ab*c|yz*)

- y
- abc
- abcy
- abcccc
- yxw

B matches 5/5 = 100% of A's strings

A and B are 80% similar

Similarity Matrix \rightarrow MCL



Rex generates
400 strings for each regex.
Average scores to
half-matrix for MCL

Scope

- 3,582 (26%) of patterns appeared in multiple projects
- 711 unsupported by Rex

Scope

- 3,582 (26%) of patterns appeared in multiple projects
- 711 unsupported by Rex
- 2,871 patterns analyzed from 722 (44%) of the projects

Clustering Results

From 2,871 distinct regexes:

- \rightarrow 186 clusters with size \geq 2
- \rightarrow 2,042 unclustered regexes



Clustering Results

Example Cluster

Index	Pattern	NProjects	Index	Pattern	NProjects
1	\s*([^:]*)\s*:(.*)	9	7	[:]	6
2	:+	8	8	([^:]+):(.*)	6
3	(:)	8	9	\s*:\s*	4
4	(:+)	8	10	\:	2
5	(:)(:*)	8	11	^([^:]*):[^:]*\$	2
6	^([^:]*): *(.*)	8	12	^[^:]*:([^:]*)\$	2

From 2,871 distinct regexes:

- ightarrow 186 clusters with size \geq 2
- ightarrow 2,042 unclustered regexes



Six Categories Of Clusters

Clusters	Patterns	Projects	% Projects
21	237	295	40%
17	103	184	25%
20	85	141	19%
16	40	120	16%
10	46	111	15%
15	27	92	13%
	21 17 20 16 10	21 237 17 103 20 85 16 40 10 46	21 237 295 17 103 184 20 85 141 16 40 120 10 46 111

Multi Matches (\s), ,|; Specific Char :+, }, %

Anchored Patterns

 $^{-}[-A-Za-z0-9]+$ \$

Two Or More Chars @[a-z]+

Content of Parens <(.+)>,

<[^>]*?>

Code Search .*rlen=([0-9]+)

- Finding a specific character is quite common, 25% of projects (in contrast with survey)
- Regexes are often used to parse source code!

- Finding a specific character is quite common, 25% of projects (in contrast with survey)
- Regexes are often used to parse source code!

but....

- Finding a specific character is quite common, 25% of projects (in contrast with survey)
- Regexes are often used to parse source code!

but....

- Similarity metric is approximate
- Metric is perhaps too sensitive to differences in literals

Refactoring Regular Expressions

Regexes are hard to read. Could refactoring help?

Refactoring Regular Expressions

Regexes are hard to read. Could refactoring help?

Migration Support for Developers

Supported regex features are different among languages.

Refactoring Regular Expressions

Regexes are hard to read. Could refactoring help?

Migration Support for Developers

Supported regex features are different among languages.

Better Similarity Metrics

Our similarity metrics are empirical, can we do it analytically?

Refactoring Regular Expressions

Regexes are hard to read. Could refactoring help?

Migration Support for Developers

Supported regex features are different among languages.

Better Similarity Metrics

Our similarity metrics are empirical, can we do it analytically?

Identifying Best Practices?

Could impact regex education and improve comprehension.



 \bullet Regexes are (sort of) everywhere! (42% of Python projects studied, but more frequently in text editors and IDEs)

- Regexes are (sort of) everywhere! (42% of Python projects studied, but more frequently in text editors and IDEs)
- Everyone writes regexes! (50% of deves write them weekly)

- Regexes are (sort of) everywhere! (42% of Python projects studied, but more frequently in text editors and IDEs)
- Everyone writes regexes! (50% of deves write them weekly)
- Regexes are hard to read/write! (this is a pain point)

- Regexes are (sort of) everywhere! (42% of Python projects studied, but more frequently in text editors and IDEs)
- Everyone writes regexes! (50% of deves write them weekly)
- Regexes are hard to read/write! (this is a pain point)

also...

- Current tools support most of the most common features
- Regexes are often used for code search
- Many opportunities for future work!

Questions?

Katie Stolee – ktstolee@ncsu.edu

Questions?

Katie Stolee – ktstolee@ncsu.edu

(psst! Graduate students! I'm hiring!)