Industrial Knowledge Graph Dataset

Export File: 1,000 Temporary Industrial Maintenance & Equipment Telemetry Records | **Generated:** 2026-10-06 04:05 UTC

Total Records: 1,000 **Equipment Assets:** 300 Unique Units **Plant Locations:** 7 Facilities **Data Status:** Verified Active

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0001	MOT-101	Equipment	WARNING	T:56.9°C | V:10.59mm/s	**Plant Alpha** Marcus Vance	**Impeller Cavitation** — Motor MOT-101 at Plant Alpha - Section 1. Temp: 56.9°C, Vib: 10.59 mm/s, Press: 33.1 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0002	MOT-102	Sensor	OPERATIONAL	T:46.6°C | V:3.5mm/s	**Facility East** Sarah Jenkins	**None Detected** — Motor MOT-102 at Facility East - Storage. Temp: 46.6°C, Vib: 3.5 mm/s, Press: 25.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0003	PUM-103	Component	SCHEDULED_INSPECTION	T:67.4°C | V:6.65mm/s	**Facility East** Elena Rostova	**None Detected** — Pump PUM-103 at Facility East - Storage. Temp: 67.4°C, Vib: 6.65 mm/s, Press: 14.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Elena Rostova.
REC-0004	VAL-104	Fault	CRITICAL	T:59.9°C | V:3.45mm/s	**Refinery Substation A** Sarah Jenkins	**High Temperature Overheating** — Valve VAL-104 at Refinery Substation A. Temp: 59.9°C, Vib: 3.45 mm/s, Press: 37.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0005	MOT-105	Maintenance	CRITICAL	T:90.3°C | V:8.77mm/s	**Facility West** Alice Johnson	**Lubrication Breakdown** — Motor MOT-105 at Facility West - Powerhouse. Temp: 90.3°C, Vib: 8.77 mm/s, Press: 39.1 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0006	TRA-106	Location	OPERATIONAL	T:74.5°C | V:11.86mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Transformer TRA-106 at Plant Alpha - Section 1. Temp: 74.5°C, Vib: 11.86 mm/s, Press: 30.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0007	HEA-107	Person	OPERATIONAL	T:47.5°C | V:3.62mm/s	**Facility East** Elena Rostova	**None Detected** — Heat Exchanger HEA-107 at Facility East - Storage. Temp: 47.5°C, Vib: 3.62 mm/s, Press: 15.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0008	MOT-108	Process	OPERATIONAL	T:65.3°C | V:6.71mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Motor MOT-108 at Refinery Substation B. Temp: 65.3°C, Vib: 6.71 mm/s, Press: 40.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0009	VAL-109	SparePart	WARNING	T:80.9°C | V:10.11mm/s	**Plant Beta** David Kalu	**High Temperature Overheating** — Valve VAL-109 at Plant Beta - Processing Unit. Temp: 80.9°C, Vib: 10.11 mm/s, Press: 33.4 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0010	BOI-110	SafetyInstruction	SCHEDULED_INSPECTION	T:84.0°C | V:2.74mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Boiler BOI-110 at Refinery Substation A. Temp: 84.0°C, Vib: 2.74 mm/s, Press: 19.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Robert Chen.
REC-0011	HEA-111	Equipment	WARNING	T:89.0°C | V:11.53mm/s	**Refinery Substation B** John Smith	**High Temperature Overheating** — Heat Exchanger HEA-111 at Refinery Substation B. Temp: 89.0°C, Vib: 11.53 mm/s, Press: 20.5 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0012	COM-112	Sensor	WARNING	T:80.1°C | V:5.92mm/s	**Facility East** David Kalu	**Lubrication Breakdown** — Compressor COM-112 at Facility East - Storage. Temp: 80.1°C, Vib: 5.92 mm/s, Press: 44.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0013	VAL-113	Component	WARNING	T:84.9°C | V:7.88mm/s	**Plant Beta** Robert Chen	**Electrical Phase Imbalance** — Valve VAL-113 at Plant Beta - Processing Unit. Temp: 84.9°C, Vib: 7.88 mm/s, Press: 36.4 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0014	BOI-114	Fault	WARNING	T:98.4°C | V:2.4mm/s	**Facility West** David Kalu	**Excessive Vibration** — Boiler BOI-114 at Facility West - Powerhouse. Temp: 98.4°C, Vib: 2.4 mm/s, Press: 24.7 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0015	MOT-115	Maintenance	UNDER_REPAIR	T:76.9°C | V:5.77mm/s	**Plant Alpha** Robert Chen	**Lubrication Breakdown** — Motor MOT-115 at Plant Alpha - Section 2. Temp: 76.9°C, Vib: 5.77 mm/s, Press: 29.4 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0016	TRA-116	Location	OPERATIONAL	T:81.5°C | V:7.86mm/s	**Refinery Substation B** John Smith	**None Detected** — Transformer TRA-116 at Refinery Substation B. Temp: 81.5°C, Vib: 7.86 mm/s, Press: 14.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0017	HEA-117	Person	UNDER_REPAIR	T:53.5°C | V:0.54mm/s	**Plant Alpha** Marcus Vance	**Coupling Misalignment** — Heat Exchanger HEA-117 at Plant Alpha - Section 1. Temp: 53.5°C, Vib: 0.54 mm/s, Press: 35.2 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0018	TRA-118	Process	SCHEDULED_INSPECTION	T:77.6°C | V:2.59mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Transformer TRA-118 at Plant Alpha - Section 1. Temp: 77.6°C, Vib: 2.59 mm/s, Press: 37.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0019	BOI-119	SparePart	OPERATIONAL	T:51.0°C | V:5.47mm/s	**Plant Beta** Vikram Patel	**None Detected** — Boiler BOI-119 at Plant Beta - Processing Unit. Temp: 51.0°C, Vib: 5.47 mm/s, Press: 47.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0020	TUR-120	SafetyInstruction	**WARNING**	T:92.0°C | V:13.47mm/s	**Plant Alpha** John Smith	**Lubrication Breakdown** — Turbine TUR-120 at Plant Alpha - Section 2. Temp: 92.0°C, Vib: 13.47 mm/s, Press: 5.9 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0021	MOT-121	Equipment	**WARNING**	T:80.3°C | V:13.47mm/s	**Refinery Substation B** Robert Chen	**Impeller Cavitation** — Motor MOT-121 at Refinery Substation B. Temp: 80.3°C, Vib: 13.47 mm/s, Press: 9.6 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0022	BOI-122	Sensor	**SCHEDULED_INSPECTION**	T:85.4°C | V:9.95mm/s	**Facility West** Elena Rostova	**None Detected** — Boiler BOI-122 at Facility West - Powerhouse. Temp: 85.4°C, Vib: 9.95 mm/s, Press: 34.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0023	HEA-123	Component	**OPERATIONAL**	T:58.3°C | V:1.38mm/s	**Facility West** Vikram Patel	**None Detected** — Heat Exchanger HEA-123 at Facility West - Powerhouse. Temp: 58.3°C, Vib: 1.38 mm/s, Press: 3.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0024	TRA-124	Fault	**OPERATIONAL**	T:48.8°C | V:9.15mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Transformer TRA-124 at Plant Alpha - Section 2. Temp: 48.8°C, Vib: 9.15 mm/s, Press: 12.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0025	PUM-125	Maintenance	**OPERATIONAL**	T:72.5°C | V:4.32mm/s	**Refinery Substation B** David Kalu	**None Detected** — Pump PUM-125 at Refinery Substation B. Temp: 72.5°C, Vib: 4.32 mm/s, Press: 24.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0026	TRA-126	Location	**WARNING**	T:87.0°C | V:11.56mm/s	**Plant Alpha** Vikram Patel	**High Temperature Overheating** — Transformer TRA-126 at Plant Alpha - Section 2. Temp: 87.0°C, Vib: 11.56 mm/s, Press: 10.8 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0027	CON-127	Person	**UNDER_REPAIR**	T:70.0°C | V:10.49mm/s	**Plant Beta** Sarah Jenkins	**High Temperature Overheating** — Conveyor CON-127 at Plant Beta - Processing Unit. Temp: 70.0°C, Vib: 10.49 mm/s, Press: 33.0 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Sarah Jenkins.
REC-0028	CON-128	Process	**OPERATIONAL**	T:58.3°C | V:3.11mm/s	**Refinery Substation A** David Kalu	**None Detected** — Conveyor CON-128 at Refinery Substation A. Temp: 58.3°C, Vib: 3.11 mm/s, Press: 22.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0029	CON-129	SparePart	**UNDER_REPAIR**	T:58.4°C | V:13.15mm/s	**Plant Alpha** Marcus Vance	**Impeller Cavitation** — Conveyor CON-129 at Plant Alpha - Section 2. Temp: 58.4°C, Vib: 13.15 mm/s, Press: 22.4 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0030	PUM-130	SafetyInstruction	OPERATIONAL	T:94.6°C | V:12.13mm/s	**Refinery Substation A** John Smith	**None Detected** — Pump PUM-130 at Refinery Substation A. Temp: 94.6°C, Vib: 12.13 mm/s, Press: 9.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0031	GEN-131	Equipment	UNDER_REPAIR	T:93.3°C | V:2.76mm/s	**Facility West** Elena Rostova	**Electrical Phase Imbalance** — Generator GEN-131 at Facility West - Powerhouse. Temp: 93.3°C, Vib: 2.76 mm/s, Press: 2.1 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0032	GEN-132	Sensor	SCHEDULED_INSPECTION	T:80.4°C | V:7.17mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Generator GEN-132 at Plant Beta - Processing Unit. Temp: 80.4°C, Vib: 7.17 mm/s, Press: 10.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0033	PUM-133	Component	CRITICAL	T:48.1°C | V:8.5mm/s	**Facility East** John Smith	**Impeller Cavitation** — Pump PUM-133 at Facility East - Storage. Temp: 48.1°C, Vib: 8.5 mm/s, Press: 25.1 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0034	VAL-134	Fault	WARNING	T:48.7°C | V:1.43mm/s	**Plant Alpha** Alice Johnson	**Electrical Phase Imbalance** — Valve VAL-134 at Plant Alpha - Section 1. Temp: 48.7°C, Vib: 1.43 mm/s, Press: 41.6 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0035	MOT-135	Maintenance	SCHEDULED_INSPECTION	T:76.8°C | V:8.99mm/s	**Facility East** Elena Rostova	**None Detected** — Motor MOT-135 at Facility East - Storage. Temp: 76.8°C, Vib: 8.99 mm/s, Press: 21.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0036	TUR-136	Location	WARNING	T:59.2°C | V:2.29mm/s	**Plant Alpha** David Kalu	**Lubrication Breakdown** — Turbine TUR-136 at Plant Alpha - Section 2. Temp: 59.2°C, Vib: 2.29 mm/s, Press: 31.7 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0037	HEA-137	Person	OPERATIONAL	T:69.5°C | V:14.18mm/s	**Refinery Substation B** Alice Johnson	**None Detected** — Heat Exchanger HEA-137 at Refinery Substation B. Temp: 69.5°C, Vib: 14.18 mm/s, Press: 47.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0038	MOT-138	Process	SCHEDULED_INSPECTION	T:59.2°C | V:13.29mm/s	**Facility East** Elena Rostova	**None Detected** — Motor MOT-138 at Facility East - Storage. Temp: 59.2°C, Vib: 13.29 mm/s, Press: 42.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0039	HEA-139	SparePart	UNDER_REPAIR	T:89.6°C | V:10.14mm/s	**Plant Beta** Robert Chen	**Impeller Cavitation** — Heat Exchanger HEA-139 at Plant Beta - Processing Unit. Temp: 89.6°C, Vib: 10.14 mm/s, Press: 30.1 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0040	TRA-140	SafetyInstruction	WARNING	T:59.1°C | V:12.69mm/s	**Plant Beta** Alice Johnson	**Pressure Drop Anomaly** — Transformer TRA-140 at Plant Beta - Processing Unit. Temp: 59.1°C, Vib: 12.69 mm/s, Press: 36.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0041	TUR-141	Equipment	CRITICAL	T:55.9°C | V:9.19mm/s	**Plant Beta** Elena Rostova	**Lubrication Breakdown** — Turbine TUR-141 at Plant Beta - Processing Unit. Temp: 55.9°C, Vib: 9.19 mm/s, Press: 14.1 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0042	TUR-142	Sensor	OPERATIONAL	T:78.9°C | V:11.86mm/s	**Refinery Substation B** John Smith	**None Detected** — Turbine TUR-142 at Refinery Substation B. Temp: 78.9°C, Vib: 11.86 mm/s, Press: 4.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0043	HEA-143	Component	CRITICAL	T:53.6°C | V:6.55mm/s	**Refinery Substation B** Robert Chen	**Impeller Cavitation** — Heat Exchanger HEA-143 at Refinery Substation B. Temp: 53.6°C, Vib: 6.55 mm/s, Press: 34.5 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0044	PUM-144	Fault	WARNING	T:74.2°C | V:11.93mm/s	**Plant Alpha** Alice Johnson	**Pressure Drop Anomaly** — Pump PUM-144 at Plant Alpha - Section 1. Temp: 74.2°C, Vib: 11.93 mm/s, Press: 28.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0045	CON-145	Maintenance	CRITICAL	T:64.5°C | V:13.28mm/s	**Plant Alpha** John Smith	**Excessive Vibration** — Conveyor CON-145 at Plant Alpha - Section 2. Temp: 64.5°C, Vib: 13.28 mm/s, Press: 46.7 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0046	HEA-146	Location	OPERATIONAL	T:63.9°C | V:8.17mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Heat Exchanger HEA-146 at Plant Alpha - Section 2. Temp: 63.9°C, Vib: 8.17 mm/s, Press: 42.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0047	BOI-147	Person	WARNING	T:91.3°C | V:13.87mm/s	**Refinery Substation A** Robert Chen	**Electrical Phase Imbalance** — Boiler BOI-147 at Refinery Substation A. Temp: 91.3°C, Vib: 13.87 mm/s, Press: 39.3 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0048	PUM-148	Process	UNDER_REPAIR	T:87.9°C | V:12.34mm/s	**Plant Alpha** David Kalu	**Coupling Misalignment** — Pump PUM-148 at Plant Alpha - Section 2. Temp: 87.9°C, Vib: 12.34 mm/s, Press: 39.3 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0049	MOT-149	SparePart	UNDER_REPAIR	T:56.9°C | V:11.69mm/s	**Facility West** John Smith	**Coupling Misalignment** — Motor MOT-149 at Facility West - Powerhouse. Temp: 56.9°C, Vib: 11.69 mm/s, Press: 23.2 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0050	COM-150	SafetyInstruction	UNDER_REPAIR	T:62.6°C | V:12.34mm/s	**Plant Alpha** Elena Rostova	**Coupling Misalignment** — Compressor COM-150 at Plant Alpha - Section 1. Temp: 62.6°C, Vib: 12.34 mm/s, Press: 46.5 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0051	TRA-151	Equipment	OPERATIONAL	T:51.2°C | V:13.79mm/s	**Facility West** David Kalu	**None Detected** — Transformer TRA-151 at Facility West - Powerhouse. Temp: 51.2°C, Vib: 13.79 mm/s, Press: 10.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0052	TUR-152	Sensor	SCHEDULED_INSPECTION	T:68.2°C | V:10.48mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Turbine TUR-152 at Plant Alpha - Section 1. Temp: 68.2°C, Vib: 10.48 mm/s, Press: 16.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Alice Johnson.
REC-0053	CON-153	Component	CRITICAL	T:47.4°C | V:6.47mm/s	**Facility East** Elena Rostova	**Impeller Cavitation** — Conveyor CON-153 at Facility East - Storage. Temp: 47.4°C, Vib: 6.47 mm/s, Press: 25.9 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0054	COM-154	Fault	OPERATIONAL	T:95.8°C | V:13.11mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Compressor COM-154 at Plant Beta - Processing Unit. Temp: 95.8°C, Vib: 13.11 mm/s, Press: 30.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0055	MOT-155	Maintenance	SCHEDULED_INSPECTION	T:61.5°C | V:6.09mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Motor MOT-155 at Refinery Substation A. Temp: 61.5°C, Vib: 6.09 mm/s, Press: 20.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Marcus Vance.
REC-0056	TRA-156	Location	UNDER_REPAIR	T:80.6°C | V:5.69mm/s	**Plant Alpha** Elena Rostova	**Pressure Drop Anomaly** — Transformer TRA-156 at Plant Alpha - Section 2. Temp: 80.6°C, Vib: 5.69 mm/s, Press: 36.4 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0057	CON-157	Person	CRITICAL	T:60.3°C | V:6.39mm/s	**Facility East** John Smith	**Mechanical Seal Leakage** — Conveyor CON-157 at Facility East - Storage. Temp: 60.3°C, Vib: 6.39 mm/s, Press: 28.7 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0058	GEN-158	Process	WARNING	T:72.3°C | V:11.37mm/s	**Facility West** Vikram Patel	**Pressure Drop Anomaly** — Generator GEN-158 at Facility West - Powerhouse. Temp: 72.3°C, Vib: 11.37 mm/s, Press: 46.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0059	MOT-159	SparePart	OPERATIONAL	T:88.8°C | V:10.79mm/s	**Plant Beta** David Kalu	**None Detected** — Motor MOT-159 at Plant Beta - Processing Unit. Temp: 88.8°C, Vib: 10.79 mm/s, Press: 32.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0060	COM-160	SafetyInstruction	WARNING	T:46.3°C | V:3.85mm/s	**Refinery Substation B** Elena Rostova	**High Temperature Overheating** — Compressor COM-160 at Refinery Substation B. Temp: 46.3°C, Vib: 3.85 mm/s, Press: 23.9 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0061	GEN-161	Equipment	UNDER_REPAIR	T:71.4°C | V:3.84mm/s	**Facility West** Elena Rostova	**Excessive Vibration** — Generator GEN-161 at Facility West - Powerhouse. Temp: 71.4°C, Vib: 3.84 mm/s, Press: 32.2 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Elena Rostova.
REC-0062	CON-162	Sensor	SCHEDULED_INSPECTION	T:69.9°C | V:8.14mm/s	**Plant Alpha** Robert Chen	**None Detected** — Conveyor CON-162 at Plant Alpha - Section 2. Temp: 69.9°C, Vib: 8.14 mm/s, Press: 44.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0063	GEN-163	Component	SCHEDULED_INSPECTION	T:97.9°C | V:8.66mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Generator GEN-163 at Plant Alpha - Section 2. Temp: 97.9°C, Vib: 8.66 mm/s, Press: 45.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0064	BOI-164	Fault	SCHEDULED_INSPECTION	T:68.9°C | V:2.68mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Boiler BOI-164 at Refinery Substation B. Temp: 68.9°C, Vib: 2.68 mm/s, Press: 41.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0065	TUR-165	Maintenance	CRITICAL	T:86.0°C | V:7.64mm/s	**Refinery Substation B** Elena Rostova	**Coupling Misalignment** — Turbine TUR-165 at Refinery Substation B. Temp: 86.0°C, Vib: 7.64 mm/s, Press: 30.8 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0066	GEN-166	Location	WARNING	T:59.5°C | V:4.88mm/s	**Plant Alpha** Marcus Vance	**Pressure Drop Anomaly** — Generator GEN-166 at Plant Alpha - Section 1. Temp: 59.5°C, Vib: 4.88 mm/s, Press: 26.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0067	VAL-167	Person	WARNING	T:82.8°C | V:1.38mm/s	**Plant Alpha** Sarah Jenkins	**Impeller Cavitation** — Valve VAL-167 at Plant Alpha - Section 2. Temp: 82.8°C, Vib: 1.38 mm/s, Press: 20.7 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0068	GEN-168	Process	WARNING	T:89.6°C | V:5.84mm/s	**Facility West** John Smith	**Excessive Vibration** — Generator GEN-168 at Facility West - Powerhouse. Temp: 89.6°C, Vib: 5.84 mm/s, Press: 37.4 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0069	BOI-169	SparePart	OPERATIONAL	T:95.4°C | V:4.59mm/s	**Facility West** Vikram Patel	**None Detected** — Boiler BOI-169 at Facility West - Powerhouse. Temp: 95.4°C, Vib: 4.59 mm/s, Press: 19.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0070	CON-170	SafetyInstruction	UNDER_REPAIR	T:56.7°C | V:6.47mm/s	**Facility East** Elena Rostova	**Mechanical Seal Leakage** — Conveyor CON-170 at Facility East - Storage. Temp: 56.7°C, Vib: 6.47 mm/s, Press: 3.3 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0071	VAL-171	Equipment	WARNING	T:97.5°C | V:7.82mm/s	**Refinery Substation B** Vikram Patel	**Filter Clogging** — Valve VAL-171 at Refinery Substation B. Temp: 97.5°C, Vib: 7.82 mm/s, Press: 43.7 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0072	BOI-172	Sensor	OPERATIONAL	T:79.4°C | V:2.36mm/s	**Refinery Substation A** John Smith	**None Detected** — Boiler BOI-172 at Refinery Substation A. Temp: 79.4°C, Vib: 2.36 mm/s, Press: 23.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0073	PUM-173	Component	CRITICAL	T:56.3°C | V:4.98mm/s	**Plant Beta** Sarah Jenkins	**Electrical Phase Imbalance** — Pump PUM-173 at Plant Beta - Processing Unit. Temp: 56.3°C, Vib: 4.98 mm/s, Press: 37.0 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0074	TUR-174	Fault	CRITICAL	T:89.7°C | V:6.94mm/s	**Refinery Substation B** Sarah Jenkins	**Excessive Vibration** — Turbine TUR-174 at Refinery Substation B. Temp: 89.7°C, Vib: 6.94 mm/s, Press: 36.5 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0075	HEA-175	Maintenance	OPERATIONAL	T:85.4°C | V:13.51mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Heat Exchanger HEA-175 at Plant Alpha - Section 2. Temp: 85.4°C, Vib: 13.51 mm/s, Press: 11.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0076	PUM-176	Location	WARNING	T:51.8°C | V:9.67mm/s	**Facility East** Robert Chen	**Bearing Degradation** — Pump PUM-176 at Facility East - Storage. Temp: 51.8°C, Vib: 9.67 mm/s, Press: 27.9 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0077	GEN-177	Person	CRITICAL	T:54.0°C | V:8.82mm/s	**Refinery Substation A** Marcus Vance	**High Temperature Overheating** — Generator GEN-177 at Refinery Substation A. Temp: 54.0°C, Vib: 8.82 mm/s, Press: 36.4 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0078	VAL-178	Process	SCHEDULED_INSPECTION	T:46.4°C | V:4.77mm/s	**Plant Beta** Alice Johnson	**None Detected** — Valve VAL-178 at Plant Beta - Processing Unit. Temp: 46.4°C, Vib: 4.77 mm/s, Press: 33.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Alice Johnson.
REC-0079	CON-179	SparePart	OPERATIONAL	T:76.7°C | V:11.88mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Conveyor CON-179 at Refinery Substation A. Temp: 76.7°C, Vib: 11.88 mm/s, Press: 13.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0080	TUR-180	SafetyInstruction	SCHEDULED_INSPECTION	T:86.9°C | V:5.26mm/s	**Refinery Substation B** Alice Johnson	**None Detected** — Turbine TUR-180 at Refinery Substation B. Temp: 86.9°C, Vib: 5.26 mm/s, Press: 21.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0081	MOT-181	Equipment	OPERATIONAL	T:90.5°C | V:11.77mm/s	**Facility East** David Kalu	**None Detected** — Motor MOT-181 at Facility East - Storage. Temp: 90.5°C, Vib: 11.77 mm/s, Press: 6.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0082	HEA-182	Sensor	WARNING	T:68.3°C | V:10.55mm/s	**Refinery Substation A** Vikram Patel	**Coupling Misalignment** — Heat Exchanger HEA-182 at Refinery Substation A. Temp: 68.3°C, Vib: 10.55 mm/s, Press: 46.4 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0083	BOI-183	Component	UNDER_REPAIR	T:68.3°C | V:10.52mm/s	**Refinery Substation B** Vikram Patel	**Bearing Degradation** — Boiler BOI-183 at Refinery Substation B. Temp: 68.3°C, Vib: 10.52 mm/s, Press: 14.3 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0084	TUR-184	Fault	UNDER_REPAIR	T:75.5°C | V:9.65mm/s	**Facility West** Elena Rostova	**Lubrication Breakdown** — Turbine TUR-184 at Facility West - Powerhouse. Temp: 75.5°C, Vib: 9.65 mm/s, Press: 17.5 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0085	VAL-185	Maintenance	CRITICAL	T:87.7°C | V:5.16mm/s	**Facility West** Elena Rostova	**Coupling Misalignment** — Valve VAL-185 at Facility West - Powerhouse. Temp: 87.7°C, Vib: 5.16 mm/s, Press: 42.5 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0086	TRA-186	Location	OPERATIONAL	T:57.9°C | V:6.07mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Transformer TRA-186 at Plant Alpha - Section 1. Temp: 57.9°C, Vib: 6.07 mm/s, Press: 27.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0087	COM-187	Person	UNDER_REPAIR	T:69.0°C | V:0.74mm/s	**Refinery Substation A** Vikram Patel	**Electrical Phase Imbalance** — Compressor COM-187 at Refinery Substation A. Temp: 69.0°C, Vib: 0.74 mm/s, Press: 15.5 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.
REC-0088	TUR-188	Process	UNDER_REPAIR	T:74.6°C | V:5.21mm/s	**Refinery Substation A** David Kalu	**Impeller Cavitation** — Turbine TUR-188 at Refinery Substation A. Temp: 74.6°C, Vib: 5.21 mm/s, Press: 47.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0089	HEA-189	SparePart	CRITICAL	T:61.4°C | V:3.66mm/s	**Refinery Substation A** Vikram Patel	**Mechanical Seal Leakage** — Heat Exchanger HEA-189 at Refinery Substation A. Temp: 61.4°C, Vib: 3.66 mm/s, Press: 35.2 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0090	MOT-190	SafetyInstruction	WARNING	T:56.6°C | V:7.13mm/s	**Refinery Substation A** Robert Chen	**Impeller Cavitation** — Motor MOT-190 at Refinery Substation A. Temp: 56.6°C, Vib: 7.13 mm/s, Press: 35.3 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0091	BOI-191	Equipment	WARNING	T:60.8°C | V:5.44mm/s	**Plant Beta** Alice Johnson	**Impeller Cavitation** — Boiler BOI-191 at Plant Beta - Processing Unit. Temp: 60.8°C, Vib: 5.44 mm/s, Press: 15.9 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0092	VAL-192	Sensor	OPERATIONAL	T:74.6°C | V:10.05mm/s	**Plant Beta** John Smith	**None Detected** — Valve VAL-192 at Plant Beta - Processing Unit. Temp: 74.6°C, Vib: 10.05 mm/s, Press: 7.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0093	GEN-193	Component	SCHEDULED_INSPECTION	T:60.2°C | V:7.06mm/s	**Plant Alpha** John Smith	**None Detected** — Generator GEN-193 at Plant Alpha - Section 1. Temp: 60.2°C, Vib: 7.06 mm/s, Press: 17.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0094	TUR-194	Fault	OPERATIONAL	T:89.0°C | V:5.99mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Turbine TUR-194 at Refinery Substation B. Temp: 89.0°C, Vib: 5.99 mm/s, Press: 5.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0095	PUM-195	Maintenance	SCHEDULED_INSPECTION	T:95.8°C | V:1.67mm/s	**Plant Alpha** Robert Chen	**None Detected** — Pump PUM-195 at Plant Alpha - Section 2. Temp: 95.8°C, Vib: 1.67 mm/s, Press: 13.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0096	BOI-196	Location	SCHEDULED_INSPECTION	T:65.4°C | V:12.95mm/s	**Facility East** Elena Rostova	**None Detected** — Boiler BOI-196 at Facility East - Storage. Temp: 65.4°C, Vib: 12.95 mm/s, Press: 15.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0097	TUR-197	Person	SCHEDULED_INSPECTION	T:96.4°C | V:1.86mm/s	**Facility East** John Smith	**None Detected** — Turbine TUR-197 at Facility East - Storage. Temp: 96.4°C, Vib: 1.86 mm/s, Press: 37.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0098	TUR-198	Process	WARNING	T:57.8°C | V:8.06mm/s	**Refinery Substation A** Alice Johnson	**Electrical Phase Imbalance** — Turbine TUR-198 at Refinery Substation A. Temp: 57.8°C, Vib: 8.06 mm/s, Press: 9.2 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0099	GEN-199	SparePart	CRITICAL	T:46.7°C | V:4.45mm/s	**Refinery Substation A** Vikram Patel	**Lubrication Breakdown** — Generator GEN-199 at Refinery Substation A. Temp: 46.7°C, Vib: 4.45 mm/s, Press: 15.0 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0100	MOT-200	SafetyInstruction	CRITICAL	T:87.1°C | V:9.06mm/s	**Refinery Substation A** Elena Rostova	**Bearing Degradation** — Motor MOT-200 at Refinery Substation A. Temp: 87.1°C, Vib: 9.06 mm/s, Press: 32.4 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0101	CON-201	Equipment	WARNING	T:93.6°C | V:11.82mm/s	**Plant Alpha** Elena Rostova	**Pressure Drop Anomaly** — Conveyor CON-201 at Plant Alpha - Section 1. Temp: 93.6°C, Vib: 11.82 mm/s, Press: 5.3 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0102	TUR-202	Sensor	UNDER_REPAIR	T:51.7°C | V:9.93mm/s	**Facility East** Marcus Vance	**Coupling Misalignment** — Turbine TUR-202 at Facility East - Storage. Temp: 51.7°C, Vib: 9.93 mm/s, Press: 34.2 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0103	GEN-203	Component	UNDER_REPAIR	T:84.3°C | V:8.77mm/s	**Plant Alpha** John Smith	**Bearing Degradation** — Generator GEN-203 at Plant Alpha - Section 1. Temp: 84.3°C, Vib: 8.77 mm/s, Press: 3.2 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0104	TUR-204	Fault	WARNING	T:70.2°C | V:9.43mm/s	**Facility East** John Smith	**Pressure Drop Anomaly** — Turbine TUR-204 at Facility East - Storage. Temp: 70.2°C, Vib: 9.43 mm/s, Press: 44.1 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0105	BOI-205	Maintenance	OPERATIONAL	T:70.1°C | V:6.09mm/s	**Facility West** Vikram Patel	**None Detected** — Boiler BOI-205 at Facility West - Powerhouse. Temp: 70.1°C, Vib: 6.09 mm/s, Press: 16.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0106	MOT-206	Location	CRITICAL	T:67.0°C | V:7.29mm/s	**Refinery Substation B** Robert Chen	**Electrical Phase Imbalance** — Motor MOT-206 at Refinery Substation B. Temp: 67.0°C, Vib: 7.29 mm/s, Press: 32.5 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0107	TRA-207	Person	OPERATIONAL	T:61.8°C | V:4.93mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Transformer TRA-207 at Plant Alpha - Section 1. Temp: 61.8°C, Vib: 4.93 mm/s, Press: 46.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0108	CON-208	Process	SCHEDULED_INSPECTION	T:69.7°C | V:1.24mm/s	**Refinery Substation B** John Smith	**None Detected** — Conveyor CON-208 at Refinery Substation B. Temp: 69.7°C, Vib: 1.24 mm/s, Press: 25.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: John Smith.
REC-0109	GEN-209	SparePart	WARNING	T:59.3°C | V:2.29mm/s	**Refinery Substation B** John Smith	**Lubrication Breakdown** — Generator GEN-209 at Refinery Substation B. Temp: 59.3°C, Vib: 2.29 mm/s, Press: 15.2 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0110	MOT-210	SafetyInstruction	WARNING	T:61.6°C | V:0.69mm/s	**Plant Alpha** Elena Rostova	**Bearing Degradation** — Motor MOT-210 at Plant Alpha - Section 1. Temp: 61.6°C, Vib: 0.69 mm/s, Press: 20.8 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0111	MOT-211	Equipment	WARNING	T:71.7°C | V:10.32mm/s	**Facility West** Alice Johnson	**Coupling Misalignment** — Motor MOT-211 at Facility West - Powerhouse. Temp: 71.7°C, Vib: 10.32 mm/s, Press: 25.4 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0112	CON-212	Sensor	UNDER_REPAIR	T:58.0°C | V:8.05mm/s	**Refinery Substation B** Vikram Patel	**Filter Clogging** — Conveyor CON-212 at Refinery Substation B. Temp: 58.0°C, Vib: 8.05 mm/s, Press: 19.6 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0113	MOT-213	Component	CRITICAL	T:95.0°C | V:7.46mm/s	**Plant Beta** Sarah Jenkins	**Coupling Misalignment** — Motor MOT-213 at Plant Beta - Processing Unit. Temp: 95.0°C, Vib: 7.46 mm/s, Press: 39.7 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0114	TUR-214	Fault	WARNING	T:68.9°C | V:7.14mm/s	**Refinery Substation B** Vikram Patel	**Impeller Cavitation** — Turbine TUR-214 at Refinery Substation B. Temp: 68.9°C, Vib: 7.14 mm/s, Press: 17.3 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0115	CON-215	Maintenance	WARNING	T:97.5°C | V:3.77mm/s	**Facility West** David Kalu	**Electrical Phase Imbalance** — Conveyor CON-215 at Facility West - Powerhouse. Temp: 97.5°C, Vib: 3.77 mm/s, Press: 19.6 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0116	PUM-216	Location	UNDER_REPAIR	T:65.7°C | V:9.59mm/s	**Plant Beta** Vikram Patel	**Pressure Drop Anomaly** — Pump PUM-216 at Plant Beta - Processing Unit. Temp: 65.7°C, Vib: 9.59 mm/s, Press: 39.8 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0117	PUM-217	Person	OPERATIONAL	T:91.8°C | V:6.53mm/s	**Plant Alpha** David Kalu	**None Detected** — Pump PUM-217 at Plant Alpha - Section 2. Temp: 91.8°C, Vib: 6.53 mm/s, Press: 26.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0118	GEN-218	Process	UNDER_REPAIR	T:91.6°C | V:13.79mm/s	**Plant Alpha** Robert Chen	**Coupling Misalignment** — Generator GEN-218 at Plant Alpha - Section 1. Temp: 91.6°C, Vib: 13.79 mm/s, Press: 5.4 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0119	BOI-219	SparePart	OPERATIONAL	T:90.6°C | V:12.18mm/s	**Refinery Substation A** Sarah Jenkins	**None Detected** — Boiler BOI-219 at Refinery Substation A. Temp: 90.6°C, Vib: 12.18 mm/s, Press: 41.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0120	CON-220	SafetyInstruction	SCHEDULED_INSPECTION	T:46.9°C | V:1.44mm/s	**Plant Beta** Vikram Patel	**None Detected** — Conveyor CON-220 at Plant Beta - Processing Unit. Temp: 46.9°C, Vib: 1.44 mm/s, Press: 31.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0121	COM-221	Equipment	UNDER_REPAIR	T:97.3°C | V:10.92mm/s	**Refinery Substation A** Alice Johnson	**High Temperature Overheating** — Compressor COM-221 at Refinery Substation A. Temp: 97.3°C, Vib: 10.92 mm/s, Press: 34.4 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0122	VAL-222	Sensor	OPERATIONAL	T:47.5°C | V:11.41mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-222 at Refinery Substation A. Temp: 47.5°C, Vib: 11.41 mm/s, Press: 15.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0123	HEA-223	Component	WARNING	T:73.4°C | V:8.25mm/s	**Facility West** Robert Chen	**Pressure Drop Anomaly** — Heat Exchanger HEA-223 at Facility West - Powerhouse. Temp: 73.4°C, Vib: 8.25 mm/s, Press: 38.5 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0124	VAL-224	Fault	SCHEDULED_INSPECTION	T:81.5°C | V:7.32mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Valve VAL-224 at Plant Alpha - Section 1. Temp: 81.5°C, Vib: 7.32 mm/s, Press: 28.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0125	GEN-225	Maintenance	UNDER_REPAIR	T:58.7°C | V:0.63mm/s	**Refinery Substation A** Marcus Vance	**Coupling Misalignment** — Generator GEN-225 at Refinery Substation A. Temp: 58.7°C, Vib: 0.63 mm/s, Press: 39.0 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0126	MOT-226	Location	SCHEDULED_INSPECTION	T:61.0°C | V:13.68mm/s	**Facility West** David Kalu	**None Detected** — Motor MOT-226 at Facility West - Powerhouse. Temp: 61.0°C, Vib: 13.68 mm/s, Press: 33.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0127	TUR-227	Person	UNDER_REPAIR	T:50.7°C | V:5.72mm/s	**Plant Alpha** Sarah Jenkins	**Coupling Misalignment** — Turbine TUR-227 at Plant Alpha - Section 2. Temp: 50.7°C, Vib: 5.72 mm/s, Press: 18.5 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Sarah Jenkins.
REC-0128	PUM-228	Process	CRITICAL	T:45.4°C | V:12.35mm/s	**Refinery Substation B** Sarah Jenkins	**Excessive Vibration** — Pump PUM-228 at Refinery Substation B. Temp: 45.4°C, Vib: 12.35 mm/s, Press: 37.8 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0129	BOI-229	SparePart	CRITICAL	T:86.5°C | V:3.65mm/s	**Refinery Substation A** Vikram Patel	**Bearing Degradation** — Boiler BOI-229 at Refinery Substation A. Temp: 86.5°C, Vib: 3.65 mm/s, Press: 38.9 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0130	COM-230	SafetyInstruction	WARNING	T:78.6°C | V:12.88mm/s	**Facility East** Marcus Vance	**Coupling Misalignment** — Compressor COM-230 at Facility East - Storage. Temp: 78.6°C, Vib: 12.88 mm/s, Press: 31.7 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0131	GEN-231	Equipment	WARNING	T:49.8°C | V:4.54mm/s	**Plant Alpha** David Kalu	**Pressure Drop Anomaly** — Generator GEN-231 at Plant Alpha - Section 1. Temp: 49.8°C, Vib: 4.54 mm/s, Press: 36.4 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0132	COM-232	Sensor	SCHEDULED_INSPECTION	T:71.8°C | V:4.23mm/s	**Plant Alpha** David Kalu	**None Detected** — Compressor COM-232 at Plant Alpha - Section 2. Temp: 71.8°C, Vib: 4.23 mm/s, Press: 9.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0133	TUR-233	Component	OPERATIONAL	T:70.1°C | V:1.53mm/s	**Refinery Substation A** David Kalu	**None Detected** — Turbine TUR-233 at Refinery Substation A. Temp: 70.1°C, Vib: 1.53 mm/s, Press: 36.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0134	COM-234	Fault	SCHEDULED_INSPECTION	T:64.6°C | V:11.33mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Compressor COM-234 at Refinery Substation B. Temp: 64.6°C, Vib: 11.33 mm/s, Press: 2.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0135	GEN-235	Maintenance	SCHEDULED_INSPECTION	T:65.4°C | V:9.25mm/s	**Plant Beta** Marcus Vance	**None Detected** — Generator GEN-235 at Plant Beta - Processing Unit. Temp: 65.4°C, Vib: 9.25 mm/s, Press: 19.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0136	GEN-236	Location	SCHEDULED_INSPECTION	T:56.8°C | V:1.37mm/s	**Plant Alpha** David Kalu	**None Detected** — Generator GEN-236 at Plant Alpha - Section 1. Temp: 56.8°C, Vib: 1.37 mm/s, Press: 39.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0137	CON-237	Person	OPERATIONAL	T:95.6°C | V:4.67mm/s	**Plant Alpha** Robert Chen	**None Detected** — Conveyor CON-237 at Plant Alpha - Section 1. Temp: 95.6°C, Vib: 4.67 mm/s, Press: 24.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0138	MOT-238	Process	UNDER_REPAIR	T:69.3°C | V:9.69mm/s	**Plant Alpha** Robert Chen	**Impeller Cavitation** — Motor MOT-238 at Plant Alpha - Section 2. Temp: 69.3°C, Vib: 9.69 mm/s, Press: 36.2 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0139	BOI-239	SparePart	UNDER_REPAIR	T:80.0°C | V:11.92mm/s	**Refinery Substation A** Robert Chen	**Coupling Misalignment** — Boiler BOI-239 at Refinery Substation A. Temp: 80.0°C, Vib: 11.92 mm/s, Press: 30.3 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0140	HEA-240	SafetyInstruction	UNDER_REPAIR	T:95.9°C | V:12.22mm/s	**Plant Alpha** Vikram Patel	**Mechanical Seal Leakage** — Heat Exchanger HEA-240 at Plant Alpha - Section 2. Temp: 95.9°C, Vib: 12.22 mm/s, Press: 6.6 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0141	PUM-241	Equipment	WARNING	T:96.8°C | V:13.5mm/s	**Facility West** Marcus Vance	**High Temperature Overheating** — Pump PUM-241 at Facility West - Powerhouse. Temp: 96.8°C, Vib: 13.5 mm/s, Press: 39.9 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0142	COM-242	Sensor	OPERATIONAL	T:87.1°C | V:3.84mm/s	**Refinery Substation A** John Smith	**None Detected** — Compressor COM-242 at Refinery Substation A. Temp: 87.1°C, Vib: 3.84 mm/s, Press: 7.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0143	BOI-243	Component	SCHEDULED_INSPECTION	T:56.1°C | V:3.46mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Boiler BOI-243 at Plant Alpha - Section 2. Temp: 56.1°C, Vib: 3.46 mm/s, Press: 42.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Alice Johnson.
REC-0144	VAL-244	Fault	CRITICAL	T:90.9°C | V:2.48mm/s	**Refinery Substation B** John Smith	**Coupling Misalignment** — Valve VAL-244 at Refinery Substation B. Temp: 90.9°C, Vib: 2.48 mm/s, Press: 8.0 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0145	VAL-245	Maintenance	WARNING	T:45.8°C | V:11.32mm/s	**Plant Alpha** John Smith	**Mechanical Seal Leakage** — Valve VAL-245 at Plant Alpha - Section 1. Temp: 45.8°C, Vib: 11.32 mm/s, Press: 12.9 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0146	PUM-246	Location	OPERATIONAL	T:51.8°C | V:6.27mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Pump PUM-246 at Plant Alpha - Section 2. Temp: 51.8°C, Vib: 6.27 mm/s, Press: 7.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0147	MOT-247	Person	CRITICAL	T:72.5°C | V:1.99mm/s	**Facility West** Vikram Patel	**Filter Clogging** — Motor MOT-247 at Facility West - Powerhouse. Temp: 72.5°C, Vib: 1.99 mm/s, Press: 25.2 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0148	PUM-248	Process	UNDER_REPAIR	T:79.4°C | V:0.93mm/s	**Refinery Substation A** Marcus Vance	**Electrical Phase Imbalance** — Pump PUM-248 at Refinery Substation A. Temp: 79.4°C, Vib: 0.93 mm/s, Press: 47.9 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0149	MOT-249	SparePart	OPERATIONAL	T:93.1°C | V:4.91mm/s	**Facility West** Vikram Patel	**None Detected** — Motor MOT-249 at Facility West - Powerhouse. Temp: 93.1°C, Vib: 4.91 mm/s, Press: 8.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0150	VAL-250	SafetyInstruction	UNDER_REPAIR	T:98.2°C | V:7.77mm/s	**Plant Beta** David Kalu	**Filter Clogging** — Valve VAL-250 at Plant Beta - Processing Unit. Temp: 98.2°C, Vib: 7.77 mm/s, Press: 22.9 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0151	MOT-251	Equipment	SCHEDULED_INSPECTION	T:83.6°C | V:3.45mm/s	**Refinery Substation B** Alice Johnson	**None Detected** — Motor MOT-251 at Refinery Substation B. Temp: 83.6°C, Vib: 3.45 mm/s, Press: 22.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Alice Johnson.
REC-0152	CON-252	Sensor	UNDER_REPAIR	T:67.3°C | V:1.8mm/s	**Plant Beta** Vikram Patel	**Coupling Misalignment** — Conveyor CON-252 at Plant Beta - Processing Unit. Temp: 67.3°C, Vib: 1.8 mm/s, Press: 21.6 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0153	VAL-253	Component	OPERATIONAL	T:49.9°C | V:1.67mm/s	**Refinery Substation A** Vikram Patel	**None Detected** — Valve VAL-253 at Refinery Substation A. Temp: 49.9°C, Vib: 1.67 mm/s, Press: 21.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0154	HEA-254	Fault	SCHEDULED_INSPECTION	T:48.2°C | V:13.61mm/s	**Refinery Substation B** Robert Chen	**None Detected** — Heat Exchanger HEA-254 at Refinery Substation B. Temp: 48.2°C, Vib: 13.61 mm/s, Press: 27.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0155	CON-255	Maintenance	OPERATIONAL	T:96.8°C | V:8.73mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Conveyor CON-255 at Plant Beta - Processing Unit. Temp: 96.8°C, Vib: 8.73 mm/s, Press: 18.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0156	BOI-256	Location	WARNING	T:80.1°C | V:3.57mm/s	**Facility East** Elena Rostova	**Impeller Cavitation** — Boiler BOI-256 at Facility East - Storage. Temp: 80.1°C, Vib: 3.57 mm/s, Press: 7.0 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0157	HEA-257	Person	SCHEDULED_INSPECTION	T:57.1°C | V:6.38mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Heat Exchanger HEA-257 at Plant Alpha - Section 1. Temp: 57.1°C, Vib: 6.38 mm/s, Press: 27.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0158	BOI-258	Process	OPERATIONAL	T:54.7°C | V:10.13mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Boiler BOI-258 at Refinery Substation A. Temp: 54.7°C, Vib: 10.13 mm/s, Press: 16.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0159	HEA-259	SparePart	WARNING	T:91.5°C | V:8.26mm/s	**Plant Beta** John Smith	**Pressure Drop Anomaly** — Heat Exchanger HEA-259 at Plant Beta - Processing Unit. Temp: 91.5°C, Vib: 8.26 mm/s, Press: 20.4 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0160	PUM-260	SafetyInstruction	UNDER_REPAIR	T:67.5°C | V:5.17mm/s	**Plant Alpha** Elena Rostova	**Mechanical Seal Leakage** — Pump PUM-260 at Plant Alpha - Section 1. Temp: 67.5°C, Vib: 5.17 mm/s, Press: 19.0 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0161	PUM-261	Equipment	SCHEDULED_INSPECTION	T:47.7°C | V:1.62mm/s	**Plant Alpha** Robert Chen	**None Detected** — Pump PUM-261 at Plant Alpha - Section 2. Temp: 47.7°C, Vib: 1.62 mm/s, Press: 22.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0162	GEN-262	Sensor	UNDER_REPAIR	T:59.6°C | V:10.84mm/s	**Facility East** Vikram Patel	**Electrical Phase Imbalance** — Generator GEN-262 at Facility East - Storage. Temp: 59.6°C, Vib: 10.84 mm/s, Press: 7.2 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0163	TUR-263	Component	SCHEDULED_INSPECTION	T:80.7°C | V:1.12mm/s	**Refinery Substation A** Vikram Patel	**None Detected** — Turbine TUR-263 at Refinery Substation A. Temp: 80.7°C, Vib: 1.12 mm/s, Press: 20.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Vikram Patel.
REC-0164	PUM-264	Fault	WARNING	T:86.1°C | V:10.97mm/s	**Plant Alpha** Marcus Vance	**High Temperature Overheating** — Pump PUM-264 at Plant Alpha - Section 2. Temp: 86.1°C, Vib: 10.97 mm/s, Press: 15.3 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0165	PUM-265	Maintenance	WARNING	T:51.9°C | V:7.8mm/s	**Facility West** Sarah Jenkins	**Impeller Cavitation** — Pump PUM-265 at Facility West - Powerhouse. Temp: 51.9°C, Vib: 7.8 mm/s, Press: 12.6 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0166	HEA-266	Location	OPERATIONAL	T:68.3°C | V:6.8mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-266 at Plant Alpha - Section 1. Temp: 68.3°C, Vib: 6.8 mm/s, Press: 5.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0167	HEA-267	Person	SCHEDULED_INSPECTION	T:66.6°C | V:9.27mm/s	**Facility East** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-267 at Facility East - Storage. Temp: 66.6°C, Vib: 9.27 mm/s, Press: 15.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Sarah Jenkins.
REC-0168	PUM-268	Process	SCHEDULED_INSPECTION	T:69.6°C | V:9.95mm/s	**Plant Beta** Robert Chen	**None Detected** — Pump PUM-268 at Plant Beta - Processing Unit. Temp: 69.6°C, Vib: 9.95 mm/s, Press: 18.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0169	MOT-269	SparePart	SCHEDULED_INSPECTION	T:66.4°C | V:1.58mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Motor MOT-269 at Plant Alpha - Section 2. Temp: 66.4°C, Vib: 1.58 mm/s, Press: 42.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Sarah Jenkins.
REC-0170	COM-270	SafetyInstruction	OPERATIONAL	T:72.3°C | V:2.06mm/s	**Plant Beta** Robert Chen	**None Detected** — Compressor COM-270 at Plant Beta - Processing Unit. Temp: 72.3°C, Vib: 2.06 mm/s, Press: 25.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0171	HEA-271	Equipment	**WARNING**	T:50.5°C | V:4.01mm/s	**Plant Beta** Robert Chen	**Pressure Drop Anomaly** — Heat Exchanger HEA-271 at Plant Beta - Processing Unit. Temp: 50.5°C, Vib: 4.01 mm/s, Press: 10.0 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0172	MOT-272	Sensor	**UNDER_REPAIR**	T:85.4°C | V:10.91mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Motor MOT-272 at Plant Alpha - Section 2. Temp: 85.4°C, Vib: 10.91 mm/s, Press: 22.6 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0173	HEA-273	Component	**OPERATIONAL**	T:70.1°C | V:9.15mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Heat Exchanger HEA-273 at Plant Alpha - Section 2. Temp: 70.1°C, Vib: 9.15 mm/s, Press: 38.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0174	BOI-274	Fault	**SCHEDULED_INSPECTION**	T:49.0°C | V:6.83mm/s	**Plant Alpha** David Kalu	**None Detected** — Boiler BOI-274 at Plant Alpha - Section 1. Temp: 49.0°C, Vib: 6.83 mm/s, Press: 3.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0175	TUR-275	Maintenance	**SCHEDULED_INSPECTION**	T:76.8°C | V:5.77mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Turbine TUR-275 at Plant Alpha - Section 1. Temp: 76.8°C, Vib: 5.77 mm/s, Press: 28.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0176	GEN-276	Location	**CRITICAL**	T:77.4°C | V:7.37mm/s	**Refinery Substation B** Elena Rostova	**Lubrication Breakdown** — Generator GEN-276 at Refinery Substation B. Temp: 77.4°C, Vib: 7.37 mm/s, Press: 46.1 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0177	MOT-277	Person	**OPERATIONAL**	T:72.0°C | V:2.86mm/s	**Refinery Substation B** David Kalu	**None Detected** — Motor MOT-277 at Refinery Substation B. Temp: 72.0°C, Vib: 2.86 mm/s, Press: 13.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0178	GEN-278	Process	**CRITICAL**	T:64.9°C | V:4.38mm/s	**Facility West** Robert Chen	**Mechanical Seal Leakage** — Generator GEN-278 at Facility West - Powerhouse. Temp: 64.9°C, Vib: 4.38 mm/s, Press: 20.8 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0179	BOI-279	SparePart	**OPERATIONAL**	T:62.6°C | V:8.14mm/s	**Plant Alpha** David Kalu	**None Detected** — Boiler BOI-279 at Plant Alpha - Section 1. Temp: 62.6°C, Vib: 8.14 mm/s, Press: 19.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0180	TUR-280	SafetyInstruction	**CRITICAL**	T:49.4°C | V:9.59mm/s	**Refinery Substation A** Robert Chen	**Coupling Misalignment** — Turbine TUR-280 at Refinery Substation A. Temp: 49.4°C, Vib: 9.59 mm/s, Press: 44.2 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0181	CON-281	Equipment	CRITICAL	T:74.9°C | V:9.32mm/s	**Plant Alpha** Alice Johnson	**Pressure Drop Anomaly** — Conveyor CON-281 at Plant Alpha - Section 2. Temp: 74.9°C, Vib: 9.32 mm/s, Press: 17.1 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0182	TRA-282	Sensor	SCHEDULED_INSPECTION	T:64.4°C | V:5.47mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Transformer TRA-282 at Plant Alpha - Section 1. Temp: 64.4°C, Vib: 5.47 mm/s, Press: 10.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0183	HEA-283	Component	WARNING	T:57.1°C | V:2.38mm/s	**Refinery Substation B** Vikram Patel	**High Temperature Overheating** — Heat Exchanger HEA-283 at Refinery Substation B. Temp: 57.1°C, Vib: 2.38 mm/s, Press: 5.5 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0184	TRA-284	Fault	CRITICAL	T:91.9°C | V:8.97mm/s	**Refinery Substation B** John Smith	**Pressure Drop Anomaly** — Transformer TRA-284 at Refinery Substation B. Temp: 91.9°C, Vib: 8.97 mm/s, Press: 29.5 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0185	VAL-285	Maintenance	UNDER_REPAIR	T:47.3°C | V:5.49mm/s	**Plant Alpha** Robert Chen	**Lubrication Breakdown** — Valve VAL-285 at Plant Alpha - Section 2. Temp: 47.3°C, Vib: 5.49 mm/s, Press: 35.1 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0186	GEN-286	Location	CRITICAL	T:96.7°C | V:11.25mm/s	**Plant Alpha** Elena Rostova	**Bearing Degradation** — Generator GEN-286 at Plant Alpha - Section 2. Temp: 96.7°C, Vib: 11.25 mm/s, Press: 43.6 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0187	HEA-287	Person	UNDER_REPAIR	T:86.2°C | V:11.16mm/s	**Refinery Substation A** Vikram Patel	**Electrical Phase Imbalance** — Heat Exchanger HEA-287 at Refinery Substation A. Temp: 86.2°C, Vib: 11.16 mm/s, Press: 25.1 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0188	COM-288	Process	CRITICAL	T:47.8°C | V:7.08mm/s	**Refinery Substation B** Robert Chen	**High Temperature Overheating** — Compressor COM-288 at Refinery Substation B. Temp: 47.8°C, Vib: 7.08 mm/s, Press: 19.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0189	TRA-289	SparePart	CRITICAL	T:49.5°C | V:2.7mm/s	**Refinery Substation B** Alice Johnson	**Impeller Cavitation** — Transformer TRA-289 at Refinery Substation B. Temp: 49.5°C, Vib: 2.7 mm/s, Press: 22.7 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0190	VAL-290	SafetyInstruction	OPERATIONAL	T:95.6°C | V:3.54mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Valve VAL-290 at Refinery Substation B. Temp: 95.6°C, Vib: 3.54 mm/s, Press: 22.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0191	HEA-291	Equipment	OPERATIONAL	T:66.2°C | V:5.62mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-291 at Plant Alpha - Section 1. Temp: 66.2°C, Vib: 5.62 mm/s, Press: 19.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0192	MOT-292	Sensor	OPERATIONAL	T:62.0°C | V:1.86mm/s	**Plant Beta** Elena Rostova	**None Detected** — Motor MOT-292 at Plant Beta - Processing Unit. Temp: 62.0°C, Vib: 1.86 mm/s, Press: 34.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0193	HEA-293	Component	WARNING	T:47.0°C | V:13.07mm/s	**Refinery Substation B** Robert Chen	**Pressure Drop Anomaly** — Heat Exchanger HEA-293 at Refinery Substation B. Temp: 47.0°C, Vib: 13.07 mm/s, Press: 23.7 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0194	GEN-294	Fault	OPERATIONAL	T:46.0°C | V:3.45mm/s	**Facility West** John Smith	**None Detected** — Generator GEN-294 at Facility West - Powerhouse. Temp: 46.0°C, Vib: 3.45 mm/s, Press: 8.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0195	BOI-295	Maintenance	OPERATIONAL	T:86.5°C | V:3.76mm/s	**Facility East** Sarah Jenkins	**None Detected** — Boiler BOI-295 at Facility East - Storage. Temp: 86.5°C, Vib: 3.76 mm/s, Press: 7.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0196	COM-296	Location	OPERATIONAL	T:50.9°C | V:12.9mm/s	**Facility West** Vikram Patel	**None Detected** — Compressor COM-296 at Facility West - Powerhouse. Temp: 50.9°C, Vib: 12.9 mm/s, Press: 29.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0197	PUM-297	Person	WARNING	T:60.6°C | V:0.52mm/s	**Refinery Substation A** Elena Rostova	**Filter Clogging** — Pump PUM-297 at Refinery Substation A. Temp: 60.6°C, Vib: 0.52 mm/s, Press: 18.2 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0198	CON-298	Process	SCHEDULED_INSPECTION	T:97.1°C | V:1.43mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Conveyor CON-298 at Plant Alpha - Section 2. Temp: 97.1°C, Vib: 1.43 mm/s, Press: 26.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0199	CON-299	SparePart	OPERATIONAL	T:79.0°C | V:13.94mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Conveyor CON-299 at Refinery Substation B. Temp: 79.0°C, Vib: 13.94 mm/s, Press: 13.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0200	PUM-300	SafetyInstruction	CRITICAL	T:57.9°C | V:9.5mm/s	**Plant Beta** Alice Johnson	**Filter Clogging** — Pump PUM-300 at Plant Beta - Processing Unit. Temp: 57.9°C, Vib: 9.5 mm/s, Press: 6.8 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0201	HEA-301	Equipment	CRITICAL	T:74.2°C | V:11.65mm/s	**Plant Alpha** John Smith	**Lubrication Breakdown** — Heat Exchanger HEA-301 at Plant Alpha - Section 2. Temp: 74.2°C, Vib: 11.65 mm/s, Press: 10.1 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0202	GEN-302	Sensor	**WARNING**	T:48.4°C | V:11.13mm/s	**Refinery Substation A** Robert Chen	**Coupling Misalignment** — Generator GEN-302 at Refinery Substation A. Temp: 48.4°C, Vib: 11.13 mm/s, Press: 23.1 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0203	COM-303	Component	**OPERATIONAL**	T:61.9°C | V:4.75mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Compressor COM-303 at Plant Alpha - Section 1. Temp: 61.9°C, Vib: 4.75 mm/s, Press: 20.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0204	TRA-304	Fault	**OPERATIONAL**	T:85.3°C | V:3.12mm/s	**Facility West** Marcus Vance	**None Detected** — Transformer TRA-304 at Facility West - Powerhouse. Temp: 85.3°C, Vib: 3.12 mm/s, Press: 18.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0205	PUM-305	Maintenance	**CRITICAL**	T:51.7°C | V:5.54mm/s	**Refinery Substation B** David Kalu	**Lubrication Breakdown** — Pump PUM-305 at Refinery Substation B. Temp: 51.7°C, Vib: 5.54 mm/s, Press: 42.9 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0206	CON-306	Location	**UNDER_REPAIR**	T:82.0°C | V:5.53mm/s	**Plant Beta** Robert Chen	**Coupling Misalignment** — Conveyor CON-306 at Plant Beta - Processing Unit. Temp: 82.0°C, Vib: 5.53 mm/s, Press: 38.7 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0207	CON-307	Person	**SCHEDULED_INSPECTION**	T:98.2°C | V:2.97mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Conveyor CON-307 at Plant Alpha - Section 1. Temp: 98.2°C, Vib: 2.97 mm/s, Press: 15.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0208	MOT-308	Process	**CRITICAL**	T:68.9°C | V:10.33mm/s	**Plant Beta** Marcus Vance	**Lubrication Breakdown** — Motor MOT-308 at Plant Beta - Processing Unit. Temp: 68.9°C, Vib: 10.33 mm/s, Press: 9.7 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0209	HEA-309	SparePart	**CRITICAL**	T:77.9°C | V:6.46mm/s	**Facility West** John Smith	**Excessive Vibration** — Heat Exchanger HEA-309 at Facility West - Powerhouse. Temp: 77.9°C, Vib: 6.46 mm/s, Press: 31.4 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0210	MOT-310	SafetyInstruction	**CRITICAL**	T:72.5°C | V:10.77mm/s	**Refinery Substation A** Sarah Jenkins	**Excessive Vibration** — Motor MOT-310 at Refinery Substation A. Temp: 72.5°C, Vib: 10.77 mm/s, Press: 9.4 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0211	VAL-311	Equipment	**OPERATIONAL**	T:51.8°C | V:3.73mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Valve VAL-311 at Refinery Substation B. Temp: 51.8°C, Vib: 3.73 mm/s, Press: 31.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0212	HEA-312	Sensor	SCHEDULED_INSPECTION	T:53.2°C | V:6.66mm/s	**Facility West** John Smith	**None Detected** — Heat Exchanger HEA-312 at Facility West - Powerhouse. Temp: 53.2°C, Vib: 6.66 mm/s, Press: 19.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: John Smith.
REC-0213	MOT-313	Component	SCHEDULED_INSPECTION	T:64.6°C | V:4.81mm/s	**Facility East** Robert Chen	**None Detected** — Motor MOT-313 at Facility East - Storage. Temp: 64.6°C, Vib: 4.81 mm/s, Press: 14.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0214	PUM-314	Fault	UNDER_REPAIR	T:72.7°C | V:13.02mm/s	**Refinery Substation A** Robert Chen	**Coupling Misalignment** — Pump PUM-314 at Refinery Substation A. Temp: 72.7°C, Vib: 13.02 mm/s, Press: 7.4 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0215	COM-315	Maintenance	UNDER_REPAIR	T:55.7°C | V:2.36mm/s	**Facility East** Marcus Vance	**Pressure Drop Anomaly** — Compressor COM-315 at Facility East - Storage. Temp: 55.7°C, Vib: 2.36 mm/s, Press: 5.4 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0216	MOT-316	Location	CRITICAL	T:83.0°C | V:8.03mm/s	**Refinery Substation B** David Kalu	**Coupling Misalignment** — Motor MOT-316 at Refinery Substation B. Temp: 83.0°C, Vib: 8.03 mm/s, Press: 15.4 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0217	VAL-317	Person	CRITICAL	T:72.2°C | V:2.16mm/s	**Refinery Substation A** Robert Chen	**Pressure Drop Anomaly** — Valve VAL-317 at Refinery Substation A. Temp: 72.2°C, Vib: 2.16 mm/s, Press: 11.2 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0218	COM-318	Process	OPERATIONAL	T:64.3°C | V:8.34mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Compressor COM-318 at Refinery Substation B. Temp: 64.3°C, Vib: 8.34 mm/s, Press: 23.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0219	TRA-319	SparePart	OPERATIONAL	T:61.5°C | V:14.19mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Transformer TRA-319 at Plant Alpha - Section 2. Temp: 61.5°C, Vib: 14.19 mm/s, Press: 35.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0220	TRA-320	SafetyInstruction	SCHEDULED_INSPECTION	T:48.9°C | V:13.82mm/s	**Facility West** Sarah Jenkins	**None Detected** — Transformer TRA-320 at Facility West - Powerhouse. Temp: 48.9°C, Vib: 13.82 mm/s, Press: 31.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0221	GEN-321	Equipment	WARNING	T:92.0°C | V:11.19mm/s	**Refinery Substation A** David Kalu	**Pressure Drop Anomaly** — Generator GEN-321 at Refinery Substation A. Temp: 92.0°C, Vib: 11.19 mm/s, Press: 31.4 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0222	VAL-322	Sensor	OPERATIONAL	T:72.7°C | V:4.67mm/s	**Facility West** John Smith	**None Detected** — Valve VAL-322 at Facility West - Powerhouse. Temp: 72.7°C, Vib: 4.67 mm/s, Press: 9.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0223	COM-323	Component	OPERATIONAL	T:58.4°C | V:9.2mm/s	**Plant Beta** Marcus Vance	**None Detected** — Compressor COM-323 at Plant Beta - Processing Unit. Temp: 58.4°C, Vib: 9.2 mm/s, Press: 27.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0224	VAL-324	Fault	SCHEDULED_INSPECTION	T:73.5°C | V:7.39mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-324 at Refinery Substation A. Temp: 73.5°C, Vib: 7.39 mm/s, Press: 9.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0225	VAL-325	Maintenance	SCHEDULED_INSPECTION	T:47.2°C | V:12.33mm/s	**Refinery Substation A** David Kalu	**None Detected** — Valve VAL-325 at Refinery Substation A. Temp: 47.2°C, Vib: 12.33 mm/s, Press: 5.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0226	COM-326	Location	SCHEDULED_INSPECTION	T:79.2°C | V:7.32mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Compressor COM-326 at Refinery Substation B. Temp: 79.2°C, Vib: 7.32 mm/s, Press: 30.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Sarah Jenkins.
REC-0227	TUR-327	Person	UNDER_REPAIR	T:60.9°C | V:1.5mm/s	**Facility West** Elena Rostova	**Lubrication Breakdown** — Turbine TUR-327 at Facility West - Powerhouse. Temp: 60.9°C, Vib: 1.5 mm/s, Press: 4.8 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0228	GEN-328	Process	CRITICAL	T:77.5°C | V:4.78mm/s	**Facility West** Elena Rostova	**Mechanical Seal Leakage** — Generator GEN-328 at Facility West - Powerhouse. Temp: 77.5°C, Vib: 4.78 mm/s, Press: 35.0 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0229	CON-329	SparePart	SCHEDULED_INSPECTION	T:75.0°C | V:4.87mm/s	**Plant Alpha** David Kalu	**None Detected** — Conveyor CON-329 at Plant Alpha - Section 2. Temp: 75.0°C, Vib: 4.87 mm/s, Press: 23.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0230	GEN-330	SafetyInstruction	OPERATIONAL	T:47.7°C | V:13.45mm/s	**Plant Alpha** Robert Chen	**None Detected** — Generator GEN-330 at Plant Alpha - Section 2. Temp: 47.7°C, Vib: 13.45 mm/s, Press: 41.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0231	CON-331	Equipment	CRITICAL	T:95.0°C | V:10.38mm/s	**Plant Alpha** Robert Chen	**Pressure Drop Anomaly** — Conveyor CON-331 at Plant Alpha - Section 2. Temp: 95.0°C, Vib: 10.38 mm/s, Press: 10.7 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0232	GEN-332	Sensor	UNDER_REPAIR	T:92.0°C | V:7.31mm/s	**Facility East** Vikram Patel	**Electrical Phase Imbalance** — Generator GEN-332 at Facility East - Storage. Temp: 92.0°C, Vib: 7.31 mm/s, Press: 6.1 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0233	COM-333	Component	OPERATIONAL	T:47.7°C | V:7.28mm/s	**Plant Alpha** David Kalu	**None Detected** — Compressor COM-333 at Plant Alpha - Section 2. Temp: 47.7°C, Vib: 7.28 mm/s, Press: 42.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0234	GEN-334	Fault	OPERATIONAL	T:68.1°C | V:12.59mm/s	**Plant Beta** John Smith	**None Detected** — Generator GEN-334 at Plant Beta - Processing Unit. Temp: 68.1°C, Vib: 12.59 mm/s, Press: 35.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0235	CON-335	Maintenance	UNDER_REPAIR	T:47.7°C | V:8.2mm/s	**Plant Beta** John Smith	**Coupling Misalignment** — Conveyor CON-335 at Plant Beta - Processing Unit. Temp: 47.7°C, Vib: 8.2 mm/s, Press: 18.7 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0236	CON-336	Location	SCHEDULED_INSPECTION	T:60.0°C | V:14.05mm/s	**Facility East** Vikram Patel	**None Detected** — Conveyor CON-336 at Facility East - Storage. Temp: 60.0°C, Vib: 14.05 mm/s, Press: 33.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0237	VAL-337	Person	CRITICAL	T:87.5°C | V:5.15mm/s	**Plant Alpha** Sarah Jenkins	**Pressure Drop Anomaly** — Valve VAL-337 at Plant Alpha - Section 1. Temp: 87.5°C, Vib: 5.15 mm/s, Press: 45.2 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0238	COM-338	Process	SCHEDULED_INSPECTION	T:47.2°C | V:1.03mm/s	**Facility East** Sarah Jenkins	**None Detected** — Compressor COM-338 at Facility East - Storage. Temp: 47.2°C, Vib: 1.03 mm/s, Press: 34.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0239	TRA-339	SparePart	SCHEDULED_INSPECTION	T:92.8°C | V:2.41mm/s	**Facility West** Robert Chen	**None Detected** — Transformer TRA-339 at Facility West - Powerhouse. Temp: 92.8°C, Vib: 2.41 mm/s, Press: 44.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0240	VAL-340	SafetyInstruction	SCHEDULED_INSPECTION	T:63.0°C | V:11.85mm/s	**Facility West** Marcus Vance	**None Detected** — Valve VAL-340 at Facility West - Powerhouse. Temp: 63.0°C, Vib: 11.85 mm/s, Press: 26.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Marcus Vance.
REC-0241	GEN-341	Equipment	CRITICAL	T:62.7°C | V:2.0mm/s	**Refinery Substation B** John Smith	**Coupling Misalignment** — Generator GEN-341 at Refinery Substation B. Temp: 62.7°C, Vib: 2.0 mm/s, Press: 21.2 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0242	PUM-342	Sensor	CRITICAL	T:96.7°C | V:11.23mm/s	**Facility East** Vikram Patel	**Filter Clogging** — Pump PUM-342 at Facility East - Storage. Temp: 96.7°C, Vib: 11.23 mm/s, Press: 37.7 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0243	COM-343	Component	SCHEDULED_INSPECTION	T:70.7°C | V:7.68mm/s	**Refinery Substation A** John Smith	**None Detected** — Compressor COM-343 at Refinery Substation A. Temp: 70.7°C, Vib: 7.68 mm/s, Press: 35.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0244	VAL-344	Fault	OPERATIONAL	T:75.6°C | V:10.1mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Valve VAL-344 at Refinery Substation B. Temp: 75.6°C, Vib: 10.1 mm/s, Press: 10.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0245	GEN-345	Maintenance	WARNING	T:67.1°C | V:3.29mm/s	**Plant Beta** Sarah Jenkins	**Filter Clogging** — Generator GEN-345 at Plant Beta - Processing Unit. Temp: 67.1°C, Vib: 3.29 mm/s, Press: 25.1 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0246	GEN-346	Location	WARNING	T:72.7°C | V:8.18mm/s	**Refinery Substation B** John Smith	**Lubrication Breakdown** — Generator GEN-346 at Refinery Substation B. Temp: 72.7°C, Vib: 8.18 mm/s, Press: 47.9 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0247	TRA-347	Person	WARNING	T:69.6°C | V:7.8mm/s	**Facility West** David Kalu	**Coupling Misalignment** — Transformer TRA-347 at Facility West - Powerhouse. Temp: 69.6°C, Vib: 7.8 mm/s, Press: 27.1 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0248	BOI-348	Process	WARNING	T:59.9°C | V:4.59mm/s	**Facility West** Elena Rostova	**Coupling Misalignment** — Boiler BOI-348 at Facility West - Powerhouse. Temp: 59.9°C, Vib: 4.59 mm/s, Press: 45.3 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0249	TUR-349	SparePart	UNDER_REPAIR	T:62.0°C | V:5.28mm/s	**Refinery Substation A** Elena Rostova	**Coupling Misalignment** — Turbine TUR-349 at Refinery Substation A. Temp: 62.0°C, Vib: 5.28 mm/s, Press: 45.0 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0250	MOT-350	SafetyInstruction	UNDER_REPAIR	T:88.8°C | V:13.58mm/s	**Facility East** Sarah Jenkins	**Coupling Misalignment** — Motor MOT-350 at Facility East - Storage. Temp: 88.8°C, Vib: 13.58 mm/s, Press: 39.0 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Sarah Jenkins.
REC-0251	TUR-351	Equipment	CRITICAL	T:94.4°C | V:9.49mm/s	**Refinery Substation A** Alice Johnson	**Bearing Degradation** — Turbine TUR-351 at Refinery Substation A. Temp: 94.4°C, Vib: 9.49 mm/s, Press: 36.4 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0252	COM-352	Sensor	SCHEDULED_INSPECTION	T:82.2°C | V:2.38mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Compressor COM-352 at Refinery Substation B. Temp: 82.2°C, Vib: 2.38 mm/s, Press: 30.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0253	COM-353	Component	WARNING	T:47.8°C | V:6.16mm/s	**Plant Alpha** Elena Rostova	**High Temperature Overheating** — Compressor COM-353 at Plant Alpha - Section 1. Temp: 47.8°C, Vib: 6.16 mm/s, Press: 35.0 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0254	VAL-354	Fault	UNDER_REPAIR	T:79.9°C | V:12.56mm/s	**Plant Alpha** Robert Chen	**Bearing Degradation** — Valve VAL-354 at Plant Alpha - Section 1. Temp: 79.9°C, Vib: 12.56 mm/s, Press: 23.9 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0255	HEA-355	Maintenance	OPERATIONAL	T:79.9°C | V:3.68mm/s	**Plant Beta** John Smith	**None Detected** — Heat Exchanger HEA-355 at Plant Beta - Processing Unit. Temp: 79.9°C, Vib: 3.68 mm/s, Press: 36.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0256	PUM-356	Location	WARNING	T:95.0°C | V:1.0mm/s	**Plant Alpha** Sarah Jenkins	**Lubrication Breakdown** — Pump PUM-356 at Plant Alpha - Section 2. Temp: 95.0°C, Vib: 1.0 mm/s, Press: 40.5 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0257	VAL-357	Person	OPERATIONAL	T:45.5°C | V:8.28mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-357 at Refinery Substation A. Temp: 45.5°C, Vib: 8.28 mm/s, Press: 6.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0258	HEA-358	Process	SCHEDULED_INSPECTION	T:73.1°C | V:12.68mm/s	**Plant Beta** Vikram Patel	**None Detected** — Heat Exchanger HEA-358 at Plant Beta - Processing Unit. Temp: 73.1°C, Vib: 12.68 mm/s, Press: 8.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0259	TUR-359	SparePart	CRITICAL	T:53.7°C | V:6.79mm/s	**Plant Alpha** Alice Johnson	**Pressure Drop Anomaly** — Turbine TUR-359 at Plant Alpha - Section 2. Temp: 53.7°C, Vib: 6.79 mm/s, Press: 13.8 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0260	PUM-360	SafetyInstruction	CRITICAL	T:75.4°C | V:10.87mm/s	**Refinery Substation A** David Kalu	**Electrical Phase Imbalance** — Pump PUM-360 at Refinery Substation A. Temp: 75.4°C, Vib: 10.87 mm/s, Press: 10.1 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0261	CON-361	Equipment	OPERATIONAL	T:66.4°C | V:1.81mm/s	**Facility East** David Kalu	**None Detected** — Conveyor CON-361 at Facility East - Storage. Temp: 66.4°C, Vib: 1.81 mm/s, Press: 47.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0262	GEN-362	Sensor	OPERATIONAL	T:59.0°C | V:3.73mm/s	**Plant Beta** Elena Rostova	**None Detected** — Generator GEN-362 at Plant Beta - Processing Unit. Temp: 59.0°C, Vib: 3.73 mm/s, Press: 36.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0263	HEA-363	Component	CRITICAL	T:80.0°C | V:9.99mm/s	**Plant Beta** John Smith	**High Temperature Overheating** — Heat Exchanger HEA-363 at Plant Beta - Processing Unit. Temp: 80.0°C, Vib: 9.99 mm/s, Press: 4.9 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0264	GEN-364	Fault	UNDER_REPAIR	T:81.7°C | V:13.15mm/s	**Plant Beta** Robert Chen	**Coupling Misalignment** — Generator GEN-364 at Plant Beta - Processing Unit. Temp: 81.7°C, Vib: 13.15 mm/s, Press: 42.8 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0265	TUR-365	Maintenance	WARNING	T:96.2°C | V:7.05mm/s	**Plant Beta** Elena Rostova	**Filter Clogging** — Turbine TUR-365 at Plant Beta - Processing Unit. Temp: 96.2°C, Vib: 7.05 mm/s, Press: 22.9 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0266	HEA-366	Location	SCHEDULED_INSPECTION	T:87.9°C | V:11.81mm/s	**Facility West** Vikram Patel	**None Detected** — Heat Exchanger HEA-366 at Facility West - Powerhouse. Temp: 87.9°C, Vib: 11.81 mm/s, Press: 37.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0267	TRA-367	Person	OPERATIONAL	T:94.1°C | V:2.04mm/s	**Facility West** David Kalu	**None Detected** — Transformer TRA-367 at Facility West - Powerhouse. Temp: 94.1°C, Vib: 2.04 mm/s, Press: 40.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0268	TRA-368	Process	WARNING	T:62.6°C | V:7.63mm/s	**Plant Alpha** Robert Chen	**Bearing Degradation** — Transformer TRA-368 at Plant Alpha - Section 2. Temp: 62.6°C, Vib: 7.63 mm/s, Press: 7.3 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0269	BOI-369	SparePart	SCHEDULED_INSPECTION	T:68.8°C | V:1.26mm/s	**Facility West** Alice Johnson	**None Detected** — Boiler BOI-369 at Facility West - Powerhouse. Temp: 68.8°C, Vib: 1.26 mm/s, Press: 8.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Alice Johnson.
REC-0270	GEN-370	SafetyInstruction	SCHEDULED_INSPECTION	T:69.7°C | V:11.55mm/s	**Facility East** John Smith	**None Detected** — Generator GEN-370 at Facility East - Storage. Temp: 69.7°C, Vib: 11.55 mm/s, Press: 35.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0271	TUR-371	Equipment	WARNING	T:75.9°C | V:1.12mm/s	**Refinery Substation B** John Smith	**High Temperature Overheating** — Turbine TUR-371 at Refinery Substation B. Temp: 75.9°C, Vib: 1.12 mm/s, Press: 17.8 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0272	TRA-372	Sensor	UNDER_REPAIR	T:46.7°C | V:6.1mm/s	**Plant Alpha** Alice Johnson	**Electrical Phase Imbalance** — Transformer TRA-372 at Plant Alpha - Section 1. Temp: 46.7°C, Vib: 6.1 mm/s, Press: 37.4 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Alice Johnson.
REC-0273	CON-373	Component	UNDER_REPAIR	T:49.3°C | V:13.71mm/s	**Facility West** Sarah Jenkins	**Pressure Drop Anomaly** — Conveyor CON-373 at Facility West - Powerhouse. Temp: 49.3°C, Vib: 13.71 mm/s, Press: 42.2 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Sarah Jenkins.
REC-0274	MOT-374	Fault	SCHEDULED_INSPECTION	T:51.8°C | V:13.91mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Motor MOT-374 at Plant Alpha - Section 2. Temp: 51.8°C, Vib: 13.91 mm/s, Press: 40.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Sarah Jenkins.
REC-0275	TUR-375	Maintenance	SCHEDULED_INSPECTION	T:65.3°C | V:3.65mm/s	**Facility West** Sarah Jenkins	**None Detected** — Turbine TUR-375 at Facility West - Powerhouse. Temp: 65.3°C, Vib: 3.65 mm/s, Press: 23.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.
REC-0276	TUR-376	Location	OPERATIONAL	T:88.3°C | V:6.24mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Turbine TUR-376 at Plant Alpha - Section 2. Temp: 88.3°C, Vib: 6.24 mm/s, Press: 37.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0277	PUM-377	Person	OPERATIONAL	T:50.4°C | V:0.96mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Pump PUM-377 at Plant Alpha - Section 2. Temp: 50.4°C, Vib: 0.96 mm/s, Press: 29.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0278	PUM-378	Process	UNDER_REPAIR	T:68.5°C | V:7.89mm/s	**Plant Alpha** John Smith	**Excessive Vibration** — Pump PUM-378 at Plant Alpha - Section 2. Temp: 68.5°C, Vib: 7.89 mm/s, Press: 36.7 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0279	TRA-379	SparePart	SCHEDULED_INSPECTION	T:62.1°C | V:8.69mm/s	**Plant Beta** Elena Rostova	**None Detected** — Transformer TRA-379 at Plant Beta - Processing Unit. Temp: 62.1°C, Vib: 8.69 mm/s, Press: 32.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0280	COM-380	SafetyInstruction	SCHEDULED_INSPECTION	T:56.8°C | V:4.62mm/s	**Plant Beta** Robert Chen	**None Detected** — Compressor COM-380 at Plant Beta - Processing Unit. Temp: 56.8°C, Vib: 4.62 mm/s, Press: 4.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0281	CON-381	Equipment	OPERATIONAL	T:97.0°C | V:13.4mm/s	**Facility East** Vikram Patel	**None Detected** — Conveyor CON-381 at Facility East - Storage. Temp: 97.0°C, Vib: 13.4 mm/s, Press: 32.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0282	TRA-382	Sensor	UNDER_REPAIR	T:53.0°C | V:5.66mm/s	**Plant Beta** Sarah Jenkins	**Lubrication Breakdown** — Transformer TRA-382 at Plant Beta - Processing Unit. Temp: 53.0°C, Vib: 5.66 mm/s, Press: 36.7 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0283	COM-383	Component	UNDER_REPAIR	T:93.9°C | V:8.2mm/s	**Plant Beta** Robert Chen	**Impeller Cavitation** — Compressor COM-383 at Plant Beta - Processing Unit. Temp: 93.9°C, Vib: 8.2 mm/s, Press: 46.5 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0284	CON-384	Fault	WARNING	T:62.7°C | V:1.58mm/s	**Plant Alpha** Marcus Vance	**Mechanical Seal Leakage** — Conveyor CON-384 at Plant Alpha - Section 2. Temp: 62.7°C, Vib: 1.58 mm/s, Press: 22.7 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0285	MOT-385	Maintenance	OPERATIONAL	T:59.4°C | V:9.73mm/s	**Facility East** Elena Rostova	**None Detected** — Motor MOT-385 at Facility East - Storage. Temp: 59.4°C, Vib: 9.73 mm/s, Press: 29.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0286	MOT-386	Location	UNDER_REPAIR	T:56.2°C | V:12.93mm/s	**Plant Alpha** Elena Rostova	**Excessive Vibration** — Motor MOT-386 at Plant Alpha - Section 2. Temp: 56.2°C, Vib: 12.93 mm/s, Press: 15.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0287	COM-387	Person	UNDER_REPAIR	T:93.9°C | V:10.03mm/s	**Refinery Substation A** Alice Johnson	**Electrical Phase Imbalance** — Compressor COM-387 at Refinery Substation A. Temp: 93.9°C, Vib: 10.03 mm/s, Press: 34.4 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Alice Johnson.
REC-0288	TRA-388	Process	UNDER_REPAIR	T:69.9°C | V:9.39mm/s	**Plant Beta** Marcus Vance	**Mechanical Seal Leakage** — Transformer TRA-388 at Plant Beta - Processing Unit. Temp: 69.9°C, Vib: 9.39 mm/s, Press: 16.2 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0289	GEN-389	SparePart	CRITICAL	T:93.9°C | V:5.58mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Generator GEN-389 at Plant Alpha - Section 1. Temp: 93.9°C, Vib: 5.58 mm/s, Press: 21.0 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0290	COM-390	SafetyInstruction	OPERATIONAL	T:59.0°C | V:13.31mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Compressor COM-390 at Refinery Substation A. Temp: 59.0°C, Vib: 13.31 mm/s, Press: 28.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0291	CON-391	Equipment	WARNING	T:62.6°C | V:5.7mm/s	**Plant Beta** Robert Chen	**Lubrication Breakdown** — Conveyor CON-391 at Plant Beta - Processing Unit. Temp: 62.6°C, Vib: 5.7 mm/s, Press: 40.3 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0292	TRA-392	Sensor	CRITICAL	T:85.8°C | V:7.19mm/s	**Refinery Substation A** David Kalu	**Lubrication Breakdown** — Transformer TRA-392 at Refinery Substation A. Temp: 85.8°C, Vib: 7.19 mm/s, Press: 35.3 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0293	GEN-393	Component	WARNING	T:52.5°C | V:7.99mm/s	**Plant Alpha** David Kalu	**Impeller Cavitation** — Generator GEN-393 at Plant Alpha - Section 2. Temp: 52.5°C, Vib: 7.99 mm/s, Press: 10.5 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0294	PUM-394	Fault	OPERATIONAL	T:95.6°C | V:9.65mm/s	**Facility East** John Smith	**None Detected** — Pump PUM-394 at Facility East - Storage. Temp: 95.6°C, Vib: 9.65 mm/s, Press: 37.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0295	CON-395	Maintenance	OPERATIONAL	T:82.8°C | V:0.63mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Conveyor CON-395 at Plant Alpha - Section 2. Temp: 82.8°C, Vib: 0.63 mm/s, Press: 25.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0296	HEA-396	Location	UNDER_REPAIR	T:45.8°C | V:7.79mm/s	**Plant Alpha** Vikram Patel	**Excessive Vibration** — Heat Exchanger HEA-396 at Plant Alpha - Section 1. Temp: 45.8°C, Vib: 7.79 mm/s, Press: 20.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0297	TRA-397	Person	SCHEDULED_INSPECTION	T:88.5°C | V:9.73mm/s	**Plant Beta** John Smith	**None Detected** — Transformer TRA-397 at Plant Beta - Processing Unit. Temp: 88.5°C, Vib: 9.73 mm/s, Press: 39.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0298	MOT-398	Process	WARNING	T:55.3°C | V:7.71mm/s	**Plant Alpha** Robert Chen	**Coupling Misalignment** — Motor MOT-398 at Plant Alpha - Section 1. Temp: 55.3°C, Vib: 7.71 mm/s, Press: 39.5 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0299	CON-399	SparePart	UNDER_REPAIR	T:69.6°C | V:3.83mm/s	**Plant Alpha** David Kalu	**Coupling Misalignment** — Conveyor CON-399 at Plant Alpha - Section 1. Temp: 69.6°C, Vib: 3.83 mm/s, Press: 34.1 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: David Kalu.
REC-0300	PUM-100	SafetyInstruction	UNDER_REPAIR	T:65.2°C | V:7.02mm/s	**Plant Alpha** Sarah Jenkins	**Pressure Drop Anomaly** — Pump PUM-100 at Plant Alpha - Section 1. Temp: 65.2°C, Vib: 7.02 mm/s, Press: 31.3 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0301	GEN-101	Equipment	CRITICAL	T:75.3°C | V:12.25mm/s	**Refinery Substation B** Sarah Jenkins	**Impeller Cavitation** — Generator GEN-101 at Refinery Substation B. Temp: 75.3°C, Vib: 12.25 mm/s, Press: 6.4 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0302	PUM-102	Sensor	SCHEDULED_INSPECTION	T:70.4°C | V:1.14mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Pump PUM-102 at Plant Alpha - Section 2. Temp: 70.4°C, Vib: 1.14 mm/s, Press: 5.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0303	TRA-103	Component	WARNING	T:94.7°C | V:4.81mm/s	**Facility East** John Smith	**Filter Clogging** — Transformer TRA-103 at Facility East - Storage. Temp: 94.7°C, Vib: 4.81 mm/s, Press: 46.2 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0304	VAL-104	Fault	OPERATIONAL	T:61.0°C | V:8.23mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Valve VAL-104 at Refinery Substation B. Temp: 61.0°C, Vib: 8.23 mm/s, Press: 28.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0305	CON-105	Maintenance	UNDER_REPAIR	T:85.4°C | V:2.42mm/s	**Refinery Substation A** David Kalu	**High Temperature Overheating** — Conveyor CON-105 at Refinery Substation A. Temp: 85.4°C, Vib: 2.42 mm/s, Press: 47.5 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0306	PUM-106	Location	WARNING	T:89.9°C | V:5.17mm/s	**Plant Alpha** Sarah Jenkins	**Filter Clogging** — Pump PUM-106 at Plant Alpha - Section 1. Temp: 89.9°C, Vib: 5.17 mm/s, Press: 37.4 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0307	CON-107	Person	OPERATIONAL	T:78.9°C | V:11.23mm/s	**Refinery Substation B** David Kalu	**None Detected** — Conveyor CON-107 at Refinery Substation B. Temp: 78.9°C, Vib: 11.23 mm/s, Press: 22.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0308	COM-108	Process	UNDER_REPAIR	T:54.9°C | V:8.53mm/s	**Plant Beta** Sarah Jenkins	**Filter Clogging** — Compressor COM-108 at Plant Beta - Processing Unit. Temp: 54.9°C, Vib: 8.53 mm/s, Press: 19.5 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Sarah Jenkins.
REC-0309	COM-109	SparePart	OPERATIONAL	T:59.3°C | V:5.71mm/s	**Refinery Substation A** Alice Johnson	**None Detected** — Compressor COM-109 at Refinery Substation A. Temp: 59.3°C, Vib: 5.71 mm/s, Press: 38.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0310	VAL-110	SafetyInstruction	CRITICAL	T:64.3°C | V:1.75mm/s	**Refinery Substation A** Sarah Jenkins	**Lubrication Breakdown** — Valve VAL-110 at Refinery Substation A. Temp: 64.3°C, Vib: 1.75 mm/s, Press: 45.4 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0311	HEA-111	Equipment	OPERATIONAL	T:52.1°C | V:3.07mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Heat Exchanger HEA-111 at Refinery Substation B. Temp: 52.1°C, Vib: 3.07 mm/s, Press: 22.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0312	TRA-112	Sensor	OPERATIONAL	T:46.4°C | V:5.35mm/s	**Facility East** Sarah Jenkins	**None Detected** — Transformer TRA-112 at Facility East - Storage. Temp: 46.4°C, Vib: 5.35 mm/s, Press: 6.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0313	BOI-113	Component	UNDER_REPAIR	T:45.7°C | V:6.17mm/s	**Refinery Substation B** David Kalu	**Impeller Cavitation** — Boiler BOI-113 at Refinery Substation B. Temp: 45.7°C, Vib: 6.17 mm/s, Press: 37.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: David Kalu.
REC-0314	BOI-114	Fault	UNDER_REPAIR	T:54.1°C | V:4.18mm/s	**Facility East** Robert Chen	**Pressure Drop Anomaly** — Boiler BOI-114 at Facility East - Storage. Temp: 54.1°C, Vib: 4.18 mm/s, Press: 14.3 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0315	VAL-115	Maintenance	UNDER_REPAIR	T:61.0°C | V:11.22mm/s	**Facility West** Marcus Vance	**Bearing Degradation** — Valve VAL-115 at Facility West - Powerhouse. Temp: 61.0°C, Vib: 11.22 mm/s, Press: 18.6 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0316	BOI-116	Location	UNDER_REPAIR	T:50.7°C | V:4.67mm/s	**Facility East** Elena Rostova	**Mechanical Seal Leakage** — Boiler BOI-116 at Facility East - Storage. Temp: 50.7°C, Vib: 4.67 mm/s, Press: 45.6 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0317	HEA-117	Person	UNDER_REPAIR	T:88.6°C | V:12.28mm/s	**Facility West** David Kalu	**Pressure Drop Anomaly** — Heat Exchanger HEA-117 at Facility West - Powerhouse. Temp: 88.6°C, Vib: 12.28 mm/s, Press: 46.8 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0318	HEA-118	Process	UNDER_REPAIR	T:61.8°C | V:13.71mm/s	**Facility East** Elena Rostova	**Coupling Misalignment** — Heat Exchanger HEA-118 at Facility East - Storage. Temp: 61.8°C, Vib: 13.71 mm/s, Press: 46.6 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0319	BOI-119	SparePart	CRITICAL	T:65.1°C | V:11.69mm/s	**Refinery Substation B** Elena Rostova	**High Temperature Overheating** — Boiler BOI-119 at Refinery Substation B. Temp: 65.1°C, Vib: 11.69 mm/s, Press: 20.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0320	BOI-120	SafetyInstruction	SCHEDULED_INSPECTION	T:46.4°C | V:10.46mm/s	**Plant Alpha** Robert Chen	**None Detected** — Boiler BOI-120 at Plant Alpha - Section 2. Temp: 46.4°C, Vib: 10.46 mm/s, Press: 45.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0321	GEN-121	Equipment	OPERATIONAL	T:88.8°C | V:11.4mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Generator GEN-121 at Refinery Substation B. Temp: 88.8°C, Vib: 11.4 mm/s, Press: 20.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0322	GEN-122	Sensor	WARNING	T:58.5°C | V:2.61mm/s	**Plant Alpha** Marcus Vance	**Electrical Phase Imbalance** — Generator GEN-122 at Plant Alpha - Section 2. Temp: 58.5°C, Vib: 2.61 mm/s, Press: 21.5 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0323	MOT-123	Component	SCHEDULED_INSPECTION	T:66.4°C | V:7.44mm/s	**Facility West** Vikram Patel	**None Detected** — Motor MOT-123 at Facility West - Powerhouse. Temp: 66.4°C, Vib: 7.44 mm/s, Press: 44.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Vikram Patel.
REC-0324	TRA-124	Fault	SCHEDULED_INSPECTION	T:76.8°C | V:13.03mm/s	**Plant Alpha** David Kalu	**None Detected** — Transformer TRA-124 at Plant Alpha - Section 1. Temp: 76.8°C, Vib: 13.03 mm/s, Press: 7.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: David Kalu.
REC-0325	HEA-125	Maintenance	SCHEDULED_INSPECTION	T:97.6°C | V:9.78mm/s	**Plant Alpha** John Smith	**None Detected** — Heat Exchanger HEA-125 at Plant Alpha - Section 2. Temp: 97.6°C, Vib: 9.78 mm/s, Press: 20.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: John Smith.
REC-0326	CON-126	Location	OPERATIONAL	T:58.8°C | V:7.5mm/s	**Plant Alpha** John Smith	**None Detected** — Conveyor CON-126 at Plant Alpha - Section 1. Temp: 58.8°C, Vib: 7.5 mm/s, Press: 25.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0327	BOI-127	Person	UNDER_REPAIR	T:65.0°C | V:6.84mm/s	**Refinery Substation A** Elena Rostova	**Impeller Cavitation** — Boiler BOI-127 at Refinery Substation A. Temp: 65.0°C, Vib: 6.84 mm/s, Press: 33.3 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Elena Rostova.
REC-0328	HEA-128	Process	OPERATIONAL	T:60.8°C | V:13.11mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Heat Exchanger HEA-128 at Plant Alpha - Section 1. Temp: 60.8°C, Vib: 13.11 mm/s, Press: 5.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0329	VAL-129	SparePart	CRITICAL	T:69.4°C | V:3.33mm/s	**Plant Beta** Marcus Vance	**Lubrication Breakdown** — Valve VAL-129 at Plant Beta - Processing Unit. Temp: 69.4°C, Vib: 3.33 mm/s, Press: 24.2 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0330	MOT-130	SafetyInstruction	CRITICAL	T:48.6°C | V:1.11mm/s	**Facility West** Vikram Patel	**Excessive Vibration** — Motor MOT-130 at Facility West - Powerhouse. Temp: 48.6°C, Vib: 1.11 mm/s, Press: 34.7 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0331	HEA-131	Equipment	WARNING	T:94.8°C | V:10.64mm/s	**Refinery Substation A** Alice Johnson	**Impeller Cavitation** — Heat Exchanger HEA-131 at Refinery Substation A. Temp: 94.8°C, Vib: 10.64 mm/s, Press: 25.7 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0332	VAL-132	Sensor	UNDER_REPAIR	T:57.4°C | V:6.05mm/s	**Plant Beta** Sarah Jenkins	**Electrical Phase Imbalance** — Valve VAL-132 at Plant Beta - Processing Unit. Temp: 57.4°C, Vib: 6.05 mm/s, Press: 10.5 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Sarah Jenkins.
REC-0333	PUM-133	Component	UNDER_REPAIR	T:76.7°C | V:5.83mm/s	**Refinery Substation A** Elena Rostova	**Bearing Degradation** — Pump PUM-133 at Refinery Substation A. Temp: 76.7°C, Vib: 5.83 mm/s, Press: 34.4 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0334	MOT-134	Fault	SCHEDULED_INSPECTION	T:55.0°C | V:4.97mm/s	**Facility East** Alice Johnson	**None Detected** — Motor MOT-134 at Facility East - Storage. Temp: 55.0°C, Vib: 4.97 mm/s, Press: 23.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0335	GEN-135	Maintenance	SCHEDULED_INSPECTION	T:65.8°C | V:5.88mm/s	**Facility East** David Kalu	**None Detected** — Generator GEN-135 at Facility East - Storage. Temp: 65.8°C, Vib: 5.88 mm/s, Press: 7.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0336	GEN-136	Location	CRITICAL	T:94.1°C | V:8.59mm/s	**Facility East** Robert Chen	**Mechanical Seal Leakage** — Generator GEN-136 at Facility East - Storage. Temp: 94.1°C, Vib: 8.59 mm/s, Press: 32.9 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0337	MOT-137	Person	OPERATIONAL	T:54.8°C | V:10.0mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Motor MOT-137 at Plant Alpha - Section 2. Temp: 54.8°C, Vib: 10.0 mm/s, Press: 25.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0338	CON-138	Process	SCHEDULED_INSPECTION	T:65.5°C | V:3.04mm/s	**Facility East** Robert Chen	**None Detected** — Conveyor CON-138 at Facility East - Storage. Temp: 65.5°C, Vib: 3.04 mm/s, Press: 31.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0339	TRA-139	SparePart	CRITICAL	T:52.5°C | V:4.81mm/s	**Plant Alpha** Vikram Patel	**Excessive Vibration** — Transformer TRA-139 at Plant Alpha - Section 2. Temp: 52.5°C, Vib: 4.81 mm/s, Press: 22.7 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0340	HEA-140	SafetyInstruction	WARNING	T:55.4°C | V:5.76mm/s	**Plant Alpha** Vikram Patel	**Lubrication Breakdown** — Heat Exchanger HEA-140 at Plant Alpha - Section 1. Temp: 55.4°C, Vib: 5.76 mm/s, Press: 27.8 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0341	CON-141	Equipment	UNDER_REPAIR	T:83.0°C | V:6.58mm/s	**Refinery Substation A** Vikram Patel	**Filter Clogging** — Conveyor CON-141 at Refinery Substation A. Temp: 83.0°C, Vib: 6.58 mm/s, Press: 9.7 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Vikram Patel.
REC-0342	COM-142	Sensor	CRITICAL	T:57.0°C | V:4.45mm/s	**Plant Beta** John Smith	**Filter Clogging** — Compressor COM-142 at Plant Beta - Processing Unit. Temp: 57.0°C, Vib: 4.45 mm/s, Press: 37.9 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0343	GEN-143	Component	SCHEDULED_INSPECTION	T:51.1°C | V:11.12mm/s	**Facility East** Alice Johnson	**None Detected** — Generator GEN-143 at Facility East - Storage. Temp: 51.1°C, Vib: 11.12 mm/s, Press: 39.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Alice Johnson.
REC-0344	TRA-144	Fault	UNDER_REPAIR	T:74.2°C | V:14.06mm/s	**Refinery Substation B** John Smith	**Bearing Degradation** — Transformer TRA-144 at Refinery Substation B. Temp: 74.2°C, Vib: 14.06 mm/s, Press: 6.7 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0345	PUM-145	Maintenance	CRITICAL	T:91.1°C | V:1.69mm/s	**Facility West** Marcus Vance	**High Temperature Overheating** — Pump PUM-145 at Facility West - Powerhouse. Temp: 91.1°C, Vib: 1.69 mm/s, Press: 41.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0346	COM-146	Location	SCHEDULED_INSPECTION	T:78.9°C | V:2.77mm/s	**Plant Alpha** David Kalu	**None Detected** — Compressor COM-146 at Plant Alpha - Section 2. Temp: 78.9°C, Vib: 2.77 mm/s, Press: 8.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: David Kalu.
REC-0347	COM-147	Person	SCHEDULED_INSPECTION	T:63.8°C | V:4.35mm/s	**Refinery Substation B** John Smith	**None Detected** — Compressor COM-147 at Refinery Substation B. Temp: 63.8°C, Vib: 4.35 mm/s, Press: 26.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: John Smith.
REC-0348	TUR-148	Process	SCHEDULED_INSPECTION	T:97.7°C | V:9.81mm/s	**Plant Beta** Marcus Vance	**None Detected** — Turbine TUR-148 at Plant Beta - Processing Unit. Temp: 97.7°C, Vib: 9.81 mm/s, Press: 6.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0349	PUM-149	SparePart	WARNING	T:58.4°C | V:10.25mm/s	**Plant Beta** Robert Chen	**Electrical Phase Imbalance** — Pump PUM-149 at Plant Beta - Processing Unit. Temp: 58.4°C, Vib: 10.25 mm/s, Press: 40.1 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0350	GEN-150	SafetyInstruction	UNDER_REPAIR	T:65.1°C | V:1.53mm/s	**Plant Alpha** Marcus Vance	**High Temperature Overheating** — Generator GEN-150 at Plant Alpha - Section 2. Temp: 65.1°C, Vib: 1.53 mm/s, Press: 38.6 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0351	TRA-151	Equipment	CRITICAL	T:69.3°C | V:7.19mm/s	**Refinery Substation A** Marcus Vance	**High Temperature Overheating** — Transformer TRA-151 at Refinery Substation A. Temp: 69.3°C, Vib: 7.19 mm/s, Press: 28.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0352	GEN-152	Sensor	OPERATIONAL	T:87.6°C | V:5.95mm/s	**Refinery Substation A** David Kalu	**None Detected** — Generator GEN-152 at Refinery Substation A. Temp: 87.6°C, Vib: 5.95 mm/s, Press: 46.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0353	COM-153	Component	CRITICAL	T:89.3°C | V:5.13mm/s	**Facility West** Marcus Vance	**Filter Clogging** — Compressor COM-153 at Facility West - Powerhouse. Temp: 89.3°C, Vib: 5.13 mm/s, Press: 28.6 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0354	GEN-154	Fault	OPERATIONAL	T:47.5°C | V:9.08mm/s	**Refinery Substation B** David Kalu	**None Detected** — Generator GEN-154 at Refinery Substation B. Temp: 47.5°C, Vib: 9.08 mm/s, Press: 40.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0355	PUM-155	Maintenance	UNDER_REPAIR	T:69.4°C | V:14.09mm/s	**Plant Alpha** Robert Chen	**Pressure Drop Anomaly** — Pump PUM-155 at Plant Alpha - Section 1. Temp: 69.4°C, Vib: 14.09 mm/s, Press: 21.7 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0356	VAL-156	Location	OPERATIONAL	T:80.0°C | V:3.93mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Valve VAL-156 at Refinery Substation B. Temp: 80.0°C, Vib: 3.93 mm/s, Press: 19.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0357	VAL-157	Person	CRITICAL	T:83.8°C | V:10.85mm/s	**Plant Alpha** Sarah Jenkins	**High Temperature Overheating** — Valve VAL-157 at Plant Alpha - Section 1. Temp: 83.8°C, Vib: 10.85 mm/s, Press: 21.7 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0358	MOT-158	Process	UNDER_REPAIR	T:49.2°C | V:8.63mm/s	**Plant Alpha** Elena Rostova	**Lubrication Breakdown** — Motor MOT-158 at Plant Alpha - Section 1. Temp: 49.2°C, Vib: 8.63 mm/s, Press: 25.9 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Elena Rostova.
REC-0359	PUM-159	SparePart	OPERATIONAL	T:97.9°C | V:6.29mm/s	**Refinery Substation A** David Kalu	**None Detected** — Pump PUM-159 at Refinery Substation A. Temp: 97.9°C, Vib: 6.29 mm/s, Press: 8.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0360	MOT-160	SafetyInstruction	OPERATIONAL	T:84.1°C | V:1.9mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Motor MOT-160 at Plant Alpha - Section 2. Temp: 84.1°C, Vib: 1.9 mm/s, Press: 16.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0361	TUR-161	Equipment	WARNING	T:79.3°C | V:9.78mm/s	**Plant Alpha** Sarah Jenkins	**Filter Clogging** — Turbine TUR-161 at Plant Alpha - Section 2. Temp: 79.3°C, Vib: 9.78 mm/s, Press: 5.1 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0362	PUM-162	Sensor	UNDER_REPAIR	T:63.8°C | V:3.42mm/s	**Facility East** Robert Chen	**Electrical Phase Imbalance** — Pump PUM-162 at Facility East - Storage. Temp: 63.8°C, Vib: 3.42 mm/s, Press: 36.4 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0363	COM-163	Component	WARNING	T:85.3°C | V:8.58mm/s	**Plant Alpha** Alice Johnson	**Electrical Phase Imbalance** — Compressor COM-163 at Plant Alpha - Section 1. Temp: 85.3°C, Vib: 8.58 mm/s, Press: 19.7 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0364	HEA-164	Fault	WARNING	T:59.8°C | V:1.65mm/s	**Refinery Substation B** Robert Chen	**Filter Clogging** — Heat Exchanger HEA-164 at Refinery Substation B. Temp: 59.8°C, Vib: 1.65 mm/s, Press: 27.5 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0365	BOI-165	Maintenance	CRITICAL	T:56.0°C | V:8.81mm/s	**Plant Beta** John Smith	**Electrical Phase Imbalance** — Boiler BOI-165 at Plant Beta - Processing Unit. Temp: 56.0°C, Vib: 8.81 mm/s, Press: 10.7 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0366	TUR-166	Location	WARNING	T:71.5°C | V:2.04mm/s	**Refinery Substation A** John Smith	**Filter Clogging** — Turbine TUR-166 at Refinery Substation A. Temp: 71.5°C, Vib: 2.04 mm/s, Press: 25.0 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0367	MOT-167	Person	CRITICAL	T:95.0°C | V:2.31mm/s	**Facility East** John Smith	**Filter Clogging** — Motor MOT-167 at Facility East - Storage. Temp: 95.0°C, Vib: 2.31 mm/s, Press: 41.6 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0368	CON-168	Process	UNDER_REPAIR	T:96.1°C | V:11.05mm/s	**Plant Beta** Robert Chen	**High Temperature Overheating** — Conveyor CON-168 at Plant Beta - Processing Unit. Temp: 96.1°C, Vib: 11.05 mm/s, Press: 2.8 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0369	TUR-169	SparePart	OPERATIONAL	T:95.8°C | V:5.95mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-169 at Plant Alpha - Section 2. Temp: 95.8°C, Vib: 5.95 mm/s, Press: 15.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0370	TRA-170	SafetyInstruction	UNDER_REPAIR	T:82.5°C | V:1.63mm/s	**Refinery Substation B** Sarah Jenkins	**Filter Clogging** — Transformer TRA-170 at Refinery Substation B. Temp: 82.5°C, Vib: 1.63 mm/s, Press: 26.7 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0371	TUR-171	Equipment	OPERATIONAL	T:72.4°C | V:3.28mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Turbine TUR-171 at Plant Alpha - Section 1. Temp: 72.4°C, Vib: 3.28 mm/s, Press: 39.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0372	TRA-172	Sensor	SCHEDULED_INSPECTION	T:78.9°C | V:11.93mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Transformer TRA-172 at Plant Beta - Processing Unit. Temp: 78.9°C, Vib: 11.93 mm/s, Press: 33.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0373	TUR-173	Component	WARNING	T:48.1°C | V:1.68mm/s	**Refinery Substation A** Sarah Jenkins	**Lubrication Breakdown** — Turbine TUR-173 at Refinery Substation A. Temp: 48.1°C, Vib: 1.68 mm/s, Press: 22.0 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0374	BOI-174	Fault	CRITICAL	T:80.6°C | V:9.52mm/s	**Facility East** John Smith	**Excessive Vibration** — Boiler BOI-174 at Facility East - Storage. Temp: 80.6°C, Vib: 9.52 mm/s, Press: 10.1 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0375	VAL-175	Maintenance	WARNING	T:71.6°C | V:5.25mm/s	**Refinery Substation A** John Smith	**Coupling Misalignment** — Valve VAL-175 at Refinery Substation A. Temp: 71.6°C, Vib: 5.25 mm/s, Press: 25.8 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0376	VAL-176	Location	CRITICAL	T:84.2°C | V:2.12mm/s	**Plant Beta** Robert Chen	**Mechanical Seal Leakage** — Valve VAL-176 at Plant Beta - Processing Unit. Temp: 84.2°C, Vib: 2.12 mm/s, Press: 43.4 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0377	CON-177	Person	CRITICAL	T:83.1°C | V:8.4mm/s	**Plant Beta** Alice Johnson	**Lubrication Breakdown** — Conveyor CON-177 at Plant Beta - Processing Unit. Temp: 83.1°C, Vib: 8.4 mm/s, Press: 5.5 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0378	TRA-178	Process	UNDER_REPAIR	T:91.0°C | V:2.79mm/s	**Plant Beta** John Smith	**High Temperature Overheating** — Transformer TRA-178 at Plant Beta - Processing Unit. Temp: 91.0°C, Vib: 2.79 mm/s, Press: 9.2 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0379	COM-179	SparePart	OPERATIONAL	T:90.9°C | V:0.67mm/s	**Refinery Substation A** John Smith	**None Detected** — Compressor COM-179 at Refinery Substation A. Temp: 90.9°C, Vib: 0.67 mm/s, Press: 4.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0380	HEA-180	SafetyInstruction	WARNING	T:94.8°C | V:12.25mm/s	**Facility West** Robert Chen	**Electrical Phase Imbalance** — Heat Exchanger HEA-180 at Facility West - Powerhouse. Temp: 94.8°C, Vib: 12.25 mm/s, Press: 27.4 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0381	COM-181	Equipment	UNDER_REPAIR	T:94.0°C | V:4.88mm/s	**Plant Beta** Elena Rostova	**Filter Clogging** — Compressor COM-181 at Plant Beta - Processing Unit. Temp: 94.0°C, Vib: 4.88 mm/s, Press: 40.0 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0382	MOT-182	Sensor	WARNING	T:56.9°C | V:7.57mm/s	**Facility East** John Smith	**Electrical Phase Imbalance** — Motor MOT-182 at Facility East - Storage. Temp: 56.9°C, Vib: 7.57 mm/s, Press: 4.1 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0383	MOT-183	Component	CRITICAL	T:62.5°C | V:8.08mm/s	**Facility West** Marcus Vance	**Bearing Degradation** — Motor MOT-183 at Facility West - Powerhouse. Temp: 62.5°C, Vib: 8.08 mm/s, Press: 2.4 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0384	TUR-184	Fault	SCHEDULED_INSPECTION	T:58.0°C | V:5.55mm/s	**Facility East** Marcus Vance	**None Detected** — Turbine TUR-184 at Facility East - Storage. Temp: 58.0°C, Vib: 5.55 mm/s, Press: 46.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0385	TRA-185	Maintenance	WARNING	T:45.3°C | V:6.12mm/s	**Refinery Substation B** Elena Rostova	**Mechanical Seal Leakage** — Transformer TRA-185 at Refinery Substation B. Temp: 45.3°C, Vib: 6.12 mm/s, Press: 12.7 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0386	PUM-186	Location	UNDER_REPAIR	T:90.4°C | V:10.46mm/s	**Plant Beta** John Smith	**Impeller Cavitation** — Pump PUM-186 at Plant Beta - Processing Unit. Temp: 90.4°C, Vib: 10.46 mm/s, Press: 6.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0387	CON-187	Person	WARNING	T:83.1°C | V:1.77mm/s	**Facility West** John Smith	**Impeller Cavitation** — Conveyor CON-187 at Facility West - Powerhouse. Temp: 83.1°C, Vib: 1.77 mm/s, Press: 44.4 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0388	CON-188	Process	UNDER_REPAIR	T:97.1°C | V:1.66mm/s	**Refinery Substation A** David Kalu	**Pressure Drop Anomaly** — Conveyor CON-188 at Refinery Substation A. Temp: 97.1°C, Vib: 1.66 mm/s, Press: 6.4 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.
REC-0389	MOT-189	SparePart	UNDER_REPAIR	T:80.4°C | V:2.29mm/s	**Facility East** John Smith	**Mechanical Seal Leakage** — Motor MOT-189 at Facility East - Storage. Temp: 80.4°C, Vib: 2.29 mm/s, Press: 15.4 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0390	HEA-190	SafetyInstruction	CRITICAL	T:57.5°C | V:13.43mm/s	**Plant Beta** Vikram Patel	**Filter Clogging** — Heat Exchanger HEA-190 at Plant Beta - Processing Unit. Temp: 57.5°C, Vib: 13.43 mm/s, Press: 8.3 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0391	MOT-191	Equipment	WARNING	T:69.1°C | V:4.8mm/s	**Plant Alpha** Alice Johnson	**Mechanical Seal Leakage** — Motor MOT-191 at Plant Alpha - Section 2. Temp: 69.1°C, Vib: 4.8 mm/s, Press: 7.6 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0392	COM-192	Sensor	UNDER_REPAIR	T:59.2°C | V:2.14mm/s	**Facility West** Marcus Vance	**Coupling Misalignment** — Compressor COM-192 at Facility West - Powerhouse. Temp: 59.2°C, Vib: 2.14 mm/s, Press: 9.3 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0393	COM-193	Component	WARNING	T:49.9°C | V:3.9mm/s	**Refinery Substation B** David Kalu	**Impeller Cavitation** — Compressor COM-193 at Refinery Substation B. Temp: 49.9°C, Vib: 3.9 mm/s, Press: 18.4 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0394	PUM-194	Fault	CRITICAL	T:88.9°C | V:2.88mm/s	**Refinery Substation A** Marcus Vance	**Lubrication Breakdown** — Pump PUM-194 at Refinery Substation A. Temp: 88.9°C, Vib: 2.88 mm/s, Press: 45.8 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0395	TRA-195	Maintenance	OPERATIONAL	T:69.7°C | V:11.51mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Transformer TRA-195 at Refinery Substation A. Temp: 69.7°C, Vib: 11.51 mm/s, Press: 8.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0396	PUM-196	Location	WARNING	T:55.6°C | V:5.99mm/s	**Plant Alpha** Elena Rostova	**High Temperature Overheating** — Pump PUM-196 at Plant Alpha - Section 1. Temp: 55.6°C, Vib: 5.99 mm/s, Press: 33.6 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0397	BOI-197	Person	OPERATIONAL	T:46.2°C | V:1.38mm/s	**Facility East** Marcus Vance	**None Detected** — Boiler BOI-197 at Facility East - Storage. Temp: 46.2°C, Vib: 1.38 mm/s, Press: 43.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0398	GEN-198	Process	OPERATIONAL	T:93.4°C | V:11.86mm/s	**Refinery Substation B** Robert Chen	**None Detected** — Generator GEN-198 at Refinery Substation B. Temp: 93.4°C, Vib: 11.86 mm/s, Press: 17.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0399	PUM-199	SparePart	WARNING	T:94.4°C | V:6.43mm/s	**Facility West** John Smith	**Lubrication Breakdown** — Pump PUM-199 at Facility West - Powerhouse. Temp: 94.4°C, Vib: 6.43 mm/s, Press: 35.3 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0400	PUM-200	SafetyInstruction	WARNING	T:63.9°C | V:12.94mm/s	**Facility West** Sarah Jenkins	**Lubrication Breakdown** — Pump PUM-200 at Facility West - Powerhouse. Temp: 63.9°C, Vib: 12.94 mm/s, Press: 14.6 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0401	VAL-201	Equipment	CRITICAL	T:71.7°C | V:12.59mm/s	**Plant Alpha** Elena Rostova	**High Temperature Overheating** — Valve VAL-201 at Plant Alpha - Section 1. Temp: 71.7°C, Vib: 12.59 mm/s, Press: 24.0 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0402	TUR-202	Sensor	UNDER_REPAIR	T:55.7°C | V:12.62mm/s	**Facility West** Robert Chen	**Impeller Cavitation** — Turbine TUR-202 at Facility West - Powerhouse. Temp: 55.7°C, Vib: 12.62 mm/s, Press: 26.2 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0403	CON-203	Component	UNDER_REPAIR	T:74.1°C | V:7.14mm/s	**Refinery Substation B** David Kalu	**Impeller Cavitation** — Conveyor CON-203 at Refinery Substation B. Temp: 74.1°C, Vib: 7.14 mm/s, Press: 44.0 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0404	CON-204	Fault	OPERATIONAL	T:62.1°C | V:3.5mm/s	**Plant Beta** Robert Chen	**None Detected** — Conveyor CON-204 at Plant Beta - Processing Unit. Temp: 62.1°C, Vib: 3.5 mm/s, Press: 43.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0405	TUR-205	Maintenance	SCHEDULED_INSPECTION	T:64.1°C | V:8.5mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Turbine TUR-205 at Plant Alpha - Section 1. Temp: 64.1°C, Vib: 8.5 mm/s, Press: 12.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0406	MOT-206	Location	CRITICAL	T:73.6°C | V:11.34mm/s	**Plant Alpha** Elena Rostova	**Bearing Degradation** — Motor MOT-206 at Plant Alpha - Section 2. Temp: 73.6°C, Vib: 11.34 mm/s, Press: 35.9 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0407	BOI-207	Person	CRITICAL	T:95.0°C | V:14.08mm/s	**Refinery Substation B** Sarah Jenkins	**Bearing Degradation** — Boiler BOI-207 at Refinery Substation B. Temp: 95.0°C, Vib: 14.08 mm/s, Press: 10.0 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0408	BOI-208	Process	SCHEDULED_INSPECTION	T:46.5°C | V:10.1mm/s	**Plant Beta** David Kalu	**None Detected** — Boiler BOI-208 at Plant Beta - Processing Unit. Temp: 46.5°C, Vib: 10.1 mm/s, Press: 45.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0409	BOI-209	SparePart	SCHEDULED_INSPECTION	T:61.5°C | V:7.22mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Boiler BOI-209 at Plant Alpha - Section 2. Temp: 61.5°C, Vib: 7.22 mm/s, Press: 6.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.
REC-0410	BOI-210	SafetyInstruction	SCHEDULED_INSPECTION	T:70.6°C | V:5.04mm/s	**Plant Alpha** John Smith	**None Detected** — Boiler BOI-210 at Plant Alpha - Section 2. Temp: 70.6°C, Vib: 5.04 mm/s, Press: 30.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0411	HEA-211	Equipment	CRITICAL	T:48.2°C | V:2.52mm/s	**Refinery Substation A** Robert Chen	**Pressure Drop Anomaly** — Heat Exchanger HEA-211 at Refinery Substation A. Temp: 48.2°C, Vib: 2.52 mm/s, Press: 34.4 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0412	MOT-212	Sensor	OPERATIONAL	T:65.0°C | V:13.4mm/s	**Refinery Substation B** David Kalu	**None Detected** — Motor MOT-212 at Refinery Substation B. Temp: 65.0°C, Vib: 13.4 mm/s, Press: 20.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0413	MOT-213	Component	CRITICAL	T:52.3°C | V:2.66mm/s	**Plant Beta** Marcus Vance	**Lubrication Breakdown** — Motor MOT-213 at Plant Beta - Processing Unit. Temp: 52.3°C, Vib: 2.66 mm/s, Press: 45.6 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0414	HEA-214	Fault	WARNING	T:80.6°C | V:11.66mm/s	**Plant Alpha** David Kalu	**Coupling Misalignment** — Heat Exchanger HEA-214 at Plant Alpha - Section 2. Temp: 80.6°C, Vib: 11.66 mm/s, Press: 19.4 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0415	VAL-215	Maintenance	SCHEDULED_INSPECTION	T:66.0°C | V:14.12mm/s	**Plant Alpha** John Smith	**None Detected** — Valve VAL-215 at Plant Alpha - Section 2. Temp: 66.0°C, Vib: 14.12 mm/s, Press: 46.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0416	VAL-216	Location	SCHEDULED_INSPECTION	T:56.8°C | V:8.25mm/s	**Facility East** David Kalu	**None Detected** — Valve VAL-216 at Facility East - Storage. Temp: 56.8°C, Vib: 8.25 mm/s, Press: 45.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0417	HEA-217	Person	WARNING	T:63.6°C | V:4.88mm/s	**Refinery Substation A** Alice Johnson	**High Temperature Overheating** — Heat Exchanger HEA-217 at Refinery Substation A. Temp: 63.6°C, Vib: 4.88 mm/s, Press: 31.3 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0418	HEA-218	Process	CRITICAL	T:56.2°C | V:10.0mm/s	**Facility West** John Smith	**High Temperature Overheating** — Heat Exchanger HEA-218 at Facility West - Powerhouse. Temp: 56.2°C, Vib: 10.0 mm/s, Press: 18.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0419	PUM-219	SparePart	UNDER_REPAIR	T:84.2°C | V:13.78mm/s	**Plant Alpha** Sarah Jenkins	**Lubrication Breakdown** — Pump PUM-219 at Plant Alpha - Section 1. Temp: 84.2°C, Vib: 13.78 mm/s, Press: 42.7 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Sarah Jenkins.
REC-0420	HEA-220	SafetyInstruction	OPERATIONAL	T:89.3°C | V:11.31mm/s	**Facility East** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-220 at Facility East - Storage. Temp: 89.3°C, Vib: 11.31 mm/s, Press: 28.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0421	COM-221	Equipment	OPERATIONAL	T:87.8°C | V:0.96mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Compressor COM-221 at Plant Alpha - Section 2. Temp: 87.8°C, Vib: 0.96 mm/s, Press: 2.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0422	TUR-222	Sensor	CRITICAL	T:54.1°C | V:5.64mm/s	**Plant Alpha** Alice Johnson	**Impeller Cavitation** — Turbine TUR-222 at Plant Alpha - Section 1. Temp: 54.1°C, Vib: 5.64 mm/s, Press: 35.7 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0423	MOT-223	Component	OPERATIONAL	T:68.1°C | V:9.45mm/s	**Plant Beta** Vikram Patel	**None Detected** — Motor MOT-223 at Plant Beta - Processing Unit. Temp: 68.1°C, Vib: 9.45 mm/s, Press: 29.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0424	CON-224	Fault	OPERATIONAL	T:62.7°C | V:13.85mm/s	**Plant Alpha** John Smith	**None Detected** — Conveyor CON-224 at Plant Alpha - Section 2. Temp: 62.7°C, Vib: 13.85 mm/s, Press: 20.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0425	TRA-225	Maintenance	CRITICAL	T:60.9°C | V:1.81mm/s	**Refinery Substation A** Marcus Vance	**Impeller Cavitation** — Transformer TRA-225 at Refinery Substation A. Temp: 60.9°C, Vib: 1.81 mm/s, Press: 20.1 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0426	GEN-226	Location	CRITICAL	T:45.2°C | V:1.7mm/s	**Plant Alpha** John Smith	**Filter Clogging** — Generator GEN-226 at Plant Alpha - Section 2. Temp: 45.2°C, Vib: 1.7 mm/s, Press: 39.9 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0427	GEN-227	Person	OPERATIONAL	T:56.1°C | V:9.24mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Generator GEN-227 at Plant Alpha - Section 2. Temp: 56.1°C, Vib: 9.24 mm/s, Press: 46.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0428	GEN-228	Process	CRITICAL	T:87.0°C | V:6.95mm/s	**Refinery Substation B** Alice Johnson	**Coupling Misalignment** — Generator GEN-228 at Refinery Substation B. Temp: 87.0°C, Vib: 6.95 mm/s, Press: 43.2 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0429	MOT-229	SparePart	WARNING	T:64.8°C | V:5.73mm/s	**Refinery Substation A** Sarah Jenkins	**Excessive Vibration** — Motor MOT-229 at Refinery Substation A. Temp: 64.8°C, Vib: 5.73 mm/s, Press: 10.6 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0430	TUR-230	SafetyInstruction	CRITICAL	T:57.1°C | V:4.18mm/s	**Facility West** Vikram Patel	**High Temperature Overheating** — Turbine TUR-230 at Facility West - Powerhouse. Temp: 57.1°C, Vib: 4.18 mm/s, Press: 4.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0431	MOT-231	Equipment	SCHEDULED_INSPECTION	T:67.1°C | V:10.86mm/s	**Refinery Substation A** David Kalu	**None Detected** — Motor MOT-231 at Refinery Substation A. Temp: 67.1°C, Vib: 10.86 mm/s, Press: 12.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: David Kalu.
REC-0432	CON-232	Sensor	SCHEDULED_INSPECTION	T:81.8°C | V:13.33mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Conveyor CON-232 at Refinery Substation B. Temp: 81.8°C, Vib: 13.33 mm/s, Press: 28.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0433	GEN-233	Component	UNDER_REPAIR	T:93.3°C | V:10.29mm/s	**Plant Beta** Alice Johnson	**Impeller Cavitation** — Generator GEN-233 at Plant Beta - Processing Unit. Temp: 93.3°C, Vib: 10.29 mm/s, Press: 25.1 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.
REC-0434	MOT-234	Fault	WARNING	T:95.8°C | V:2.79mm/s	**Refinery Substation B** Vikram Patel	**Bearing Degradation** — Motor MOT-234 at Refinery Substation B. Temp: 95.8°C, Vib: 2.79 mm/s, Press: 11.7 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0435	VAL-235	Maintenance	OPERATIONAL	T:97.9°C | V:6.46mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Valve VAL-235 at Plant Alpha - Section 1. Temp: 97.9°C, Vib: 6.46 mm/s, Press: 47.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0436	VAL-236	Location	CRITICAL	T:93.7°C | V:13.02mm/s	**Refinery Substation B** Marcus Vance	**Electrical Phase Imbalance** — Valve VAL-236 at Refinery Substation B. Temp: 93.7°C, Vib: 13.02 mm/s, Press: 5.1 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0437	TRA-237	Person	CRITICAL	T:72.8°C | V:13.07mm/s	**Facility West** David Kalu	**Filter Clogging** — Transformer TRA-237 at Facility West - Powerhouse. Temp: 72.8°C, Vib: 13.07 mm/s, Press: 2.6 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0438	BOI-238	Process	OPERATIONAL	T:67.2°C | V:2.53mm/s	**Facility East** Sarah Jenkins	**None Detected** — Boiler BOI-238 at Facility East - Storage. Temp: 67.2°C, Vib: 2.53 mm/s, Press: 29.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0439	MOT-239	SparePart	CRITICAL	T:91.4°C | V:12.56mm/s	**Plant Alpha** Alice Johnson	**Coupling Misalignment** — Motor MOT-239 at Plant Alpha - Section 1. Temp: 91.4°C, Vib: 12.56 mm/s, Press: 42.4 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0440	CON-240	SafetyInstruction	SCHEDULED_INSPECTION	T:77.6°C | V:1.01mm/s	**Refinery Substation A** Vikram Patel	**None Detected** — Conveyor CON-240 at Refinery Substation A. Temp: 77.6°C, Vib: 1.01 mm/s, Press: 14.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0441	BOI-241	Equipment	OPERATIONAL	T:66.2°C | V:12.54mm/s	**Facility East** Sarah Jenkins	**None Detected** — Boiler BOI-241 at Facility East - Storage. Temp: 66.2°C, Vib: 12.54 mm/s, Press: 33.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0442	PUM-242	Sensor	CRITICAL	T:93.0°C | V:0.78mm/s	**Refinery Substation A** Vikram Patel	**Coupling Misalignment** — Pump PUM-242 at Refinery Substation A. Temp: 93.0°C, Vib: 0.78 mm/s, Press: 39.6 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0443	TUR-243	Component	OPERATIONAL	T:97.0°C | V:3.62mm/s	**Plant Beta** Vikram Patel	**None Detected** — Turbine TUR-243 at Plant Beta - Processing Unit. Temp: 97.0°C, Vib: 3.62 mm/s, Press: 15.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0444	GEN-244	Fault	CRITICAL	T:84.0°C | V:8.79mm/s	**Refinery Substation B** David Kalu	**Lubrication Breakdown** — Generator GEN-244 at Refinery Substation B. Temp: 84.0°C, Vib: 8.79 mm/s, Press: 6.1 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0445	COM-245	Maintenance	UNDER_REPAIR	T:85.6°C | V:12.38mm/s	**Refinery Substation B** Sarah Jenkins	**Impeller Cavitation** — Compressor COM-245 at Refinery Substation B. Temp: 85.6°C, Vib: 12.38 mm/s, Press: 39.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.
REC-0446	MOT-246	Location	WARNING	T:86.8°C | V:7.68mm/s	**Plant Beta** Sarah Jenkins	**Pressure Drop Anomaly** — Motor MOT-246 at Plant Beta - Processing Unit. Temp: 86.8°C, Vib: 7.68 mm/s, Press: 28.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0447	COM-247	Person	OPERATIONAL	T:58.3°C | V:6.75mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Compressor COM-247 at Refinery Substation B. Temp: 58.3°C, Vib: 6.75 mm/s, Press: 44.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0448	COM-248	Process	UNDER_REPAIR	T:72.0°C | V:9.21mm/s	**Plant Beta** David Kalu	**Excessive Vibration** — Compressor COM-248 at Plant Beta - Processing Unit. Temp: 72.0°C, Vib: 9.21 mm/s, Press: 7.7 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: David Kalu.
REC-0449	HEA-249	SparePart	WARNING	T:96.4°C | V:7.0mm/s	**Facility West** Vikram Patel	**Mechanical Seal Leakage** — Heat Exchanger HEA-249 at Facility West - Powerhouse. Temp: 96.4°C, Vib: 7.0 mm/s, Press: 27.4 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0450	VAL-250	SafetyInstruction	OPERATIONAL	T:60.3°C | V:5.8mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Valve VAL-250 at Refinery Substation B. Temp: 60.3°C, Vib: 5.8 mm/s, Press: 9.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0451	BOI-251	Equipment	WARNING	T:79.6°C | V:9.78mm/s	**Refinery Substation B** Elena Rostova	**Electrical Phase Imbalance** — Boiler BOI-251 at Refinery Substation B. Temp: 79.6°C, Vib: 9.78 mm/s, Press: 14.4 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0452	TRA-252	Sensor	UNDER_REPAIR	T:93.8°C | V:9.37mm/s	**Plant Alpha** John Smith	**Excessive Vibration** — Transformer TRA-252 at Plant Alpha - Section 1. Temp: 93.8°C, Vib: 9.37 mm/s, Press: 29.7 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0453	TUR-253	Component	CRITICAL	T:67.7°C | V:5.66mm/s	**Facility East** Marcus Vance	**Coupling Misalignment** — Turbine TUR-253 at Facility East - Storage. Temp: 67.7°C, Vib: 5.66 mm/s, Press: 18.0 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0454	COM-254	Fault	SCHEDULED_INSPECTION	T:89.1°C | V:5.94mm/s	**Facility West** Marcus Vance	**None Detected** — Compressor COM-254 at Facility West - Powerhouse. Temp: 89.1°C, Vib: 5.94 mm/s, Press: 6.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0455	TRA-255	Maintenance	CRITICAL	T:81.6°C | V:7.1mm/s	**Refinery Substation A** Marcus Vance	**Coupling Misalignment** — Transformer TRA-255 at Refinery Substation A. Temp: 81.6°C, Vib: 7.1 mm/s, Press: 17.5 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0456	HEA-256	Location	CRITICAL	T:80.1°C | V:13.54mm/s	**Refinery Substation B** Marcus Vance	**Bearing Degradation** — Heat Exchanger HEA-256 at Refinery Substation B. Temp: 80.1°C, Vib: 13.54 mm/s, Press: 32.0 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0457	VAL-257	Person	OPERATIONAL	T:88.1°C | V:11.49mm/s	**Facility East** Elena Rostova	**None Detected** — Valve VAL-257 at Facility East - Storage. Temp: 88.1°C, Vib: 11.49 mm/s, Press: 29.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0458	HEA-258	Process	OPERATIONAL	T:80.1°C | V:14.17mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Heat Exchanger HEA-258 at Refinery Substation A. Temp: 80.1°C, Vib: 14.17 mm/s, Press: 13.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0459	CON-259	SparePart	OPERATIONAL	T:76.2°C | V:14.13mm/s	**Facility West** Sarah Jenkins	**None Detected** — Conveyor CON-259 at Facility West - Powerhouse. Temp: 76.2°C, Vib: 14.13 mm/s, Press: 39.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0460	HEA-260	SafetyInstruction	SCHEDULED_INSPECTION	T:79.1°C | V:7.02mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Heat Exchanger HEA-260 at Refinery Substation A. Temp: 79.1°C, Vib: 7.02 mm/s, Press: 45.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0461	TRA-261	Equipment	SCHEDULED_INSPECTION	T:54.7°C | V:1.84mm/s	**Plant Beta** Robert Chen	**None Detected** — Transformer TRA-261 at Plant Beta - Processing Unit. Temp: 54.7°C, Vib: 1.84 mm/s, Press: 7.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0462	TRA-262	Sensor	CRITICAL	T:80.0°C | V:3.54mm/s	**Refinery Substation B** Robert Chen	**Coupling Misalignment** — Transformer TRA-262 at Refinery Substation B. Temp: 80.0°C, Vib: 3.54 mm/s, Press: 12.3 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0463	CON-263	Component	CRITICAL	T:58.9°C | V:4.53mm/s	**Refinery Substation B** David Kalu	**Lubrication Breakdown** — Conveyor CON-263 at Refinery Substation B. Temp: 58.9°C, Vib: 4.53 mm/s, Press: 41.2 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0464	PUM-264	Fault	UNDER_REPAIR	T:92.6°C | V:7.36mm/s	**Refinery Substation B** Alice Johnson	**Electrical Phase Imbalance** — Pump PUM-264 at Refinery Substation B. Temp: 92.6°C, Vib: 7.36 mm/s, Press: 41.9 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0465	CON-265	Maintenance	WARNING	T:98.1°C | V:5.19mm/s	**Plant Alpha** Robert Chen	**Lubrication Breakdown** — Conveyor CON-265 at Plant Alpha - Section 1. Temp: 98.1°C, Vib: 5.19 mm/s, Press: 47.4 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0466	VAL-266	Location	OPERATIONAL	T:71.1°C | V:9.15mm/s	**Plant Beta** Robert Chen	**None Detected** — Valve VAL-266 at Plant Beta - Processing Unit. Temp: 71.1°C, Vib: 9.15 mm/s, Press: 10.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0467	PUM-267	Person	CRITICAL	T:56.2°C | V:11.1mm/s	**Plant Alpha** Vikram Patel	**Pressure Drop Anomaly** — Pump PUM-267 at Plant Alpha - Section 1. Temp: 56.2°C, Vib: 11.1 mm/s, Press: 28.5 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0468	GEN-268	Process	WARNING	T:77.9°C | V:9.18mm/s	**Refinery Substation B** Alice Johnson	**Lubrication Breakdown** — Generator GEN-268 at Refinery Substation B. Temp: 77.9°C, Vib: 9.18 mm/s, Press: 20.6 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0469	CON-269	SparePart	SCHEDULED_INSPECTION	T:55.7°C | V:5.61mm/s	**Plant Alpha** John Smith	**None Detected** — Conveyor CON-269 at Plant Alpha - Section 1. Temp: 55.7°C, Vib: 5.61 mm/s, Press: 2.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: John Smith.
REC-0470	TRA-270	SafetyInstruction	OPERATIONAL	T:78.5°C | V:3.91mm/s	**Plant Alpha** John Smith	**None Detected** — Transformer TRA-270 at Plant Alpha - Section 2. Temp: 78.5°C, Vib: 3.91 mm/s, Press: 33.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0471	HEA-271	Equipment	OPERATIONAL	T:65.5°C | V:8.56mm/s	**Plant Beta** Robert Chen	**None Detected** — Heat Exchanger HEA-271 at Plant Beta - Processing Unit. Temp: 65.5°C, Vib: 8.56 mm/s, Press: 9.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0472	PUM-272	Sensor	UNDER_REPAIR	T:83.9°C | V:8.67mm/s	**Plant Beta** Marcus Vance	**Pressure Drop Anomaly** — Pump PUM-272 at Plant Beta - Processing Unit. Temp: 83.9°C, Vib: 8.67 mm/s, Press: 17.5 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0473	GEN-273	Component	WARNING	T:95.7°C | V:13.08mm/s	**Plant Beta** Elena Rostova	**Bearing Degradation** — Generator GEN-273 at Plant Beta - Processing Unit. Temp: 95.7°C, Vib: 13.08 mm/s, Press: 20.6 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0474	COM-274	Fault	WARNING	T:84.3°C | V:8.58mm/s	**Refinery Substation A** Robert Chen	**Mechanical Seal Leakage** — Compressor COM-274 at Refinery Substation A. Temp: 84.3°C, Vib: 8.58 mm/s, Press: 9.8 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0475	PUM-275	Maintenance	SCHEDULED_INSPECTION	T:78.3°C | V:8.64mm/s	**Facility West** Marcus Vance	**None Detected** — Pump PUM-275 at Facility West - Powerhouse. Temp: 78.3°C, Vib: 8.64 mm/s, Press: 4.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Marcus Vance.
REC-0476	PUM-276	Location	UNDER_REPAIR	T:68.8°C | V:2.19mm/s	**Plant Alpha** Alice Johnson	**Pressure Drop Anomaly** — Pump PUM-276 at Plant Alpha - Section 1. Temp: 68.8°C, Vib: 2.19 mm/s, Press: 13.6 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Alice Johnson.
REC-0477	PUM-277	Person	OPERATIONAL	T:80.4°C | V:4.2mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Pump PUM-277 at Plant Beta - Processing Unit. Temp: 80.4°C, Vib: 4.2 mm/s, Press: 29.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0478	VAL-278	Process	SCHEDULED_INSPECTION	T:83.5°C | V:2.11mm/s	**Facility West** Alice Johnson	**None Detected** — Valve VAL-278 at Facility West - Powerhouse. Temp: 83.5°C, Vib: 2.11 mm/s, Press: 7.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Alice Johnson.
REC-0479	GEN-279	SparePart	CRITICAL	T:89.5°C | V:13.83mm/s	**Plant Alpha** Elena Rostova	**Electrical Phase Imbalance** — Generator GEN-279 at Plant Alpha - Section 2. Temp: 89.5°C, Vib: 13.83 mm/s, Press: 18.5 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0480	TUR-280	SafetyInstruction	SCHEDULED_INSPECTION	T:71.6°C | V:3.35mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-280 at Plant Alpha - Section 2. Temp: 71.6°C, Vib: 3.35 mm/s, Press: 44.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: John Smith.
REC-0481	COM-281	Equipment	OPERATIONAL	T:93.5°C | V:11.94mm/s	**Plant Alpha** John Smith	**None Detected** — Compressor COM-281 at Plant Alpha - Section 1. Temp: 93.5°C, Vib: 11.94 mm/s, Press: 32.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0482	VAL-282	Sensor	OPERATIONAL	T:93.4°C | V:9.33mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Valve VAL-282 at Plant Alpha - Section 1. Temp: 93.4°C, Vib: 9.33 mm/s, Press: 23.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0483	TUR-283	Component	OPERATIONAL	T:50.3°C | V:2.89mm/s	**Plant Beta** Vikram Patel	**None Detected** — Turbine TUR-283 at Plant Beta - Processing Unit. Temp: 50.3°C, Vib: 2.89 mm/s, Press: 3.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0484	TUR-284	Fault	UNDER_REPAIR	T:84.5°C | V:1.8mm/s	**Plant Beta** David Kalu	**Excessive Vibration** — Turbine TUR-284 at Plant Beta - Processing Unit. Temp: 84.5°C, Vib: 1.8 mm/s, Press: 36.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: David Kalu.
REC-0485	VAL-285	Maintenance	CRITICAL	T:64.1°C | V:6.5mm/s	**Refinery Substation A** Robert Chen	**High Temperature Overheating** — Valve VAL-285 at Refinery Substation A. Temp: 64.1°C, Vib: 6.5 mm/s, Press: 30.6 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0486	HEA-286	Location	WARNING	T:51.1°C | V:5.98mm/s	**Refinery Substation B** David Kalu	**Electrical Phase Imbalance** — Heat Exchanger HEA-286 at Refinery Substation B. Temp: 51.1°C, Vib: 5.98 mm/s, Press: 23.0 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0487	GEN-287	Person	WARNING	T:51.0°C | V:10.04mm/s	**Refinery Substation B** Sarah Jenkins	**Pressure Drop Anomaly** — Generator GEN-287 at Refinery Substation B. Temp: 51.0°C, Vib: 10.04 mm/s, Press: 4.7 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0488	MOT-288	Process	SCHEDULED_INSPECTION	T:81.3°C | V:2.98mm/s	**Facility West** Vikram Patel	**None Detected** — Motor MOT-288 at Facility West - Powerhouse. Temp: 81.3°C, Vib: 2.98 mm/s, Press: 19.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0489	BOI-289	SparePart	UNDER_REPAIR	T:94.2°C | V:2.05mm/s	**Plant Alpha** Robert Chen	**Excessive Vibration** — Boiler BOI-289 at Plant Alpha - Section 1. Temp: 94.2°C, Vib: 2.05 mm/s, Press: 20.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0490	TUR-290	SafetyInstruction	OPERATIONAL	T:82.7°C | V:9.79mm/s	**Refinery Substation A** David Kalu	**None Detected** — Turbine TUR-290 at Refinery Substation A. Temp: 82.7°C, Vib: 9.79 mm/s, Press: 37.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0491	BOI-291	Equipment	CRITICAL	T:72.8°C | V:9.93mm/s	**Refinery Substation A** Elena Rostova	**Electrical Phase Imbalance** — Boiler BOI-291 at Refinery Substation A. Temp: 72.8°C, Vib: 9.93 mm/s, Press: 30.4 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0492	COM-292	Sensor	UNDER_REPAIR	T:53.0°C | V:11.82mm/s	**Facility West** David Kalu	**Filter Clogging** — Compressor COM-292 at Facility West - Powerhouse. Temp: 53.0°C, Vib: 11.82 mm/s, Press: 43.0 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: David Kalu.
REC-0493	PUM-293	Component	SCHEDULED_INSPECTION	T:90.4°C | V:12.17mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Pump PUM-293 at Refinery Substation A. Temp: 90.4°C, Vib: 12.17 mm/s, Press: 42.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0494	GEN-294	Fault	CRITICAL	T:96.9°C | V:1.19mm/s	**Plant Beta** Elena Rostova	**Electrical Phase Imbalance** — Generator GEN-294 at Plant Beta - Processing Unit. Temp: 96.9°C, Vib: 1.19 mm/s, Press: 12.2 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0495	CON-295	Maintenance	OPERATIONAL	T:69.6°C | V:11.48mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Conveyor CON-295 at Refinery Substation B. Temp: 69.6°C, Vib: 11.48 mm/s, Press: 22.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0496	GEN-296	Location	OPERATIONAL	T:97.5°C | V:10.71mm/s	**Facility West** David Kalu	**None Detected** — Generator GEN-296 at Facility West - Powerhouse. Temp: 97.5°C, Vib: 10.71 mm/s, Press: 2.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0497	CON-297	Person	SCHEDULED_INSPECTION	T:74.4°C | V:11.81mm/s	**Facility West** John Smith	**None Detected** — Conveyor CON-297 at Facility West - Powerhouse. Temp: 74.4°C, Vib: 11.81 mm/s, Press: 38.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0498	TRA-298	Process	UNDER_REPAIR	T:95.8°C | V:5.48mm/s	**Facility East** Elena Rostova	**Bearing Degradation** — Transformer TRA-298 at Facility East - Storage. Temp: 95.8°C, Vib: 5.48 mm/s, Press: 4.5 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0499	HEA-299	SparePart	CRITICAL	T:83.3°C | V:2.06mm/s	**Facility East** Vikram Patel	**Bearing Degradation** — Heat Exchanger HEA-299 at Facility East - Storage. Temp: 83.3°C, Vib: 2.06 mm/s, Press: 36.9 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0500	PUM-300	SafetyInstruction	CRITICAL	T:74.3°C | V:5.62mm/s	**Plant Beta** David Kalu	**Pressure Drop Anomaly** — Pump PUM-300 at Plant Beta - Processing Unit. Temp: 74.3°C, Vib: 5.62 mm/s, Press: 6.9 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0501	GEN-301	Equipment	OPERATIONAL	T:58.6°C | V:3.18mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Generator GEN-301 at Plant Alpha - Section 2. Temp: 58.6°C, Vib: 3.18 mm/s, Press: 7.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0502	CON-302	Sensor	WARNING	T:83.3°C | V:1.98mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Conveyor CON-302 at Plant Alpha - Section 2. Temp: 83.3°C, Vib: 1.98 mm/s, Press: 21.1 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0503	MOT-303	Component	UNDER_REPAIR	T:80.2°C | V:13.6mm/s	**Refinery Substation B** Vikram Patel	**Lubrication Breakdown** — Motor MOT-303 at Refinery Substation B. Temp: 80.2°C, Vib: 13.6 mm/s, Press: 8.2 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0504	TRA-304	Fault	SCHEDULED_INSPECTION	T:95.0°C | V:11.99mm/s	**Refinery Substation A** John Smith	**None Detected** — Transformer TRA-304 at Refinery Substation A. Temp: 95.0°C, Vib: 11.99 mm/s, Press: 24.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0505	BOI-305	Maintenance	OPERATIONAL	T:65.7°C | V:8.73mm/s	**Plant Alpha** Robert Chen	**None Detected** — Boiler BOI-305 at Plant Alpha - Section 2. Temp: 65.7°C, Vib: 8.73 mm/s, Press: 42.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0506	TRA-306	Location	SCHEDULED_INSPECTION	T:94.0°C | V:10.94mm/s	**Facility West** Sarah Jenkins	**None Detected** — Transformer TRA-306 at Facility West - Powerhouse. Temp: 94.0°C, Vib: 10.94 mm/s, Press: 14.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Sarah Jenkins.
REC-0507	TUR-307	Person	WARNING	T:67.1°C | V:10.09mm/s	**Facility West** Robert Chen	**Coupling Misalignment** — Turbine TUR-307 at Facility West - Powerhouse. Temp: 67.1°C, Vib: 10.09 mm/s, Press: 36.4 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0508	TRA-308	Process	SCHEDULED_INSPECTION	T:78.8°C | V:3.25mm/s	**Refinery Substation B** David Kalu	**None Detected** — Transformer TRA-308 at Refinery Substation B. Temp: 78.8°C, Vib: 3.25 mm/s, Press: 30.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0509	HEA-309	SparePart	WARNING	T:72.0°C | V:10.01mm/s	**Refinery Substation A** Robert Chen	**High Temperature Overheating** — Heat Exchanger HEA-309 at Refinery Substation A. Temp: 72.0°C, Vib: 10.01 mm/s, Press: 16.8 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0510	HEA-310	SafetyInstruction	SCHEDULED_INSPECTION	T:75.5°C | V:9.64mm/s	**Facility East** Vikram Patel	**None Detected** — Heat Exchanger HEA-310 at Facility East - Storage. Temp: 75.5°C, Vib: 9.64 mm/s, Press: 21.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0511	CON-311	Equipment	SCHEDULED_INSPECTION	T:50.7°C | V:5.72mm/s	**Refinery Substation B** John Smith	**None Detected** — Conveyor CON-311 at Refinery Substation B. Temp: 50.7°C, Vib: 5.72 mm/s, Press: 4.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0512	COM-312	Sensor	CRITICAL	T:81.6°C | V:2.51mm/s	**Plant Beta** Robert Chen	**Coupling Misalignment** — Compressor COM-312 at Plant Beta - Processing Unit. Temp: 81.6°C, Vib: 2.51 mm/s, Press: 4.9 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0513	COM-313	Component	CRITICAL	T:88.6°C | V:1.9mm/s	**Refinery Substation B** John Smith	**Impeller Cavitation** — Compressor COM-313 at Refinery Substation B. Temp: 88.6°C, Vib: 1.9 mm/s, Press: 41.9 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0514	COM-314	Fault	WARNING	T:72.3°C | V:11.42mm/s	**Refinery Substation A** Sarah Jenkins	**Excessive Vibration** — Compressor COM-314 at Refinery Substation A. Temp: 72.3°C, Vib: 11.42 mm/s, Press: 34.0 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0515	CON-315	Maintenance	CRITICAL	T:96.7°C | V:1.24mm/s	**Facility West** Sarah Jenkins	**Bearing Degradation** — Conveyor CON-315 at Facility West - Powerhouse. Temp: 96.7°C, Vib: 1.24 mm/s, Press: 36.2 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0516	BOI-316	Location	WARNING	T:93.8°C | V:10.15mm/s	**Refinery Substation B** Vikram Patel	**Filter Clogging** — Boiler BOI-316 at Refinery Substation B. Temp: 93.8°C, Vib: 10.15 mm/s, Press: 31.8 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0517	TRA-317	Person	WARNING	T:60.7°C | V:2.93mm/s	**Refinery Substation A** Elena Rostova	**Pressure Drop Anomaly** — Transformer TRA-317 at Refinery Substation A. Temp: 60.7°C, Vib: 2.93 mm/s, Press: 33.4 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0518	VAL-318	Process	UNDER_REPAIR	T:47.2°C | V:4.32mm/s	**Refinery Substation A** Alice Johnson	**Pressure Drop Anomaly** — Valve VAL-318 at Refinery Substation A. Temp: 47.2°C, Vib: 4.32 mm/s, Press: 14.2 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0519	PUM-319	SparePart	WARNING	T:47.1°C | V:13.22mm/s	**Plant Beta** Vikram Patel	**Filter Clogging** — Pump PUM-319 at Plant Beta - Processing Unit. Temp: 47.1°C, Vib: 13.22 mm/s, Press: 29.5 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0520	TUR-320	SafetyInstruction	OPERATIONAL	T:86.9°C | V:4.85mm/s	**Facility West** David Kalu	**None Detected** — Turbine TUR-320 at Facility West - Powerhouse. Temp: 86.9°C, Vib: 4.85 mm/s, Press: 12.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0521	VAL-321	Equipment	SCHEDULED_INSPECTION	T:53.5°C | V:7.94mm/s	**Facility East** Alice Johnson	**None Detected** — Valve VAL-321 at Facility East - Storage. Temp: 53.5°C, Vib: 7.94 mm/s, Press: 20.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Alice Johnson.
REC-0522	COM-322	Sensor	CRITICAL	T:64.3°C | V:3.49mm/s	**Plant Alpha** David Kalu	**Impeller Cavitation** — Compressor COM-322 at Plant Alpha - Section 2. Temp: 64.3°C, Vib: 3.49 mm/s, Press: 36.6 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0523	GEN-323	Component	OPERATIONAL	T:80.8°C | V:6.61mm/s	**Facility East** John Smith	**None Detected** — Generator GEN-323 at Facility East - Storage. Temp: 80.8°C, Vib: 6.61 mm/s, Press: 43.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0524	BOI-324	Fault	OPERATIONAL	T:81.5°C | V:4.9mm/s	**Facility East** Elena Rostova	**None Detected** — Boiler BOI-324 at Facility East - Storage. Temp: 81.5°C, Vib: 4.9 mm/s, Press: 44.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0525	MOT-325	Maintenance	SCHEDULED_INSPECTION	T:83.7°C | V:0.84mm/s	**Facility West** Marcus Vance	**None Detected** — Motor MOT-325 at Facility West - Powerhouse. Temp: 83.7°C, Vib: 0.84 mm/s, Press: 25.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0526	TRA-326	Location	UNDER_REPAIR	T:47.3°C | V:12.81mm/s	**Refinery Substation B** Vikram Patel	**Impeller Cavitation** — Transformer TRA-326 at Refinery Substation B. Temp: 47.3°C, Vib: 12.81 mm/s, Press: 10.9 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0527	MOT-327	Person	OPERATIONAL	T:56.3°C | V:9.12mm/s	**Plant Alpha** John Smith	**None Detected** — Motor MOT-327 at Plant Alpha - Section 2. Temp: 56.3°C, Vib: 9.12 mm/s, Press: 11.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0528	CON-328	Process	WARNING	T:73.8°C | V:10.13mm/s	**Refinery Substation B** Alice Johnson	**Electrical Phase Imbalance** — Conveyor CON-328 at Refinery Substation B. Temp: 73.8°C, Vib: 10.13 mm/s, Press: 46.9 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0529	MOT-329	SparePart	OPERATIONAL	T:69.6°C | V:5.04mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Motor MOT-329 at Refinery Substation A. Temp: 69.6°C, Vib: 5.04 mm/s, Press: 6.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0530	PUM-330	SafetyInstruction	SCHEDULED_INSPECTION	T:48.8°C | V:11.76mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Pump PUM-330 at Plant Alpha - Section 2. Temp: 48.8°C, Vib: 11.76 mm/s, Press: 43.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0531	CON-331	Equipment	UNDER_REPAIR	T:61.9°C | V:5.84mm/s	**Facility West** Sarah Jenkins	**Excessive Vibration** — Conveyor CON-331 at Facility West - Powerhouse. Temp: 61.9°C, Vib: 5.84 mm/s, Press: 7.4 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0532	BOI-332	Sensor	CRITICAL	T:94.7°C | V:1.95mm/s	**Plant Alpha** Alice Johnson	**Coupling Misalignment** — Boiler BOI-332 at Plant Alpha - Section 1. Temp: 94.7°C, Vib: 1.95 mm/s, Press: 38.2 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0533	BOI-333	Component	UNDER_REPAIR	T:65.4°C | V:11.76mm/s	**Plant Alpha** Marcus Vance	**Pressure Drop Anomaly** — Boiler BOI-333 at Plant Alpha - Section 1. Temp: 65.4°C, Vib: 11.76 mm/s, Press: 3.4 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0534	VAL-334	Fault	SCHEDULED_INSPECTION	T:60.8°C | V:9.19mm/s	**Refinery Substation A** Sarah Jenkins	**None Detected** — Valve VAL-334 at Refinery Substation A. Temp: 60.8°C, Vib: 9.19 mm/s, Press: 15.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0535	PUM-335	Maintenance	OPERATIONAL	T:47.2°C | V:8.35mm/s	**Facility East** Robert Chen	**None Detected** — Pump PUM-335 at Facility East - Storage. Temp: 47.2°C, Vib: 8.35 mm/s, Press: 20.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0536	TRA-336	Location	WARNING	T:85.0°C | V:12.88mm/s	**Plant Alpha** Marcus Vance	**Electrical Phase Imbalance** — Transformer TRA-336 at Plant Alpha - Section 1. Temp: 85.0°C, Vib: 12.88 mm/s, Press: 17.8 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0537	TRA-337	Person	WARNING	T:56.8°C | V:11.94mm/s	**Plant Alpha** Robert Chen	**Pressure Drop Anomaly** — Transformer TRA-337 at Plant Alpha - Section 2. Temp: 56.8°C, Vib: 11.94 mm/s, Press: 10.9 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0538	BOI-338	Process	SCHEDULED_INSPECTION	T:69.7°C | V:8.03mm/s	**Refinery Substation B** John Smith	**None Detected** — Boiler BOI-338 at Refinery Substation B. Temp: 69.7°C, Vib: 8.03 mm/s, Press: 15.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0539	TUR-339	SparePart	SCHEDULED_INSPECTION	T:71.1°C | V:5.03mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Turbine TUR-339 at Plant Alpha - Section 1. Temp: 71.1°C, Vib: 5.03 mm/s, Press: 7.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0540	MOT-340	SafetyInstruction	WARNING	T:62.0°C | V:6.67mm/s	**Plant Beta** Alice Johnson	**Coupling Misalignment** — Motor MOT-340 at Plant Beta - Processing Unit. Temp: 62.0°C, Vib: 6.67 mm/s, Press: 30.4 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0541	BOI-341	Equipment	CRITICAL	T:96.3°C | V:2.81mm/s	**Plant Alpha** David Kalu	**Bearing Degradation** — Boiler BOI-341 at Plant Alpha - Section 2. Temp: 96.3°C, Vib: 2.81 mm/s, Press: 16.4 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0542	CON-342	Sensor	WARNING	T:81.4°C | V:5.04mm/s	**Plant Beta** David Kalu	**Lubrication Breakdown** — Conveyor CON-342 at Plant Beta - Processing Unit. Temp: 81.4°C, Vib: 5.04 mm/s, Press: 24.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0543	HEA-343	Component	UNDER_REPAIR	T:74.5°C | V:2.91mm/s	**Refinery Substation B** Marcus Vance	**Coupling Misalignment** — Heat Exchanger HEA-343 at Refinery Substation B. Temp: 74.5°C, Vib: 2.91 mm/s, Press: 29.9 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0544	TRA-344	Fault	OPERATIONAL	T:83.9°C | V:12.72mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Transformer TRA-344 at Plant Alpha - Section 2. Temp: 83.9°C, Vib: 12.72 mm/s, Press: 41.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0545	PUM-345	Maintenance	SCHEDULED_INSPECTION	T:56.4°C | V:1.0mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Pump PUM-345 at Refinery Substation B. Temp: 56.4°C, Vib: 1.0 mm/s, Press: 14.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0546	VAL-346	Location	WARNING	T:92.7°C | V:8.58mm/s	**Plant Beta** Sarah Jenkins	**Pressure Drop Anomaly** — Valve VAL-346 at Plant Beta - Processing Unit. Temp: 92.7°C, Vib: 8.58 mm/s, Press: 41.4 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0547	GEN-347	Person	UNDER_REPAIR	T:64.5°C | V:0.65mm/s	**Facility East** Alice Johnson	**Filter Clogging** — Generator GEN-347 at Facility East - Storage. Temp: 64.5°C, Vib: 0.65 mm/s, Press: 13.0 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.
REC-0548	TRA-348	Process	WARNING	T:54.6°C | V:13.5mm/s	**Plant Alpha** Vikram Patel	**Pressure Drop Anomaly** — Transformer TRA-348 at Plant Alpha - Section 2. Temp: 54.6°C, Vib: 13.5 mm/s, Press: 32.3 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0549	GEN-349	SparePart	WARNING	T:85.7°C | V:3.67mm/s	**Plant Beta** John Smith	**Bearing Degradation** — Generator GEN-349 at Plant Beta - Processing Unit. Temp: 85.7°C, Vib: 3.67 mm/s, Press: 14.2 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0550	PUM-350	SafetyInstruction	SCHEDULED_INSPECTION	T:93.6°C | V:5.45mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Pump PUM-350 at Refinery Substation A. Temp: 93.6°C, Vib: 5.45 mm/s, Press: 23.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0551	PUM-351	Equipment	OPERATIONAL	T:82.6°C | V:7.64mm/s	**Plant Alpha** David Kalu	**None Detected** — Pump PUM-351 at Plant Alpha - Section 1. Temp: 82.6°C, Vib: 7.64 mm/s, Press: 40.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0552	TUR-352	Sensor	UNDER_REPAIR	T:80.0°C | V:5.5mm/s	**Facility East** Robert Chen	**High Temperature Overheating** — Turbine TUR-352 at Facility East - Storage. Temp: 80.0°C, Vib: 5.5 mm/s, Press: 32.1 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0553	CON-353	Component	CRITICAL	T:88.7°C | V:5.23mm/s	**Plant Alpha** Sarah Jenkins	**Filter Clogging** — Conveyor CON-353 at Plant Alpha - Section 2. Temp: 88.7°C, Vib: 5.23 mm/s, Press: 38.5 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0554	PUM-354	Fault	UNDER_REPAIR	T:53.9°C | V:1.56mm/s	**Facility East** Robert Chen	**Bearing Degradation** — Pump PUM-354 at Facility East - Storage. Temp: 53.9°C, Vib: 1.56 mm/s, Press: 31.6 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0555	VAL-355	Maintenance	SCHEDULED_INSPECTION	T:83.4°C | V:2.12mm/s	**Plant Alpha** David Kalu	**None Detected** — Valve VAL-355 at Plant Alpha - Section 2. Temp: 83.4°C, Vib: 2.12 mm/s, Press: 12.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0556	MOT-356	Location	UNDER_REPAIR	T:56.3°C | V:2.71mm/s	**Facility West** Vikram Patel	**Excessive Vibration** — Motor MOT-356 at Facility West - Powerhouse. Temp: 56.3°C, Vib: 2.71 mm/s, Press: 40.3 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.
REC-0557	PUM-357	Person	WARNING	T:78.7°C | V:1.04mm/s	**Plant Alpha** Robert Chen	**Excessive Vibration** — Pump PUM-357 at Plant Alpha - Section 2. Temp: 78.7°C, Vib: 1.04 mm/s, Press: 28.3 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0558	VAL-358	Process	SCHEDULED_INSPECTION	T:96.3°C | V:8.71mm/s	**Plant Beta** Robert Chen	**None Detected** — Valve VAL-358 at Plant Beta - Processing Unit. Temp: 96.3°C, Vib: 8.71 mm/s, Press: 27.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0559	TUR-359	SparePart	UNDER_REPAIR	T:77.4°C | V:6.96mm/s	**Plant Alpha** Elena Rostova	**Bearing Degradation** — Turbine TUR-359 at Plant Alpha - Section 1. Temp: 77.4°C, Vib: 6.96 mm/s, Press: 24.2 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0560	BOI-360	SafetyInstruction	SCHEDULED_INSPECTION	T:80.3°C | V:4.12mm/s	**Plant Alpha** Robert Chen	**None Detected** — Boiler BOI-360 at Plant Alpha - Section 2. Temp: 80.3°C, Vib: 4.12 mm/s, Press: 35.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0561	GEN-361	Equipment	WARNING	T:65.2°C | V:2.31mm/s	**Facility East** Alice Johnson	**Impeller Cavitation** — Generator GEN-361 at Facility East - Storage. Temp: 65.2°C, Vib: 2.31 mm/s, Press: 2.8 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0562	TRA-362	Sensor	WARNING	T:77.4°C | V:2.93mm/s	**Refinery Substation A** Sarah Jenkins	**Filter Clogging** — Transformer TRA-362 at Refinery Substation A. Temp: 77.4°C, Vib: 2.93 mm/s, Press: 43.5 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0563	PUM-363	Component	OPERATIONAL	T:70.8°C | V:2.29mm/s	**Refinery Substation B** Alice Johnson	**None Detected** — Pump PUM-363 at Refinery Substation B. Temp: 70.8°C, Vib: 2.29 mm/s, Press: 29.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0564	PUM-364	Fault	SCHEDULED_INSPECTION	T:67.5°C | V:12.49mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Pump PUM-364 at Refinery Substation B. Temp: 67.5°C, Vib: 12.49 mm/s, Press: 34.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0565	COM-365	Maintenance	UNDER_REPAIR	T:63.8°C | V:11.52mm/s	**Refinery Substation B** Vikram Patel	**Filter Clogging** — Compressor COM-365 at Refinery Substation B. Temp: 63.8°C, Vib: 11.52 mm/s, Press: 43.8 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0566	CON-366	Location	UNDER_REPAIR	T:86.0°C | V:12.97mm/s	**Plant Alpha** Marcus Vance	**Filter Clogging** — Conveyor CON-366 at Plant Alpha - Section 2. Temp: 86.0°C, Vib: 12.97 mm/s, Press: 5.9 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0567	TUR-367	Person	OPERATIONAL	T:75.9°C | V:2.11mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-367 at Plant Alpha - Section 2. Temp: 75.9°C, Vib: 2.11 mm/s, Press: 2.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0568	COM-368	Process	UNDER_REPAIR	T:64.4°C | V:2.62mm/s	**Refinery Substation A** David Kalu	**Coupling Misalignment** — Compressor COM-368 at Refinery Substation A. Temp: 64.4°C, Vib: 2.62 mm/s, Press: 32.0 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0569	TRA-369	SparePart	SCHEDULED_INSPECTION	T:59.7°C | V:9.82mm/s	**Facility West** David Kalu	**None Detected** — Transformer TRA-369 at Facility West - Powerhouse. Temp: 59.7°C, Vib: 9.82 mm/s, Press: 36.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.
REC-0570	TRA-370	SafetyInstruction	WARNING	T:64.8°C | V:8.1mm/s	**Refinery Substation B** Vikram Patel	**Coupling Misalignment** — Transformer TRA-370 at Refinery Substation B. Temp: 64.8°C, Vib: 8.1 mm/s, Press: 13.7 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0571	BOI-371	Equipment	WARNING	T:90.7°C | V:9.53mm/s	**Plant Beta** Sarah Jenkins	**Lubrication Breakdown** — Boiler BOI-371 at Plant Beta - Processing Unit. Temp: 90.7°C, Vib: 9.53 mm/s, Press: 36.4 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0572	VAL-372	Sensor	SCHEDULED_INSPECTION	T:66.4°C | V:5.14mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Valve VAL-372 at Plant Alpha - Section 1. Temp: 66.4°C, Vib: 5.14 mm/s, Press: 27.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Elena Rostova.
REC-0573	VAL-373	Component	OPERATIONAL	T:89.0°C | V:6.96mm/s	**Facility West** John Smith	**None Detected** — Valve VAL-373 at Facility West - Powerhouse. Temp: 89.0°C, Vib: 6.96 mm/s, Press: 29.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0574	MOT-374	Fault	WARNING	T:64.8°C | V:8.84mm/s	**Plant Alpha** Marcus Vance	**Electrical Phase Imbalance** — Motor MOT-374 at Plant Alpha - Section 1. Temp: 64.8°C, Vib: 8.84 mm/s, Press: 35.3 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0575	BOI-375	Maintenance	SCHEDULED_INSPECTION	T:48.1°C | V:11.1mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Boiler BOI-375 at Refinery Substation A. Temp: 48.1°C, Vib: 11.1 mm/s, Press: 10.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0576	GEN-376	Location	SCHEDULED_INSPECTION	T:60.3°C | V:0.96mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Generator GEN-376 at Plant Alpha - Section 1. Temp: 60.3°C, Vib: 0.96 mm/s, Press: 29.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0577	BOI-377	Person	CRITICAL	T:57.8°C | V:0.5mm/s	**Plant Alpha** John Smith	**Coupling Misalignment** — Boiler BOI-377 at Plant Alpha - Section 2. Temp: 57.8°C, Vib: 0.5 mm/s, Press: 9.2 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0578	CON-378	Process	UNDER_REPAIR	T:76.4°C | V:7.59mm/s	**Plant Beta** Sarah Jenkins	**High Temperature Overheating** — Conveyor CON-378 at Plant Beta - Processing Unit. Temp: 76.4°C, Vib: 7.59 mm/s, Press: 35.9 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0579	TRA-379	SparePart	CRITICAL	T:96.5°C | V:4.29mm/s	**Plant Beta** David Kalu	**Bearing Degradation** — Transformer TRA-379 at Plant Beta - Processing Unit. Temp: 96.5°C, Vib: 4.29 mm/s, Press: 29.9 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0580	GEN-380	SafetyInstruction	CRITICAL	T:54.4°C | V:7.44mm/s	**Facility West** John Smith	**Impeller Cavitation** — Generator GEN-380 at Facility West - Powerhouse. Temp: 54.4°C, Vib: 7.44 mm/s, Press: 27.7 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0581	TUR-381	Equipment	SCHEDULED_INSPECTION	T:96.2°C | V:12.5mm/s	**Plant Beta** Alice Johnson	**None Detected** — Turbine TUR-381 at Plant Beta - Processing Unit. Temp: 96.2°C, Vib: 12.5 mm/s, Press: 39.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0582	GEN-382	Sensor	WARNING	T:85.5°C | V:13.67mm/s	**Facility West** Vikram Patel	**Lubrication Breakdown** — Generator GEN-382 at Facility West - Powerhouse. Temp: 85.5°C, Vib: 13.67 mm/s, Press: 23.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0583	BOI-383	Component	UNDER_REPAIR	T:51.2°C | V:1.43mm/s	**Refinery Substation B** John Smith	**Bearing Degradation** — Boiler BOI-383 at Refinery Substation B. Temp: 51.2°C, Vib: 1.43 mm/s, Press: 31.1 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0584	HEA-384	Fault	SCHEDULED_INSPECTION	T:73.7°C | V:10.1mm/s	**Facility West** David Kalu	**None Detected** — Heat Exchanger HEA-384 at Facility West - Powerhouse. Temp: 73.7°C, Vib: 10.1 mm/s, Press: 14.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0585	MOT-385	Maintenance	OPERATIONAL	T:74.7°C | V:2.95mm/s	**Facility West** David Kalu	**None Detected** — Motor MOT-385 at Facility West - Powerhouse. Temp: 74.7°C, Vib: 2.95 mm/s, Press: 16.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0586	COM-386	Location	WARNING	T:95.7°C | V:9.86mm/s	**Facility East** Marcus Vance	**Lubrication Breakdown** — Compressor COM-386 at Facility East - Storage. Temp: 95.7°C, Vib: 9.86 mm/s, Press: 43.9 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0587	COM-387	Person	CRITICAL	T:56.1°C | V:3.28mm/s	**Plant Alpha** Elena Rostova	**Filter Clogging** — Compressor COM-387 at Plant Alpha - Section 2. Temp: 56.1°C, Vib: 3.28 mm/s, Press: 13.5 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0588	HEA-388	Process	OPERATIONAL	T:94.2°C | V:9.76mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Heat Exchanger HEA-388 at Plant Alpha - Section 2. Temp: 94.2°C, Vib: 9.76 mm/s, Press: 32.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0589	BOI-389	SparePart	UNDER_REPAIR	T:64.9°C | V:4.82mm/s	**Plant Alpha** John Smith	**Filter Clogging** — Boiler BOI-389 at Plant Alpha - Section 1. Temp: 64.9°C, Vib: 4.82 mm/s, Press: 43.3 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0590	GEN-390	SafetyInstruction	UNDER_REPAIR	T:56.9°C | V:8.4mm/s	**Plant Alpha** Marcus Vance	**Electrical Phase Imbalance** — Generator GEN-390 at Plant Alpha - Section 2. Temp: 56.9°C, Vib: 8.4 mm/s, Press: 4.5 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0591	TRA-391	Equipment	UNDER_REPAIR	T:91.0°C | V:11.13mm/s	**Plant Alpha** David Kalu	**High Temperature Overheating** — Transformer TRA-391 at Plant Alpha - Section 1. Temp: 91.0°C, Vib: 11.13 mm/s, Press: 23.0 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0592	HEA-392	Sensor	OPERATIONAL	T:81.1°C | V:5.7mm/s	**Refinery Substation A** John Smith	**None Detected** — Heat Exchanger HEA-392 at Refinery Substation A. Temp: 81.1°C, Vib: 5.7 mm/s, Press: 6.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0593	HEA-393	Component	WARNING	T:74.3°C | V:3.75mm/s	**Facility East** Marcus Vance	**Filter Clogging** — Heat Exchanger HEA-393 at Facility East - Storage. Temp: 74.3°C, Vib: 3.75 mm/s, Press: 23.7 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0594	HEA-394	Fault	UNDER_REPAIR	T:67.7°C | V:6.24mm/s	**Plant Beta** Robert Chen	**Mechanical Seal Leakage** — Heat Exchanger HEA-394 at Plant Beta - Processing Unit. Temp: 67.7°C, Vib: 6.24 mm/s, Press: 36.6 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0595	TUR-395	Maintenance	SCHEDULED_INSPECTION	T:52.0°C | V:8.39mm/s	**Facility West** Robert Chen	**None Detected** — Turbine TUR-395 at Facility West - Powerhouse. Temp: 52.0°C, Vib: 8.39 mm/s, Press: 12.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0596	TUR-396	Location	SCHEDULED_INSPECTION	T:68.1°C | V:5.72mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Turbine TUR-396 at Refinery Substation B. Temp: 68.1°C, Vib: 5.72 mm/s, Press: 8.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Elena Rostova.
REC-0597	GEN-397	Person	WARNING	T:67.6°C | V:2.34mm/s	**Refinery Substation B** John Smith	**Impeller Cavitation** — Generator GEN-397 at Refinery Substation B. Temp: 67.6°C, Vib: 2.34 mm/s, Press: 43.1 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0598	TRA-398	Process	UNDER_REPAIR	T:61.1°C | V:8.2mm/s	**Refinery Substation A** David Kalu	**Electrical Phase Imbalance** — Transformer TRA-398 at Refinery Substation A. Temp: 61.1°C, Vib: 8.2 mm/s, Press: 28.1 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: David Kalu.
REC-0599	VAL-399	SparePart	CRITICAL	T:70.5°C | V:9.13mm/s	**Plant Alpha** Elena Rostova	**Mechanical Seal Leakage** — Valve VAL-399 at Plant Alpha - Section 1. Temp: 70.5°C, Vib: 9.13 mm/s, Press: 22.7 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0600	TUR-100	SafetyInstruction	SCHEDULED_INSPECTION	T:74.8°C | V:11.6mm/s	**Plant Beta** David Kalu	**None Detected** — Turbine TUR-100 at Plant Beta - Processing Unit. Temp: 74.8°C, Vib: 11.6 mm/s, Press: 17.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.
REC-0601	MOT-101	Equipment	SCHEDULED_INSPECTION	T:75.8°C | V:9.39mm/s	**Plant Beta** Elena Rostova	**None Detected** — Motor MOT-101 at Plant Beta - Processing Unit. Temp: 75.8°C, Vib: 9.39 mm/s, Press: 10.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Elena Rostova.
REC-0602	HEA-102	Sensor	UNDER_REPAIR	T:92.6°C | V:5.72mm/s	**Plant Beta** Vikram Patel	**Pressure Drop Anomaly** — Heat Exchanger HEA-102 at Plant Beta - Processing Unit. Temp: 92.6°C, Vib: 5.72 mm/s, Press: 15.2 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0603	HEA-103	Component	OPERATIONAL	T:49.2°C | V:5.21mm/s	**Facility West** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-103 at Facility West - Powerhouse. Temp: 49.2°C, Vib: 5.21 mm/s, Press: 16.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0604	TUR-104	Fault	SCHEDULED_INSPECTION	T:79.5°C | V:4.22mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Turbine TUR-104 at Refinery Substation A. Temp: 79.5°C, Vib: 4.22 mm/s, Press: 22.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0605	BOI-105	Maintenance	UNDER_REPAIR	T:54.0°C | V:12.2mm/s	**Facility East** Vikram Patel	**Bearing Degradation** — Boiler BOI-105 at Facility East - Storage. Temp: 54.0°C, Vib: 12.2 mm/s, Press: 7.8 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0606	MOT-106	Location	UNDER_REPAIR	T:50.5°C | V:1.37mm/s	**Plant Alpha** Robert Chen	**Impeller Cavitation** — Motor MOT-106 at Plant Alpha - Section 2. Temp: 50.5°C, Vib: 1.37 mm/s, Press: 42.4 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0607	PUM-107	Person	SCHEDULED_INSPECTION	T:85.9°C | V:1.64mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Pump PUM-107 at Refinery Substation B. Temp: 85.9°C, Vib: 1.64 mm/s, Press: 14.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.
REC-0608	MOT-108	Process	CRITICAL	T:57.3°C | V:10.61mm/s	**Refinery Substation A** Sarah Jenkins	**Pressure Drop Anomaly** — Motor MOT-108 at Refinery Substation A. Temp: 57.3°C, Vib: 10.61 mm/s, Press: 22.4 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0609	VAL-109	SparePart	OPERATIONAL	T:46.9°C | V:5.39mm/s	**Facility East** Robert Chen	**None Detected** — Valve VAL-109 at Facility East - Storage. Temp: 46.9°C, Vib: 5.39 mm/s, Press: 44.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0610	GEN-110	SafetyInstruction	SCHEDULED_INSPECTION	T:68.8°C | V:13.78mm/s	**Facility West** Marcus Vance	**None Detected** — Generator GEN-110 at Facility West - Powerhouse. Temp: 68.8°C, Vib: 13.78 mm/s, Press: 34.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0611	BOI-111	Equipment	SCHEDULED_INSPECTION	T:68.3°C | V:9.27mm/s	**Facility East** Vikram Patel	**None Detected** — Boiler BOI-111 at Facility East - Storage. Temp: 68.3°C, Vib: 9.27 mm/s, Press: 26.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0612	GEN-112	Sensor	OPERATIONAL	T:68.6°C | V:5.51mm/s	**Facility East** Elena Rostova	**None Detected** — Generator GEN-112 at Facility East - Storage. Temp: 68.6°C, Vib: 5.51 mm/s, Press: 14.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0613	TUR-113	Component	SCHEDULED_INSPECTION	T:88.6°C | V:12.12mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-113 at Plant Alpha - Section 1. Temp: 88.6°C, Vib: 12.12 mm/s, Press: 17.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: John Smith.
REC-0614	TRA-114	Fault	UNDER_REPAIR	T:61.0°C | V:10.99mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Transformer TRA-114 at Plant Alpha - Section 1. Temp: 61.0°C, Vib: 10.99 mm/s, Press: 38.7 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0615	PUM-115	Maintenance	WARNING	T:67.0°C | V:8.18mm/s	**Facility East** David Kalu	**Pressure Drop Anomaly** — Pump PUM-115 at Facility East - Storage. Temp: 67.0°C, Vib: 8.18 mm/s, Press: 20.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0616	CON-116	Location	WARNING	T:59.1°C | V:6.28mm/s	**Refinery Substation B** Sarah Jenkins	**Filter Clogging** — Conveyor CON-116 at Refinery Substation B. Temp: 59.1°C, Vib: 6.28 mm/s, Press: 13.0 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0617	TUR-117	Person	UNDER_REPAIR	T:55.1°C | V:1.44mm/s	**Plant Beta** Marcus Vance	**High Temperature Overheating** — Turbine TUR-117 at Plant Beta - Processing Unit. Temp: 55.1°C, Vib: 1.44 mm/s, Press: 8.3 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0618	BOI-118	Process	SCHEDULED_INSPECTION	T:71.3°C | V:4.89mm/s	**Facility West** Marcus Vance	**None Detected** — Boiler BOI-118 at Facility West - Powerhouse. Temp: 71.3°C, Vib: 4.89 mm/s, Press: 9.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0619	VAL-119	SparePart	CRITICAL	T:51.7°C | V:6.51mm/s	**Plant Alpha** Marcus Vance	**High Temperature Overheating** — Valve VAL-119 at Plant Alpha - Section 1. Temp: 51.7°C, Vib: 6.51 mm/s, Press: 2.4 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0620	VAL-120	SafetyInstruction	WARNING	T:63.3°C | V:4.77mm/s	**Plant Alpha** Vikram Patel	**Mechanical Seal Leakage** — Valve VAL-120 at Plant Alpha - Section 1. Temp: 63.3°C, Vib: 4.77 mm/s, Press: 38.8 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0621	GEN-121	Equipment	CRITICAL	T:49.3°C | V:10.78mm/s	**Refinery Substation A** John Smith	**Coupling Misalignment** — Generator GEN-121 at Refinery Substation A. Temp: 49.3°C, Vib: 10.78 mm/s, Press: 8.7 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0622	CON-122	Sensor	WARNING	T:55.3°C | V:12.03mm/s	**Plant Alpha** Vikram Patel	**Excessive Vibration** — Conveyor CON-122 at Plant Alpha - Section 1. Temp: 55.3°C, Vib: 12.03 mm/s, Press: 39.6 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0623	MOT-123	Component	UNDER_REPAIR	T:86.3°C | V:6.57mm/s	**Refinery Substation B** Elena Rostova	**Excessive Vibration** — Motor MOT-123 at Refinery Substation B. Temp: 86.3°C, Vib: 6.57 mm/s, Press: 35.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0624	GEN-124	Fault	SCHEDULED_INSPECTION	T:80.6°C | V:3.36mm/s	**Refinery Substation A** Alice Johnson	**None Detected** — Generator GEN-124 at Refinery Substation A. Temp: 80.6°C, Vib: 3.36 mm/s, Press: 19.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0625	HEA-125	Maintenance	SCHEDULED_INSPECTION	T:72.9°C | V:3.97mm/s	**Plant Alpha** John Smith	**None Detected** — Heat Exchanger HEA-125 at Plant Alpha - Section 2. Temp: 72.9°C, Vib: 3.97 mm/s, Press: 31.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0626	HEA-126	Location	OPERATIONAL	T:57.6°C | V:6.45mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Heat Exchanger HEA-126 at Plant Alpha - Section 1. Temp: 57.6°C, Vib: 6.45 mm/s, Press: 2.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0627	TUR-127	Person	UNDER_REPAIR	T:87.2°C | V:0.62mm/s	**Facility East** Alice Johnson	**Lubrication Breakdown** — Turbine TUR-127 at Facility East - Storage. Temp: 87.2°C, Vib: 0.62 mm/s, Press: 3.9 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.
REC-0628	HEA-128	Process	WARNING	T:53.4°C | V:1.75mm/s	**Refinery Substation B** Alice Johnson	**Excessive Vibration** — Heat Exchanger HEA-128 at Refinery Substation B. Temp: 53.4°C, Vib: 1.75 mm/s, Press: 30.5 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0629	PUM-129	SparePart	SCHEDULED_INSPECTION	T:87.3°C | V:2.22mm/s	**Plant Beta** Robert Chen	**None Detected** — Pump PUM-129 at Plant Beta - Processing Unit. Temp: 87.3°C, Vib: 2.22 mm/s, Press: 12.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0630	GEN-130	SafetyInstruction	OPERATIONAL	T:81.9°C | V:5.41mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Generator GEN-130 at Refinery Substation A. Temp: 81.9°C, Vib: 5.41 mm/s, Press: 8.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0631	PUM-131	Equipment	SCHEDULED_INSPECTION	T:60.8°C | V:10.05mm/s	**Facility West** Vikram Patel	**None Detected** — Pump PUM-131 at Facility West - Powerhouse. Temp: 60.8°C, Vib: 10.05 mm/s, Press: 10.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0632	TRA-132	Sensor	UNDER_REPAIR	T:59.7°C | V:11.89mm/s	**Plant Beta** David Kalu	**Impeller Cavitation** — Transformer TRA-132 at Plant Beta - Processing Unit. Temp: 59.7°C, Vib: 11.89 mm/s, Press: 44.1 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0633	MOT-133	Component	UNDER_REPAIR	T:60.8°C | V:4.11mm/s	**Facility East** Robert Chen	**Excessive Vibration** — Motor MOT-133 at Facility East - Storage. Temp: 60.8°C, Vib: 4.11 mm/s, Press: 18.9 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0634	VAL-134	Fault	SCHEDULED_INSPECTION	T:57.8°C | V:10.38mm/s	**Plant Alpha** David Kalu	**None Detected** — Valve VAL-134 at Plant Alpha - Section 1. Temp: 57.8°C, Vib: 10.38 mm/s, Press: 32.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0635	COM-135	Maintenance	SCHEDULED_INSPECTION	T:53.2°C | V:4.38mm/s	**Facility East** Vikram Patel	**None Detected** — Compressor COM-135 at Facility East - Storage. Temp: 53.2°C, Vib: 4.38 mm/s, Press: 20.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0636	MOT-136	Location	OPERATIONAL	T:89.7°C | V:2.28mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Motor MOT-136 at Plant Alpha - Section 1. Temp: 89.7°C, Vib: 2.28 mm/s, Press: 42.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0637	COM-137	Person	WARNING	T:50.3°C | V:8.32mm/s	**Plant Alpha** Vikram Patel	**Lubrication Breakdown** — Compressor COM-137 at Plant Alpha - Section 1. Temp: 50.3°C, Vib: 8.32 mm/s, Press: 40.5 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0638	TRA-138	Process	OPERATIONAL	T:64.6°C | V:8.8mm/s	**Facility East** Marcus Vance	**None Detected** — Transformer TRA-138 at Facility East - Storage. Temp: 64.6°C, Vib: 8.8 mm/s, Press: 5.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0639	COM-139	SparePart	OPERATIONAL	T:70.0°C | V:9.25mm/s	**Refinery Substation A** Vikram Patel	**None Detected** — Compressor COM-139 at Refinery Substation A. Temp: 70.0°C, Vib: 9.25 mm/s, Press: 18.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0640	CON-140	SafetyInstruction	OPERATIONAL	T:89.1°C | V:4.14mm/s	**Refinery Substation B** David Kalu	**None Detected** — Conveyor CON-140 at Refinery Substation B. Temp: 89.1°C, Vib: 4.14 mm/s, Press: 3.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0641	MOT-141	Equipment	OPERATIONAL	T:95.5°C | V:13.66mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Motor MOT-141 at Refinery Substation B. Temp: 95.5°C, Vib: 13.66 mm/s, Press: 6.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0642	COM-142	Sensor	WARNING	T:55.3°C | V:9.5mm/s	**Facility East** Sarah Jenkins	**Pressure Drop Anomaly** — Compressor COM-142 at Facility East - Storage. Temp: 55.3°C, Vib: 9.5 mm/s, Press: 28.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0643	TRA-143	Component	OPERATIONAL	T:86.0°C | V:8.4mm/s	**Refinery Substation A** Sarah Jenkins	**None Detected** — Transformer TRA-143 at Refinery Substation A. Temp: 86.0°C, Vib: 8.4 mm/s, Press: 33.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0644	CON-144	Fault	WARNING	T:74.4°C | V:7.41mm/s	**Plant Alpha** Robert Chen	**Impeller Cavitation** — Conveyor CON-144 at Plant Alpha - Section 1. Temp: 74.4°C, Vib: 7.41 mm/s, Press: 32.2 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0645	BOI-145	Maintenance	CRITICAL	T:74.4°C | V:14.16mm/s	**Facility West** David Kalu	**Electrical Phase Imbalance** — Boiler BOI-145 at Facility West - Powerhouse. Temp: 74.4°C, Vib: 14.16 mm/s, Press: 40.9 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0646	CON-146	Location	SCHEDULED_INSPECTION	T:57.9°C | V:7.98mm/s	**Refinery Substation B** David Kalu	**None Detected** — Conveyor CON-146 at Refinery Substation B. Temp: 57.9°C, Vib: 7.98 mm/s, Press: 19.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0647	HEA-147	Person	UNDER_REPAIR	T:45.0°C | V:0.97mm/s	**Facility West** Vikram Patel	**Excessive Vibration** — Heat Exchanger HEA-147 at Facility West - Powerhouse. Temp: 45.0°C, Vib: 0.97 mm/s, Press: 15.1 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0648	TUR-148	Process	WARNING	T:56.5°C | V:4.81mm/s	**Plant Alpha** Marcus Vance	**Coupling Misalignment** — Turbine TUR-148 at Plant Alpha - Section 1. Temp: 56.5°C, Vib: 4.81 mm/s, Press: 37.5 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0649	TRA-149	SparePart	OPERATIONAL	T:47.0°C | V:5.37mm/s	**Facility East** Robert Chen	**None Detected** — Transformer TRA-149 at Facility East - Storage. Temp: 47.0°C, Vib: 5.37 mm/s, Press: 8.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0650	HEA-150	SafetyInstruction	WARNING	T:58.7°C | V:4.61mm/s	**Facility East** Elena Rostova	**Filter Clogging** — Heat Exchanger HEA-150 at Facility East - Storage. Temp: 58.7°C, Vib: 4.61 mm/s, Press: 28.2 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0651	COM-151	Equipment	CRITICAL	T:87.4°C | V:2.87mm/s	**Refinery Substation A** Alice Johnson	**Filter Clogging** — Compressor COM-151 at Refinery Substation A. Temp: 87.4°C, Vib: 2.87 mm/s, Press: 40.0 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0652	MOT-152	Sensor	OPERATIONAL	T:84.1°C | V:8.4mm/s	**Facility East** Marcus Vance	**None Detected** — Motor MOT-152 at Facility East - Storage. Temp: 84.1°C, Vib: 8.4 mm/s, Press: 5.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0653	PUM-153	Component	CRITICAL	T:92.1°C | V:6.45mm/s	**Refinery Substation B** David Kalu	**High Temperature Overheating** — Pump PUM-153 at Refinery Substation B. Temp: 92.1°C, Vib: 6.45 mm/s, Press: 44.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0654	COM-154	Fault	UNDER_REPAIR	T:47.9°C | V:7.68mm/s	**Refinery Substation A** John Smith	**Filter Clogging** — Compressor COM-154 at Refinery Substation A. Temp: 47.9°C, Vib: 7.68 mm/s, Press: 16.7 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0655	HEA-155	Maintenance	WARNING	T:47.7°C | V:10.52mm/s	**Facility East** Elena Rostova	**Lubrication Breakdown** — Heat Exchanger HEA-155 at Facility East - Storage. Temp: 47.7°C, Vib: 10.52 mm/s, Press: 20.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0656	BOI-156	Location	**WARNING**	T:68.1°C | V:11.27mm/s	**Facility East** Alice Johnson	**Mechanical Seal Leakage** — Boiler BOI-156 at Facility East - Storage. Temp: 68.1°C, Vib: 11.27 mm/s, Press: 8.8 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0657	MOT-157	Person	**SCHEDULED_INSPECTION**	T:66.4°C | V:1.67mm/s	**Facility West** John Smith	**None Detected** — Motor MOT-157 at Facility West - Powerhouse. Temp: 66.4°C, Vib: 1.67 mm/s, Press: 25.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0658	VAL-158	Process	**UNDER_REPAIR**	T:66.1°C | V:8.33mm/s	**Facility West** Elena Rostova	**Impeller Cavitation** — Valve VAL-158 at Facility West - Powerhouse. Temp: 66.1°C, Vib: 8.33 mm/s, Press: 27.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0659	COM-159	SparePart	**UNDER_REPAIR**	T:62.3°C | V:13.16mm/s	**Plant Alpha** Marcus Vance	**Electrical Phase Imbalance** — Compressor COM-159 at Plant Alpha - Section 1. Temp: 62.3°C, Vib: 13.16 mm/s, Press: 6.1 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0660	HEA-160	SafetyInstruction	**CRITICAL**	T:63.4°C | V:9.48mm/s	**Plant Beta** Elena Rostova	**Pressure Drop Anomaly** — Heat Exchanger HEA-160 at Plant Beta - Processing Unit. Temp: 63.4°C, Vib: 9.48 mm/s, Press: 37.4 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0661	HEA-161	Equipment	**SCHEDULED_INSPECTION**	T:52.8°C | V:1.11mm/s	**Facility East** Vikram Patel	**None Detected** — Heat Exchanger HEA-161 at Facility East - Storage. Temp: 52.8°C, Vib: 1.11 mm/s, Press: 39.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.
REC-0662	HEA-162	Sensor	**OPERATIONAL**	T:84.6°C | V:3.83mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Heat Exchanger HEA-162 at Plant Alpha - Section 2. Temp: 84.6°C, Vib: 3.83 mm/s, Press: 30.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0663	VAL-163	Component	**OPERATIONAL**	T:63.4°C | V:11.52mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Valve VAL-163 at Refinery Substation B. Temp: 63.4°C, Vib: 11.52 mm/s, Press: 16.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0664	GEN-164	Fault	**WARNING**	T:84.6°C | V:3.4mm/s	**Plant Alpha** David Kalu	**Coupling Misalignment** — Generator GEN-164 at Plant Alpha - Section 1. Temp: 84.6°C, Vib: 3.4 mm/s, Press: 27.1 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0665	TRA-165	Maintenance	**OPERATIONAL**	T:65.1°C | V:12.91mm/s	**Facility West** Robert Chen	**None Detected** — Transformer TRA-165 at Facility West - Powerhouse. Temp: 65.1°C, Vib: 12.91 mm/s, Press: 26.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0666	TUR-166	Location	CRITICAL	T:55.7°C | V:10.04mm/s	**Plant Alpha** John Smith	**Lubrication Breakdown** — Turbine TUR-166 at Plant Alpha - Section 2. Temp: 55.7°C, Vib: 10.04 mm/s, Press: 14.5 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0667	PUM-167	Person	CRITICAL	T:80.5°C | V:13.01mm/s	**Plant Alpha** Sarah Jenkins	**High Temperature Overheating** — Pump PUM-167 at Plant Alpha - Section 1. Temp: 80.5°C, Vib: 13.01 mm/s, Press: 18.6 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0668	PUM-168	Process	WARNING	T:97.4°C | V:7.47mm/s	**Plant Beta** Sarah Jenkins	**Mechanical Seal Leakage** — Pump PUM-168 at Plant Beta - Processing Unit. Temp: 97.4°C, Vib: 7.47 mm/s, Press: 34.6 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0669	GEN-169	SparePart	WARNING	T:55.6°C | V:13.75mm/s	**Refinery Substation B** Alice Johnson	**Excessive Vibration** — Generator GEN-169 at Refinery Substation B. Temp: 55.6°C, Vib: 13.75 mm/s, Press: 27.8 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0670	PUM-170	SafetyInstruction	CRITICAL	T:71.2°C | V:10.7mm/s	**Plant Alpha** Marcus Vance	**Mechanical Seal Leakage** — Pump PUM-170 at Plant Alpha - Section 2. Temp: 71.2°C, Vib: 10.7 mm/s, Press: 2.8 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0671	HEA-171	Equipment	WARNING	T:98.3°C | V:13.91mm/s	**Refinery Substation A** Marcus Vance	**Excessive Vibration** — Heat Exchanger HEA-171 at Refinery Substation A. Temp: 98.3°C, Vib: 13.91 mm/s, Press: 14.7 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0672	TUR-172	Sensor	SCHEDULED_INSPECTION	T:95.8°C | V:3.59mm/s	**Facility West** John Smith	**None Detected** — Turbine TUR-172 at Facility West - Powerhouse. Temp: 95.8°C, Vib: 3.59 mm/s, Press: 17.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0673	VAL-173	Component	SCHEDULED_INSPECTION	T:96.4°C | V:8.89mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Valve VAL-173 at Plant Alpha - Section 1. Temp: 96.4°C, Vib: 8.89 mm/s, Press: 30.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0674	CON-174	Fault	UNDER_REPAIR	T:96.9°C | V:12.96mm/s	**Plant Alpha** Robert Chen	**Impeller Cavitation** — Conveyor CON-174 at Plant Alpha - Section 2. Temp: 96.9°C, Vib: 12.96 mm/s, Press: 17.1 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0675	COM-175	Maintenance	SCHEDULED_INSPECTION	T:74.0°C | V:11.46mm/s	**Refinery Substation A** Robert Chen	**None Detected** — Compressor COM-175 at Refinery Substation A. Temp: 74.0°C, Vib: 11.46 mm/s, Press: 41.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0676	TRA-176	Location	WARNING	T:80.1°C | V:8.24mm/s	**Plant Alpha** Sarah Jenkins	**High Temperature Overheating** — Transformer TRA-176 at Plant Alpha - Section 2. Temp: 80.1°C, Vib: 8.24 mm/s, Press: 9.3 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0677	TRA-177	Person	WARNING	T:62.0°C | V:12.55mm/s	**Facility East** Alice Johnson	**Mechanical Seal Leakage** — Transformer TRA-177 at Facility East - Storage. Temp: 62.0°C, Vib: 12.55 mm/s, Press: 35.4 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0678	CON-178	Process	UNDER_REPAIR	T:84.9°C | V:11.76mm/s	**Facility West** Marcus Vance	**Coupling Misalignment** — Conveyor CON-178 at Facility West - Powerhouse. Temp: 84.9°C, Vib: 11.76 mm/s, Press: 31.3 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0679	COM-179	SparePart	WARNING	T:46.4°C | V:14.01mm/s	**Plant Alpha** Robert Chen	**Filter Clogging** — Compressor COM-179 at Plant Alpha - Section 1. Temp: 46.4°C, Vib: 14.01 mm/s, Press: 30.4 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0680	BOI-180	SafetyInstruction	SCHEDULED_INSPECTION	T:57.4°C | V:9.92mm/s	**Facility East** Elena Rostova	**None Detected** — Boiler BOI-180 at Facility East - Storage. Temp: 57.4°C, Vib: 9.92 mm/s, Press: 18.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0681	VAL-181	Equipment	CRITICAL	T:54.8°C | V:5.81mm/s	**Facility East** Vikram Patel	**Pressure Drop Anomaly** — Valve VAL-181 at Facility East - Storage. Temp: 54.8°C, Vib: 5.81 mm/s, Press: 23.8 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0682	COM-182	Sensor	UNDER_REPAIR	T:85.9°C | V:0.71mm/s	**Plant Alpha** John Smith	**Electrical Phase Imbalance** — Compressor COM-182 at Plant Alpha - Section 2. Temp: 85.9°C, Vib: 0.71 mm/s, Press: 14.4 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0683	COM-183	Component	OPERATIONAL	T:54.5°C | V:13.58mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Compressor COM-183 at Refinery Substation B. Temp: 54.5°C, Vib: 13.58 mm/s, Press: 22.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0684	BOI-184	Fault	UNDER_REPAIR	T:92.5°C | V:6.36mm/s	**Facility West** David Kalu	**Filter Clogging** — Boiler BOI-184 at Facility West - Powerhouse. Temp: 92.5°C, Vib: 6.36 mm/s, Press: 37.7 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: David Kalu.
REC-0685	HEA-185	Maintenance	SCHEDULED_INSPECTION	T:50.8°C | V:6.76mm/s	**Facility West** John Smith	**None Detected** — Heat Exchanger HEA-185 at Facility West - Powerhouse. Temp: 50.8°C, Vib: 6.76 mm/s, Press: 42.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0686	TRA-186	Location	OPERATIONAL	T:74.8°C | V:7.57mm/s	**Facility East** Sarah Jenkins	**None Detected** — Transformer TRA-186 at Facility East - Storage. Temp: 74.8°C, Vib: 7.57 mm/s, Press: 31.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0687	PUM-187	Person	UNDER_REPAIR	T:66.3°C | V:4.67mm/s	**Plant Alpha** Marcus Vance	**Lubrication Breakdown** — Pump PUM-187 at Plant Alpha - Section 2. Temp: 66.3°C, Vib: 4.67 mm/s, Press: 40.1 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0688	CON-188	Process	SCHEDULED_INSPECTION	T:93.3°C | V:6.85mm/s	**Plant Beta** John Smith	**None Detected** — Conveyor CON-188 at Plant Beta - Processing Unit. Temp: 93.3°C, Vib: 6.85 mm/s, Press: 31.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0689	TRA-189	SparePart	SCHEDULED_INSPECTION	T:95.2°C | V:10.04mm/s	**Plant Alpha** Robert Chen	**None Detected** — Transformer TRA-189 at Plant Alpha - Section 1. Temp: 95.2°C, Vib: 10.04 mm/s, Press: 8.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0690	HEA-190	SafetyInstruction	WARNING	T:69.3°C | V:12.78mm/s	**Facility West** John Smith	**Lubrication Breakdown** — Heat Exchanger HEA-190 at Facility West - Powerhouse. Temp: 69.3°C, Vib: 12.78 mm/s, Press: 43.2 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0691	MOT-191	Equipment	WARNING	T:83.4°C | V:2.19mm/s	**Plant Beta** David Kalu	**Lubrication Breakdown** — Motor MOT-191 at Plant Beta - Processing Unit. Temp: 83.4°C, Vib: 2.19 mm/s, Press: 7.3 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0692	HEA-192	Sensor	SCHEDULED_INSPECTION	T:77.7°C | V:2.69mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-192 at Plant Alpha - Section 1. Temp: 77.7°C, Vib: 2.69 mm/s, Press: 27.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Sarah Jenkins.
REC-0693	VAL-193	Component	WARNING	T:91.5°C | V:2.95mm/s	**Plant Beta** Robert Chen	**Electrical Phase Imbalance** — Valve VAL-193 at Plant Beta - Processing Unit. Temp: 91.5°C, Vib: 2.95 mm/s, Press: 34.8 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0694	TUR-194	Fault	CRITICAL	T:78.5°C | V:2.11mm/s	**Plant Beta** Vikram Patel	**Bearing Degradation** — Turbine TUR-194 at Plant Beta - Processing Unit. Temp: 78.5°C, Vib: 2.11 mm/s, Press: 8.1 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0695	PUM-195	Maintenance	OPERATIONAL	T:69.5°C | V:12.22mm/s	**Facility East** Marcus Vance	**None Detected** — Pump PUM-195 at Facility East - Storage. Temp: 69.5°C, Vib: 12.22 mm/s, Press: 27.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0696	PUM-196	Location	WARNING	T:56.6°C | V:9.53mm/s	**Facility East** Vikram Patel	**Lubrication Breakdown** — Pump PUM-196 at Facility East - Storage. Temp: 56.6°C, Vib: 9.53 mm/s, Press: 22.9 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0697	MOT-197	Person	WARNING	T:92.2°C | V:4.31mm/s	**Facility East** John Smith	**Bearing Degradation** — Motor MOT-197 at Facility East - Storage. Temp: 92.2°C, Vib: 4.31 mm/s, Press: 30.9 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0698	PUM-198	Process	OPERATIONAL	T:80.0°C | V:1.0mm/s	**Plant Alpha** Robert Chen	**None Detected** — Pump PUM-198 at Plant Alpha - Section 2. Temp: 80.0°C, Vib: 1.0 mm/s, Press: 41.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0699	BOI-199	SparePart	CRITICAL	T:94.2°C | V:1.17mm/s	**Refinery Substation B** Marcus Vance	**Pressure Drop Anomaly** — Boiler BOI-199 at Refinery Substation B. Temp: 94.2°C, Vib: 1.17 mm/s, Press: 21.2 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0700	VAL-200	SafetyInstruction	SCHEDULED_INSPECTION	T:80.4°C | V:10.09mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-200 at Refinery Substation A. Temp: 80.4°C, Vib: 10.09 mm/s, Press: 28.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0701	GEN-201	Equipment	OPERATIONAL	T:50.0°C | V:4.6mm/s	**Refinery Substation A** David Kalu	**None Detected** — Generator GEN-201 at Refinery Substation A. Temp: 50.0°C, Vib: 4.6 mm/s, Press: 19.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0702	CON-202	Sensor	UNDER_REPAIR	T:90.1°C | V:1.39mm/s	**Refinery Substation B** Alice Johnson	**High Temperature Overheating** — Conveyor CON-202 at Refinery Substation B. Temp: 90.1°C, Vib: 1.39 mm/s, Press: 23.7 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0703	HEA-203	Component	SCHEDULED_INSPECTION	T:56.2°C | V:3.36mm/s	**Facility East** Sarah Jenkins	**None Detected** — Heat Exchanger HEA-203 at Facility East - Storage. Temp: 56.2°C, Vib: 3.36 mm/s, Press: 4.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0704	GEN-204	Fault	UNDER_REPAIR	T:77.6°C | V:4.84mm/s	**Refinery Substation A** Marcus Vance	**Filter Clogging** — Generator GEN-204 at Refinery Substation A. Temp: 77.6°C, Vib: 4.84 mm/s, Press: 26.2 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0705	VAL-205	Maintenance	SCHEDULED_INSPECTION	T:84.0°C | V:7.32mm/s	**Facility East** Vikram Patel	**None Detected** — Valve VAL-205 at Facility East - Storage. Temp: 84.0°C, Vib: 7.32 mm/s, Press: 39.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0706	TUR-206	Location	OPERATIONAL	T:46.3°C | V:9.07mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-206 at Plant Alpha - Section 2. Temp: 46.3°C, Vib: 9.07 mm/s, Press: 7.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0707	COM-207	Person	UNDER_REPAIR	T:47.4°C | V:5.29mm/s	**Refinery Substation B** Sarah Jenkins	**Bearing Degradation** — Compressor COM-207 at Refinery Substation B. Temp: 47.4°C, Vib: 5.29 mm/s, Press: 39.1 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Sarah Jenkins.
REC-0708	COM-208	Process	CRITICAL	T:87.3°C | V:4.72mm/s	**Refinery Substation A** Marcus Vance	**Mechanical Seal Leakage** — Compressor COM-208 at Refinery Substation A. Temp: 87.3°C, Vib: 4.72 mm/s, Press: 25.3 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0709	PUM-209	SparePart	CRITICAL	T:66.2°C | V:8.29mm/s	**Plant Alpha** David Kalu	**Pressure Drop Anomaly** — Pump PUM-209 at Plant Alpha - Section 1. Temp: 66.2°C, Vib: 8.29 mm/s, Press: 46.2 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0710	COM-210	SafetyInstruction	UNDER_REPAIR	T:94.0°C | V:11.42mm/s	**Plant Beta** David Kalu	**Lubrication Breakdown** — Compressor COM-210 at Plant Beta - Processing Unit. Temp: 94.0°C, Vib: 11.42 mm/s, Press: 31.7 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0711	GEN-211	Equipment	UNDER_REPAIR	T:86.9°C | V:6.17mm/s	**Refinery Substation B** David Kalu	**Impeller Cavitation** — Generator GEN-211 at Refinery Substation B. Temp: 86.9°C, Vib: 6.17 mm/s, Press: 36.2 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0712	BOI-212	Sensor	SCHEDULED_INSPECTION	T:73.7°C | V:3.35mm/s	**Refinery Substation A** David Kalu	**None Detected** — Boiler BOI-212 at Refinery Substation A. Temp: 73.7°C, Vib: 3.35 mm/s, Press: 33.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0713	MOT-213	Component	OPERATIONAL	T:63.1°C | V:5.64mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Motor MOT-213 at Plant Alpha - Section 2. Temp: 63.1°C, Vib: 5.64 mm/s, Press: 26.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0714	VAL-214	Fault	WARNING	T:76.8°C | V:12.34mm/s	**Facility East** Sarah Jenkins	**Mechanical Seal Leakage** — Valve VAL-214 at Facility East - Storage. Temp: 76.8°C, Vib: 12.34 mm/s, Press: 36.6 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0715	PUM-215	Maintenance	OPERATIONAL	T:71.6°C | V:3.76mm/s	**Plant Beta** Sarah Jenkins	**None Detected** — Pump PUM-215 at Plant Beta - Processing Unit. Temp: 71.6°C, Vib: 3.76 mm/s, Press: 22.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0716	TUR-216	Location	WARNING	T:51.0°C | V:11.25mm/s	**Plant Alpha** Marcus Vance	**High Temperature Overheating** — Turbine TUR-216 at Plant Alpha - Section 2. Temp: 51.0°C, Vib: 11.25 mm/s, Press: 37.8 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0717	GEN-217	Person	UNDER_REPAIR	T:93.4°C | V:2.61mm/s	**Facility East** John Smith	**Lubrication Breakdown** — Generator GEN-217 at Facility East - Storage. Temp: 93.4°C, Vib: 2.61 mm/s, Press: 17.6 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0718	HEA-218	Process	SCHEDULED_INSPECTION	T:81.2°C | V:2.32mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Heat Exchanger HEA-218 at Plant Alpha - Section 2. Temp: 81.2°C, Vib: 2.32 mm/s, Press: 35.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0719	CON-219	SparePart	OPERATIONAL	T:61.6°C | V:1.1mm/s	**Refinery Substation A** Alice Johnson	**None Detected** — Conveyor CON-219 at Refinery Substation A. Temp: 61.6°C, Vib: 1.1 mm/s, Press: 41.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0720	MOT-220	SafetyInstruction	OPERATIONAL	T:50.5°C | V:11.0mm/s	**Plant Beta** Vikram Patel	**None Detected** — Motor MOT-220 at Plant Beta - Processing Unit. Temp: 50.5°C, Vib: 11.0 mm/s, Press: 36.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0721	PUM-221	Equipment	WARNING	T:62.2°C | V:3.14mm/s	**Facility East** Marcus Vance	**Mechanical Seal Leakage** — Pump PUM-221 at Facility East - Storage. Temp: 62.2°C, Vib: 3.14 mm/s, Press: 14.7 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0722	GEN-222	Sensor	CRITICAL	T:53.0°C | V:4.25mm/s	**Refinery Substation A** Alice Johnson	**Filter Clogging** — Generator GEN-222 at Refinery Substation A. Temp: 53.0°C, Vib: 4.25 mm/s, Press: 2.7 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0723	TRA-223	Component	WARNING	T:74.0°C | V:8.03mm/s	**Facility East** Alice Johnson	**Coupling Misalignment** — Transformer TRA-223 at Facility East - Storage. Temp: 74.0°C, Vib: 8.03 mm/s, Press: 14.5 bar. Status: WARNING. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0724	BOI-224	Fault	OPERATIONAL	T:61.7°C | V:12.72mm/s	**Plant Alpha** Robert Chen	**None Detected** — Boiler BOI-224 at Plant Alpha - Section 2. Temp: 61.7°C, Vib: 12.72 mm/s, Press: 26.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0725	PUM-225	Maintenance	UNDER_REPAIR	T:93.3°C | V:1.19mm/s	**Plant Alpha** John Smith	**High Temperature Overheating** — Pump PUM-225 at Plant Alpha - Section 2. Temp: 93.3°C, Vib: 1.19 mm/s, Press: 19.6 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0726	CON-226	Location	SCHEDULED_INSPECTION	T:64.0°C | V:5.05mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Conveyor CON-226 at Plant Alpha - Section 2. Temp: 64.0°C, Vib: 5.05 mm/s, Press: 11.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0727	GEN-227	Person	OPERATIONAL	T:88.5°C | V:13.1mm/s	**Facility East** Robert Chen	**None Detected** — Generator GEN-227 at Facility East - Storage. Temp: 88.5°C, Vib: 13.1 mm/s, Press: 23.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0728	GEN-228	Process	UNDER_REPAIR	T:57.4°C | V:3.57mm/s	**Plant Beta** Vikram Patel	**Filter Clogging** — Generator GEN-228 at Plant Beta - Processing Unit. Temp: 57.4°C, Vib: 3.57 mm/s, Press: 41.6 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0729	HEA-229	SparePart	CRITICAL	T:87.2°C | V:12.59mm/s	**Facility West** Robert Chen	**Excessive Vibration** — Heat Exchanger HEA-229 at Facility West - Powerhouse. Temp: 87.2°C, Vib: 12.59 mm/s, Press: 22.9 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0730	MOT-230	SafetyInstruction	CRITICAL	T:70.6°C | V:12.09mm/s	**Facility West** Alice Johnson	**Mechanical Seal Leakage** — Motor MOT-230 at Facility West - Powerhouse. Temp: 70.6°C, Vib: 12.09 mm/s, Press: 15.0 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0731	BOI-231	Equipment	SCHEDULED_INSPECTION	T:50.5°C | V:11.7mm/s	**Facility East** Robert Chen	**None Detected** — Boiler BOI-231 at Facility East - Storage. Temp: 50.5°C, Vib: 11.7 mm/s, Press: 38.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0732	TRA-232	Sensor	CRITICAL	T:73.5°C | V:5.99mm/s	**Refinery Substation A** Alice Johnson	**Filter Clogging** — Transformer TRA-232 at Refinery Substation A. Temp: 73.5°C, Vib: 5.99 mm/s, Press: 21.0 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0733	COM-233	Component	UNDER_REPAIR	T:65.5°C | V:5.17mm/s	**Facility East** Robert Chen	**Filter Clogging** — Compressor COM-233 at Facility East - Storage. Temp: 65.5°C, Vib: 5.17 mm/s, Press: 39.4 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0734	CON-234	Fault	SCHEDULED_INSPECTION	T:82.1°C | V:2.87mm/s	**Facility East** David Kalu	**None Detected** — Conveyor CON-234 at Facility East - Storage. Temp: 82.1°C, Vib: 2.87 mm/s, Press: 32.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0735	MOT-235	Maintenance	CRITICAL	T:74.7°C | V:11.76mm/s	**Facility East** Vikram Patel	**Electrical Phase Imbalance** — Motor MOT-235 at Facility East - Storage. Temp: 74.7°C, Vib: 11.76 mm/s, Press: 10.1 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0736	MOT-236	Location	SCHEDULED_INSPECTION	T:86.3°C | V:5.69mm/s	**Facility East** Alice Johnson	**None Detected** — Motor MOT-236 at Facility East - Storage. Temp: 86.3°C, Vib: 5.69 mm/s, Press: 24.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0737	MOT-237	Person	SCHEDULED_INSPECTION	T:93.3°C | V:9.22mm/s	**Plant Alpha** Robert Chen	**None Detected** — Motor MOT-237 at Plant Alpha - Section 2. Temp: 93.3°C, Vib: 9.22 mm/s, Press: 2.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0738	VAL-238	Process	UNDER_REPAIR	T:77.9°C | V:6.63mm/s	**Facility West** Marcus Vance	**Mechanical Seal Leakage** — Valve VAL-238 at Facility West - Powerhouse. Temp: 77.9°C, Vib: 6.63 mm/s, Press: 11.5 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Marcus Vance.
REC-0739	BOI-239	SparePart	UNDER_REPAIR	T:83.4°C | V:13.04mm/s	**Refinery Substation B** Marcus Vance	**Filter Clogging** — Boiler BOI-239 at Refinery Substation B. Temp: 83.4°C, Vib: 13.04 mm/s, Press: 47.6 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0740	BOI-240	SafetyInstruction	WARNING	T:90.6°C | V:1.36mm/s	**Facility East** Sarah Jenkins	**Excessive Vibration** — Boiler BOI-240 at Facility East - Storage. Temp: 90.6°C, Vib: 1.36 mm/s, Press: 43.4 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0741	PUM-241	Equipment	OPERATIONAL	T:91.1°C | V:12.36mm/s	**Refinery Substation A** David Kalu	**None Detected** — Pump PUM-241 at Refinery Substation A. Temp: 91.1°C, Vib: 12.36 mm/s, Press: 12.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0742	BOI-242	Sensor	UNDER_REPAIR	T:66.7°C | V:6.46mm/s	**Facility West** David Kalu	**Pressure Drop Anomaly** — Boiler BOI-242 at Facility West - Powerhouse. Temp: 66.7°C, Vib: 6.46 mm/s, Press: 11.7 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0743	VAL-243	Component	CRITICAL	T:89.9°C | V:2.61mm/s	**Plant Alpha** Sarah Jenkins	**Pressure Drop Anomaly** — Valve VAL-243 at Plant Alpha - Section 2. Temp: 89.9°C, Vib: 2.61 mm/s, Press: 47.9 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0744	VAL-244	Fault	OPERATIONAL	T:52.7°C | V:12.62mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Valve VAL-244 at Plant Alpha - Section 1. Temp: 52.7°C, Vib: 12.62 mm/s, Press: 32.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0745	VAL-245	Maintenance	UNDER_REPAIR	T:91.0°C | V:12.74mm/s	**Plant Alpha** Robert Chen	**Electrical Phase Imbalance** — Valve VAL-245 at Plant Alpha - Section 1. Temp: 91.0°C, Vib: 12.74 mm/s, Press: 34.0 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0746	GEN-246	Location	SCHEDULED_INSPECTION	T:88.9°C | V:5.77mm/s	**Facility East** Sarah Jenkins	**None Detected** — Generator GEN-246 at Facility East - Storage. Temp: 88.9°C, Vib: 5.77 mm/s, Press: 12.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Sarah Jenkins.
REC-0747	BOI-247	Person	WARNING	T:83.1°C | V:4.19mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Boiler BOI-247 at Plant Alpha - Section 1. Temp: 83.1°C, Vib: 4.19 mm/s, Press: 44.6 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0748	HEA-248	Process	SCHEDULED_INSPECTION	T:70.9°C | V:5.55mm/s	**Plant Alpha** John Smith	**None Detected** — Heat Exchanger HEA-248 at Plant Alpha - Section 1. Temp: 70.9°C, Vib: 5.55 mm/s, Press: 28.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0749	VAL-249	SparePart	UNDER_REPAIR	T:72.7°C | V:7.67mm/s	**Refinery Substation A** Marcus Vance	**Bearing Degradation** — Valve VAL-249 at Refinery Substation A. Temp: 72.7°C, Vib: 7.67 mm/s, Press: 30.1 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0750	MOT-250	SafetyInstruction	SCHEDULED_INSPECTION	T:47.8°C | V:5.21mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Motor MOT-250 at Refinery Substation A. Temp: 47.8°C, Vib: 5.21 mm/s, Press: 37.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0751	GEN-251	Equipment	SCHEDULED_INSPECTION	T:84.3°C | V:6.27mm/s	**Facility East** Vikram Patel	**None Detected** — Generator GEN-251 at Facility East - Storage. Temp: 84.3°C, Vib: 6.27 mm/s, Press: 46.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0752	TUR-252	Sensor	SCHEDULED_INSPECTION	T:85.1°C | V:10.46mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-252 at Plant Alpha - Section 2. Temp: 85.1°C, Vib: 10.46 mm/s, Press: 27.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0753	GEN-253	Component	SCHEDULED_INSPECTION	T:47.8°C | V:14.07mm/s	**Facility East** Robert Chen	**None Detected** — Generator GEN-253 at Facility East - Storage. Temp: 47.8°C, Vib: 14.07 mm/s, Press: 39.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0754	TUR-254	Fault	WARNING	T:72.0°C | V:12.16mm/s	**Facility West** Alice Johnson	**Pressure Drop Anomaly** — Turbine TUR-254 at Facility West - Powerhouse. Temp: 72.0°C, Vib: 12.16 mm/s, Press: 14.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0755	BOI-255	Maintenance	CRITICAL	T:45.8°C | V:2.03mm/s	**Plant Beta** Marcus Vance	**Filter Clogging** — Boiler BOI-255 at Plant Beta - Processing Unit. Temp: 45.8°C, Vib: 2.03 mm/s, Press: 10.0 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0756	VAL-256	Location	CRITICAL	T:88.2°C | V:4.08mm/s	**Refinery Substation A** Vikram Patel	**Lubrication Breakdown** — Valve VAL-256 at Refinery Substation A. Temp: 88.2°C, Vib: 4.08 mm/s, Press: 34.2 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0757	VAL-257	Person	CRITICAL	T:97.6°C | V:13.75mm/s	**Refinery Substation B** John Smith	**Pressure Drop Anomaly** — Valve VAL-257 at Refinery Substation B. Temp: 97.6°C, Vib: 13.75 mm/s, Press: 29.4 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0758	GEN-258	Process	UNDER_REPAIR	T:57.7°C | V:6.53mm/s	**Refinery Substation B** Sarah Jenkins	**Bearing Degradation** — Generator GEN-258 at Refinery Substation B. Temp: 57.7°C, Vib: 6.53 mm/s, Press: 31.3 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Sarah Jenkins.
REC-0759	PUM-259	SparePart	OPERATIONAL	T:47.8°C | V:6.86mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Pump PUM-259 at Refinery Substation A. Temp: 47.8°C, Vib: 6.86 mm/s, Press: 23.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0760	GEN-260	SafetyInstruction	UNDER_REPAIR	T:81.6°C | V:5.84mm/s	**Refinery Substation A** Elena Rostova	**Impeller Cavitation** — Generator GEN-260 at Refinery Substation A. Temp: 81.6°C, Vib: 5.84 mm/s, Press: 14.1 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0761	PUM-261	Equipment	UNDER_REPAIR	T:81.3°C | V:13.68mm/s	**Plant Beta** Vikram Patel	**Excessive Vibration** — Pump PUM-261 at Plant Beta - Processing Unit. Temp: 81.3°C, Vib: 13.68 mm/s, Press: 33.4 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0762	TRA-262	Sensor	UNDER_REPAIR	T:77.7°C | V:9.43mm/s	**Refinery Substation A** David Kalu	**Coupling Misalignment** — Transformer TRA-262 at Refinery Substation A. Temp: 77.7°C, Vib: 9.43 mm/s, Press: 14.5 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: David Kalu.
REC-0763	MOT-263	Component	UNDER_REPAIR	T:86.4°C | V:10.76mm/s	**Plant Beta** Sarah Jenkins	**Filter Clogging** — Motor MOT-263 at Plant Beta - Processing Unit. Temp: 86.4°C, Vib: 10.76 mm/s, Press: 35.8 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0764	TRA-264	Fault	CRITICAL	T:74.3°C | V:9.72mm/s	**Plant Beta** Robert Chen	**Excessive Vibration** — Transformer TRA-264 at Plant Beta - Processing Unit. Temp: 74.3°C, Vib: 9.72 mm/s, Press: 40.3 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0765	CON-265	Maintenance	UNDER_REPAIR	T:63.8°C | V:10.44mm/s	**Plant Alpha** Alice Johnson	**Excessive Vibration** — Conveyor CON-265 at Plant Alpha - Section 1. Temp: 63.8°C, Vib: 10.44 mm/s, Press: 13.6 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0766	BOI-266	Location	SCHEDULED_INSPECTION	T:80.1°C | V:11.95mm/s	**Plant Alpha** John Smith	**None Detected** — Boiler BOI-266 at Plant Alpha - Section 1. Temp: 80.1°C, Vib: 11.95 mm/s, Press: 45.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: John Smith.
REC-0767	MOT-267	Person	UNDER_REPAIR	T:80.1°C | V:12.83mm/s	**Plant Alpha** Robert Chen	**Pressure Drop Anomaly** — Motor MOT-267 at Plant Alpha - Section 1. Temp: 80.1°C, Vib: 12.83 mm/s, Press: 28.0 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Robert Chen.
REC-0768	VAL-268	Process	UNDER_REPAIR	T:80.3°C | V:1.54mm/s	**Plant Beta** Marcus Vance	**Coupling Misalignment** — Valve VAL-268 at Plant Beta - Processing Unit. Temp: 80.3°C, Vib: 1.54 mm/s, Press: 22.9 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Marcus Vance.
REC-0769	HEA-269	SparePart	OPERATIONAL	T:59.8°C | V:1.35mm/s	**Plant Beta** Robert Chen	**None Detected** — Heat Exchanger HEA-269 at Plant Beta - Processing Unit. Temp: 59.8°C, Vib: 1.35 mm/s, Press: 19.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0770	PUM-270	SafetyInstruction	WARNING	T:68.6°C | V:7.24mm/s	**Plant Beta** Marcus Vance	**Filter Clogging** — Pump PUM-270 at Plant Beta - Processing Unit. Temp: 68.6°C, Vib: 7.24 mm/s, Press: 44.7 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0771	CON-271	Equipment	OPERATIONAL	T:52.7°C | V:11.03mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Conveyor CON-271 at Plant Alpha - Section 2. Temp: 52.7°C, Vib: 11.03 mm/s, Press: 12.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0772	MOT-272	Sensor	OPERATIONAL	T:46.9°C | V:1.46mm/s	**Facility West** Marcus Vance	**None Detected** — Motor MOT-272 at Facility West - Powerhouse. Temp: 46.9°C, Vib: 1.46 mm/s, Press: 35.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0773	GEN-273	Component	WARNING	T:79.9°C | V:0.51mm/s	**Plant Alpha** Vikram Patel	**Electrical Phase Imbalance** — Generator GEN-273 at Plant Alpha - Section 1. Temp: 79.9°C, Vib: 0.51 mm/s, Press: 3.7 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0774	TUR-274	Fault	UNDER_REPAIR	T:75.7°C | V:7.56mm/s	**Plant Alpha** David Kalu	**Lubrication Breakdown** — Turbine TUR-274 at Plant Alpha - Section 2. Temp: 75.7°C, Vib: 7.56 mm/s, Press: 45.2 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0775	CON-275	Maintenance	SCHEDULED_INSPECTION	T:57.1°C | V:5.77mm/s	**Facility West** Alice Johnson	**None Detected** — Conveyor CON-275 at Facility West - Powerhouse. Temp: 57.1°C, Vib: 5.77 mm/s, Press: 33.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0776	MOT-276	Location	CRITICAL	T:81.5°C | V:5.99mm/s	**Facility East** David Kalu	**High Temperature Overheating** — Motor MOT-276 at Facility East - Storage. Temp: 81.5°C, Vib: 5.99 mm/s, Press: 31.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0777	HEA-277	Person	OPERATIONAL	T:90.0°C | V:10.92mm/s	**Facility East** David Kalu	**None Detected** — Heat Exchanger HEA-277 at Facility East - Storage. Temp: 90.0°C, Vib: 10.92 mm/s, Press: 15.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0778	COM-278	Process	UNDER_REPAIR	T:80.3°C | V:4.59mm/s	**Plant Alpha** John Smith	**High Temperature Overheating** — Compressor COM-278 at Plant Alpha - Section 2. Temp: 80.3°C, Vib: 4.59 mm/s, Press: 19.9 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: John Smith.
REC-0779	GEN-279	SparePart	WARNING	T:52.5°C | V:3.15mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Generator GEN-279 at Plant Alpha - Section 1. Temp: 52.5°C, Vib: 3.15 mm/s, Press: 35.1 bar. Status: WARNING. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0780	COM-280	SafetyInstruction	OPERATIONAL	T:87.4°C | V:9.31mm/s	**Facility West** Sarah Jenkins	**None Detected** — Compressor COM-280 at Facility West - Powerhouse. Temp: 87.4°C, Vib: 9.31 mm/s, Press: 25.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0781	GEN-281	Equipment	CRITICAL	T:48.0°C | V:11.29mm/s	**Plant Alpha** John Smith	**High Temperature Overheating** — Generator GEN-281 at Plant Alpha - Section 1. Temp: 48.0°C, Vib: 11.29 mm/s, Press: 4.0 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0782	COM-282	Sensor	SCHEDULED_INSPECTION	T:53.0°C | V:8.44mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Compressor COM-282 at Refinery Substation B. Temp: 53.0°C, Vib: 8.44 mm/s, Press: 44.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Vikram Patel.
REC-0783	VAL-283	Component	UNDER_REPAIR	T:93.5°C | V:8.97mm/s	**Facility West** John Smith	**Pressure Drop Anomaly** — Valve VAL-283 at Facility West - Powerhouse. Temp: 93.5°C, Vib: 8.97 mm/s, Press: 13.2 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: John Smith.
REC-0784	VAL-284	Fault	CRITICAL	T:88.9°C | V:1.83mm/s	**Refinery Substation A** John Smith	**Filter Clogging** — Valve VAL-284 at Refinery Substation A. Temp: 88.9°C, Vib: 1.83 mm/s, Press: 30.1 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0785	MOT-285	Maintenance	OPERATIONAL	T:71.6°C | V:11.45mm/s	**Refinery Substation B** Alice Johnson	**None Detected** — Motor MOT-285 at Refinery Substation B. Temp: 71.6°C, Vib: 11.45 mm/s, Press: 12.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0786	COM-286	Location	UNDER_REPAIR	T:62.3°C | V:13.87mm/s	**Facility West** David Kalu	**Pressure Drop Anomaly** — Compressor COM-286 at Facility West - Powerhouse. Temp: 62.3°C, Vib: 13.87 mm/s, Press: 28.5 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0787	COM-287	Person	SCHEDULED_INSPECTION	T:54.3°C | V:1.37mm/s	**Refinery Substation B** John Smith	**None Detected** — Compressor COM-287 at Refinery Substation B. Temp: 54.3°C, Vib: 1.37 mm/s, Press: 14.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0788	VAL-288	Process	SCHEDULED_INSPECTION	T:53.8°C | V:3.84mm/s	**Refinery Substation A** David Kalu	**None Detected** — Valve VAL-288 at Refinery Substation A. Temp: 53.8°C, Vib: 3.84 mm/s, Press: 28.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0789	MOT-289	SparePart	WARNING	T:45.8°C | V:7.17mm/s	**Refinery Substation B** Sarah Jenkins	**Pressure Drop Anomaly** — Motor MOT-289 at Refinery Substation B. Temp: 45.8°C, Vib: 7.17 mm/s, Press: 2.3 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0790	MOT-290	SafetyInstruction	UNDER_REPAIR	T:82.1°C | V:11.35mm/s	**Refinery Substation A** Marcus Vance	**Pressure Drop Anomaly** — Motor MOT-290 at Refinery Substation A. Temp: 82.1°C, Vib: 11.35 mm/s, Press: 23.9 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0791	VAL-291	Equipment	SCHEDULED_INSPECTION	T:69.1°C | V:3.78mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-291 at Refinery Substation A. Temp: 69.1°C, Vib: 3.78 mm/s, Press: 10.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0792	BOI-292	Sensor	SCHEDULED_INSPECTION	T:95.8°C | V:9.09mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Boiler BOI-292 at Plant Alpha - Section 2. Temp: 95.8°C, Vib: 9.09 mm/s, Press: 38.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0793	CON-293	Component	WARNING	T:51.3°C | V:7.76mm/s	**Plant Alpha** Elena Rostova	**Mechanical Seal Leakage** — Conveyor CON-293 at Plant Alpha - Section 1. Temp: 51.3°C, Vib: 7.76 mm/s, Press: 6.4 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0794	TRA-294	Fault	UNDER_REPAIR	T:86.2°C | V:9.53mm/s	**Facility East** Elena Rostova	**Bearing Degradation** — Transformer TRA-294 at Facility East - Storage. Temp: 86.2°C, Vib: 9.53 mm/s, Press: 14.7 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Elena Rostova.
REC-0795	VAL-295	Maintenance	UNDER_REPAIR	T:54.4°C | V:9.68mm/s	**Refinery Substation A** Vikram Patel	**Mechanical Seal Leakage** — Valve VAL-295 at Refinery Substation A. Temp: 54.4°C, Vib: 9.68 mm/s, Press: 4.0 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0796	COM-296	Location	CRITICAL	T:78.0°C | V:12.69mm/s	**Facility West** Marcus Vance	**High Temperature Overheating** — Compressor COM-296 at Facility West - Powerhouse. Temp: 78.0°C, Vib: 12.69 mm/s, Press: 22.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0797	PUM-297	Person	WARNING	T:87.0°C | V:7.15mm/s	**Facility East** Robert Chen	**Bearing Degradation** — Pump PUM-297 at Facility East - Storage. Temp: 87.0°C, Vib: 7.15 mm/s, Press: 7.3 bar. Status: WARNING. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0798	GEN-298	Process	UNDER_REPAIR	T:55.6°C | V:9.77mm/s	**Facility East** David Kalu	**High Temperature Overheating** — Generator GEN-298 at Facility East - Storage. Temp: 55.6°C, Vib: 9.77 mm/s, Press: 17.0 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0799	COM-299	SparePart	UNDER_REPAIR	T:91.5°C | V:5.64mm/s	**Plant Alpha** Elena Rostova	**Lubrication Breakdown** — Compressor COM-299 at Plant Alpha - Section 1. Temp: 91.5°C, Vib: 5.64 mm/s, Press: 12.2 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0800	PUM-300	SafetyInstruction	WARNING	T:94.6°C | V:6.73mm/s	**Facility West** Robert Chen	**Pressure Drop Anomaly** — Pump PUM-300 at Facility West - Powerhouse. Temp: 94.6°C, Vib: 6.73 mm/s, Press: 19.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0801	GEN-301	Equipment	CRITICAL	T:97.2°C | V:3.27mm/s	**Refinery Substation A** Elena Rostova	**Filter Clogging** — Generator GEN-301 at Refinery Substation A. Temp: 97.2°C, Vib: 3.27 mm/s, Press: 7.9 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0802	PUM-302	Sensor	OPERATIONAL	T:90.6°C | V:6.78mm/s	**Plant Beta** Robert Chen	**None Detected** — Pump PUM-302 at Plant Beta - Processing Unit. Temp: 90.6°C, Vib: 6.78 mm/s, Press: 9.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0803	HEA-303	Component	SCHEDULED_INSPECTION	T:53.4°C | V:11.39mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Heat Exchanger HEA-303 at Plant Alpha - Section 2. Temp: 53.4°C, Vib: 11.39 mm/s, Press: 45.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0804	BOI-304	Fault	OPERATIONAL	T:67.0°C | V:7.65mm/s	**Facility East** Elena Rostova	**None Detected** — Boiler BOI-304 at Facility East - Storage. Temp: 67.0°C, Vib: 7.65 mm/s, Press: 41.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0805	COM-305	Maintenance	UNDER_REPAIR	T:59.9°C | V:10.5mm/s	**Facility East** Vikram Patel	**Bearing Degradation** — Compressor COM-305 at Facility East - Storage. Temp: 59.9°C, Vib: 10.5 mm/s, Press: 35.9 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0806	HEA-306	Location	SCHEDULED_INSPECTION	T:95.6°C | V:13.02mm/s	**Facility West** Elena Rostova	**None Detected** — Heat Exchanger HEA-306 at Facility West - Powerhouse. Temp: 95.6°C, Vib: 13.02 mm/s, Press: 43.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0807	PUM-307	Person	SCHEDULED_INSPECTION	T:46.8°C | V:7.78mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Pump PUM-307 at Plant Alpha - Section 1. Temp: 46.8°C, Vib: 7.78 mm/s, Press: 24.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Vikram Patel.
REC-0808	GEN-308	Process	OPERATIONAL	T:74.9°C | V:0.67mm/s	**Facility West** Elena Rostova	**None Detected** — Generator GEN-308 at Facility West - Powerhouse. Temp: 74.9°C, Vib: 0.67 mm/s, Press: 35.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0809	COM-309	SparePart	CRITICAL	T:57.8°C | V:14.19mm/s	**Plant Alpha** David Kalu	**Coupling Misalignment** — Compressor COM-309 at Plant Alpha - Section 2. Temp: 57.8°C, Vib: 14.19 mm/s, Press: 2.7 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0810	VAL-310	SafetyInstruction	SCHEDULED_INSPECTION	T:85.0°C | V:0.83mm/s	**Refinery Substation A** Vikram Patel	**None Detected** — Valve VAL-310 at Refinery Substation A. Temp: 85.0°C, Vib: 0.83 mm/s, Press: 22.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0811	CON-311	Equipment	UNDER_REPAIR	T:82.7°C | V:0.52mm/s	**Plant Alpha** David Kalu	**Electrical Phase Imbalance** — Conveyor CON-311 at Plant Alpha - Section 2. Temp: 82.7°C, Vib: 0.52 mm/s, Press: 30.9 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: David Kalu.
REC-0812	TRA-312	Sensor	UNDER_REPAIR	T:85.3°C | V:10.06mm/s	**Plant Alpha** Marcus Vance	**Filter Clogging** — Transformer TRA-312 at Plant Alpha - Section 1. Temp: 85.3°C, Vib: 10.06 mm/s, Press: 30.2 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0813	MOT-313	Component	OPERATIONAL	T:72.5°C | V:12.97mm/s	**Facility East** David Kalu	**None Detected** — Motor MOT-313 at Facility East - Storage. Temp: 72.5°C, Vib: 12.97 mm/s, Press: 18.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0814	PUM-314	Fault	CRITICAL	T:69.9°C | V:1.06mm/s	**Plant Alpha** Sarah Jenkins	**Impeller Cavitation** — Pump PUM-314 at Plant Alpha - Section 1. Temp: 69.9°C, Vib: 1.06 mm/s, Press: 18.9 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0815	MOT-315	Maintenance	WARNING	T:97.5°C | V:3.77mm/s	**Facility East** Elena Rostova	**Lubrication Breakdown** — Motor MOT-315 at Facility East - Storage. Temp: 97.5°C, Vib: 3.77 mm/s, Press: 7.2 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0816	BOI-316	Location	**WARNING**	T:62.1°C | V:12.8mm/s	**Refinery Substation B** Elena Rostova	**Electrical Phase Imbalance** — Boiler BOI-316 at Refinery Substation B. Temp: 62.1°C, Vib: 12.8 mm/s, Press: 25.2 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0817	TUR-317	Person	**CRITICAL**	T:63.5°C | V:7.16mm/s	**Plant Alpha** Alice Johnson	**High Temperature Overheating** — Turbine TUR-317 at Plant Alpha - Section 1. Temp: 63.5°C, Vib: 7.16 mm/s, Press: 26.2 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0818	GEN-318	Process	**UNDER_REPAIR**	T:78.2°C | V:11.46mm/s	**Refinery Substation A** Marcus Vance	**High Temperature Overheating** — Generator GEN-318 at Refinery Substation A. Temp: 78.2°C, Vib: 11.46 mm/s, Press: 45.5 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0819	GEN-319	SparePart	**UNDER_REPAIR**	T:93.0°C | V:4.45mm/s	**Plant Alpha** Alice Johnson	**High Temperature Overheating** — Generator GEN-319 at Plant Alpha - Section 1. Temp: 93.0°C, Vib: 4.45 mm/s, Press: 46.0 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.
REC-0820	TUR-320	SafetyInstruction	**UNDER_REPAIR**	T:53.1°C | V:3.3mm/s	**Plant Alpha** Robert Chen	**Excessive Vibration** — Turbine TUR-320 at Plant Alpha - Section 1. Temp: 53.1°C, Vib: 3.3 mm/s, Press: 45.8 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0821	CON-321	Equipment	**UNDER_REPAIR**	T:63.5°C | V:6.58mm/s	**Refinery Substation A** Robert Chen	**Coupling Misalignment** — Conveyor CON-321 at Refinery Substation A. Temp: 63.5°C, Vib: 6.58 mm/s, Press: 31.7 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Robert Chen.
REC-0822	MOT-322	Sensor	**SCHEDULED_INSPECTION**	T:79.5°C | V:6.14mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Motor MOT-322 at Plant Alpha - Section 1. Temp: 79.5°C, Vib: 6.14 mm/s, Press: 17.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Elena Rostova.
REC-0823	GEN-323	Component	**UNDER_REPAIR**	T:61.3°C | V:2.31mm/s	**Facility East** Vikram Patel	**Pressure Drop Anomaly** — Generator GEN-323 at Facility East - Storage. Temp: 61.3°C, Vib: 2.31 mm/s, Press: 38.3 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Vikram Patel.
REC-0824	COM-324	Fault	**CRITICAL**	T:86.2°C | V:1.15mm/s	**Facility West** David Kalu	**Lubrication Breakdown** — Compressor COM-324 at Facility West - Powerhouse. Temp: 86.2°C, Vib: 1.15 mm/s, Press: 18.2 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0825	VAL-325	Maintenance	SCHEDULED_INSPECTION	T:60.3°C | V:13.83mm/s	**Facility East** Robert Chen	**None Detected** — Valve VAL-325 at Facility East - Storage. Temp: 60.3°C, Vib: 13.83 mm/s, Press: 40.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Robert Chen.
REC-0826	VAL-326	Location	OPERATIONAL	T:98.2°C | V:8.37mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Valve VAL-326 at Plant Alpha - Section 2. Temp: 98.2°C, Vib: 8.37 mm/s, Press: 22.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0827	HEA-327	Person	SCHEDULED_INSPECTION	T:82.8°C | V:9.62mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Heat Exchanger HEA-327 at Plant Alpha - Section 2. Temp: 82.8°C, Vib: 9.62 mm/s, Press: 47.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Elena Rostova.
REC-0828	HEA-328	Process	SCHEDULED_INSPECTION	T:61.1°C | V:13.11mm/s	**Facility West** Robert Chen	**None Detected** — Heat Exchanger HEA-328 at Facility West - Powerhouse. Temp: 61.1°C, Vib: 13.11 mm/s, Press: 20.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0829	VAL-329	SparePart	WARNING	T:45.2°C | V:10.62mm/s	**Facility West** David Kalu	**Mechanical Seal Leakage** — Valve VAL-329 at Facility West - Powerhouse. Temp: 45.2°C, Vib: 10.62 mm/s, Press: 46.9 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0830	TUR-330	SafetyInstruction	SCHEDULED_INSPECTION	T:80.7°C | V:11.45mm/s	**Facility West** Marcus Vance	**None Detected** — Turbine TUR-330 at Facility West - Powerhouse. Temp: 80.7°C, Vib: 11.45 mm/s, Press: 35.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Marcus Vance.
REC-0831	HEA-331	Equipment	UNDER_REPAIR	T:93.2°C | V:2.41mm/s	**Refinery Substation A** Alice Johnson	**Coupling Misalignment** — Heat Exchanger HEA-331 at Refinery Substation A. Temp: 93.2°C, Vib: 2.41 mm/s, Press: 27.3 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0832	CON-332	Sensor	UNDER_REPAIR	T:64.1°C | V:4.97mm/s	**Facility East** Elena Rostova	**Bearing Degradation** — Conveyor CON-332 at Facility East - Storage. Temp: 64.1°C, Vib: 4.97 mm/s, Press: 30.0 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Elena Rostova.
REC-0833	TUR-333	Component	OPERATIONAL	T:73.8°C | V:6.6mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-333 at Plant Alpha - Section 2. Temp: 73.8°C, Vib: 6.6 mm/s, Press: 32.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0834	MOT-334	Fault	WARNING	T:71.2°C | V:8.76mm/s	**Facility East** Sarah Jenkins	**Excessive Vibration** — Motor MOT-334 at Facility East - Storage. Temp: 71.2°C, Vib: 8.76 mm/s, Press: 25.5 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0835	HEA-335	Maintenance	UNDER_REPAIR	T:64.8°C | V:5.61mm/s	**Facility West** Robert Chen	**Mechanical Seal Leakage** — Heat Exchanger HEA-335 at Facility West - Powerhouse. Temp: 64.8°C, Vib: 5.61 mm/s, Press: 15.1 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Robert Chen.
REC-0836	GEN-336	Location	WARNING	T:83.9°C | V:6.59mm/s	**Refinery Substation B** Alice Johnson	**Lubrication Breakdown** — Generator GEN-336 at Refinery Substation B. Temp: 83.9°C, Vib: 6.59 mm/s, Press: 47.7 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0837	TUR-337	Person	UNDER_REPAIR	T:52.5°C | V:8.54mm/s	**Plant Alpha** Sarah Jenkins	**Bearing Degradation** — Turbine TUR-337 at Plant Alpha - Section 2. Temp: 52.5°C, Vib: 8.54 mm/s, Press: 6.0 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Sarah Jenkins.
REC-0838	GEN-338	Process	OPERATIONAL	T:94.9°C | V:8.59mm/s	**Refinery Substation B** David Kalu	**None Detected** — Generator GEN-338 at Refinery Substation B. Temp: 94.9°C, Vib: 8.59 mm/s, Press: 19.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0839	PUM-339	SparePart	UNDER_REPAIR	T:54.4°C | V:6.83mm/s	**Facility West** Marcus Vance	**Pressure Drop Anomaly** — Pump PUM-339 at Facility West - Powerhouse. Temp: 54.4°C, Vib: 6.83 mm/s, Press: 28.1 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0840	VAL-340	SafetyInstruction	CRITICAL	T:74.6°C | V:1.08mm/s	**Refinery Substation B** Sarah Jenkins	**Filter Clogging** — Valve VAL-340 at Refinery Substation B. Temp: 74.6°C, Vib: 1.08 mm/s, Press: 40.0 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0841	TUR-341	Equipment	WARNING	T:46.4°C | V:0.53mm/s	**Facility West** Vikram Patel	**Lubrication Breakdown** — Turbine TUR-341 at Facility West - Powerhouse. Temp: 46.4°C, Vib: 0.53 mm/s, Press: 14.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0842	MOT-342	Sensor	UNDER_REPAIR	T:54.6°C | V:12.92mm/s	**Refinery Substation A** Marcus Vance	**Excessive Vibration** — Motor MOT-342 at Refinery Substation A. Temp: 54.6°C, Vib: 12.92 mm/s, Press: 31.7 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Marcus Vance.
REC-0843	TUR-343	Component	SCHEDULED_INSPECTION	T:84.9°C | V:8.46mm/s	**Facility West** Alice Johnson	**None Detected** — Turbine TUR-343 at Facility West - Powerhouse. Temp: 84.9°C, Vib: 8.46 mm/s, Press: 28.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0844	GEN-344	Fault	CRITICAL	T:72.4°C | V:8.38mm/s	**Refinery Substation A** Alice Johnson	**Pressure Drop Anomaly** — Generator GEN-344 at Refinery Substation A. Temp: 72.4°C, Vib: 8.38 mm/s, Press: 40.9 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0845	BOI-345	Maintenance	CRITICAL	T:69.7°C | V:10.0mm/s	**Plant Alpha** Robert Chen	**Excessive Vibration** — Boiler BOI-345 at Plant Alpha - Section 1. Temp: 69.7°C, Vib: 10.0 mm/s, Press: 18.4 bar. Status: CRITICAL. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0846	TUR-346	Location	CRITICAL	T:47.6°C | V:4.5mm/s	**Plant Beta** Sarah Jenkins	**High Temperature Overheating** — Turbine TUR-346 at Plant Beta - Processing Unit. Temp: 47.6°C, Vib: 4.5 mm/s, Press: 31.4 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0847	TRA-347	Person	OPERATIONAL	T:77.0°C | V:2.79mm/s	**Plant Alpha** Robert Chen	**None Detected** — Transformer TRA-347 at Plant Alpha - Section 2. Temp: 77.0°C, Vib: 2.79 mm/s, Press: 16.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0848	HEA-348	Process	CRITICAL	T:81.7°C | V:9.93mm/s	**Refinery Substation B** Marcus Vance	**Filter Clogging** — Heat Exchanger HEA-348 at Refinery Substation B. Temp: 81.7°C, Vib: 9.93 mm/s, Press: 6.4 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0849	HEA-349	SparePart	OPERATIONAL	T:52.3°C | V:4.36mm/s	**Refinery Substation B** Robert Chen	**None Detected** — Heat Exchanger HEA-349 at Refinery Substation B. Temp: 52.3°C, Vib: 4.36 mm/s, Press: 37.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0850	CON-350	SafetyInstruction	OPERATIONAL	T:56.7°C | V:7.4mm/s	**Plant Beta** Robert Chen	**None Detected** — Conveyor CON-350 at Plant Beta - Processing Unit. Temp: 56.7°C, Vib: 7.4 mm/s, Press: 40.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0851	TRA-351	Equipment	UNDER_REPAIR	T:69.6°C | V:1.55mm/s	**Facility East** Alice Johnson	**Excessive Vibration** — Transformer TRA-351 at Facility East - Storage. Temp: 69.6°C, Vib: 1.55 mm/s, Press: 39.7 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0852	HEA-352	Sensor	WARNING	T:88.7°C | V:12.69mm/s	**Plant Beta** David Kalu	**Mechanical Seal Leakage** — Heat Exchanger HEA-352 at Plant Beta - Processing Unit. Temp: 88.7°C, Vib: 12.69 mm/s, Press: 29.5 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0853	VAL-353	Component	OPERATIONAL	T:84.8°C | V:2.12mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-353 at Refinery Substation A. Temp: 84.8°C, Vib: 2.12 mm/s, Press: 7.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0854	VAL-354	Fault	CRITICAL	T:51.7°C | V:2.28mm/s	**Refinery Substation A** Elena Rostova	**High Temperature Overheating** — Valve VAL-354 at Refinery Substation A. Temp: 51.7°C, Vib: 2.28 mm/s, Press: 5.6 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0855	MOT-355	Maintenance	UNDER_REPAIR	T:47.3°C | V:1.98mm/s	**Plant Alpha** Vikram Patel	**Impeller Cavitation** — Motor MOT-355 at Plant Alpha - Section 1. Temp: 47.3°C, Vib: 1.98 mm/s, Press: 38.5 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Vikram Patel.
REC-0856	GEN-356	Location	OPERATIONAL	T:48.5°C | V:9.65mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Generator GEN-356 at Plant Alpha - Section 1. Temp: 48.5°C, Vib: 9.65 mm/s, Press: 36.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0857	MOT-357	Person	SCHEDULED_INSPECTION	T:93.2°C | V:3.03mm/s	**Facility East** Elena Rostova	**None Detected** — Motor MOT-357 at Facility East - Storage. Temp: 93.2°C, Vib: 3.03 mm/s, Press: 18.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Elena Rostova.
REC-0858	VAL-358	Process	SCHEDULED_INSPECTION	T:63.6°C | V:2.7mm/s	**Refinery Substation B** Marcus Vance	**None Detected** — Valve VAL-358 at Refinery Substation B. Temp: 63.6°C, Vib: 2.7 mm/s, Press: 25.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0859	TRA-359	SparePart	OPERATIONAL	T:88.8°C | V:10.96mm/s	**Facility East** Alice Johnson	**None Detected** — Transformer TRA-359 at Facility East - Storage. Temp: 88.8°C, Vib: 10.96 mm/s, Press: 26.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0860	COM-360	SafetyInstruction	SCHEDULED_INSPECTION	T:45.2°C | V:10.44mm/s	**Plant Beta** Robert Chen	**None Detected** — Compressor COM-360 at Plant Beta - Processing Unit. Temp: 45.2°C, Vib: 10.44 mm/s, Press: 44.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0861	HEA-361	Equipment	UNDER_REPAIR	T:81.0°C | V:1.97mm/s	**Refinery Substation A** Robert Chen	**Electrical Phase Imbalance** — Heat Exchanger HEA-361 at Refinery Substation A. Temp: 81.0°C, Vib: 1.97 mm/s, Press: 40.4 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0862	COM-362	Sensor	UNDER_REPAIR	T:51.0°C | V:13.99mm/s	**Facility East** Elena Rostova	**High Temperature Overheating** — Compressor COM-362 at Facility East - Storage. Temp: 51.0°C, Vib: 13.99 mm/s, Press: 7.7 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Elena Rostova.
REC-0863	GEN-363	Component	CRITICAL	T:74.8°C | V:1.06mm/s	**Refinery Substation B** David Kalu	**High Temperature Overheating** — Generator GEN-363 at Refinery Substation B. Temp: 74.8°C, Vib: 1.06 mm/s, Press: 17.1 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0864	CON-364	Fault	SCHEDULED_INSPECTION	T:84.4°C | V:9.91mm/s	**Plant Beta** Vikram Patel	**None Detected** — Conveyor CON-364 at Plant Beta - Processing Unit. Temp: 84.4°C, Vib: 9.91 mm/s, Press: 40.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0865	TRA-365	Maintenance	UNDER_REPAIR	T:55.1°C | V:1.45mm/s	**Facility West** Marcus Vance	**Lubrication Breakdown** — Transformer TRA-365 at Facility West - Powerhouse. Temp: 55.1°C, Vib: 1.45 mm/s, Press: 40.7 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0866	VAL-366	Location	OPERATIONAL	T:66.2°C | V:7.66mm/s	**Plant Alpha** Vikram Patel	**None Detected** — Valve VAL-366 at Plant Alpha - Section 1. Temp: 66.2°C, Vib: 7.66 mm/s, Press: 33.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0867	MOT-367	Person	UNDER_REPAIR	T:82.2°C | V:13.89mm/s	**Plant Alpha** Sarah Jenkins	**Pressure Drop Anomaly** — Motor MOT-367 at Plant Alpha - Section 2. Temp: 82.2°C, Vib: 13.89 mm/s, Press: 36.1 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Sarah Jenkins.
REC-0868	HEA-368	Process	WARNING	T:76.8°C | V:14.07mm/s	**Plant Alpha** David Kalu	**Electrical Phase Imbalance** — Heat Exchanger HEA-368 at Plant Alpha - Section 2. Temp: 76.8°C, Vib: 14.07 mm/s, Press: 7.6 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0869	GEN-369	SparePart	UNDER_REPAIR	T:64.1°C | V:9.63mm/s	**Plant Beta** Marcus Vance	**Lubrication Breakdown** — Generator GEN-369 at Plant Beta - Processing Unit. Temp: 64.1°C, Vib: 9.63 mm/s, Press: 45.7 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Marcus Vance.
REC-0870	VAL-370	SafetyInstruction	OPERATIONAL	T:51.5°C | V:7.2mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Valve VAL-370 at Refinery Substation B. Temp: 51.5°C, Vib: 7.2 mm/s, Press: 12.6 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0871	VAL-371	Equipment	OPERATIONAL	T:89.4°C | V:7.32mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Valve VAL-371 at Plant Alpha - Section 1. Temp: 89.4°C, Vib: 7.32 mm/s, Press: 3.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0872	VAL-372	Sensor	WARNING	T:61.2°C | V:9.04mm/s	**Facility West** David Kalu	**Impeller Cavitation** — Valve VAL-372 at Facility West - Powerhouse. Temp: 61.2°C, Vib: 9.04 mm/s, Press: 37.0 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0873	GEN-373	Component	WARNING	T:60.7°C | V:7.32mm/s	**Refinery Substation B** Vikram Patel	**Impeller Cavitation** — Generator GEN-373 at Refinery Substation B. Temp: 60.7°C, Vib: 7.32 mm/s, Press: 25.2 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0874	HEA-374	Fault	OPERATIONAL	T:98.0°C | V:12.56mm/s	**Refinery Substation B** John Smith	**None Detected** — Heat Exchanger HEA-374 at Refinery Substation B. Temp: 98.0°C, Vib: 12.56 mm/s, Press: 7.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0875	GEN-375	Maintenance	UNDER_REPAIR	T:69.6°C | V:0.95mm/s	**Plant Beta** Sarah Jenkins	**Coupling Misalignment** — Generator GEN-375 at Plant Beta - Processing Unit. Temp: 69.6°C, Vib: 0.95 mm/s, Press: 27.6 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.
REC-0876	GEN-376	Location	CRITICAL	T:83.3°C | V:7.18mm/s	**Facility West** Robert Chen	**Lubrication Breakdown** — Generator GEN-376 at Facility West - Powerhouse. Temp: 83.3°C, Vib: 7.18 mm/s, Press: 7.0 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0877	TRA-377	Person	UNDER_REPAIR	T:75.1°C | V:2.64mm/s	**Refinery Substation A** Vikram Patel	**Coupling Misalignment** — Transformer TRA-377 at Refinery Substation A. Temp: 75.1°C, Vib: 2.64 mm/s, Press: 4.6 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0878	BOI-378	Process	CRITICAL	T:62.1°C | V:0.89mm/s	**Facility West** David Kalu	**Mechanical Seal Leakage** — Boiler BOI-378 at Facility West - Powerhouse. Temp: 62.1°C, Vib: 0.89 mm/s, Press: 4.1 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0879	HEA-379	SparePart	CRITICAL	T:65.4°C | V:6.37mm/s	**Refinery Substation B** John Smith	**Electrical Phase Imbalance** — Heat Exchanger HEA-379 at Refinery Substation B. Temp: 65.4°C, Vib: 6.37 mm/s, Press: 47.6 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0880	HEA-380	SafetyInstruction	WARNING	T:57.6°C | V:4.78mm/s	**Plant Alpha** Elena Rostova	**High Temperature Overheating** — Heat Exchanger HEA-380 at Plant Alpha - Section 1. Temp: 57.6°C, Vib: 4.78 mm/s, Press: 5.9 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0881	TUR-381	Equipment	WARNING	T:46.1°C | V:4.97mm/s	**Plant Alpha** David Kalu	**Electrical Phase Imbalance** — Turbine TUR-381 at Plant Alpha - Section 1. Temp: 46.1°C, Vib: 4.97 mm/s, Press: 23.2 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0882	BOI-382	Sensor	CRITICAL	T:46.1°C | V:6.93mm/s	**Facility East** Sarah Jenkins	**Mechanical Seal Leakage** — Boiler BOI-382 at Facility East - Storage. Temp: 46.1°C, Vib: 6.93 mm/s, Press: 3.0 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0883	CON-383	Component	CRITICAL	T:75.6°C | V:11.57mm/s	**Facility East** Sarah Jenkins	**Bearing Degradation** — Conveyor CON-383 at Facility East - Storage. Temp: 75.6°C, Vib: 11.57 mm/s, Press: 6.6 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0884	HEA-384	Fault	WARNING	T:77.9°C | V:5.48mm/s	**Facility West** David Kalu	**Lubrication Breakdown** — Heat Exchanger HEA-384 at Facility West - Powerhouse. Temp: 77.9°C, Vib: 5.48 mm/s, Press: 22.1 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: David Kalu.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0885	MOT-385	Maintenance	CRITICAL	T:59.2°C | V:4.57mm/s	**Refinery Substation B** Elena Rostova	**Bearing Degradation** — Motor MOT-385 at Refinery Substation B. Temp: 59.2°C, Vib: 4.57 mm/s, Press: 28.4 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0886	BOI-386	Location	SCHEDULED_INSPECTION	T:50.1°C | V:5.11mm/s	**Refinery Substation A** Alice Johnson	**None Detected** — Boiler BOI-386 at Refinery Substation A. Temp: 50.1°C, Vib: 5.11 mm/s, Press: 5.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0887	CON-387	Person	OPERATIONAL	T:79.9°C | V:4.64mm/s	**Plant Alpha** David Kalu	**None Detected** — Conveyor CON-387 at Plant Alpha - Section 2. Temp: 79.9°C, Vib: 4.64 mm/s, Press: 39.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0888	CON-388	Process	WARNING	T:67.2°C | V:3.94mm/s	**Refinery Substation A** David Kalu	**Impeller Cavitation** — Conveyor CON-388 at Refinery Substation A. Temp: 67.2°C, Vib: 3.94 mm/s, Press: 25.7 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0889	VAL-389	SparePart	SCHEDULED_INSPECTION	T:71.7°C | V:9.55mm/s	**Plant Alpha** Robert Chen	**None Detected** — Valve VAL-389 at Plant Alpha - Section 1. Temp: 71.7°C, Vib: 9.55 mm/s, Press: 39.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0890	TUR-390	SafetyInstruction	SCHEDULED_INSPECTION	T:83.9°C | V:1.32mm/s	**Refinery Substation A** Sarah Jenkins	**None Detected** — Turbine TUR-390 at Refinery Substation A. Temp: 83.9°C, Vib: 1.32 mm/s, Press: 11.2 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0891	VAL-391	Equipment	CRITICAL	T:90.2°C | V:6.12mm/s	**Plant Alpha** Robert Chen	**High Temperature Overheating** — Valve VAL-391 at Plant Alpha - Section 2. Temp: 90.2°C, Vib: 6.12 mm/s, Press: 41.6 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0892	COM-392	Sensor	CRITICAL	T:89.1°C | V:9.35mm/s	**Refinery Substation B** Sarah Jenkins	**Filter Clogging** — Compressor COM-392 at Refinery Substation B. Temp: 89.1°C, Vib: 9.35 mm/s, Press: 13.8 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0893	COM-393	Component	OPERATIONAL	T:53.0°C | V:0.88mm/s	**Facility West** Elena Rostova	**None Detected** — Compressor COM-393 at Facility West - Powerhouse. Temp: 53.0°C, Vib: 0.88 mm/s, Press: 38.7 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0894	TUR-394	Fault	SCHEDULED_INSPECTION	T:98.0°C | V:6.28mm/s	**Facility West** Vikram Patel	**None Detected** — Turbine TUR-394 at Facility West - Powerhouse. Temp: 98.0°C, Vib: 6.28 mm/s, Press: 43.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0895	VAL-395	Maintenance	OPERATIONAL	T:58.8°C | V:11.51mm/s	**Plant Beta** Robert Chen	**None Detected** — Valve VAL-395 at Plant Beta - Processing Unit. Temp: 58.8°C, Vib: 11.51 mm/s, Press: 32.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0896	VAL-396	Location	UNDER_REPAIR	T:86.8°C | V:1.26mm/s	**Refinery Substation A** John Smith	**Mechanical Seal Leakage** — Valve VAL-396 at Refinery Substation A. Temp: 86.8°C, Vib: 1.26 mm/s, Press: 43.2 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0897	MOT-397	Person	OPERATIONAL	T:66.2°C | V:12.01mm/s	**Facility West** David Kalu	**None Detected** — Motor MOT-397 at Facility West - Powerhouse. Temp: 66.2°C, Vib: 12.01 mm/s, Press: 40.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0898	COM-398	Process	SCHEDULED_INSPECTION	T:80.5°C | V:8.45mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Compressor COM-398 at Plant Alpha - Section 1. Temp: 80.5°C, Vib: 8.45 mm/s, Press: 37.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Alice Johnson.
REC-0899	GEN-399	SparePart	SCHEDULED_INSPECTION	T:51.5°C | V:11.55mm/s	**Plant Alpha** Elena Rostova	**None Detected** — Generator GEN-399 at Plant Alpha - Section 1. Temp: 51.5°C, Vib: 11.55 mm/s, Press: 17.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Elena Rostova.
REC-0900	COM-100	SafetyInstruction	WARNING	T:50.7°C | V:3.43mm/s	**Facility West** Elena Rostova	**Electrical Phase Imbalance** — Compressor COM-100 at Facility West - Powerhouse. Temp: 50.7°C, Vib: 3.43 mm/s, Press: 14.6 bar. Status: WARNING. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0901	TUR-101	Equipment	UNDER_REPAIR	T:73.5°C | V:10.08mm/s	**Refinery Substation B** John Smith	**Impeller Cavitation** — Turbine TUR-101 at Refinery Substation B. Temp: 73.5°C, Vib: 10.08 mm/s, Press: 7.2 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0902	GEN-102	Sensor	CRITICAL	T:92.0°C | V:13.34mm/s	**Refinery Substation A** Elena Rostova	**Mechanical Seal Leakage** — Generator GEN-102 at Refinery Substation A. Temp: 92.0°C, Vib: 13.34 mm/s, Press: 18.7 bar. Status: CRITICAL. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0903	TUR-103	Component	OPERATIONAL	T:82.0°C | V:11.31mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-103 at Plant Alpha - Section 1. Temp: 82.0°C, Vib: 11.31 mm/s, Press: 13.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0904	TRA-104	Fault	CRITICAL	T:93.3°C | V:9.89mm/s	**Facility West** Marcus Vance	**Bearing Degradation** — Transformer TRA-104 at Facility West - Powerhouse. Temp: 93.3°C, Vib: 9.89 mm/s, Press: 26.6 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0905	GEN-105	Maintenance	UNDER_REPAIR	T:94.6°C | V:13.08mm/s	**Facility West** John Smith	**Bearing Degradation** — Generator GEN-105 at Facility West - Powerhouse. Temp: 94.6°C, Vib: 13.08 mm/s, Press: 15.8 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: John Smith.
REC-0906	COM-106	Location	UNDER_REPAIR	T:78.8°C | V:12.55mm/s	**Refinery Substation B** Robert Chen	**Electrical Phase Imbalance** — Compressor COM-106 at Refinery Substation B. Temp: 78.8°C, Vib: 12.55 mm/s, Press: 37.3 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Robert Chen.
REC-0907	TUR-107	Person	UNDER_REPAIR	T:70.2°C | V:6.16mm/s	**Refinery Substation B** Alice Johnson	**Electrical Phase Imbalance** — Turbine TUR-107 at Refinery Substation B. Temp: 70.2°C, Vib: 6.16 mm/s, Press: 40.7 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Alice Johnson.
REC-0908	VAL-108	Process	SCHEDULED_INSPECTION	T:48.6°C | V:6.27mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-108 at Refinery Substation A. Temp: 48.6°C, Vib: 6.27 mm/s, Press: 35.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0909	GEN-109	SparePart	OPERATIONAL	T:79.3°C | V:3.02mm/s	**Refinery Substation A** John Smith	**None Detected** — Generator GEN-109 at Refinery Substation A. Temp: 79.3°C, Vib: 3.02 mm/s, Press: 22.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0910	VAL-110	SafetyInstruction	WARNING	T:78.6°C | V:4.8mm/s	**Plant Alpha** Sarah Jenkins	**Pressure Drop Anomaly** — Valve VAL-110 at Plant Alpha - Section 1. Temp: 78.6°C, Vib: 4.8 mm/s, Press: 5.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0911	COM-111	Equipment	SCHEDULED_INSPECTION	T:81.7°C | V:11.36mm/s	**Facility East** Robert Chen	**None Detected** — Compressor COM-111 at Facility East - Storage. Temp: 81.7°C, Vib: 11.36 mm/s, Press: 16.7 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Robert Chen.
REC-0912	VAL-112	Sensor	SCHEDULED_INSPECTION	T:89.2°C | V:11.45mm/s	**Plant Beta** Robert Chen	**None Detected** — Valve VAL-112 at Plant Beta - Processing Unit. Temp: 89.2°C, Vib: 11.45 mm/s, Press: 11.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.
REC-0913	HEA-113	Component	UNDER_REPAIR	T:95.5°C | V:12.62mm/s	**Plant Alpha** Sarah Jenkins	**Excessive Vibration** — Heat Exchanger HEA-113 at Plant Alpha - Section 2. Temp: 95.5°C, Vib: 12.62 mm/s, Press: 12.3 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0914	MOT-114	Fault	CRITICAL	T:82.5°C | V:2.81mm/s	**Facility West** Elena Rostova	**Electrical Phase Imbalance** — Motor MOT-114 at Facility West - Powerhouse. Temp: 82.5°C, Vib: 2.81 mm/s, Press: 20.4 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0915	BOI-115	Maintenance	OPERATIONAL	T:96.3°C | V:2.83mm/s	**Plant Beta** Robert Chen	**None Detected** — Boiler BOI-115 at Plant Beta - Processing Unit. Temp: 96.3°C, Vib: 2.83 mm/s, Press: 28.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0916	PUM-116	Location	UNDER_REPAIR	T:89.3°C | V:7.27mm/s	**Refinery Substation A** Sarah Jenkins	**Bearing Degradation** — Pump PUM-116 at Refinery Substation A. Temp: 89.3°C, Vib: 7.27 mm/s, Press: 12.3 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0917	TUR-117	Person	UNDER_REPAIR	T:52.0°C | V:12.23mm/s	**Plant Beta** Vikram Patel	**Coupling Misalignment** — Turbine TUR-117 at Plant Beta - Processing Unit. Temp: 52.0°C, Vib: 12.23 mm/s, Press: 29.6 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Vikram Patel.
REC-0918	CON-118	Process	WARNING	T:46.5°C | V:13.87mm/s	**Plant Alpha** Sarah Jenkins	**Lubrication Breakdown** — Conveyor CON-118 at Plant Alpha - Section 2. Temp: 46.5°C, Vib: 13.87 mm/s, Press: 12.8 bar. Status: WARNING. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0919	COM-119	SparePart	OPERATIONAL	T:45.6°C | V:2.32mm/s	**Plant Beta** Vikram Patel	**None Detected** — Compressor COM-119 at Plant Beta - Processing Unit. Temp: 45.6°C, Vib: 2.32 mm/s, Press: 16.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0920	CON-120	SafetyInstruction	UNDER_REPAIR	T:82.9°C | V:10.58mm/s	**Refinery Substation A** Elena Rostova	**High Temperature Overheating** — Conveyor CON-120 at Refinery Substation A. Temp: 82.9°C, Vib: 10.58 mm/s, Press: 13.8 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Elena Rostova.
REC-0921	PUM-121	Equipment	UNDER_REPAIR	T:93.6°C | V:14.16mm/s	**Plant Beta** Elena Rostova	**Filter Clogging** — Pump PUM-121 at Plant Beta - Processing Unit. Temp: 93.6°C, Vib: 14.16 mm/s, Press: 45.2 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Elena Rostova.
REC-0922	PUM-122	Sensor	CRITICAL	T:97.3°C | V:9.7mm/s	**Plant Beta** Sarah Jenkins	**Impeller Cavitation** — Pump PUM-122 at Plant Beta - Processing Unit. Temp: 97.3°C, Vib: 9.7 mm/s, Press: 8.1 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0923	PUM-123	Component	CRITICAL	T:54.1°C | V:7.25mm/s	**Facility East** Robert Chen	**Lubrication Breakdown** — Pump PUM-123 at Facility East - Storage. Temp: 54.1°C, Vib: 7.25 mm/s, Press: 17.6 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0924	VAL-124	Fault	SCHEDULED_INSPECTION	T:68.2°C | V:4.07mm/s	**Plant Alpha** David Kalu	**None Detected** — Valve VAL-124 at Plant Alpha - Section 1. Temp: 68.2°C, Vib: 4.07 mm/s, Press: 16.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: David Kalu.
REC-0925	GEN-125	Maintenance	CRITICAL	T:94.6°C | V:4.38mm/s	**Refinery Substation B** Marcus Vance	**Filter Clogging** — Generator GEN-125 at Refinery Substation B. Temp: 94.6°C, Vib: 4.38 mm/s, Press: 42.3 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0926	TUR-126	Location	UNDER_REPAIR	T:92.8°C | V:4.82mm/s	**Facility East** David Kalu	**Pressure Drop Anomaly** — Turbine TUR-126 at Facility East - Storage. Temp: 92.8°C, Vib: 4.82 mm/s, Press: 47.7 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0927	PUM-127	Person	OPERATIONAL	T:57.3°C | V:0.99mm/s	**Plant Alpha** Robert Chen	**None Detected** — Pump PUM-127 at Plant Alpha - Section 2. Temp: 57.3°C, Vib: 0.99 mm/s, Press: 14.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0928	GEN-128	Process	UNDER_REPAIR	T:47.2°C | V:5.38mm/s	**Facility West** Alice Johnson	**Lubrication Breakdown** — Generator GEN-128 at Facility West - Powerhouse. Temp: 47.2°C, Vib: 5.38 mm/s, Press: 34.6 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0929	GEN-129	SparePart	OPERATIONAL	T:63.7°C | V:3.29mm/s	**Plant Alpha** Robert Chen	**None Detected** — Generator GEN-129 at Plant Alpha - Section 1. Temp: 63.7°C, Vib: 3.29 mm/s, Press: 15.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0930	VAL-130	SafetyInstruction	SCHEDULED_INSPECTION	T:92.7°C | V:8.52mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Valve VAL-130 at Refinery Substation A. Temp: 92.7°C, Vib: 8.52 mm/s, Press: 28.8 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Marcus Vance.
REC-0931	TRA-131	Equipment	UNDER_REPAIR	T:94.2°C | V:3.87mm/s	**Refinery Substation B** Robert Chen	**High Temperature Overheating** — Transformer TRA-131 at Refinery Substation B. Temp: 94.2°C, Vib: 3.87 mm/s, Press: 24.9 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Robert Chen.
REC-0932	PUM-132	Sensor	UNDER_REPAIR	T:65.0°C | V:13.23mm/s	**Plant Beta** Alice Johnson	**Mechanical Seal Leakage** — Pump PUM-132 at Plant Beta - Processing Unit. Temp: 65.0°C, Vib: 13.23 mm/s, Press: 6.9 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0933	PUM-133	Component	UNDER_REPAIR	T:69.3°C | V:13.59mm/s	**Plant Alpha** Vikram Patel	**Excessive Vibration** — Pump PUM-133 at Plant Alpha - Section 1. Temp: 69.3°C, Vib: 13.59 mm/s, Press: 29.3 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Vikram Patel.
REC-0934	PUM-134	Fault	CRITICAL	T:95.7°C | V:14.2mm/s	**Refinery Substation A** Vikram Patel	**Filter Clogging** — Pump PUM-134 at Refinery Substation A. Temp: 95.7°C, Vib: 14.2 mm/s, Press: 43.7 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0935	VAL-135	Maintenance	CRITICAL	T:62.3°C | V:1.26mm/s	**Plant Alpha** John Smith	**Filter Clogging** — Valve VAL-135 at Plant Alpha - Section 2. Temp: 62.3°C, Vib: 1.26 mm/s, Press: 5.3 bar. Status: CRITICAL. Issue: Filter Clogging. Action: Normal Continuous Monitoring. Inspector: John Smith.
REC-0936	CON-136	Location	CRITICAL	T:54.5°C | V:13.72mm/s	**Plant Alpha** Sarah Jenkins	**High Temperature Overheating** — Conveyor CON-136 at Plant Alpha - Section 1. Temp: 54.5°C, Vib: 13.72 mm/s, Press: 41.8 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0937	PUM-137	Person	WARNING	T:65.8°C | V:6.01mm/s	**Refinery Substation B** Elena Rostova	**Pressure Drop Anomaly** — Pump PUM-137 at Refinery Substation B. Temp: 65.8°C, Vib: 6.01 mm/s, Press: 31.8 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0938	MOT-138	Process	UNDER_REPAIR	T:84.4°C | V:13.13mm/s	**Plant Beta** Vikram Patel	**Filter Clogging** — Motor MOT-138 at Plant Beta - Processing Unit. Temp: 84.4°C, Vib: 13.13 mm/s, Press: 43.6 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Vikram Patel.
REC-0939	HEA-139	SparePart	CRITICAL	T:72.4°C | V:7.21mm/s	**Refinery Substation A** Alice Johnson	**Lubrication Breakdown** — Heat Exchanger HEA-139 at Refinery Substation A. Temp: 72.4°C, Vib: 7.21 mm/s, Press: 42.7 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0940	TUR-140	SafetyInstruction	OPERATIONAL	T:85.5°C | V:11.61mm/s	**Facility East** Sarah Jenkins	**None Detected** — Turbine TUR-140 at Facility East - Storage. Temp: 85.5°C, Vib: 11.61 mm/s, Press: 30.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0941	CON-141	Equipment	OPERATIONAL	T:47.2°C | V:5.18mm/s	**Refinery Substation A** Sarah Jenkins	**None Detected** — Conveyor CON-141 at Refinery Substation A. Temp: 47.2°C, Vib: 5.18 mm/s, Press: 23.3 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0942	COM-142	Sensor	UNDER_REPAIR	T:73.2°C | V:9.37mm/s	**Refinery Substation A** Robert Chen	**Lubrication Breakdown** — Compressor COM-142 at Refinery Substation A. Temp: 73.2°C, Vib: 9.37 mm/s, Press: 5.9 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Robert Chen.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0943	MOT-143	Component	CRITICAL	T:53.0°C | V:2.25mm/s	**Refinery Substation B** Vikram Patel	**Bearing Degradation** — Motor MOT-143 at Refinery Substation B. Temp: 53.0°C, Vib: 2.25 mm/s, Press: 43.5 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0944	TRA-144	Fault	SCHEDULED_INSPECTION	T:47.6°C | V:1.55mm/s	**Facility West** Marcus Vance	**None Detected** — Transformer TRA-144 at Facility West - Powerhouse. Temp: 47.6°C, Vib: 1.55 mm/s, Press: 4.1 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Marcus Vance.
REC-0945	TRA-145	Maintenance	OPERATIONAL	T:69.9°C | V:10.37mm/s	**Facility West** Sarah Jenkins	**None Detected** — Transformer TRA-145 at Facility West - Powerhouse. Temp: 69.9°C, Vib: 10.37 mm/s, Press: 39.4 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0946	HEA-146	Location	SCHEDULED_INSPECTION	T:45.9°C | V:10.65mm/s	**Plant Beta** Alice Johnson	**None Detected** — Heat Exchanger HEA-146 at Plant Beta - Processing Unit. Temp: 45.9°C, Vib: 10.65 mm/s, Press: 23.3 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Alice Johnson.
REC-0947	CON-147	Person	UNDER_REPAIR	T:91.9°C | V:4.58mm/s	**Plant Alpha** Alice Johnson	**Lubrication Breakdown** — Conveyor CON-147 at Plant Alpha - Section 1. Temp: 91.9°C, Vib: 4.58 mm/s, Press: 29.0 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Alice Johnson.
REC-0948	BOI-148	Process	CRITICAL	T:96.7°C | V:12.44mm/s	**Refinery Substation B** Marcus Vance	**Pressure Drop Anomaly** — Boiler BOI-148 at Refinery Substation B. Temp: 96.7°C, Vib: 12.44 mm/s, Press: 10.6 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0949	MOT-149	SparePart	OPERATIONAL	T:68.2°C | V:0.75mm/s	**Refinery Substation A** Marcus Vance	**None Detected** — Motor MOT-149 at Refinery Substation A. Temp: 68.2°C, Vib: 0.75 mm/s, Press: 20.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0950	PUM-150	SafetyInstruction	UNDER_REPAIR	T:82.0°C | V:12.4mm/s	**Plant Alpha** Vikram Patel	**Filter Clogging** — Pump PUM-150 at Plant Alpha - Section 2. Temp: 82.0°C, Vib: 12.4 mm/s, Press: 46.4 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Vikram Patel.
REC-0951	TUR-151	Equipment	UNDER_REPAIR	T:88.0°C | V:1.7mm/s	**Facility East** David Kalu	**Bearing Degradation** — Turbine TUR-151 at Facility East - Storage. Temp: 88.0°C, Vib: 1.7 mm/s, Press: 8.2 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: David Kalu.
REC-0952	PUM-152	Sensor	OPERATIONAL	T:56.2°C | V:9.39mm/s	**Refinery Substation A** Elena Rostova	**None Detected** — Pump PUM-152 at Refinery Substation A. Temp: 56.2°C, Vib: 9.39 mm/s, Press: 31.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0953	CON-153	Component	OPERATIONAL	T:61.1°C | V:6.85mm/s	**Refinery Substation B** Elena Rostova	**None Detected** — Conveyor CON-153 at Refinery Substation B. Temp: 61.1°C, Vib: 6.85 mm/s, Press: 23.8 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0954	PUM-154	Fault	WARNING	T:84.5°C | V:6.6mm/s	**Plant Alpha** Robert Chen	**Excessive Vibration** — Pump PUM-154 at Plant Alpha - Section 1. Temp: 84.5°C, Vib: 6.6 mm/s, Press: 24.3 bar. Status: WARNING. Issue: Excessive Vibration. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0955	GEN-155	Maintenance	WARNING	T:60.8°C | V:11.86mm/s	**Facility East** Elena Rostova	**Mechanical Seal Leakage** — Generator GEN-155 at Facility East - Storage. Temp: 60.8°C, Vib: 11.86 mm/s, Press: 20.0 bar. Status: WARNING. Issue: Mechanical Seal Leakage. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0956	PUM-156	Location	UNDER_REPAIR	T:90.4°C | V:10.6mm/s	**Plant Alpha** Sarah Jenkins	**Impeller Cavitation** — Pump PUM-156 at Plant Alpha - Section 1. Temp: 90.4°C, Vib: 10.6 mm/s, Press: 29.4 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Tightened terminal electrical connections and checked coil insulation resistance. Inspector: Sarah Jenkins.
REC-0957	PUM-157	Person	UNDER_REPAIR	T:72.5°C | V:10.43mm/s	**Facility West** Sarah Jenkins	**Lubrication Breakdown** — Pump PUM-157 at Facility West - Powerhouse. Temp: 72.5°C, Vib: 10.43 mm/s, Press: 45.0 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Sarah Jenkins.
REC-0958	PUM-158	Process	UNDER_REPAIR	T:75.8°C | V:8.08mm/s	**Facility East** John Smith	**Electrical Phase Imbalance** — Pump PUM-158 at Facility East - Storage. Temp: 75.8°C, Vib: 8.08 mm/s, Press: 14.3 bar. Status: UNDER_REPAIR. Issue: Electrical Phase Imbalance. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: John Smith.
REC-0959	MOT-159	SparePart	UNDER_REPAIR	T:82.3°C | V:0.79mm/s	**Facility West** David Kalu	**Bearing Degradation** — Motor MOT-159 at Facility West - Powerhouse. Temp: 82.3°C, Vib: 0.79 mm/s, Press: 15.2 bar. Status: UNDER_REPAIR. Issue: Bearing Degradation. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: David Kalu.
REC-0960	HEA-160	SafetyInstruction	SCHEDULED_INSPECTION	T:56.8°C | V:12.95mm/s	**Facility West** Elena Rostova	**None Detected** — Heat Exchanger HEA-160 at Facility West - Powerhouse. Temp: 56.8°C, Vib: 12.95 mm/s, Press: 17.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Elena Rostova.
REC-0961	VAL-161	Equipment	UNDER_REPAIR	T:89.6°C | V:9.72mm/s	**Plant Beta** Sarah Jenkins	**Lubrication Breakdown** — Valve VAL-161 at Plant Beta - Processing Unit. Temp: 89.6°C, Vib: 9.72 mm/s, Press: 35.8 bar. Status: UNDER_REPAIR. Issue: Lubrication Breakdown. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Sarah Jenkins.
REC-0962	BOI-162	Sensor	OPERATIONAL	T:80.7°C | V:2.27mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Boiler BOI-162 at Plant Alpha - Section 2. Temp: 80.7°C, Vib: 2.27 mm/s, Press: 11.2 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0963	BOI-163	Component	UNDER_REPAIR	T:95.5°C | V:7.26mm/s	**Facility West** Alice Johnson	**Impeller Cavitation** — Boiler BOI-163 at Facility West - Powerhouse. Temp: 95.5°C, Vib: 7.26 mm/s, Press: 12.8 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0964	PUM-164	Fault	CRITICAL	T:81.2°C | V:2.89mm/s	**Plant Beta** Marcus Vance	**Impeller Cavitation** — Pump PUM-164 at Plant Beta - Processing Unit. Temp: 81.2°C, Vib: 2.89 mm/s, Press: 41.5 bar. Status: CRITICAL. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0965	PUM-165	Maintenance	CRITICAL	T:68.0°C | V:8.96mm/s	**Refinery Substation B** Alice Johnson	**Bearing Degradation** — Pump PUM-165 at Refinery Substation B. Temp: 68.0°C, Vib: 8.96 mm/s, Press: 7.6 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0966	GEN-166	Location	CRITICAL	T:86.2°C | V:11.05mm/s	**Plant Beta** David Kalu	**Pressure Drop Anomaly** — Generator GEN-166 at Plant Beta - Processing Unit. Temp: 86.2°C, Vib: 11.05 mm/s, Press: 27.6 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0967	TRA-167	Person	OPERATIONAL	T:94.6°C | V:6.5mm/s	**Facility East** Alice Johnson	**None Detected** — Transformer TRA-167 at Facility East - Storage. Temp: 94.6°C, Vib: 6.5 mm/s, Press: 23.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Alice Johnson.
REC-0968	MOT-168	Process	SCHEDULED_INSPECTION	T:47.2°C | V:1.94mm/s	**Plant Alpha** Alice Johnson	**None Detected** — Motor MOT-168 at Plant Alpha - Section 1. Temp: 47.2°C, Vib: 1.94 mm/s, Press: 31.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Alice Johnson.
REC-0969	HEA-169	SparePart	UNDER_REPAIR	T:85.8°C | V:7.33mm/s	**Plant Alpha** Marcus Vance	**Pressure Drop Anomaly** — Heat Exchanger HEA-169 at Plant Alpha - Section 2. Temp: 85.8°C, Vib: 7.33 mm/s, Press: 42.0 bar. Status: UNDER_REPAIR. Issue: Pressure Drop Anomaly. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0970	HEA-170	SafetyInstruction	OPERATIONAL	T:90.4°C | V:6.52mm/s	**Refinery Substation B** Robert Chen	**None Detected** — Heat Exchanger HEA-170 at Refinery Substation B. Temp: 90.4°C, Vib: 6.52 mm/s, Press: 21.1 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0971	PUM-171	Equipment	CRITICAL	T:60.3°C | V:2.85mm/s	**Plant Alpha** Vikram Patel	**Electrical Phase Imbalance** — Pump PUM-171 at Plant Alpha - Section 2. Temp: 60.3°C, Vib: 2.85 mm/s, Press: 14.2 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0972	HEA-172	Sensor	WARNING	T:85.3°C | V:7.76mm/s	**Refinery Substation A** Elena Rostova	**Pressure Drop Anomaly** — Heat Exchanger HEA-172 at Refinery Substation A. Temp: 85.3°C, Vib: 7.76 mm/s, Press: 38.2 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0973	CON-173	Component	UNDER_REPAIR	T:95.9°C | V:7.57mm/s	**Facility West** Sarah Jenkins	**Excessive Vibration** — Conveyor CON-173 at Facility West - Powerhouse. Temp: 95.9°C, Vib: 7.57 mm/s, Press: 33.4 bar. Status: UNDER_REPAIR. Issue: Excessive Vibration. Action: Updated control system PLC threshold parameters and logged baseline vibration. Inspector: Sarah Jenkins.
REC-0974	VAL-174	Fault	SCHEDULED_INSPECTION	T:95.5°C | V:1.66mm/s	**Refinery Substation B** John Smith	**None Detected** — Valve VAL-174 at Refinery Substation B. Temp: 95.5°C, Vib: 1.66 mm/s, Press: 16.5 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0975	CON-175	Maintenance	OPERATIONAL	T:80.3°C | V:9.29mm/s	**Plant Alpha** Sarah Jenkins	**None Detected** — Conveyor CON-175 at Plant Alpha - Section 1. Temp: 80.3°C, Vib: 9.29 mm/s, Press: 43.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0976	PUM-176	Location	UNDER_REPAIR	T:66.5°C | V:9.83mm/s	**Refinery Substation A** Marcus Vance	**Coupling Misalignment** — Pump PUM-176 at Refinery Substation A. Temp: 66.5°C, Vib: 9.83 mm/s, Press: 27.5 bar. Status: UNDER_REPAIR. Issue: Coupling Misalignment. Action: Replaced mechanical seal ring and inspected casing wear ring clearance. Inspector: Marcus Vance.
REC-0977	HEA-177	Person	SCHEDULED_INSPECTION	T:77.7°C | V:2.51mm/s	**Plant Alpha** Marcus Vance	**None Detected** — Heat Exchanger HEA-177 at Plant Alpha - Section 1. Temp: 77.7°C, Vib: 2.51 mm/s, Press: 20.6 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0978	TRA-178	Process	CRITICAL	T:92.5°C | V:11.21mm/s	**Facility East** Vikram Patel	**Bearing Degradation** — Transformer TRA-178 at Facility East - Storage. Temp: 92.5°C, Vib: 11.21 mm/s, Press: 20.6 bar. Status: CRITICAL. Issue: Bearing Degradation. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0979	TUR-179	SparePart	SCHEDULED_INSPECTION	T:62.9°C | V:10.43mm/s	**Plant Alpha** John Smith	**None Detected** — Turbine TUR-179 at Plant Alpha - Section 1. Temp: 62.9°C, Vib: 10.43 mm/s, Press: 36.0 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: John Smith.
REC-0980	TRA-180	SafetyInstruction	WARNING	T:50.0°C | V:8.06mm/s	**Facility East** Marcus Vance	**Pressure Drop Anomaly** — Transformer TRA-180 at Facility East - Storage. Temp: 50.0°C, Vib: 8.06 mm/s, Press: 26.0 bar. Status: WARNING. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0981	PUM-181	Equipment	WARNING	T:89.5°C | V:4.66mm/s	**Plant Alpha** Marcus Vance	**Impeller Cavitation** — Pump PUM-181 at Plant Alpha - Section 1. Temp: 89.5°C, Vib: 4.66 mm/s, Press: 21.4 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Marcus Vance.
REC-0982	MOT-182	Sensor	CRITICAL	T:58.9°C | V:7.45mm/s	**Refinery Substation A** John Smith	**High Temperature Overheating** — Motor MOT-182 at Refinery Substation A. Temp: 58.9°C, Vib: 7.45 mm/s, Press: 7.7 bar. Status: CRITICAL. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: John Smith.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0983	GEN-183	Component	UNDER_REPAIR	T:63.1°C | V:3.73mm/s	**Plant Beta** John Smith	**Filter Clogging** — Generator GEN-183 at Plant Beta - Processing Unit. Temp: 63.1°C, Vib: 3.73 mm/s, Press: 36.3 bar. Status: UNDER_REPAIR. Issue: Filter Clogging. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: John Smith.
REC-0984	HEA-184	Fault	SCHEDULED_INSPECTION	T:81.0°C | V:10.29mm/s	**Plant Beta** Marcus Vance	**None Detected** — Heat Exchanger HEA-184 at Plant Beta - Processing Unit. Temp: 81.0°C, Vib: 10.29 mm/s, Press: 25.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Calibrated PT100 RTD sensor and verified thermal cutoff trip points. Inspector: Marcus Vance.
REC-0985	MOT-185	Maintenance	CRITICAL	T:69.3°C | V:2.51mm/s	**Plant Beta** Elena Rostova	**Electrical Phase Imbalance** — Motor MOT-185 at Plant Beta - Processing Unit. Temp: 69.3°C, Vib: 2.51 mm/s, Press: 21.6 bar. Status: CRITICAL. Issue: Electrical Phase Imbalance. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.
REC-0986	MOT-186	Location	UNDER_REPAIR	T:92.5°C | V:7.02mm/s	**Plant Alpha** John Smith	**Mechanical Seal Leakage** — Motor MOT-186 at Plant Alpha - Section 1. Temp: 92.5°C, Vib: 7.02 mm/s, Press: 22.5 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: John Smith.
REC-0987	BOI-187	Person	CRITICAL	T:76.3°C | V:9.22mm/s	**Facility East** Sarah Jenkins	**Lubrication Breakdown** — Boiler BOI-187 at Facility East - Storage. Temp: 76.3°C, Vib: 9.22 mm/s, Press: 47.8 bar. Status: CRITICAL. Issue: Lubrication Breakdown. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0988	CON-188	Process	WARNING	T:72.1°C | V:7.14mm/s	**Refinery Substation B** Robert Chen	**Impeller Cavitation** — Conveyor CON-188 at Refinery Substation B. Temp: 72.1°C, Vib: 7.14 mm/s, Press: 23.1 bar. Status: WARNING. Issue: Impeller Cavitation. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0989	TRA-189	SparePart	UNDER_REPAIR	T:70.3°C | V:10.73mm/s	**Plant Alpha** Elena Rostova	**Mechanical Seal Leakage** — Transformer TRA-189 at Plant Alpha - Section 1. Temp: 70.3°C, Vib: 10.73 mm/s, Press: 45.4 bar. Status: UNDER_REPAIR. Issue: Mechanical Seal Leakage. Action: Performed laser alignment on motor-pump shaft coupling within 0.02mm limit. Inspector: Elena Rostova.
REC-0990	BOI-190	SafetyInstruction	OPERATIONAL	T:51.5°C | V:8.33mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Boiler BOI-190 at Refinery Substation B. Temp: 51.5°C, Vib: 8.33 mm/s, Press: 3.9 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0991	VAL-191	Equipment	CRITICAL	T:98.0°C | V:4.65mm/s	**Plant Alpha** David Kalu	**Pressure Drop Anomaly** — Valve VAL-191 at Plant Alpha - Section 1. Temp: 98.0°C, Vib: 4.65 mm/s, Press: 24.4 bar. Status: CRITICAL. Issue: Pressure Drop Anomaly. Action: Normal Continuous Monitoring. Inspector: David Kalu.
REC-0992	VAL-192	Sensor	OPERATIONAL	T:95.1°C | V:4.68mm/s	**Refinery Substation B** Sarah Jenkins	**None Detected** — Valve VAL-192 at Refinery Substation B. Temp: 95.1°C, Vib: 4.68 mm/s, Press: 15.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.

ID	Asset ID	Category	Status	Telemetry	Location / Inspector	Details & Maintenance Log
REC-0993	VAL-193	Component	OPERATIONAL	T:51.5°C | V:5.28mm/s	**Refinery Substation B** Vikram Patel	**None Detected** — Valve VAL-193 at Refinery Substation B. Temp: 51.5°C, Vib: 5.28 mm/s, Press: 42.0 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Vikram Patel.
REC-0994	CON-194	Fault	SCHEDULED_INSPECTION	T:69.2°C | V:5.13mm/s	**Facility West** Marcus Vance	**None Detected** — Conveyor CON-194 at Facility West - Powerhouse. Temp: 69.2°C, Vib: 5.13 mm/s, Press: 19.4 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Marcus Vance.
REC-0995	VAL-195	Maintenance	UNDER_REPAIR	T:80.7°C | V:2.54mm/s	**Facility East** Vikram Patel	**High Temperature Overheating** — Valve VAL-195 at Facility East - Storage. Temp: 80.7°C, Vib: 2.54 mm/s, Press: 35.5 bar. Status: UNDER_REPAIR. Issue: High Temperature Overheating. Action: Cleaned suction strainer screen and purged entrapped air pockets. Inspector: Vikram Patel.
REC-0996	CON-196	Location	CRITICAL	T:73.9°C | V:13.63mm/s	**Plant Alpha** Sarah Jenkins	**Coupling Misalignment** — Conveyor CON-196 at Plant Alpha - Section 2. Temp: 73.9°C, Vib: 13.63 mm/s, Press: 42.9 bar. Status: CRITICAL. Issue: Coupling Misalignment. Action: Normal Continuous Monitoring. Inspector: Sarah Jenkins.
REC-0997	MOT-197	Person	OPERATIONAL	T:75.6°C | V:11.41mm/s	**Refinery Substation B** Robert Chen	**None Detected** — Motor MOT-197 at Refinery Substation B. Temp: 75.6°C, Vib: 11.41 mm/s, Press: 34.5 bar. Status: OPERATIONAL. Issue: None Detected. Action: Normal Continuous Monitoring. Inspector: Robert Chen.
REC-0998	TRA-198	Process	SCHEDULED_INSPECTION	T:49.6°C | V:13.59mm/s	**Refinery Substation A** Alice Johnson	**None Detected** — Transformer TRA-198 at Refinery Substation A. Temp: 49.6°C, Vib: 13.59 mm/s, Press: 26.9 bar. Status: SCHEDULED_INSPECTION. Issue: None Detected. Action: Replaced SKF radial ball bearing and refilled Mobil synthetic grease. Inspector: Alice Johnson.
REC-0999	BOI-199	SparePart	UNDER_REPAIR	T:71.9°C | V:0.76mm/s	**Facility East** Elena Rostova	**Impeller Cavitation** — Boiler BOI-199 at Facility East - Storage. Temp: 71.9°C, Vib: 0.76 mm/s, Press: 32.3 bar. Status: UNDER_REPAIR. Issue: Impeller Cavitation. Action: Flushed hydraulic lines, changed oil filter element and reset pressure sensor. Inspector: Elena Rostova.
REC-1000	PUM-200	SafetyInstruction	WARNING	T:89.4°C | V:11.99mm/s	**Plant Beta** Elena Rostova	**High Temperature Overheating** — Pump PUM-200 at Plant Beta - Processing Unit. Temp: 89.4°C, Vib: 11.99 mm/s, Press: 28.7 bar. Status: WARNING. Issue: High Temperature Overheating. Action: Normal Continuous Monitoring. Inspector: Elena Rostova.