Healthians

Smart Report 3.0

India's Trusted Health Test @Home Service



NABL ACCREDITED
MC-5949

Booking ID : 18247303716
Sample Collection Date : 15/May/2026

Sudhir Kunnure

Male, 46 Yrs

Healthians Relationship Status
Preferred Gold Since 2019

A Comprehensive Health Analysis Report

AI Based Personalized Report for You

INDIA'S FIRST & ONLY CREDIBILITY CHECK FOR YOUR LAB REPORT

Check the authenticity of your lab report with machine data

Scan the QR using any QR code scanner

HEALTH ANALYSIS

Personalized Summary & Vital Parameters

Sudhir Kunnure
Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

Sudhir Kunnure,

Congratulations, We have successfully completed your health diagnosis. This is a big step towards staying on top of your health and identify potential to improve!

10 Vital Health Parameters of a Human Body Ecosystem

Below are the health parameters which require routine checkups for primary healthcare. The view also includes *personalised information* depending on the tests you have taken.

Your Health Score

92
Out of 100

**Calculated from test reports*



Thyroid Function
Thyroid Stimulating Hormone (TSH)-Ultrasensitive : 3.72 µIU/ml
• Everything looks good

Cholesterol Total
Waiting for result

Kidney Function
Waiting for result

Vitamin D
20.98 ng/ml
• Concern

HbA1c
5.2 %
• Everything looks good

Vitamin B12
400 pg/ml
• Everything looks good

Liver Function
Waiting for result

Calcium Total
Waiting for result

Iron studies
Test not taken

Complete Hemogram
Haemoglobin (HB) : 15.3 g/dL
• Everything looks good

New Features
Report Summary

Sudhir Kunnure
Booking ID 18247303716 | Sample Collection Date: 15/May/2026

Understanding laboratory reports can be complex, often leading to unwarranted anxiety.
At Healthians, we understand that you shouldn't have to rely on a Google search to decipher your own health report. That's why we offer comprehensive summaries that are easy to understand.

Health Test Report Summary for Mr. Sudhir Kunnure

Summary of Deranged Parameters

Dear Mr. Kunnure,

I have reviewed your recent health test results. It appears there are a few areas that are outside the typical range.

Regarding your Vitamin D levels, they are a bit lower than what is generally considered optimal. This is quite common, and there are straightforward ways to address it.

Your complete blood count shows some variations in the characteristics of your red blood cells. Specifically, the average amount of hemoglobin within each red blood cell is slightly elevated, and the variation in the size of your red blood cells is also showing a slight increase. These findings are often seen together and can be related to various factors.

Please be reassured that these findings are not uncommon, and with some simple adjustments, we can work towards bringing these values back into a healthy range.

Suggestions for Deranged Parameters

1.
Increase Vitamin D Intake:
Focus on incorporating more Vitamin D-rich foods into your diet. This includes fatty fish like salmon and mackerel, fortified milk and cereals, and egg yolks.
2.
Safe Sun Exposure:
Aim for regular, short periods of sun exposure, ideally during the mid-morning or early afternoon. Even brief exposure can help your body naturally produce Vitamin D.
3.
Dietary Variety:
Ensure your diet is well-balanced and includes a variety of fruits, vegetables, whole grains, and lean proteins. This supports overall blood health.
4.
Hydration and Lifestyle:
Maintain good hydration by drinking plenty of water throughout the day. Consider incorporating regular, moderate physical activity into your routine, as this can positively impact blood cell health.

HEALTH ANALYSIS

HISTORICAL CHARTS

Sudhir Kunnure

Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

Hemoglobin Hb


Everything looks good

Your Latest result

15.3 g/dL

15th May 2026

13.0 — 17.0



TSH Ultra - Sensitive


Everything looks good

Your Latest result

3.719 µIU/ml

15th May 2026

0.55 — 4.78



Vitamin B12 Cyanocobalamin


Everything looks good

Your Latest result

400 pg/ml

15th May 2026

211 — 912



Vitamin D Total-25 Hydroxy


Concern

Your Latest result

20.98 ng/ml

15th May 2026

30 — 100



Glycated Hemoglobin (HbA1c)


Everything looks good

Your Latest result

5.2 %

15th May 2026

4.2 — 5.7



KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

KEEP WATCHING
THIS SPACE FOR MORE
GRAPHICAL REPORTS

HEALTH ANALYSIS

COMPARATIVE CHARTS

Sudhir Kunnure
Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

↑ Increase From Last Time

↓ Decrease From Last Time

Total Parameters :8 (As per latest result)

6 Everything Looks Good | 1 Borderline | 1 Concern

Test Name	Risk Area	2 Years Ago Booking ID 6162977394 12 Aug 2022 09:00 AM	5 Months Ago Booking ID 12401731220 25 Dec 2024 11:00 AM	2 Months Ago Booking ID 13811504291 27 May 2025 08:00 AM	2 Months Ago Booking ID 14567610812 27 Jul 2025 08:30 AM	7 Months Ago Booking ID 15356952653 03 Oct 2025 08:00 AM	Latest Result 15 May 2026
Hemoglobin Hb 13.0 -17.0 Normal Range	--	14.2 g/dL	↑ 15.3 g/dL	↓ 14.9 g/dL	↑ 15 g/dL	↓ 14.8 g/dL	↑ 15.3 g/dL Everything Looks Good
Platelet Count Thrombocyte count 150 -410 Normal Range	--	274 10^3/µl	↑ 282 10^3/µl	↑ 297 10^3/µl	↓ 204 10^3/µl	↑ 286 10^3/µl	↓ 229 10^3/µl Everything Looks Good
T3, Total Tri Iodothyronine 0.60 -1.81 Normal Range	--	0.78 ng/ml	↑ 1.05 ng/ml	↓ 0.68 ng/ml	↑ 0.84 ng/ml	↑ 1.22 ng/ml	↓ 0.92 ng/ml Everything Looks Good
T4, Total Thyroxine 3.2 -12.6 Normal Range	--	4.6 ug/dl	↑ 7.44 ug/dl	↓ 6.1 ug/dl	↓ 5.1 ug/dl	↑ 7.04 ug/dl	↓ 5 ug/dl Everything Looks Good
TSH Ultra - Sensitive 0.55 -4.78 Normal Range	--	1.03 µIU/ml	↑ 2.74 µIU/ml	↓ 2.39 µIU/ml	↑ 2.56 µIU/ml	↑ 2.64 µIU/ml	↑ 3.72 µIU/ml Everything Looks Good
URINE KETONE Negative -Negative Normal Range	--	-	-	-	Negative	Negative	Negative
Glycated Hemoglobin (HbA1c) 4.2 -5.7 Normal Range	--	5.1 %	↑ 5.2 %	↓ 5 %	↑ 5.3 %	↓ 5.2 %	5.2 % Everything Looks Good
Vitamin D Total-25 Hydroxy 30 -100 Normal Range		15.57 ng/ml	↓ 13.94 ng/ml	↑ 54.1 ng/ml	↓ 29.47 ng/ml	↓ 25.8 ng/ml	↓ 20.98 ng/ml Low (Concern)

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:28PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:21PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	Report Status	: Partial Report

DEPARTMENT OF BIOCHEMISTRY HBA1C

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
HbA1c - Glycosylated Hemoglobin			
Hba1c (Glycosylated Hemoglobin) Method: HPLC Machine: TOSOH G11	5.20	%	4.2 - 5.7
Average Estimated Glucose Method: Calculated	102.54	mg/dl	

INTERPRETATION:

AS PER AMERICAN DIABETES ASSOCIATION (ADA):		
REFERENCE GROUP	**GLYCOSYLATED HEMOGLOGIB (HBA1c) in %**	
Non diabetic	<5.7	
At Risk (Prediabetes)	5.7 – 6.4	
Diagnosing Diabetes	>= 6.5	
Therapeutic goals for glycemic control	**Age > 19 Years**	
	Goals of Therapy:	< 7.0
	Actions Suggested:	>8.0
	Age < 19 Years	
	Goal of therapy:	<7.5

REMARKS :

1. HbA1c is used for monitoring diabetic control. It reflects the mean plasma glucose over three months
2. HbA1c may be falsely low in diabetics with hemolytic disease. In these individuals a plasma fructosamine level may be used which evaluates diabetes over 15 days.
3. Inappropriately low HbA1c values may be reported due to hemolysis, recent blood transfusion, acute blood loss, hypertriglyceridemia, chronic liver disease. Drugs like dapsone, ribavirin, antiretroviral drugs, trimethoprim, may also cause interference with estimation of HbA1c, causing falsely low values.
4. HbA1c may be increased in patients with polycythemia or post-splenectomy.
5. Inappropriately higher values of HbA1c may be caused due to iron deficiency, vitamin B12 deficiency, alcohol intake, uremia, hyperbilirubinemia and large doses of aspirin.
6. Trends in HbA1c are a better indicator of diabetic control than a solitary test.
7. Any sample with >15% HbA1c should be suspected of having a hemoglobin variant, especially in a non-diabetic patient. Similarly, below 4% should prompt additional studies to determine the possible presence of variant hemoglobin.
8. HbA1c target in pregnancy is to attain level <6 % .
9. HbA1c target in paediatric age group is to attain level < 7.5 %.

Method : Ion-exchange high-performance liquid chromatography (HPLC).

Reference : American Diabetes Associations. Standards of Medical Care in Diabetes 2023

Dr Gohil Darshan
MBBS, MD, Pathology
Consultant Pathologist
Reg. No.-2008093484, Healthians Labs

SIN No:E7119938

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:21PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:56PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Sodium Fluoride	Report Status	: Partial Report

DEPARTMENT OF BIOCHEMISTRY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Fasting Blood Sugar			
Glucose, Fasting	79.37	mg/dl	70 - 100

Method: Hexokinase
Machine: BECKMAN COULTER DxC 700 AU

American Diabetes Association Reference Range :

Normal : < 100 mg/dL
Impaired fasting glucose(Prediabetes) : 100 - 125 mg/dL
Diabetes : >= 126 mg/dL

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis
A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.

Dr. Amod Sawant
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2011113372,Healthians Labs

SIN No:E7119938

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:35PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:58PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Urine	Report Status	: Partial Report

DEPARTMENT OF CLINICAL PATHOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Urine Routine & Microscopy Extended			
PHYSICAL EXAMINATION			
Colour Method: Visual	Pale Yellow		Pale Yellow
Volume Method: Visual	10.00	mL	
Appearance Method: Visual	Clear		Clear
CHEMICAL EXAMINATION			
Specific Gravity Method: Dipstick-Ion exchange Machine: URIPLUS_600	1.020		1.001 - 1.035
pH Method: Dipstick-Double indicator Machine: URIPLUS_600	5.0		4.5 - 7.5
Glucose Method: Dipstick-oxidase peroxidas Machine: URIPLUS_600	Negative		Negative
Urine Protein Method: Dipstick-Bromophenol blue Machine: URIPLUS_600	Negative		Negative
Ketones Method: Sodium nitroprusside Machine: URIPLUS_600	Negative		Negative
Urobilinogen Method: Dipstick-Ehrlichs Test Machine: URIPLUS_600	Normal		Normal
Bilirubin Method: Dipstick-Ehrlichs Test Machine: URIPLUS_600	Negative		Negative
Nitrite Method: Dipstick-Griess test Machine: URIPLUS_600	Negative		Negative
Blood Method: Dipstick-Peroxidase Machine: URIPLUS_600	Negative		Nil

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:35PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:58PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Urine	Report Status	: Partial Report

DEPARTMENT OF CLINICAL PATHOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Leucocyte Esterase Method: Dipstick- Esterase Machine: URIPLUS_600	Negative		Nil
MICROSCOPIC EXAMINATION			
Pus Cells Method: Microscopic Examination	2-3	/HPF	0 - 5
Epithelial cells Method: Microscopic Examination	1-2	/HPF	0 - 5
RBCs Method: Microscopic Examination	Nil	/HPF	Nil
Casts Method: Microscopic Examination	Nil		Nil
Crystals Method: Microscopic Examination	Nil		Nil
Bacteria Method: Microscopic Examination	Absent		Absent
Yeast Cell	Nil		
Others (Non Specific) Method: Microscopic Examination	Nil		

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Healthians Labs (A Unit of Expedient Healthcare Marketing Pvt. Ltd.)
Office No.1 on 9th and Floor, Ascot Center, Next to Hilton Hotel, Sahar Road, Andheri(E), Mumbai, Maharashtra, Pincode - 400099 (NABL Accreditation Certificate Number MC-5949)

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:28PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:58PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	Report Status	: Partial Report

DEPARTMENT OF HAEMATOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Complete Blood Count			
Haemoglobin (HB) Method: Spectrophotometry Machine: Yumizen H1500	15.3	g/dL	13.0-17.0
Total Leucocyte Count (TLC) Method: Impedance Machine: Yumizen H1500	7.2	10^3/uL	4.0-10.0
Hematocrit (PCV) Method: Calculated Machine: Yumizen H1500	44.3	%	40.0-50.0
Red Blood Cell Count (RBC) Method: Impedance Machine: Yumizen H1500	5.01	10^6/µl	4.50-5.50
Mean Corp Volume (MCV) Method: Derived from RBC Histogram Machine: Yumizen H1500	88.4	fL	83.0-101.0
Mean Corp Hb (MCH) Method: Calculated Machine: Yumizen H1500	30.6	pg	27.0-32.0
Mean Corp Hb Conc (MCHC) Method: Calculated Machine: Yumizen H1500	**34.6**	g/dL	31.5-34.5
RDW - CV Method: Derived from RBC Histogram Machine: Yumizen H1500	**14.3**	%	11.6-14.0
RDW - SD Method: Derived from RBC Histogram Machine: Yumizen H1500	**34.80**	fL	39.0-46.0
Mentzer Index Method: Calculated	17.64	Ratio	
RDWI Method: Calculated	252.32	Ratio	
Green and king index Method: Calculated	73	Ratio	
Differential Leucocyte Count			
Neutrophils Method: Flow-Cytometry DHSS	57.3	%	40 - 80

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:28PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:58PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	Report Status	: Partial Report

DEPARTMENT OF HAEMATOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Machine: Yumizen H1500			
Lymphocytes	32.0	%	20-40
Method: Flow-Cytometry DHSS			
Machine: Yumizen H1500			
Monocytes	7.1	%	02 - 10
Method: Flow-Cytometry DHSS			
Machine: Yumizen H1500			
Eosinophils	3.2	%	01 - 06
Method: Flow-Cytometry DHSS			
Machine: Yumizen H1500			
Basophils	0.4	%	00 - 02
Method: Impedance			
Machine: Yumizen H1500			
Absolute Leucocyte Count			
Absolute Neutrophil Count (ANC)	4.11	10^3/uL	2.0-7.0
Method: Calculated			
Absolute Lymphocyte Count (ALC)	2.30	10^3/uL	1.4 - 3.5
Method: Calculated			
Absolute Monocyte Count	0.51	10^3/uL	0.20 - 1.00
Method: Calculated			
Absolute Eosinophil Count (AEC)	0.23	10^3/uL	0.04 - 0.44
Method: Calculated			
Absolute Basophil Count	0.03	10^3/uL	0.0 - 0.10
Method: Calculated			
Platelet Count(PLT)	229	10^3/µl	150-410
Method: Impedance			
Machine: Yumizen H1500			
MPV	8.9	fL	7 - 9
Method: Derived from PLT Histogram			
Machine: Yumizen H1500			

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

The Mentzer index is used to differentiate iron deficiency anaemia beta thalassemia trait. If a CBC indicates microcytic anaemia, these are two of the most likely causes, making It necessary to distinguish between them.
If the quotient of the mean corpuscular volume divided by the red blood cell count is then 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anaemia is more likely.

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:28PM
Referred By	: Self	Report Generated On	: 15/May/2026 06:58PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Whole Blood EDTA	Report Status	: Partial Report

DEPARTMENT OF HAEMATOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 07:03PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:25PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF IMMUNOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
PSA Total (Prostatic Specific Antigen, Total)			
PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL) Method: CLIA Machine: Atellica_IM	0.78	ng/mL	0.01 - 4

Clinical Significance: Prostate-specific antigen (PSA) is a protein produced by the cells of the prostate gland (both normal and malignant cells). The Total PSA test is primarily used in screening, diagnosis, and monitoring of prostate-related conditions.

1. **Increased levels can be seen in:**

- Malignant (including but not limited to)- Prostate Carcinoma
- Non-cancerous (Benign) conditions (including but not limited to)- Prostatitis, Benign Prostatic Hyperplasia, Prostatic Ischemia, Acute Urinary Retention, Other conditions, like; Prostatic Massage, Cystoscopy, Needle Biopsy, TURP, Digital Rectal Examination, Radiation therapy, Indwelling Catheter, Vigorous Bicycle Exercise, Ejaculation causes transient increase, Acute Renal Failure, Acute Myocardial Infarction

2. **Decreased levels can be seen in:**

- Post 48 hrs. of ejaculation, Castration, Antiandrogen Drugs, Radiation Therapy, Prostatectomy, Drugs Therapy like Finasteride etc

Note:

- **The diagnostic efficiency of any tumor marker depends on a variety of factors such as its sensitivity, specificity, positive predictive value (PPV) and negative predictive value (NPV). A single tumor marker test result should not be used in isolation for the diagnosis/ confirmation of any suspected malignancy. It should be used in association with clinical correlation/ imaging studies/ further investigations, under the supervision of a clinician only**
- **A single tumor marker test result should not be used in isolation for the diagnosis/ confirmation of any suspected malignancy. It should be used in association with clinical correlation/ imaging studies/ further investigations, under the supervision of a clinician only**
- **Serial testing should be done to identify elevated levels caused due to transient physiological/ pathological factors**
- **Samples from patients receiving mouse monoclonal antibodies for diagnosis or therapy, may show falsely elevated or depressed values under specific conditions. Heterophilic antibodies in human serum, certain medications & non-specific protein binding may interfere with the test results**
- **Tumor marker test results are influenced by assay methods, reagent sensitivity and specificity, and should not be used interchangeably. If in the course of monitoring a patient, the assay method used is changed, additional testing should be carried out to confirm baseline values. All the results need to be followed up for correlation on similar platforms and methodologies**

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 07:03PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:25PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF IMMUNOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 07:03PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:34PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF IMMUNOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Vitamin B12			
VITAMIN B12	400	pg/ml	211 - 912

Method: CLIA
Machine: Atellica_IM

Vitamin B12 is a coenzyme that is involved in two very important metabolic functions vital to normal cell growth and DNA synthesis: 1) the synthesis of methionine, and 2) the conversion of methylmalonyl CoA to succinyl CoA. Deficiency of this vitamin can lead to megaloblastic anemia and ultimately to severe neurological problems. Also causes macrocytic anemia, glossitis, peripheral neuropathy, weakness, hyperreflexia, ataxia, loss of proprioception, poor coordination, and affective behavioral changes. A significant increase in RBC MCV may be an important indicator of vitamin B12 deficiency.
Patients taking vitamin B12 supplementation may have misleading results. A normal serum concentration of B12 does not rule out tissue deficiency of vitamin B12 . The most sensitive test for B12 deficiency at the cellular level is the assay for MMA. If clinical symptoms suggest deficiency, measurement of MMA and homocysteine should be considered, even if serum B12 concerations are normal.

Testosterone - Total

Testosterone, Total	4.11	ng/mL	1.50-6.84

Method: CLIA
Machine: Atellica_IM

Test Interpretation

*Total Testosterone reference intervals as per Tanner Stage:

Tanner Stage	Reference Interval – Male (ng/mL)	Reference Interval – Female (ng/mL)
Stage 1	0.02 – 0.23	0.02 – 0.10
Stage 2	0.05 – 0.70	0.05 – 0.30
Stage 3	0.15 – 2.8	0.10 – 0.30
Stage 4	1.05 – 5.45	0.15 – 0.40
Stage 5	0.65 – 8.0	0.10 – 0.40

Tanner staging should be assessed by the treating physician/ pediatrician.

Testosterone in males is secreted by adult leydig cells and is controlled by luteinizing hormone (LH). In females, it is produced in the ovaries, adrenal gland, and peripheral fatty tissues and has a serum concentration that is approximately 10-fold less than in males. In healthy adults, ~44% of circulating testosterone is bound to sex hormone binding globulin (SHBG), 50- 55% is bound to albumin & cortisol-binding globulin, & 2–3% is free; later three being bioavailable forms.

Increased in:
Adrenal and ovarian tumors, CAH, Polycystic ovary syndrome, ovarian stromal hyperthecosis, Idiopathic hirsutism

Decreased in:
Primary hypogonadism (e.g., orchiectomy), Secondary hypogonadism (e.g., hypopituitarism), Testicular feminization, Klinefelter syndrome, Cirrhosis, Chronic renal disease, Estrogen therapy

Limitations- Testosterone exhibits significant circadian variations, thus early-morning samples are recommended. Because SHBG concentrations can be influenced by many factors, tests assessing bioavailable and free testosterone is helpful in clinical decision-making.

Ref: Tietz textbook of clinical chemistry and molecular diagnostics, 5th edition
Wallach's interpretation of diagnostic tests, 11th edition

Note: Kindly note change in reference ranges with effect from 18/08/2023.

Dr. Amod Sawant
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2011113372,Healthians Labs

SIN No:E7119938

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 07:03PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:25PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF IMMUNOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Vitamin D, 25-Hydroxy			
VITAMIN D (25 - OH VITAMIN D) Method: CLIA Machine: Atellica_IM	**20.98**	ng/ml	30 - 100

VITAMIN D STATUS	VITAMIN D 25 HYDROXY (ng/mL)
DEFICIENCY	<20
INSUFFICIENCY	20 – <30
SUFFICIENCY	30 – 100
TOXICITY	>100

Vitamin D is a lipid-soluble steroid hormone that is produced in the skin through the action of sunlight or is obtained from dietary sources The role of vitamin D in maintaining homeostasis of calcium and phosphorus is well established.
The assay measures both D2 (Ergocalciferol) and D3 (Cholecalciferol) metabolites of vitamin D. Vitamin D status is best determined by measurement of 25 hydroxy vitamin D, as it is the major circulating form and has longer half life (2-3 weeks) than 1,25 Dihydroxy vitamin D (5-8 hrs)
The reference ranges discussed in the preceding are related to total 25-OHD; as long as the combined total is 30 ng/mL or more, the patient has sufficient vitamin D. Levels needed to prevent rickets and osteomalacia (15 ng/mL) are lower than those that dramatically suppress parathyroid hormone levels (20–30 ng/mL). In turn, those levels are lower than levels needed to optimize intestinal calcium absorption (34 ng/mL). Neuromuscular peak performance is associated with levels approximately 38 ng/mL.

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 07:03PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:25PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF IMMUNOLOGY

Healthians Advanced Full Body Checkup - Male

Test Name	Value	Unit	Bio. Ref Interval
Thyroid Profile (Total T3,T4, TSH)			
Tri-Iodothyronine (T3, Total) Method: CLIA Machine: Atellica_IM	0.92	ng/ml	0.60-1.81
Thyroxine (T4, Total) Method: CLIA Machine: Atellica_IM	5.00	ug/dl	3.2-12.6
Thyroid Stimulating Hormone (TSH)-Ultrasensitive Method: CLIA Machine: Atellica_IM	3.719	µIU/ml	0.55-4.78

Pregnancy interval	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 – 3.0
Third trimester	0.3 – 3.0

Healthians recommends that the following potential sources of variation should be considered while interpreting thyroid hormone results:
1. Thyroid hormones undergo rhythmic variation within the body this is called circadian variation in TSH secretion: Peak levels are seen between 2-4 AM. Minimum levels seen between 6-10 AM. This variation may be as much as 50% thus, influence of sampling time needs to be considered for clinical interpretation.
2. Circulating forms of T3 and T4 are mostly reversibly bound with Thyroxine binding globulins (TBG), and to a lesser extent with albumin and Thyroid binding Pre-Albumin. Thus the conditions in which TBG and protein levels alter such as chronic liver disorders, pregnancy, excess of estrogens, androgens, anabolic steroids and glucocorticoids may cause misleading total T3, total T4 and TSH interpretations.
3. Total T3 and T4 levels are seen to have physiological rise during pregnancy and in patients on steroid treatment.
4. T4 may be normal even in the presence of hyperthyroidism under the following conditions : T3 thyrotoxicosis, Hypoproteinemia related reduced binding, during intake of certain drugs (eg Phenytoin, Salicylates etc)
5. Neonates and infants have higher levels of T4 due to increased concentration of TBG
6. TSH levels may be normal in central hypothyroidism, recent rapid correction of hypothyroidism or hyperthyroidism, pregnancy, phenytoin therapy etc.
7. TSH values of <0.03 uIU/mL must be clinically correlated to evaluate the presence of a rare TSH variant in certain individuals which is undetectable by conventional methods.
8. Presence of Autoimmune disorders may lead to spurious results of thyroid hormones.
9. Various drugs influence the levels of thyroid hormones such as L-Dopa, Lithium, Glucocorticoids, Phenytoin etc.
10. Healthians recommends evaluation of unbound fractions, that is free T3 (fT3) and free T4 (fT4) for clinic-pathologic correlation, as these are the metabolically active forms.

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Patient Name	: Sudhir Kunnure	Barcode	: E7119938
Age/Gender	: 46Y 0M 0D /Male	Sample Collected On	: 15/May/2026 09:49AM
Order Id	: 18247303716	Sample Received On	: 15/May/2026 06:11PM
Referred By	: Self	Report Generated On	: 15/May/2026 07:10PM
Customer Since	: 10/Dec/2019	Sample Temperature	: Maintained ✓
Sample Type	: Serum	Report Status	: Partial Report

DEPARTMENT OF SEROLOGY

Test Name	Value	Unit	Bio. Ref Interval
HIV I & II, Antibody			
HIV I AND II ANTIBODIES Method: Immunochromatography	Non Reactive		Non-Reactive
Final Result	Negative		Negative

Interpretation of Results:

This is an initial screening test to identify potential HIV infection. A single test result is not sufficient to confirm HIV infection. A negative (non-reactive) result does not exclude the possibility of exposure to or infection with HIV or the window period. All results must be clinically correlated. All samples that test reactive in this initial screening must be confirmed using either the HIV Western Blot or HIV RNA tests. Diagnosis must be based on the results of supplemental confirmatory tests conducted on repeat samples, along with clinical correlation considering the patient's immune status and medical history.
The test results obtained relate only to the labeled sample received at the lab and tested.
Results are reported as per the Strategy 3 of National guidelines of HIV testing by NACO, July 2017.
A negative test result indicates antibody is not detected against HIV- 1/2. A Positive test result indicates antibody detected against HIV-1/2 in all the three tests done by different methodologies. Indeterminate test result indicates antibodies to HIV-1/2 have been detected in the sample by two of three methods.
False positive results may be observed in Autoimmune diseases, Alcoholic hepatitis, Primary biliary cirrhosis, Leprosy, Multiple pregnancies, Rheumatoid factor, and due to the presence of heterophile antibodies. False-negative results may occur during the window period and during the end stage of the disease.

Note: For Post-test counseling, patient/ customer can contact the lab through customer care (+91-9998880005) for appointment. For any other information and regarding post-test counseling you can contact the Integrated Counseling & Testing Centre (ICTC) of your area or contact the helpline number of the National AIDS Control Organization (NACO) which caters to the population of India and is reachable from any mobile/landline number through a short code **toll-free number 1097**

***** End Of Report *****

Result's to follow-Liver Function Test (LFT), Kidney Function Test Advance, Lipid Profile

Dr. Rajeev S Ramachandran
MBBS,MD Pathology
Consultant Pathologist
Reg. No.-2017072917,Healthians Labs

Terms & Conditions:

1) Machine Data is available for last 7 days only. In case of manual testing & outsourced testing, machine data will not be available.
2) CBC parameters may vary when it is manually reviewed by the Pathologists.
3) **For Thyroid tests** - Circulating TSH shows a normal circadian rhythm with a peak between 11pm-5am and a nadir between 5pm-8pm. TSH values are also lowered after food when compared to fasting in a statistically significant manner. This variation is of the order of ±50%, hence time of day and fasting status have influence on the reported TSH level.
4) **For Lipid profile** - Lipid and Lipoprotein concentrations vary during the normal course of daily activity. Also, certain drugs, diet and alcohol can have lasting effects on Triglyceride levels. To obtain best results for Lipid testing, a strict fasting of 10-12 hours with a light meal on the previous night is recommended.
5) Test results released pertain to the specimen submitted.
6) Test results are dependent on the quality of the sample received by the Lab.
7) The tests are carried out in the lab with the presumption that the specimen belongs to the patient named or identified in the bill/test request form/booking ID.
8) The reported results are for information and are subject to confirmation and interpretation by the referring doctor to co-relate clinically.
9) Test results may show interlaboratory variations.
10) Liability of Healthians for deficiency of services or other errors and omissions shall be limited to the fee paid by the patient for the relevant laboratory services.
11) This report is not subject to use for any medico-legal purposes.
12) Few of the tests might be outsourced to partner labs as and when required.
13) This report is not intended to replace but to lead by providing comprehensive information. It is recommended that you consult your doctor/physician for interpretation of results.
14) All reports might not be applicable for individuals less than 18, pregnant women or individuals suffering from diseases for which health test has not been performed or symptoms not diagnosed.
15) This report is based on preventive health test screening and is meant for a healthy lifestyle. It does not provide any recommendation for life threatening situations.
16) It is strongly recommended to take required precautions for allergic reactions or sensitivities.
17) Authorised partner labs as mentioned for certain tests are as below:
    HL/PL/001- Metropolis Healthcare Ltd
    HL/PL/002- Thyrocare technologies Limited
    HL/PL/003- Lifecell International Pvt. Ltd. - Laboratory Services
    HL/PL/004- Modern Diagnostic & Research Centre

ADVISORY
Health Advisory

Sudhir Kunnure
Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

31.22 Body Mass Index	5'4" Height (ft/in)	85 Weight (kgs.)

Physical Activity	Smoke	Food Preference	Alcohol	Medication	Family History
5 or more times a week	No, I don't smoke	Non-Veg (4-6 times a week)	More than 10 drinks per week	No Data	Diabetes

Blood Pressure	Pulse Rate	Waist (In Cm)	Hip Circumference (In Cm)	SPO2 Levels	Sugar Levels
No Data	No Data	0cm	No Data	No Data	No Data

Additional Remarks :
NA

SUGGESTED
NUTRITION

SUGGESTED NUTRITION

Do's

- Have a balanced diet that includes whole grains, pulses, dairy, fruits, vegetables, nuts and healthy fats
- Include fruits like apples, berries and melons in your diet
- Have high protein, moderate fat diet with low fat milk, yoghurt or buttermilk

Dont's

- Avoid flavoured and seasoned foods
- Decrease intake of colas and sugary drinks
- Avoid saturated fats, transfats, oily and greasy foods like cakes, creamy or fried foods
- Avoid red meat and organ meats
- Avoid refined sugars, processed foods and bakery items
- Reduce caffeine intake

SUGGESTED
LIFESTYLE

SUGGESTED LIFESTYLE

Do's

- Maintain ideal weight


Dont's

- Avoid overexertion without having food or drink
- Avoid strenuous exercises
- Avoid smoking and alcohol
- Avoid overworking or being stressed for long time
- Avoid having long gaps in meals or skipping meals

SUGGESTED
FUTURE TESTS

SUGGESTED FUTURE TESTS

- Complete Hemogram - **Every 2 Month**
- Peripheral Smear Examination By Pathologist - **Every 2 Month**
- Testosterone Total - **Every 1 Month**



HEALTH ADVISORY

Suggestions for Health & Well-being

Sudhir Kunnure
Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

PHYSICAL
ACTIVITY

PHYSICAL ACTIVITY

Physical activities can vary from Regular walks (Brisk or normal), Jogging , Sports, Stretching, Yoga to light weight lifting etc. It is recommended to partake in physical activity at least 30 minutes a day for 3-4 days a week.
If regular workout is difficult, then we can adapt changes such as using stairs instead of lift/escalators and doing household work!





BALANCED DIET

A balanced diet is the key to healthy lifestyle. Include Whole grains, vegetables, whole fruits, nuts, seeds, beans, plant oils in your diet.
It is recommended to always have a high protein breakfast and a light dinner. Avoid items such as processed foods, potatoes and high calorie/sugar products. Don't forget to drink water regularly!


BALANCED
DIET

STRESS
MANAGEMENT

STRESS MANAGEMENT

Managing stress is an essential part of well-being. Some day to day changes can help such as having sufficient sleep (6-8 hours), indulging yourself in meditation, positive attitude towards lifestyle, using humor, traveling, talking to people whom you feel comfortable with and making time for hobbies by doing what you love to do.





BMI

BMI recommended range is 18.5 to 24.9. Your BMI is **32.17**, which is on a higher side.
Please follow recommended diet and maintain a healthy lifestyle and try to keep your BMI within the desired range. Keeping the right BMI for your body helps prevent many untimely diseases and goes a long way.

BMI CHART

UNDERWEIGHT	NORMAL	OVERWEIGHT	OBESE
Less than 18.5	Between 18.5 - 24.9	Between 25.0 - 29.9	More than 30

SUGGESTED
BMI

Supplement Suggestions

Sudhir Kunnure
Booking ID : 18247303716 | Sample Collection Date : 15/May/2026

Your test report has indicated that you have certain deficiencies in your body which may hamper your health & wellbeing in the longer run.


In order to fulfill the gaps in nutrition and promote a healthier body we suggest you the following supplements mentioned below:

Deficiency/Out of Range Parameter(s)	Suggested Supplement
Vitamin D Total-25 Hydroxy	VITAMIN D3

To order, call 1800-572-000-4

Suggestions for Improving Deficiencies

100% NATURAL · HIGH QUALITY HERBS · NO SIDE EFFECTS



VITAMIN D3

Improve bone health with enhanced calcium absorption, the natural way

Make your muscles and bones stronger with VITAMIN D3. Sourced from natural substances, it helps in regulating the absorption of calcium and phosphorus, which help keep your bones strong and enhancing the normal immune system functioning. Vitamin D3 is an essential nutrient that's critical for normal growth and development of bones and teeth, as well as improved resistance against certain diseases.

Remember, a lack of vitamin D3 can cause dangerous health situations.

• Rickets (in children) | • Brittle Bones | • Osteoporosis | • Weakened Bones (in adults)

Strengthens Bones & Muscles	Protects Against Pneumonia & Acute Respiratory Infections	Helps in Reducing Depression	Boosts Heart Health	Aids in Kidney Disease Treatment



IMMUNO-PLUS

Give your immunity a boost the all-natural way.

IMMUNO-PLUS is the perfect all-natural herbal supplement to boost your immune system and strengthens your body's defenses against diseases and infections.IMMUNO-PLUS provides your immune system the necessary reinforcement to keep you safe and healthy.

A weakened immune system opens you to a host of illnesses, such as:

• Recurring Infections | • Heightened Risk of Cancer | • Autoimmune Disorders | • Slow Growth Rate | • Serious Damage to the Heart, Lungs, Digestive Tract & the Nervous System

Infused with the ages-proven goodness of all-natural ingredients, IMMUNO-PLUS is the perfect supplement to strengthen your immune system without having to worry about side effects. Sourced from nature's own pharmacy of herbs, the ingredients in IMMUNO-PLUS present the following benefits:

Amla	Jetwatika	Aloe Vera	Ashwagandha	Ginger
Boosts immunity & Stores antioxidants	Antioxidant properties strengthen the immune system	Fights against oxygenated rogue molecules in the blood	Reinforces the immune system to increase its fighting ability	Anti-inflammatory & antioxidant effects reinforce the immune system

To order, call 1800-572-000-4

Healthians

Smart Report 3.0

WHEN GOOD FOOD MAKES YOU FEEL BAD,

it's time to find out why.

FOOD INTOLERANCE TEST | **₹5499 ONLY**

BOOK NOW »



About Healthians Labs

How we control Report Accuracy at Healthians

Quality Control
We follow Quality control to ensure both **precision & accuracy** of patient results.

Machine Data
We save patient's result values **directly from machines** ensuring no manipulations & no fake values.

QR Code
QR Code based authenticity check on all its reports

Calibration
We make use of calibrators to evaluate the **precision & accuracy** of measurement equipment.

Equipment
Our Labs are equipped with state-of-the-art instruments with **cutting edge technology** to provide faster & reliable results.

EQA
Our Labs participate in EQA & show proven accuracy by checking **laboratory performance** through external agency or facility.

JOIN **100,000+** HAPPY USERS WHO TRUST HEALTHIANS!

KNOW ALL ABOUT YOUR HEALTH ON YOUR FINGERTIPS

- Book & track your health tests
- Smart reports on your Phone
- Health Tracker
- Health Articles

DOWNLOAD HEALTHIANS APP:

GET IT ON Google Play | Download on the App Store

