

# DW01\_dec

## Decrementer

Version, STAR and Download Information: [IP Directory](#)

### Features and Benefits

- Parameterized word length

### Description

DW01\_dec is a decrementer. DW01\_dec subtracts 1 from an input number A to produce the output SUM.




Table 1-1 Pin Description

Pin Name	Width	Direction	Function
A	<i>width</i> bit(s)	Input	Input data
SUM	<i>width</i> bit(s)	Output	Decrement (A – 1)

Table 1-2 Parameter Description

Parameter	Values	Description
width	$\geq 1$	Word length of A and SUM

Table 1-3 Synthesis Implementations<sup>a</sup>

Implementation Name	Function	License Feature Required
rpl	Ripple-carry synthesis model	none
cla	Carry-look-ahead synthesis model	none
pparch	Delay-optimized flexible parallel-prefix	DesignWare
apparch	Area-optimized flexible architecture that can be optimized for area, for speed, or for area, speed	DesignWare

- a. During synthesis, Design Compiler will select the appropriate architecture for your constraints. However, you may force Design Compiler to use one of the architectures described in this table. For more details, please refer to the DesignWare Building Block IP User Guide.

**Table 1-4 Obsolete Synthesis Implementations<sup>a</sup>**

Implementation	Function	Replacement Implementation
clf	Fast carry-look-ahead synthesis model	pparch

a. DC versions and DesignWare EST releases linked to DC versions prior to 2007.03 will still include these implementations.

**Table 1-5 Simulation Models**

Model	Function
DW01.DW01_DEC_CFG_SIM	Design unit name for VHDL simulation
dw/dw01/src/DW01_dec_sim.vhd	VHDL simulation model source code
dw/sim_ver/DW01_dec.v	Verilog simulation model source code

## Related Topics

- [Math – Arithmetic Overview](#)
- [DesignWare Building Block IP Documentation Overview](#)

## HDL Usage Through Operator Inferencing - VHDL

```
library IEEE;
use IEEE.std_logic_1164.all;
use IEEE.std_logic_arith.all;

entity DW01_dec_oper is
    generic(wordlength: integer:=8);
    port(in1 : in STD_LOGIC_VECTOR(wordlength-1 downto 0);
          sum : out STD_LOGIC_VECTOR(wordlength-1 downto 0));
end DW01_dec_oper;

architecture oper of DW01_dec_oper is
    signal in_signed,sum_signed: SIGNED(wordlength-1 downto 0);
begin
    in_signed <= SIGNED(in1);
    -- infer the "-" subtraction operator
    sum_signed <= in_signed - 1;
    sum <= STD_LOGIC_VECTOR(sum_signed);
end oper;
```

---

## HDL Usage Through Operator Inferencing - Verilog

```
module DW01_dec_oper(in,sum);  
    parameter wordlength = 8;  
  
    input [wordlength-1:0] in;  
    output [wordlength-1:0] sum;  
  
    assign sum = in - 1;  
endmodule
```

## HDL Usage Through Component Instantiation - VHDL

```
library IEEE,DWARE,DWARE;
use IEEE.std_logic_1164.all;
use DWARE.DWpackages.all;
use DWARE.DW_foundation_comp.all;

entity DW01_dec_inst is
  generic ( inst_width : NATURAL := 8 );
  port ( inst_A      : in std_logic_vector(inst_width-1 downto 0);
        SUM_inst    : out std_logic_vector(inst_width-1 downto 0) );
end DW01_dec_inst;

architecture inst of DW01_dec_inst is
begin

  -- Instance of DW01_dec
  U1 : DW01_dec
    generic map ( width => inst_width )
    port map ( A => inst_A, SUM => SUM_inst );
end inst;

-- pragma translate_off
configuration DW01_dec_inst_cfg_inst of DW01_dec_inst is
  for inst
  end for; -- inst
end DW01_dec_inst_cfg_inst;
-- pragma translate_on
```

---

## HDL Usage Through Component Instantiation - Verilog

```
module DW01_dec_inst( inst_A, SUM_inst );

    parameter width = 8;

    input [width-1 : 0] inst_A;
    output [width-1 : 0] SUM_inst;

    // Instance of DW01_dec
    DW01_dec #(width)
        U1 ( .A(inst_A), .SUM(SUM_inst) );

endmodule
```

---

## Copyright Notice and Proprietary Information

© 2018 Synopsys, Inc. All rights reserved. This Synopsys software and all associated documentation are proprietary to Synopsys, Inc. and may only be used pursuant to the terms and conditions of a written license agreement with Synopsys, Inc. All other use, reproduction, modification, or distribution of the Synopsys software or the associated documentation is strictly prohibited.

### Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

### Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

### Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at <https://www.synopsys.com/company/legal/trademarks-brands.html>.

All other product or company names may be trademarks of their respective owners.

### Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

Synopsys, Inc.  
690 E. Middlefield Road  
Mountain View, CA 94043  
[www.synopsys.com](http://www.synopsys.com)

