

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 044, y: 281

```

graph TD
    Switch0 --- Laptop0
    Switch0 --- Laptop1
    Switch0 --- Laptop2
    Switch0 --- Laptop3
    Switch0 --- Laptop4
  
```

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
	8.011	Switch0	Laptop4	STP
	8.011	Switch0	Laptop1	STP
	8.011	Switch0	Laptop2	STP
	8.011	Switch0	Laptop3	STP
	10.016	—	Switch0	STP
	10.017	Switch0	Laptop1	STP
	10.017	Switch0	Laptop4	STP
	10.017	Switch0	Laptop2	STP
	10.017	Switch0	Laptop3	STP
	10.017	Switch0	Laptop1	STP
	10.478	—	Switch0	STP
	10.479	Switch0	Laptop3	STP
	10.537	—	Switch0	STP
	12.017	—	Switch0	STP
	12.018	Switch0	Laptop4	STP
	12.018	Switch0	Laptop1	STP
	12.018	Switch0	Laptop2	STP
	12.018	Switch0	Laptop3	STP
	12.018	Switch0	Laptop1	STP
	13.031	—	Switch0	STP
	13.032	Switch0	Laptop1	STP
Visible	14.018	—	Switch0	STP

Reset Simulation ☒ Constant Delay Captured to: 14.018 s

Play Controls

Event List Filters - Visible Events

ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, iST, iST TCP, LACP, LLDP, MVR, NTP, NETFLOW, NTP, OSPF, OSPFv6, RDP, POP3, PPP, PPPoE, PTP, RADIUS, RDP, RDPv6, RDP, SCCP, SNMP, SSH, SSHv6, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Scenario 1

New Delete

Toggle PDU List Window

Time: 30:12:30:029 PLAY CONTROLS

Cisco Packet Tracer

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
50.958	Switch0	PC3	STP	
52.960	—	Switch0	STP	
52.961	Switch0	PC2	STP	
52.961	Switch0	PC3	STP	
54.961	—	Switch0	STP	
54.962	Switch0	PC2	STP	
54.962	Switch0	PC3	STP	
56.962	—	Switch0	STP	
56.963	Switch0	PC2	STP	
56.963	Switch0	PC3	STP	
58.963	—	Switch0	STP	
58.964	Switch0	PC2	STP	
60.963	—	Switch0	STP	
60.964	Switch0	PC2	STP	
60.964	Switch0	PC3	STP	
62.962	—	Switch0	STP	
62.963	Switch0	PC2	STP	
62.963	Switch0	PC3	STP	
64.966	—	Switch0	STP	
64.967	Switch0	PC2	STP	
64.967	Switch0	PC3	STP	
Visible 66.967	—	Switch0	STP	

Reset Simulation Constant Delay Captured to: 66.967 s

Play Controls

Event List Filters - Visible Events

ACL Filter: ARP, BGP, Bluetooth, CARP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EDRP, EDRPv6, FTP, H.323, IGMP, IGMPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, L2TP, L2TPv3, LACP, LLDP, MVRP, NTP, OSPF, OSPFv3, RDP, POP3, PPP, PPPoE, PTP, RADIUS, RDP, RDPv6, RTR, RTRv6, SNMP, SSH, STP, Syslog, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Scenario 0

new create

Toggle PDU List Window

Copper Straight-Through

Time: 30:04:36:895 PLAY CONTROLS

Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	-	PC0	ICMP
	0.001	PC0	Switch0	ICMP
	0.002	Switch0	PC2	ICMP
	0.003	PC2	Switch0	ICMP
	0.004	Switch0	PC0	ICMP
1919			Switch0	STP

Reset Simulation ☒ Constant Delay Captured to: 1.919 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISL, L2TP, L2TPv3, LLDP, LLDP-MED, MDNS, NTP, RDP, RDPv6, RSTP, RSTPv6, SSH, STP, Syslog, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Event List

Realtime Simulation

Fire: Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete


Successful	PC0	PC2	ICMP		0.000	1	0	(edit)	(delete)
------------	-----	-----	------	--	-------	---	---	--------	----------


Copper Straight-Through

Scenario 1

New Delete

Toggle PDU List Window





Smartphone0

Physical Config **Desktop** Programming Attributes

IoT Monitor

IoT Server - Devices Home | Conditions | Editor | Log Out

IoT2 (PTT0810TT42-)	Lawn Sprinkler
Status	
IoT3 (PTT08100NPL-)	Water Level Monitor
Water Level	5.4 cm

☐ Top

Logical Physical x: 848, y: 325

Router-PT Router4 Router-PT Router5 Router-PT Router6

Switch-PT Switch2 Switch-PT Switch3

PC-PT PC0 PC-PT PC1

Network 1 192.168.1.0

Network 2 155.165.1.11

20.0.0.0 10.0.0.0 30.0.0.0

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Device	Type
	0.000	--	PC0	ICMP
	0.001	PC0	Switch2	ICMP
	0.002	Switch2	Router4	ICMP
	0.003	Router4	Router6	ICMP
	0.004	Router6	Switch3	ICMP
	0.005	Switch3	PC1	ICMP
	0.006	PC1	Switch3	ICMP
	0.007	Switch3	Router6	ICMP
	0.008	Router6	Router4	ICMP
	0.009	Router4	Switch2	ICMP
	0.010	Switch2	PC0	ICMP
	0.203	--	Router4	OSPF
	0.204	Router4	Router5	OSPF
	1.363	--	Router6	RIPv1
	1.363	--	Router6	RIPv1

Reset Simulation ☒ Constant Delay Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, Iot, Iot TCP, LACP, LLDP, Meraki, NCP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, FTP, RADIUS, REP, RIP, RIPv6, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VIP

Edit Filters Show All/None

Time: 00:39:16.411 PLAY CONTROLS

Scenario 0

New Delete

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful	PC0	PC1	ICMP	0.000	N	0	(edit)	(delete)
------------	-----	-----	------	-------	---	---	--------	----------

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 078, y: 716

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
	0.013	Switch0	PC0	ARP
	0.013	Switch0	PC2	ARP
	0.013	Switch0	Switch3	ARP
	0.014	PC2	Switch2	ARP
	0.014	Switch3	PC3	ARP
	0.015	Switch0	Switch1	ARP
	0.016	Switch1	PC1	ARP
	0.016	PC1	Switch1	ICMP
	0.017	PC1	Switch1	ICMP
	0.018	Switch1	Switch2	ICMP
	0.019	Switch2	PC2	ICMP
	0.020	PC2	Switch2	ICMP
	0.021	Switch2	Switch1	ICMP
	0.022	Switch1	PC1	ICMP
	1.272	Switch2	Switch0	DTP
	1.273	Switch0	PC2	DTP
	1.336	Switch3	Switch0	STP
	1.337	Switch0	Switch2	STP
	1.337	Switch3	PC3	STP
	1.338	Switch2	Switch1	STP
	1.338	Switch1	PC1	STP
Visible	1.339	Switch1	Switch0	STP

Reset Simulation Constant Delay Capturing...


Play Controls


Event List Filters - Visible Events


ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IKEv1, IKEv2, LACP, LLDP, Mavlink, NTP, NETCONF, NTP, OSPF, OSPFv6, RDP, POP3, PPP, PPPoE, PTP, RADIUS, RLP, RRP, RRPv6, RTR, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TFTP, Telnet, UDP, USB, VTP

Event List

Time	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
0.000	Successful	PC0	PC3	ICMP		0.000	N	1	(edit)	(delete)
0.010	Successful	PC1	PC2	ICMP		0.010	N	1	(edit)	(delete)







Switch4
Physical Config CLI Attributes

IOS Command Line Interface

```

Switch>en
Switch#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Switch(config)#exit
Switch#
%SYS-S-CONFIG_I: Configured from console by console

Switch#show cdp neighbors
Capability Codes: R - Router, T - Trans Bridge, B - Source Route Bridge
                  S - Switch, H - Host, I - IGMP, r - Repeater, P
- Phone
Device ID    Local Interface    Holdtime    Capability    Platform
Port ID
Switch
Fas 0/2      157               S            2960
Fas 0/2
Router
Fas 0/1      157               R            ISR4331
Gig 0/0/0
Switch#show cdp neighbors detail

Device ID: Switch
Entry address(es):
Platform: cisco 2960, Capabilities: Switch

```

Ctrl+F6 to exit CLI focus
Copy Paste

☐ Top



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
	7.901	Switch0	Switch3	STP
	7.901	Switch0	PC3	STP
	7.902	Switch0	PC2	STP
	9.903	—	Switch1	STP
	9.904	Switch1	PC1	STP
	9.904	Switch1	Switch0	STP
	9.905	Switch0	Switch2	STP
	9.905	Switch0	PC3	STP
	9.905	Switch0	Switch3	STP
	9.905	Switch2	PC3	STP
	9.905	Switch2	Switch3	STP
	9.906	Switch3	PC2	STP
	11.906	—	Switch1	STP
	11.907	Switch1	PC1	STP
	11.907	Switch1	Switch0	STP
	11.907	Switch1	Switch2	STP
	11.908	Switch0	PC0	STP
	11.908	Switch0	Switch3	STP
	11.908	Switch2	PC3	STP
	11.908	Switch2	Switch3	STP
	11.909	Switch3	PC2	STP
Visible	13.418	—	Switch2	STP

Reset Simulation Constant Delay Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, IGMP, ISISv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, L2TPv3, LACP, LLDP, MVR, NTP, OSPF, OSPFv6, RIPv2, RIPv3, PPP, PPPoE, PTP, RADIUS, RDP, RDPv6, RTR, RTRv6, SMI, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All Icons

Time: 30:10:24.751 PLAY CONTROLS

Scenario 0

new create

Toggle PDU List Window

Free Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful	PC0	PC3	ICMP	Color	0.000	4	0	(edit)	(delete)
Successful	PC1	PC2	ICMP	Color	1.004	4	1	(edit)	(delete)

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
0:000	—	PC0	PC0	ICMP
0:001	PC0	Switch0	Switch0	ICMP
0:002	Switch0	Switch1	Switch1	ICMP
0:003	Switch1	PC3	PC3	ICMP
0:004	PC3	Switch1	Switch1	ICMP
0:005	Switch1	Switch0	Switch0	ICMP
0:006	Switch0	PC0	PC0	ICMP
1:248	—	Switch1	Switch1	STP
1:249	Switch1	PC2	PC2	STP
1:699	—	Switch1	Switch1	STP
1:700	Switch1	PC3	PC3	STP
1:699	Switch1	Switch0	Switch0	STP
1:699	Switch1	PC2	PC2	STP
1:700	Switch0	PC0	PC0	STP
1:700	Switch0	PC1	PC1	STP

Robot Simulation ☒ Constant Delay Captured to: 1:700

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IKE, L2TP, L2TPv3, LLDP, Meraki, NTP, NETCONF, NTP, OSPF, OSPFv6, RADIUS, POP3, PPP, PPPoE, PTP, RADIUS, REP, RFP, RFPv6, RTR, SCCP, SMTP, SNMP, SSH, STP, Syslog, TACACS, TCP, TFTP, Telnet, UDP, USB, VDP

Event List

Time	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
0:000	Successful	PC0	PC3	ICMP	Blue	0:000	N	0	(edit)	(delete)

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

```
graph TD; S3561[SR-3561 Router] --- S2960[2960 Switch]; S2960 --- PC0[PC-PT PC0]; S2960 --- PC1[PC-PT PC1]; S2960 --- ServerPT[Server-PT Server0]
```

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	—	PC0	ICMP
	0.003	—	PC0	ICMP
	0.003	—	PC0	ICMP
0.387			Switch0	STP

Reset Simulation Constant Delay Captured to: 0.387 s

Play Controls

Event List Filters - Visible Events

ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, IGMP, ISISv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, L2TP, L2TPv3, LACP, LLDP, Mangle, NTP, OSPF, OSPFv6, RDP, POP3, PPP, PPPoE, PTP, RADIUS, RFP, RFPv6, RTR, SCCP, SMTP, SNMP, SSH, STP, Syslog, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All Icons

Time: 30:52:19.177 PLAY CONTROLS

Scenario 2


new create


Toggle PDU List Window

Copper Straight-Through

Event List Realtime Simulation

File	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC0	ICMP	Green	0.000	4	0	(edit)	(delete)





Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 800, y: 740

The diagram shows a central switch (Switch0) connected to a server (Server-PT Server0) and 14 PCs (PC0-PC14). The PCs are arranged in two rows of seven. The connections are as follows:

- Server-PT Server0 is connected to Switch0.
- Switch0 is connected to PC0, PC1, PC2, PC3, PC4, PC5, PC6, PC7, PC8, PC9, PC10, PC11, PC12, PC13, and PC14.

Simulation Panel

Vis.	Time(sec)	Last Device	At Device	Type
	0:151	Switch0	PC7	STP
	0:151	Switch0	PC10	STP
	0:151	Switch0	PC12	STP
	0:151	Switch0	PC14	STP
	0:151	Switch0	PC11	STP
	0:151	Switch0	PC13	STP
	2:140	—	Switch0	STP
	2:149	Switch0	PC2	STP
	2:149	Switch0	PC4	STP
	2:149	Switch0	Server0	STP
	2:149	Switch0	PC0	STP
	2:149	Switch0	PC1	STP
	2:149	Switch0	PC3	STP
	2:149	Switch0	PC5	STP
	2:149	Switch0	PC6	STP
	2:149	Switch0	PC7	STP
	2:149	Switch0	PC10	STP
	2:149	Switch0	PC12	STP
	2:149	Switch0	PC14	STP
	2:149	Switch0	PC11	STP
	2:149	Switch0	PC13	STP

Reset Simulation Constant Delay Capturing...

Play Controls

Event List Filter - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CA, HSRPv6, DHCP, DHCPv6, DNS, FTP, EAPOL, EIGRP, EIGRPv6, FTP, v.325, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IRT, IRT TCP, LACP, LLDP, Meraki, NTP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filter Show All/None

Time: 30:08:28.697 PLAY CONTROLS

Scenario 1


New Delete

Toggle PDU List Window

Fire List Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful	PC0	PC1	ICMP	6.000	11	1	(edit)	(delete)
------------	-----	-----	------	-------	----	---	--------	----------

Copper Straight-Through



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical 327 x 177

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
	0.000	-	PC1	ICMP
	0.001	PC1	Switch0	ICMP
	0.002	Switch0	PC2	ICMP
	0.003	PC2	Switch0	ICMP
	0.004	Switch0	PC1	ICMP
	0.005	Switch0	Switch1	STP

Reset Simulation ☒ Constant Delay Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IKEv1, IKEv2, LACP, LLDP, Meraki, NTP, NETCONF, NTP, OSPF, OSPFv6, RADIUS, POP3, PPP, PPPoE, PTP, RADIUS, REP, RFP, RFPv6, RTP, SCCP, SMTP, SNMP, SSH, STP, Syslog, TACACS, TFTP, Telnet, UDP, USB, VTP

Time: 30:05:19.129 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Cooper Straight-Through

Simulation

File	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC1	PC2	ICMP		0.000	N	0	(edit)	(delete)

Cisco Packet Tracer

File Edit Devices View Tools Extensions Help

Logical Physical

Simulation Panel

Event List

Time(sec)	Last Device	At Device	Type
0.002	Switch6	Switch1	ICMP
0.003	Switch1	Switch5	ICMP
0.004	Switch5	Switch6	ICMP
0.005	Switch6	PC3	ICMP
0.006	PC3	Switch6	ICMP
0.007	Switch6	Switch5	ICMP
0.008	Switch5	Switch1	ICMP
0.009	Switch1	Switch6	ICMP
0.010	Switch6	PC3	ICMP
1.244	---	Switch5	STP
1.245	Switch5	Switch6	STP
1.245	Switch5	PC4	STP
1.245	Switch5	Switch1	STP
1.246	Switch6	PC3	STP
1.246	Switch6	Switch4	STP
1.246	Switch1	Switch2	STP
1.246	Switch1	Switch6	STP
1.246	Switch1	Switch4	STP
1.247	Switch4	PC2	STP
1.247	Switch2	Switch3	STP
1.247	Switch2	PC1	STP
1.247	Switch6	PC3	STP
1.248	Switch3	PC5	STP

Reset Simulation ☒ Constant Delay Captured to: 1.248 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DNS, DTLS, EAPOL, EAPOL, EAPOLv4, FTP, H.323, HSRP, HSRPv4, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IGT, IGT TCP, LACP, LLDP, Meraki, NTP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, REP, RIPv2, RTP, SCCP, SNMP, SSH, STP, SYSLOG, TACACS, TCR, TFTP, Telnet, UDP, USB, VIP

Scenario 1

New Delete

Toggle PDU List Window

Time 30:07:53:199 PLAY CONTROLS

Copper Cross-Over

Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 0.0, y: 0.0

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	All Device	Type
	0.000	—	PC0	ICMP
	0.001	PC0	Switch0	ICMP
	0.002	Switch0	PC1	ICMP
	0.003	PC1	Switch0	ICMP
	0.004	Switch0	PC0	ICMP
	0.008	—	Switch0	STP
	0.009	Switch0	PC2	STP
	0.009	Switch0	PC0	STP
	0.009	Switch0	PC1	STP
	0.009	Switch0	Server0	STP
	2.971	—	Switch0	STP
	2.972	Switch0	PC2	STP
	2.972	Switch0	PC0	STP
	2.972	Switch0	PC1	STP
	2.972	Switch0	Server0	STP
	3.136	—	Switch0	UDP

Reset Simulation ☒ Constant Delay Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, F.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, L2TP, L2TPv3, LACP, LLDP, MVRP, NTP, NETCONF, NTP, OSPF, OSPFv3, RIPv2, RIPv3, PPP, PPPoE, RDP, RADIUS, REP, RIP, RIPv2, RIPv3, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TFTP, Telnet, UDP, USB, VTP

Event List

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	PC0	PC1	ICMP		0.000	N	1	(edit)	(delete)

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 438, y: 412

SR-331 Router0

PC-PT PC0

PC-PT PC1

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	0.000	—	PC0	ICMP
	0.001	PC0	Switch0	ICMP
	0.002	Switch0	PC1	ICMP
	0.003	PC1	Switch0	ICMP
	0.004	Switch0	PC0	ICMP
	2.000	—	Switch0	STP
	2.001	Switch0	Router0	STP
	2.001	Switch0	PC0	STP
	2.001	Switch0	PC1	STP

Reset Simulation ☒ Constant Delay Capturing...

Play Controls

Event List Filter - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IKEv1, IKEv2, LACP, LLDP, MVR, NTP, NETCONF, NTP, OSPF, OSPFv6, RIPv2, RIPv3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPv2, RIPv3, SCCP, SMTP, SNMP, SSH, STP, Syslog, TACACS, TCP, Telnet, UDP, USB, VTP

Edit Filters Show All Items

Time: 10:02:34.749 PLAY CONTROLS

Scenario 0

New Delete

Toggle POI List Window

Cooper Straight-Through

Fre Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful	PC0	PC1	ICMP		0.000	N	1	(edit)	(delete)
------------	-----	-----	------	--	-------	---	---	--------	----------

Realtime Simulation

