# Отчёт по активу: juice shop 4000

IP: 127.0.0.1:4000

## Уязвимости:

1. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

2. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

3. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

4. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

5. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

8. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

9. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

12. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

13. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

14. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

15. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

16. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1981395349

17. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

18. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

19. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

20. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

21. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

22. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1701244813

23. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2033195021

24. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1839622642

25. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1680327869

26. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1863874346

27. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1917098446

28. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1818181818

29. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1650485437

30. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

31. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

32. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

33. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
query

34. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1734944650

35. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

36. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
Query

37. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

38. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

39. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

40. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

41. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

42. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

43. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

44. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

45. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

46. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

47. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

48. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

49. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

50. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

51. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

52. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

53. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

54. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

55. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

56. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

57. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

58. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

59. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

60. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

61. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

62. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

63. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

64. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

65. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

66. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

67. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: CSP: Failure to Define Directive with No Fallback
The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
default-src 'none'

68. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

69. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

70. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

71. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

72. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

73. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

74. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

75. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

76. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

77. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

78. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

79. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

80. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

81. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

82. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

83. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

84. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

85. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

86. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

87. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

88. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

89. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

90. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

91. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

92. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

93. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

94. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

95. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

96. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

97. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

98. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

99. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

102. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

103. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

104. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

107. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

108. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

111. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

112. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

113. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

114. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

117. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

126. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

127. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

128. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

129. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

131. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

133. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

137. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

138. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

139. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

140. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

142. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

143. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

147. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

148. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

149. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

151. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

152. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

154. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

157. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

158. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

159. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

160. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

163. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

164. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

165. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

167. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

168. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

169. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

175. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

176. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

179. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

181. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

183. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

184. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

185. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

187. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

188. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

191. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

195. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

196. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

200. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

201. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

204. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

205. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

206. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

208. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

209. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

212. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

215. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

216. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

217. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

221. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

222. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

225. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

231. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

232. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

236. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

237. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

240. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

241. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

243. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

244. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

245. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

247. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

248. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

249. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

250. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

252. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

254. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

255. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

261. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

264. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

265. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

267. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

269. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

270. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

271. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

272. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

275. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

277. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

279. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

280. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

283. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

284. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

285. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

287. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

288. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

289. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1701244813

291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2033195021

292. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1839622642

293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1680327869

294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1863874346

295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1917098446

296. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1818181818

297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

300. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

301. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
query

302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1734944650

303. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

304. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
Query

305. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

307. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

308. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

309. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

310. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

311. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

312. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

314. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

315. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

316. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

317. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

318. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

319. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

320. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

321. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

322. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

325. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

326. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

327. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

329. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

331. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

332. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

333. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

334. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: CSP: Failure to Define Directive with No Fallback
The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
default-src 'none'

335. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

336. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

337. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

340. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

341. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

344. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

345. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

347. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

348. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

349. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

352. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

353. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

354. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

357. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

358. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

359. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

362. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

363. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

364. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

369. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

371. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

373. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

375. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

376. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

378. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

381. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

382. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

383. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

384. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

387. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

388. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

391. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

399. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

400. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

403. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

404. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

405. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

406. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

410. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

411. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

414. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

415. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

418. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

419. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

420. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

424. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

427. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

428. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

431. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

435. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

436. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

437. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

438. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

439. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

445. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

446. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

450. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

451. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

454. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

455. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

457. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

458. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1650485437

460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

462. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

466. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

467. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

471. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

472. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

474. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

476. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

477. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

478. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

479. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

481. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

482. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

488. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

489. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

490. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

493. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

494. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

499. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

503. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

504. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

507. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

508. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

510. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

511. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

512. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

513. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

515. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

516. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

520. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

521. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

526. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

527. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

528. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

530. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

532. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

533. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

534. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

535. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

537. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

539. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

541. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

542. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

543. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

544. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

549. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

553. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

555. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

556. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

557. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

558. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

561. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

562. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

565. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

566. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

569. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

570. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

571. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

575. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

577. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

579. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

581. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

582. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

583. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

585. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

586. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

587. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

588. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

593. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

594. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

597. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

598. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

601. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

602. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

605. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

607. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

611. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

617. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

618. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

619. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

622. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

623. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

624. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

628. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

630. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

631. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

632. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

633. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

636. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

639. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

640. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

642. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

644. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

645. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

648. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

649. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

651. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

652. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

655. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

656. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

657. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

659. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

660. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

663. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

666. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

669. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

670. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

671. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

672. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

673. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

676. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

679. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

680. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

681. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

682. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

685. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

686. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

688. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

689. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

693. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

694. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

695. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

696. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

700. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

701. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

702. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

705. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

706. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

707. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

711. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

713. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

717. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

718. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

723. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

725. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

726. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

728. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

729. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

730. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

733. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

734. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

735. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

737. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

739. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

740. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

741. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

742. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

743. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

745. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

746. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

750. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

751. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

752. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

755. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

756. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

757. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

762. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

765. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

767. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

770. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

772. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

773. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

774. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

775. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

776. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

777. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

778. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

779. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

781. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

785. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

789. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

790. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

791. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

795. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

796. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

797. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

799. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

800. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

801. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

807. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

808. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

811. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

812. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

813. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

819. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

821. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

823. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

826. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

827. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

828. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

832. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

833. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

834. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

837. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

838. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

840. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

843. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

844. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

846. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

847. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

849. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

851. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

852. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

853. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

855. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

857. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

859. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

861. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

864. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

865. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

866. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

867. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

868. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

869. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

871. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

872. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

879. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

881. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

883. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

885. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

886. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

887. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

889. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

890. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

891. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

893. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

895. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

896. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

897. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

898. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

899. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

900. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

901. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

905. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

906. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

907. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

908. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

909. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

911. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

912. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

917. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

918. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

919. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

921. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

923. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

925. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

926. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

928. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

929. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

931. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

933. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

934. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

936. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

937. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

938. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

939. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

945. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

950. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

951. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

954. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

955. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

956. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

958. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

959. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

960. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

963. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

964. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

966. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

967. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

968. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

972. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

974. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

975. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

978. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

979. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

982. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

983. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

984. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

986. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

987. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

988. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

991. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

992. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

995. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

998. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

999. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1000. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1002. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1003. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1004. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1005. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1006. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1007. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1650485437

1008. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1011. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1012. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1014. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1015. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1016. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1018. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1020. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1021. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1023. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

1024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1025. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1028. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1029. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

1030. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1032. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1034. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1036. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1037. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1040. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1042. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1043. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1044. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1981395349

1047. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1051. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1053. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1054. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1055. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1057. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1059. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1060. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1063. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

1064. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1067. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1068. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1069. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1070. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1071. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1072. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1073. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1075. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1076. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1077. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1078. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

1079. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1080. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1081. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1082. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1084. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1087. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1089. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

1091. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1092. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1093. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1094. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1095. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1096. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

2038834951

1097. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1098. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1099. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1102. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1103. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1104. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1105. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1107. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1108. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1113. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1114. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1117. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1118. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1120. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1122. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1123. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1127. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1128. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1131. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1132. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1139. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1141. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1143. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1145. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1146. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

1147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1148. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1149. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1151. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1152. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1156. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1159. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1160. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1161. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1163. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1164. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1165. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1166. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1169. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1170. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1173. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1174. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1175. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1176. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1179. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1180. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1181. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1183. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1185. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1186. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1188. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1191. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

2038834951

1192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1193. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1194. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1197. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1198. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1200. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1201. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

1202. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1204. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1205. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1206. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1207. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1208. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1210. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1212. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1213. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1216. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1221. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1222. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1225. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1226. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1229. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1230. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1231. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1232. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1236. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1237. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1241. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1242. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1243. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1244. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1245. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1247. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1248. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1249. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1250. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1251. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1252. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1254. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1255. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1258. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1261. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1262. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1264. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1265. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1267. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1269. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1272. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1273. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1275. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1276. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1277. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1278. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1281. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1283. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1284. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1285. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1286. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1288. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1289. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1292. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1293. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1294. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1297. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1300. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1301. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1302. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1304. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1308. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1309. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1310. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1312. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1314. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1316. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1317. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1318. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1319. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1320. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1321. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1322. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1325. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1326. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1329. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1330. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1331. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1332. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1336. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1337. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1341. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1342. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1344. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1345. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1346. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1347. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1352. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1353. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1354. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1357. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1358. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1361. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1363. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1364. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

1365. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1366. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

1371. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1373. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1374. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1378. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1380. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1381. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1383. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1386. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1387. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1389. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1391. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1392. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1395. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1398. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1399. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
2038834951

1404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1405. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1406. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

1410. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1411. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1417. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1418. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1420. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1421. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1425. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1426. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1427. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1429. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1431. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1435. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1436. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1437. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1438. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1441. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1442. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1443. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1444. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1445. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1453. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1454. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1455. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1457. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1458. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video

files.

1459. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1460. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

2038834951

1465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1469. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1471. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1472. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1473. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1474. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1476. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1477. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1481. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1482. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1485. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1486. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1488. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1489. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1490. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1492. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1493. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1497. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1498. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

1499. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1502. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1503. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1504. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1510. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1511. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1514. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1515. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1516. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1520. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
1981395349

1522. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1526. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1527. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1528. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1530. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1532. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1533. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1534. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1535. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1537. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1541. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1543. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

2038834951

1544. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1545. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1549. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1550. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1551. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1554. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1556. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1558. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

1560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1561. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1562. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1565. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1569. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1571. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1573. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1574. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1575. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1577. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1579. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1581. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1582. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Access-Control-Allow-Origin: *

1583. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1585. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1586. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1589. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1593. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1594. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1597. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1599. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1600. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1602. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1605. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1606. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1607. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1608. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1611. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1613. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1614. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1616. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1617. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1618. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1621. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1625. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1627. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1628. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1630. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1632. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1633. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1636. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1637. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1638. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1639. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1640. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1642. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1644. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

2038834951

1645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1646. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1647. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1648. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1649. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1652. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1653. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1654. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1656. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1657. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1981395349

1661. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1663. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1665. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1666. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1669. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1671. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1672. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1673. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1674. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1676. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1677. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1678. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1679. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1680. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

1683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1685. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1686. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1688. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

1689. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1693. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1694. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1695. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1696. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1700. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1701. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1702. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1703. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1705. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1707. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1709. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1711. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1713. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1714. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1717. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1721. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1722. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1725. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1726. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

1650485437

1728. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1730. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1731. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1733. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1735. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1737. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1738. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1739. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1740. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1741. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1745. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1746. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1749. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1750. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1751. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1752. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1754. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1755. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1756. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1758. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1760. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1761. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1765. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1766. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1767. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1769. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1770. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1771. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1772. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1773. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1774. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1776. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

1777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1778. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Access-Control-Allow-Origin: *

1779. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1781. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1782. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

1783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1789. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1791. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1793. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1650485437

1795. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
2038834951

1796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
1981395349

1797. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1798. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1799. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1800. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1801. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1803. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1804. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1807. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1808. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1811. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1812. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1813. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1815. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1816. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1817. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1701244813

1819. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

1820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

1821. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

1822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

1823. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

1824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

1825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1828. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1829. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
Evidence: query

1830. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1734944650

1831. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1832. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Information Disclosure - Suspicious Comments
The response appears to contain suspicious comments which may help an attacker.
Evidence: Query

1833. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1834. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1835. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1836. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1837. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1838. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1839. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1841. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1842. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1844. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1845. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1846. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1847. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1849. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1850. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1851. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1853. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1854. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1855. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1859. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1860. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1861. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1862. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: CSP: Failure to Define Directive with No Fallback
The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.
Evidence: default-src 'none'

1863. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1864. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1865. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1867. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1868. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1869. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1871. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1872. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1873. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1874. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1875. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1876. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1881. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1883. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1885. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1887. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1889. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1890. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1891. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1895. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1896. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1899. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1900. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1901. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1902. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1905. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1906. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1908. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1909. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1910. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1911. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1915. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1917. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1918. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1919. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1921. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1926. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1927. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1931. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1932. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

1934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1936. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1938. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1939. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1940. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1942. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1946. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1947. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1948. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1950. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1951. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1953. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1955. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1956. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1957. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1959. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1960. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1961. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1963. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1964. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1966. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1967. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1968. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1972. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1974. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1975. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1978. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1979. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1982. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1983. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1984. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1986. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1987. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1988. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1990. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1991. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1992. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1995. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1996. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2000. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2001. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2002. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2004. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2006. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2007. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2008. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2012. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2015. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2016. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2019. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2020. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2023. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2025. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2026. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2028. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2030. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2034. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2035. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2036. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2038. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2039. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2040. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2042. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2043. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2044. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2047. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2051. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2053. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2054. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2058. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2059. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2060. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2062. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2063. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2066. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2067. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2068. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2069. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2070. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2071. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2074. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2075. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2076. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2082. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2084. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2086. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2087. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2089. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2090. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2091. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2092. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2094. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2095. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2096. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2097. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2098. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2099. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2102. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2103. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2107. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2108. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2110. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2114. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2115. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2117. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2118. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2119. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2126. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2127. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2130. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2131. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2132. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2134. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2135. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2137. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2138. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2139. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2140. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2143. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2148. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2149. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2150. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2151. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2152. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2154. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2155. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2156. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2159. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2160. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2161. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2162. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2163. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2164. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2167. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2168. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2174. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2175. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2176. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2177. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2179. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2180. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2181. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2183. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2184. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2185. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2188. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2191. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2198. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2200. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2201. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2202. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2204. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2205. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2208. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2211. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2212. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2213. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2216. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2217. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2222. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2224. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2225. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2226. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2227. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2231. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2232. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2233. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2236. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2237. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2238. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2242. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2243. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2244. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2248. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2249. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2252. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2254. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2255. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2256. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2257. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2260. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2261. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2264. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2265. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2267. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2268. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2272. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2273. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2274. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2275. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2276. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2277. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2281. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2282. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2283. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2284. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2285. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2287. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2288. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2290. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2292. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2295. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2297. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2300. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2301. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2304. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2306. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2307. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2308. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2309. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2310. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2312. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2313. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2316. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2317. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2318. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2319. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2320. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2321. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2325. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2326. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2327. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2328. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2329. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2330. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2332. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2335. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2336. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2339. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2340. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2341. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2344. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2351. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2352. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2353. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2355. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2357. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2358. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2363. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2364. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2368. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2370. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2371. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2373. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2376. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2377. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2378. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2379. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2381. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2382. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2383. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2385. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2387. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2389. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2391. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2395. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2396. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2397. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2398. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2399. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2401. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2405. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2406. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2411. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2412. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2415. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2416. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2419. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2420. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2423. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2427. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2428. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2429. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2435. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2436. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2437. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2438. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2442. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2445. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2447. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2448. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2449. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2452. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2455. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2456. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2457. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2461. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2464. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2465. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2468. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2469. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2470. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2471. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2472. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2476. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2480. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2481. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2484. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2485. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2488. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2489. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2490. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2496. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2499. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2503. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2504. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2507. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2508. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2510. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2511. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2512. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2515. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2516. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2520. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2521. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2527. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2528. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2531. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2532. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2533. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2534. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2535. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2537. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2540. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2541. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2543. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2544. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2547. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2549. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2550. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2551. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2553. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2556. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2557. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2558. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2559. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2561. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2563. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2565. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2566. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2568. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

2569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2571. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2575. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2580. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2581. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2582. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2583. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2584. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2586. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2591. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2595. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2596. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2597. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2599. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2600. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2601. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2602. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2607. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2609. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2610. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2611. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2617. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2623. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2624. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2628. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2632. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2633. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2634. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2635. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2636. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2637. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2639. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2640. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2643. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2644. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2647. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2648. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2652. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2653. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2656. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2657. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2658. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2663. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2667. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2668. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2669. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2671. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2672. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2675. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2676. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2679. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2680. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2681. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2682. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2686. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2688. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2689. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2691. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2694. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2695. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2697. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2698. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2700. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2701. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2702. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2705. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2706. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2707. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2713. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2716. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2717. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2718. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2721. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2724. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2725. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2728. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2729. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2732. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2733. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2735. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2736. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2737. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2739. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2740. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2741. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2742. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2743. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2745. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2752. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2755. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2756. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2759. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2761. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2767. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2770. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2772. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2773. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2774. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2775. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2778. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2779. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2780. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2781. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2784. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2785. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2791. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2792. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2795. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2797. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2799. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2801. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2803. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2804. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2805. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2807. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2808. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2812. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2813. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2816. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2818. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2819. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2820. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2821. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2823. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2827. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2828. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2829. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2831. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2832. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2835. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2837. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2839. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2844. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2847. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2848. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2851. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2852. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2855. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2859. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2860. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2861. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2864. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2865. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2867. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2871. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2872. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2873. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2875. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2876. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2877. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2878. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2881. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2883. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2884. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2887. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2888. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2889. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2891. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2892. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2895. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2896. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2897. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2899. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2900. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2904. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2905. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2906. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2908. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2909. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2910. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2911. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2916. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2917. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2919. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2921. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2922. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2925. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2928. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2929. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2931. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2936. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2937. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2938. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2939. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2940. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2942. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2943. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2949. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2950. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2951. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2953. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2955. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2956. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2957. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2958. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2959. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2960. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2961. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2964. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2965. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2967. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2969. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2971. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2972. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2973. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2974. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2975. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2976. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2977. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2979. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2983. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2984. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2986. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2987. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2988. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2991. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2992. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2993. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2995. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3000. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3002. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3004. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3005. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3006. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3007. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3008. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3010. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3012. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3014. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3015. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3016. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3018. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3019. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3020. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3022. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3023. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3028. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3030. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3031. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3034. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3035. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3036. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3040. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3042. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3043. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3044. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3046. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3047. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3048. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3051. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3052. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3053. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3054. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3058. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3059. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3060. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3061. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3063. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3066. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3067. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3068. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3069. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3070. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3071. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3074. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3075. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3076. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3078. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3082. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3083. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3084. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3085. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3087. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3089. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3090. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3091. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3092. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3094. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3095. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3096. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3097. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3098. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3099. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3101. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3102. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3103. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3107. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3108. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3114. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3115. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3116. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3117. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3119. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3123. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3127. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3128. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3131. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3132. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3134. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3136. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3137. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3138. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3139. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3140. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3143. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3146. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3147. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3148. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3151. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3152. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3155. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3156. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3159. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3160. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3163. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3164. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3166. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3170. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3175. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3176. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3179. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3181. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3182. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3183. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3185. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3188. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3191. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3194. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3195. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3199. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3200. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3201. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3204. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3205. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3208. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3209. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3212. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3213. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3214. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3216. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3220. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3221. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3225. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3228. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3229. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3230. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3231. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3232. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3236. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3237. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3238. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3243. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3244. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3248. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3249. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3252. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3253. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3254. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3255. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3257. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3258. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3261. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3262. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3264. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3265. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3266. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3267. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3272. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3273. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3274. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3275. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3277. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3281. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3282. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3283. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3284. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3285. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3286. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3288. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3290. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3292. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3294. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3298. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3300. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3301. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3302. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3304. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3305. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3306. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3308. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3309. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3310. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3312. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3313. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3314. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3316. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3317. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3318. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3319. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3321. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3325. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3326. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3329. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3330. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3332. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3334. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3335. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3336. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3338. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3339. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3341. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3342. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3343. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3344. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3346. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3350. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3352. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3353. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3354. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3357. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3358. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3359. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3362. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3363. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3364. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3366. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3367. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3369. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3371. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3373. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3374. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3378. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3381. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3382. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3383. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3385. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3386. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3387. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3389. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3390. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3391. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3397. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3399. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3401. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3402. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3405. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3406. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3409. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3410. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3411. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3412. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3417. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3420. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3421. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3422. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3425. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3426. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3427. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3429. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3430. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

3433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3435. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3436. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3437. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3438. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3439. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3445. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3449. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3450. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3453. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3454. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3457. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3458. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3459. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3460. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3465. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3466. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3471. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3472. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3475. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3476. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3478. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3481. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3483. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3487. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3488. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3489. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3490. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3493. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3494. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3497. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3499. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3501. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3503. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3504. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3505. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3506. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3509. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3510. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3511. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3512. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3514. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3516. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3519. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3520. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3523. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3527. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3528. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3531. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3532. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3533. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3534. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3535. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3536. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3537. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3539. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3540. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3541. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3543. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3544. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3545. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3548. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3549. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3552. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3556. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3558. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3560. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3561. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3563. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></ script>

3564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3565. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3567. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3568. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3571. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3575. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3576. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3580. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3581. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3582. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3583. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3584. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3586. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3587. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3588. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3591. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3592. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3597. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3599. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3600. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3602. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3607. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3611. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3612. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3613. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3614. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3616. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3617. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3621. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3622. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3625. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3626. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3628. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3629. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3633. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3634. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3636. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3639. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3640. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3643. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3644. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3647. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3648. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3651. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3652. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3655. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3656. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3657. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3659. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3660. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3661. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3663. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3666. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3667. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3669. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3671. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3672. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3675. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3676. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3679. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3680. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3683. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3687. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3688. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3689. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3692. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3694. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3695. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3697. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3698. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3700. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3701. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3703. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3704. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3705. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3707. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3708. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3709. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3712. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3713. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3716. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3717. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3724. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3728. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3729. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3731. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3733. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3735. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3736. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3739. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3740. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3741. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3743. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3744. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3745. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3748. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3751. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3752. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3755. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3756. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3759. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3763. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3764. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3767. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3770. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3772. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3773. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3774. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3775. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3778. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3779. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3781. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3782. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3785. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3786. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3791. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3792. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3795. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3796. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3799. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3801. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3805. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3806. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3807. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3808. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3809. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3812. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3813. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3817. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3818. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3819. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3821. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3823. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3825. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3826. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3828. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3832. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3834. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3836. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3837. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3839. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3840. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3843. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3844. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3845. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3847. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3849. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3851. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3854. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3855. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3858. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3859. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3860. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3863. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3864. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3865. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3866. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3867. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3871. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3872. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3878. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3879. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3880. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3881. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3882. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3883. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3886. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3887. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3891. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3895. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3896. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3900. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3903. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3904. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3905. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3908. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3909. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3911. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3915. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3916. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3917. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3919. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3921. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3923. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3927. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3931. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3932. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3935. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3939. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3941. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3947. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3948. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3949. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3951. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3955. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3956. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3959. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3960. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3961. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3963. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3964. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3965. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3967. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3968. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3969. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3972. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3975. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3976. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3977. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3979. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3980. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3981. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3983. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3984. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3986. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3987. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3989. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3990. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3991. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3992. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3994. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3995. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3997. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3998. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3999. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4000. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

4002. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4004. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4006. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

4007. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4008. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4012. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4013. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4014. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4015. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4016. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4020. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4023. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4024. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4028. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4029. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4032. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4034. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4036. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4037. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4038. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4040. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4042. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4043. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4044. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

4046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4047. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4051. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4053. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4054. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4055. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4059. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4060. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4063. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4064. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4067. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4068. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4069. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4070. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4071. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4072. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4073. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4075. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4076. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4079. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4082. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4083. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4084. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4087. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4089. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4091. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4092. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4095. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4096. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4097. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4098. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4099. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4100. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4102. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4103. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4107. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4108. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4110. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4114. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4116. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4117. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4118. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4120. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4121. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4125. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4127. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4129. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4131. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4133. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4136. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4139. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4142. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4143. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4144. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4148. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4151. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4152. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4155. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4159. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4160. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4162. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4163. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4164. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4165. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4166. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4169. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4172. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4175. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4176. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4179. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4180. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4181. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4182. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4183. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4185. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4188. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4191. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4192. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4195. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4196. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4198. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4200. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4201. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4204. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4205. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4208. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4209. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4210. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4212. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4213. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4214. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4216. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4219. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4225. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4227. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4231. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4232. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4234. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4235. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4236. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4237. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4241. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4242. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4243. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4244. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4246. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4248. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4249. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4252. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4253. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4254. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4255. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4256. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4257. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4259. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4262. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4263. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4264. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4265. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4266. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4267. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4272. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4275. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4276. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4277. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4283. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4285. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4286. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4288. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4290. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4291. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4292. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4299. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4300. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4304. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4308. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4309. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4311. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4312. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4314. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4316. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4317. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4318. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4319. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4321. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4322. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4325. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4326. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4329. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4332. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4333. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4336. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4337. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4341. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4342. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4343. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4344. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4346. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4348. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4349. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4351. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4352. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4353. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4354. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4357. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4358. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4360. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4363. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4364. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4365. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4366. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4370. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4371. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4373. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4374. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4380. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4381. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4383. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4387. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4391. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4395. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4396. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4399. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4403. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4404. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4405. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4406. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4407. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4408. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4411. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4412. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4413. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4419. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4420. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4423. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4424. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4427. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4431. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4432. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4435. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4436. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4437. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4438. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4439. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4443. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4444. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4445. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4447. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4451. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4452. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4453. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4454. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4457. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4463. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4464. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4471. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4472. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4474. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4475. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4476. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4479. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4480. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4481. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4485. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4488. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4489. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4490. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4492. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4496. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4497. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4499. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4500. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4501. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4503. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4504. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4508. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4509. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4510. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4511. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4516. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4520. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4521. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4522. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4525. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4527. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4528. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4529. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4532. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4533. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4534. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4535. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4537. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4538. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4541. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4543. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4544. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4548. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4549. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4552. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4553. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

4555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4556. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4558. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4560. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4561. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4564. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4565. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4568. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4569. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4571. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4575. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4576. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4577. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4579. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4580. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4581. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4582. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4583. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4584. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4586. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4588. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4589. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4590. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4593. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4596. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4597. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4598. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4601. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4602. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4603. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4607. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4608. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4609. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4611. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4612. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4613. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

4615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4616. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4617. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4620. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4621. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4625. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4626. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4628. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4629. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4633. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4636. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4637. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4639. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4640. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4641. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4642. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4644. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4645. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4646. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4648. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4649. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4650. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4652. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4656. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4657. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4658. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4662. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4663. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4666. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4669. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4670. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4671. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4672. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4676. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4677. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4678. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4679. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4680. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4681. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4682. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4683. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4688. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4689. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4691. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4693. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4694. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4695. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4697. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4698. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4700. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4701. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4702. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4703. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4704. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4705. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4706. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4707. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

4713. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

4714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4717. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4722. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4723. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4726. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4728. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4730. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4733. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4734. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4735. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4738. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4739. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4740. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4741. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4742. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4743. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4745. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4746. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4750. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4752. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4755. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4756. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4760. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4762. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4766. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4767. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4768. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4770. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4772. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4773. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4774. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4775. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4778. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4779. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4781. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4783. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4786. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4787. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4789. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4791. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4794. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4795. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4798. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4799. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4801. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4802. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4804. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4807. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4808. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4810. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4811. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4812. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4813. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4814. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4815. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4818. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4819. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4821. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4823. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4824. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4828. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4831. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4832. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4836. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4837. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4840. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4842. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4844. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4846. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4847. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4848. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4850. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4851. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4854. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4855. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4858. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4859. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4861. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4864. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4865. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4867. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4870. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4871. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4872. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4873. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4876. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4879. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4880. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4881. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4883. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4887. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4888. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4891. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4895. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4896. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4897. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4900. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4902. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4903. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4905. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4907. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4908. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4909. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4911. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4915. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4916. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

4919. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4921. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4923. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4927. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4931. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4935. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4939. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4941. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4944. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4946. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4948. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4949. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4951. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4952. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4953. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4954. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4955. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4956. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4959. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4960. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4961. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4962. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4964. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4967. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4969. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4972. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4973. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4975. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4977. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4978. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4979. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4981. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4982. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4983. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

4984. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4987. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4991. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4992. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4995. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4999. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5000. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5002. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5004. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5006. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5007. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5008. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5011. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5012. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5015. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5016. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5020. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5022. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5023. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5025. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5026. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5027. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5028. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5031. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5034. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5035. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5036. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5040. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5042. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5043. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5044. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5047. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5049. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5050. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5051. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5053. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5054. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5058. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5059. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5060. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5063. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5064. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5067. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5068. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5069. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5070. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5071. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5075. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5076. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5079. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5080. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5082. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5083. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5084. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5087. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5089. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5091. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5092. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5095. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5096. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5097. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5098. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5099. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5102. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5103. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5104. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5107. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5108. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5112. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5114. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5116. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5117. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5119. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5124. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5125. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5126. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5127. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5131. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5133. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5134. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5139. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5141. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5143. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5144. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5145. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5146. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5147. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5148. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5151. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5152. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5159. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5160. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5162. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5163. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5164. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5167. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5171. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5172. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5173. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5175. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5176. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5179. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5181. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5183. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5184. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5185. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5187. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5188. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5189. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5191. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5196. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5197. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5198. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5200. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5201. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5204. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5205. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5207. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5208. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5211. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5212. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5215. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5216. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5222. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5224. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5225. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5227. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5228. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5229. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5231. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5232. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5233. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5236. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5237. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5241. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5243. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5244. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5248. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5249. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5252. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5253. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5254. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5255. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5256. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5257. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5260. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5264. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5265. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5266. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5267. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5272. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5275. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5276. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5277. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5279. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5280. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5283. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5285. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5286. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5287. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5288. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5292. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5295. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5298. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5300. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5303. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5304. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5307. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5308. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5309. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5312. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5313. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5315. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5316. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5317. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5318. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5319. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5320. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5321. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5323. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5325. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5326. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5329. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5330. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5332. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5334. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5335. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5336. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5341. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5342. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5344. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5349. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5350. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5351. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5352. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5353. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5357. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5358. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5359. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5362. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5363. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5364. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5369. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5370. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5371. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5372. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5373. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5377. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5378. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5379. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5381. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5383. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5385. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5387. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5391. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5392. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5395. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5396. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5397. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5398. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5399. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5403. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5405. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5406. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5411. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5415. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5416. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5419. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5420. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5423. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5427. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5428. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5431. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5434. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5435. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5436. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5437. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5438. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5439. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5440. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5441. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5442. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

5445. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5450. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5451. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5455. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5456. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5457. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5459. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5460. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5463. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5464. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5466. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5471. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5472. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5476. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5477. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5480. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5481. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5482. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5484. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5485. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5486. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5487. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5488. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5489. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5490. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5493. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5494. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5499. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5500. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5502. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5503. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5505. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5509. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5510. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5511. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5516. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5517. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5518. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5520. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5521. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5522. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5525. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5527. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5528. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5529. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5532. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5533. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5534. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5535. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5537. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5541. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5543. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5544. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5547. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5549. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5550. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5551. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5554. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5555. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5556. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5558. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5559. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5561. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5562. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5563. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5565. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5567. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5571. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5572. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5575. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5578. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5580. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5581. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5582. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5583. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5584. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5585. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5586. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5589. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5596. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5597. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5600. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5601. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5602. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5607. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5609. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5610. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5611. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5614. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5615. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5617. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5618. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5619. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5624. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5628. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5630. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5633. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5634. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5636. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5639. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5640. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5643. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5644. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5647. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5648. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5651. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5652. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5655. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5656. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5657. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5659. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5660. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5663. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5664. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5665. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5668. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5669. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5671. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5672. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5676. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5679. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5680. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5687. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5688. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5689. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5690. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5691. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5694. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5695. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5699. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5700. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5701. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5704. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5705. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5707. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5712. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5713. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5717. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5718. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5719. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5720. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5726. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5727. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5728. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5731. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5732. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5733. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5735. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5738. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5739. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5740. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5741. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5742. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5744. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5745. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5746. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5748. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5752. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5755. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5756. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5759. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5760. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5767. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5768. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5770. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5772. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5773. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5774. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5775. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5777. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5778. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5779. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5780. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5781. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5786. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5787. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5791. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5792. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5795. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5796. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5797. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5799. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5800. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5801. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5802. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5807. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5808. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5809. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5810. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5812. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5813. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5814. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5819. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5820. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5821. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5823. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5824. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5827. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5828. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5832. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5835. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5837. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5839. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5841. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5844. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5846. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5847. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5849. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5851. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5855. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5856. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5859. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5863. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5864. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5865. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5867. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5870. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5871. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5872. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5878. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5881. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5883. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5884. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5885. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5886. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5887. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5891. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5895. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5896. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5899. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5900. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5901. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5905. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5906. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5908. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5909. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5911. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5912. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5913. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5914. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5919. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5920. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5921. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5924. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5925. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5927. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5928. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5931. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5932. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5933. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5937. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5939. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5940. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5947. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5950. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5951. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5953. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5954. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5955. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5956. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5958. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5959. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5960. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5962. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5964. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5967. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5969. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5972. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5973. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5975. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5979. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5981. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5983. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5984. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5987. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5988. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5991. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5992. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5993. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5995. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5996. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5998. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6000. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6001. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6002. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6004. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6006. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6007. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6008. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6009. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6012. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6015. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6016. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6017. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6020. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6021. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6022. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6023. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6027. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6028. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6030. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6033. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6034. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6036. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6040. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6041. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6042. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6043. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6044. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6045. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6047. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6048. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6051. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6053. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6054. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6056. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6059. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6060. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6062. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6063. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6067. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6068. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6069. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6070. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6071. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6074. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6075. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6076. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6080. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6081. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6082. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6084. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6085. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6087. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6088. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6089. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6091. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6092. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6095. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6096. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6097. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6098. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6099. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6102. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6103. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6106. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6107. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6108. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6111. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6114. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6117. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6118. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6119. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6120. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6123. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6127. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6128. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6131. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6135. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6136. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6138. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6139. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

6140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6143. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6144. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6145. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6148. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6149. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6151. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6152. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6155. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6159. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6160. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6161. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6163. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6164. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6165. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6171. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6172. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6175. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6176. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6177. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6179. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6181. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6183. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6185. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6188. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6191. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6192. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6193. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6197. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6199. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6200. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6201. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6204. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6205. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6208. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6212. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6213. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

6216. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6220. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6221. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6224. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6225. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6228. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6229. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6231. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6232. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6236. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6237. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6240. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6243. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6244. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6245. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6246. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6248. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6249. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6252. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6254. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6255. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6256. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6257. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6260. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6261. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6264. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6265. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6266. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6267. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6270. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6272. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6275. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6277. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6280. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6281. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6283. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6285. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6288. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6289. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6292. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6296. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6297. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6300. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6303. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6304. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6305. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6308. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6309. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6312. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6313. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6316. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6317. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6318. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6319. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6320. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6321. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6324. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6325. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6326. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6328. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6329. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6332. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6333. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6336. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6337. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6341. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6344. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6345. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6352. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6353. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6356. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6357. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6358. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6361. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6362. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6363. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6364. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6367. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6368. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6369. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6370. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6371. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6372. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6373. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6376. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6381. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6383. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

6384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6385. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6386. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6387. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6388. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6391. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6397. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6398. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6399. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6400. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6403. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6405. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6406. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6409. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6410. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6411. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6413. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6414. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6415. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6416. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6420. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6421. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6425. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6426. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6427. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6433. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6434. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6435. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6436. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6437. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6438. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6439. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6440. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6445. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6446. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6447. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6448. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6454. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6457. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6459. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6463. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6464. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6465. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6467. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6468. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6470. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6471. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6472. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6473. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6475. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6476. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6479. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6481. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6483. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6484. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

6488. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6489. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6490. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

6491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

6492. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6493. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6494. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

6497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6499. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

6500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6501. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

6502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6503. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6507. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6510. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6511. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6512. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6513. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6516. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6517. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6520. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6523. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6524. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6527. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6528. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6530. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6532. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6533. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6534. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6535. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6536. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6537. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6541. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6543. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6544. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6545. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6547. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6549. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6552. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6555. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6556. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6558. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6559. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6560. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6561. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6565. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6571. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6574. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6575. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6576. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6581. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6582. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6583. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6586. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6589. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6590. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6593. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6594. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6595. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6597. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6602. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6603. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6607. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6609. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6611. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6612. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6615. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6616. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6617. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6619. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6622. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6623. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6624. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6628. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6631. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6632. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6633. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6635. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6636. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

6639. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6640. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6641. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6644. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6648. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6649. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6652. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6656. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6657. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6663. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6664. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6665. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6666. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6668. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6669. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6671. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6672. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6673. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6676. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6677. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6678. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6679. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6680. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6688. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6689. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6692. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6693. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6694. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6695. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6698. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6699. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6700. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6701. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6705. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6706. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6707. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6710. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6713. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6715. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6717. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6718. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6719. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6723. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6724. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6725. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6727. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6728. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6729. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6730. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6732. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6733. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6735. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6739. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6740. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6741. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6743. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6744. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6745. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6747. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6752. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6755. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6756. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6757. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

6763. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6767. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6768. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6770. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6771. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6772. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6773. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6774. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6778. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6779. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6780. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6781. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6787. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6788. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6790. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6791. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6792. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6793. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6794. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6795. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6799. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6801. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6804. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6805. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6806. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6807. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6808. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6812. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6813. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6816. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6819. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6820. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6821. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6822. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6823. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6828. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6831. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6832. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6833. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6836. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6837. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6838. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6844. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6847. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6848. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6849. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6851. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6855. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6859. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6861. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6863. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6864. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6865. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6867. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6868. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6869. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6871. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6872. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6875. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6876. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6880. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6881. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6883. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6887. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6891. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6895. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6896. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6897. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6898. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6900. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6903. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6904. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6905. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6907. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6908. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6909. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6911. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6912. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6914. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6919. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6920. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6921. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6923. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6924. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6925. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6929. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6931. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6935. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6939. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6940. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6944. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6948. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6951. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6953. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6955. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6956. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6957. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6958. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6959. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6960. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6964. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6967. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6971. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6972. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6973. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6975. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6979. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6980. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6983. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6984. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6987. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6991. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6992. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6995. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6997. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6999. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7000. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7002. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7003. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7004. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7006. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7007. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7008. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7011. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7012. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7015. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7016. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7019. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7020. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7023. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7024. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7028. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7031. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7032. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7034. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7036. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7039. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7040. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7042. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7043. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7044. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7047. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7051. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7052. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7053. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7054. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7056. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7059. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7060. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7063. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7067. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7068. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7069. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7070. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7071. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7072. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7075. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7076. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7079. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7082. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7083. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7084. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7087. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7088. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7089. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7091. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7092. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7095. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7096. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7097. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7098. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7099. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7102. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7103. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7105. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7107. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7108. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7110. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7111. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7114. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7115. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7116. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7117. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7118. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7123. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7124. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7127. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7131. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7135. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7136. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7138. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7139. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7143. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7144. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7147. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7148. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7151. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7152. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7153. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7159. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7160. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7161. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7163. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7164. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7167. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7168. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7171. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7172. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7173. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7175. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7176. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7179. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7180. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7181. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7183. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7185. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7186. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7188. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7191. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7192. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7193. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7196. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7200. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7201. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7202. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7204. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7205. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7207. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7208. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7212. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7214. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7215. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7216. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7217. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7220. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7221. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7222. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7223. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7225. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7226. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7231. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7232. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7235. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7236. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7237. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7243. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7244. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7246. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7248. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7249. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7251. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7252. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7253. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7254. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7255. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7256. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7260. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7264. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7265. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7266. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7267. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7268. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7272. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7273. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7275. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7276. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7277. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7279. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7280. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7283. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7285. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7287. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7288. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7291. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7292. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7296. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7299. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7300. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7303. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7304. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7306. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7307. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7308. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7309. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7311. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7312. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7313. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7315. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7316. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7317. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7318. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7319. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7321. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7322. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7323. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7324. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7325. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7326. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7327. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7329. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7331. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7332. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7333. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7336. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7337. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7341. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7343. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7344. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7348. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7352. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7353. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7355. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7356. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7357. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7358. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7359. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7363. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7364. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7365. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7367. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7368. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7370. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7371. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7372. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7373. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7375. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7379. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7381. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7383. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7387. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7388. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7391. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7392. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7393. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7394. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7396. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7399. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7404. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7405. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7406. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7411. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7413. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7415. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7416. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7417. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7420. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7421. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7422. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7425. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7426. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7427. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7430. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7432. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7435. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7436. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7437. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7438. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7444. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7445. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7448. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7449. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7450. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7452. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7456. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7457. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7460. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7464. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7467. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7468. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7469. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7471. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7472. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7475. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7476. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7479. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7480. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7481. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7483. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7484. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7487. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7488. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7489. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7490. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7491. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7492. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7499. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7500. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7503. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7507. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7508. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7510. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7511. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7516. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7517. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7519. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7520. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7523. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7525. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7527. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7528. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7529. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7530. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7532. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7533. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7534. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7535. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7537. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7540. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7541. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7543. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7544. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7548. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7549. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7552. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7556. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7557. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7558. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7561. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7564. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7565. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7566. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7567. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7570. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7571. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7572. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7574. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7575. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7577. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7579. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7581. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7582. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7583. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7585. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7586. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7588. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7589. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7590. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7596. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

7597. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7599. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7602. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7603. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7604. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7607. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7609. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7610. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7611. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7613. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7614. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7615. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7617. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7621. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7625. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7626. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7627. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7628. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7633. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7634. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7635. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7636. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7637. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7639. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7640. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7644. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7645. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7648. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7652. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7653. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7654. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7655. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7656. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7657. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7658. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7663. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7664. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7669. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7670. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7671. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7672. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7675. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7676. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7679. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7680. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7681. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7684. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7685. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7686. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7688. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7689. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7691. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7692. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7693. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7694. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7695. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7700. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7701. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

7702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7705. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7707. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7708. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7709. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7710. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7712. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7713. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7715. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7717. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7723. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7724. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7728. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7733. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7735. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7736. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7739. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7740. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7741. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7742. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7745. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7752. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7755. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7756. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7757. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7760. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7762. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7765. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7767. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7769. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7770. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7771. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7772. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7773. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7774. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7778. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7779. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7780. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7781. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7783. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7787. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7788. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7791. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7795. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7796. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7799. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7801. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7803. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7804. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7807. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7808. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7809. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7811. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7812. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7813. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7819. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7820. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7821. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7823. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7827. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7828. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7829. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7832. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7835. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7837. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7844. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7845. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7847. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7851. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7853. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7854. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7855. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7859. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7860. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7864. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7865. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7866. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7867. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7868. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7870. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7871. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7872. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7873. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7874. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7881. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7883. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7884. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7885. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7886. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7887. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7891. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7892. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7895. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7896. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7900. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7903. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7905. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7907. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7908. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7909. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7911. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7915. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7916. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7919. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7921. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7923. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7924. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7927. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7929. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7931. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7935. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7939. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7940. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7945. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7946. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7951. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7952. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7955. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7956. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7959. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7960. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7964. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7967. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7971. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7972. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7975. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7979. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7983. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7984. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7987. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7989. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7991. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7992. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7993. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7994. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7995. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7998. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8000. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8002. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8004. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8005. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8006. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8007. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8008. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8010. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8012. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8015. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8016. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8020. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8021. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8023. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8024. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8025. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8028. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8032. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8033. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8034. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8036. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8037. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8040. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8042. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8043. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8044. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8045. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8047. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8048. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8051. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8052. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8053. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8054. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8055. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8059. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8060. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8061. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8063. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8064. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8065. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8067. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8068. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8069. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8070. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8071. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8075. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8076. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8077. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8078. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8080. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8082. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8084. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8087. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8088. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8089. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8090. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8091. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8092. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8093. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8095. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8096. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8097. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8098. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8099. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8100. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8102. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8103. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8104. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8105. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8106. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8107. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8108. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8110. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8112. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8113. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8114. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8117. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8120. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8121. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8122. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8125. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8127. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8128. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8131. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8132. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8136. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8139. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8143. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8144. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8145. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8146. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8148. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8151. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8152. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8156. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8159. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8160. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8162. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8163. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8164. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8168. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8169. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8172. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8173. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8175. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8176. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8179. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8181. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8183. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8185. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8187. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8188. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8189. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8191. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8192. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8193. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8194. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8199. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8200. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8201. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8203. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8204. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8205. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8206. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8207. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8208. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8211. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8212. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8215. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8216. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8217. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8219. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8220. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8223. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8224. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8225. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8227. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8228. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8231. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8232. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8233. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8234. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8236. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8237. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8239. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8240. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8243. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8244. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8247. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8248. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8249. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8250. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8251. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8252. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8254. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8255. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8259. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8263. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8264. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8265. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8267. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8268. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8269. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8271. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8272. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8275. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8277. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8279. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8283. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8284. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8285. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8286. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8288. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8291. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8292. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8295. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8296. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8299. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8300. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8303. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8304. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8305. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8307. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8308. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8309. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8311. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8312. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8316. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8317. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8318. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8319. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8321. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8325. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8326. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8327. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8329. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8331. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8332. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8335. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8336. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8339. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8340. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8341. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8343. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8344. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8345. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8347. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8348. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8350. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8351. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8352. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8353. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8355. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8356. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8357. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8358. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8363. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8364. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8367. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8368. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8369. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8371. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8372. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8373. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8379. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8381. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8383. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8384. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8386. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8387. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8388. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8389. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8390. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8391. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8396. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8397. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8399. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8400. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8404. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8405. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8406. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8411. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8412. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8413. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8416. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8417. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8420. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8423. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8427. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8428. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8429. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8435. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8436. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8437. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8438. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8440. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8441. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8442. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8445. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8446. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8448. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8449. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8452. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8457. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8461. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8465. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8466. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8467. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8468. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8471. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8472. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8473. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8474. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8476. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8477. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8478. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8481. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8483. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8485. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8486. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8487. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8488. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8489. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8490. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8495. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8497. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8498. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8499. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8502. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8503. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8505. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8506. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8509. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8510. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8511. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8515. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8516. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8519. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8520. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8521. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8522. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8525. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8526. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8527. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8528. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8530. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8532. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8533. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8534. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8535. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8537. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8539. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8541. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8543. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8544. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8545. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8546. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8547. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8549. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8553. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8554. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8555. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8556. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8557. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8558. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8561. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8565. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8566. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8567. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8569. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8570. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8571. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8574. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8575. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8578. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8581. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8582. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8583. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8586. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8590. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8591. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8593. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8595. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8597. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8598. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8602. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8603. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8606. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8607. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8608. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8610. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8611. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8612. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8615. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8617. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8618. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8622. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8623. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8627. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8628. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8630. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8631. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8633. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8635. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8636. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8639. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8640. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8642. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8643. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8644. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8647. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8648. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8649. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8651. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8652. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8655. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8656. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8657. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8660. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8663. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8667. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8668. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8669. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8671. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8672. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8675. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8676. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8679. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8680. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8681. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8684. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8685. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8688. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8689. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8691. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8692. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8694. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8695. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8700. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8701. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8705. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8707. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8708. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8709. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8710. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8712. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8713. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8714. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8715. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8717. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8720. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8721. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8722. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8728. Нет CVE

CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8732. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8733. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8734. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8735. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8736. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8737. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8738. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8739. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8740. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8741. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8744. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8745. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8749. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8750. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8751. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8752. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8755. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8756. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8758. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8760. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8761. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8765. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8766. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8767. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8769. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8770. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8771. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8772. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8773. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8774. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8777. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8778. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8779. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8781. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8782. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8783. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8788. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8789. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8790. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8791. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8793. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8794. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8795. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8797. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8798. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8799. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8801. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8802. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8805. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8806. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8807. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8808. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8809. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8810. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8811. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8812. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8813. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8815. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8817. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8818. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8819. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8821. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8823. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8824. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8825. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8828. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8829. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8830. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8832. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8833. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8834. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8837. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8838. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8840. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8841. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8843. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8844. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8845. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8847. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8848. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8850. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8851. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8852. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

8854. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8855. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

8856. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

8858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8859. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8862. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8864. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8865. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8866. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8867. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8871. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8872. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8875. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8878. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8880. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8881. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8883. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8884. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8886. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8887. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8888. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8891. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8892. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8893. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8895. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8896. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8899. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8900. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8902. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8905. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8908. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8909. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8911. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8912. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8913. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8915. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8916. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8919. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8920. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8921. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8924. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8928. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8931. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8932. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8934. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8936. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8937. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8939. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8941. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8943. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8944. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8947. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8951. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8952. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8955. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8956. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8959. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8960. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8963. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8964. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8967. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8968. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8971. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8972. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8975. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8976. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8979. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8980. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8983. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8984. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8985. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8987. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8989. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8990. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8991. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8992. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8993. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8995. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8996. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8997. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9000. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9001. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9002. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9004. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9005. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9006. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9007. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9008. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9009. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9011. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9012. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9015. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9016. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9017. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9019. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9020. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9021. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9023. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9024. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9028. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9029. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9031. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9034. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9036. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9037. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9039. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9040. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9041. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9042. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9043. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9044. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9045. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9046. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9047. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9048. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9049. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9050. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9051. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9052. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9053. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9054. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9055. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9056. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9059. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9060. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9063. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9065. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9067. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9068. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9069. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9070. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9071. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9072. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9073. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9074. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9075. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9076. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9077. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9078. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9081. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9082. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9084. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9085. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9086. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9087. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9088. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9089. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9091. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9092. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9093. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9095. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9096. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9097. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9098. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9099. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9100. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9101. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9102. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9103. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9105. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9106. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9107. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9108. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9109. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9110. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9114. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9115. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9116. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9117. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9119. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9120. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9121. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9122. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9123. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9125. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9126. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9127. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9129. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9130. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9131. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9132. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9134. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9137. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9139. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9142. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9143. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9145. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9146. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9147. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9148. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9150. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9151. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9152. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9153. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9154. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9155. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9156. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9157. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9159. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9160. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9161. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9163. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9164. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9167. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9168. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9169. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9170. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9171. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9175. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9176. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9177. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9179. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9180. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9181. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9183. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9184. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9185. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9186. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9187. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9188. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9191. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9192. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9195. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9196. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9197. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9199. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9200. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9201. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9203. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9204. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9205. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9207. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9208. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9211. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9212. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9215. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9216. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9219. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9220. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9223. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9224. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9225. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9227. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9231. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9232. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9234. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9235. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9236. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9237. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9239. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9240. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9243. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9244. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9245. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9247. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9248. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9249. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9250. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9251. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9252. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9254. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9255. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9259. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9260. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9263. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9264. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9265. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9267. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9268. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9269. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9270. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9271. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9272. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9273. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9275. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9277. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9278. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9280. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9283. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9285. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9287. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9288. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9292. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9293. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9294. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9296. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9300. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9301. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9304. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9305. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9308. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9309. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9312. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9314. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

9316. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9317. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9318. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9319. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9321. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9322. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9323. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9324. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9325. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9326. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9328. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9329. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9330. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9331. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9332. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9333. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9336. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

9339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9340. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9341. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

9342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9343. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9344. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9345. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9346. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9348. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9349. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9350. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9352. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9353. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9355. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9356. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9357. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9358. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9359. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9360. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9363. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9364. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9366. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9367. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9368. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9371. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9372. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9373. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9374. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9375. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9376. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9380. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9381. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9382. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9383. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9384. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9387. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9388. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9391. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9393. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9394. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9395. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9399. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9400. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9401. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9402. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9403. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9404. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9405. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9406. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9407. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9408. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9411. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9412. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9413. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9414. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9417. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9418. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9419. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9420. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9421. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9424. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9425. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9426. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9427. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9431. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9432. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9433. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9434. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9435. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9436. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9437. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9438. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9440. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9444. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9445. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9446. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9447. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9451. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9452. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9453. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9455. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9456. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9457. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9458. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9459. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9460. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

9462. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9465. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9466. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9467. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9468. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9471. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9472. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9474. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9475. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9476. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9477. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9478. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9479. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9481. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9482. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9483. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9484. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9486. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9487. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9488. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9489. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9490. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9491. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9494. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9495. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9496. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9499. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9502. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9503. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9505. Нет CVE
CVSS: 1 (low)

Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9507. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9508. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9510. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9511. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9512. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9513. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9515. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9516. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9517. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9518. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9519. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9520. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9522. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9523. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9524. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9526. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9527. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9528. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9532. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9533. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9534. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9535. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9537. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9538. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9539. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9541. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9542. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9543. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9544. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9546. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9547. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9548. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9549. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9550. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9551. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9552. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9554. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9555. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9556. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9558. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9559. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9560. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9561. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9562. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9565. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9566. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9567. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9568. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9570. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9571. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9572. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9574. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9575. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9576. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9578. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9580. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9581. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9582. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9583. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9584. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9585. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9586. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9590. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9591. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9592. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9594. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9595. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9596. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9597. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9599. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9600. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9602. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9603. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9606. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9607. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9608. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9610. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9611. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9612. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9615. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9616. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9617. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9618. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9619. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9620. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9622. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9623. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9624. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9626. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9627. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9628. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9630. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9631. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9632. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9633. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9634. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9635. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9636. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9637. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9638. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9639. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9640. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9642. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9643. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9644. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9645. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9646. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9648. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9650. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9651. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9652. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9653. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9656. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9657. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9658. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9661. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9663. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9664. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9665. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9668. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9669. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9671. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9672. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9673. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9675. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9676. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9678. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9679. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9680. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9683. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9684. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9685. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9687. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9688. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9689. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9692. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9694. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9695. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9696. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9697. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9700. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9701. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9703. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9704. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9705. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9706. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9707. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9708. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9709. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9710. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9711. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9713. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9714. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9715. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9717. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9718. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9719. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9720. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9722. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9723. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9724. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9726. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9727. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9728. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9730. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9731. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9732. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9733. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9735. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9736. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9737. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9739. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9740. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9741. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9744. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9745. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9747. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9749. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9750. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9751. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9752. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9754. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9755. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9756. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9758. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9759. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9762. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9764. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9766. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9767. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9769. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9770. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9771. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9772. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9773. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9774. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9778. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9779. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9781. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9782. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9783. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9785. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9786. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9787. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9788. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9789. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9790. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9791. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9792. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9794. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9795. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9796. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9799. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9800. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9801. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9807. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9808. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9809. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9810. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9812. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9813. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9815. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9817. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9818. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9819. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9820. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9821. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9823. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9824. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9825. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9826. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9828. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9829. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9832. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9833. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9834. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9836. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9837. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></
script>

9840. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9841. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9842. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9843. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/
cookieconsent.min.js"></script>

9844. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9845. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9846. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9847. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9848. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9851. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9852. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9853. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9855. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9856. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9859. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9860. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9863. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9864. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9865. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9866. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9867. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9869. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9870. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9871. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9872. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9873. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9874. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9875. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9876. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9877. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9879. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9881. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9882. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9883. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9884. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9887. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9888. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9889. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9890. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9891. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9893. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9894. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9895. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9896. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9897. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9898. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9900. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9901. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9902. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9905. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9907. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9908. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9909. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9910. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9911. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9913. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9914. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9917. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9919. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9920. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9921. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9924. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9925. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9926. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9928. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9929. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9930. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9931. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9932. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9934. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9935. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9936. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9937. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9939. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9941. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9942. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9943. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9944. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9945. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9951. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9954. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9955. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9956. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9957. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9958. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9959. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9960. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9961. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9962. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9964. Нет CVE

CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9965. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9966. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9967. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9968. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9969. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9970. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9972. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9973. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9974. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9975. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9976. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9977. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9978. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9979. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9980. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9981. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9982. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9983. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9984. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9985. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9986. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9987. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9989. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9990. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9991. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9992. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9993. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9994. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9995. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9996. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9997. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9998. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9999. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10000. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10001. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10002. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10003. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10004. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10005. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10006. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10007. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10008. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10009. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10010. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10011. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10012. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10013. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10014. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10015. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10016. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10017. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10018. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10019. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10020. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10021. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10022. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10023. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10024. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10025. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10026. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10027. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10028. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10029. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10030. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10031. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10032. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10033. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10034. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10035. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10036. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10037. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10038. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10039. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10040. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10041. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10042. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10043. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10044. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10045. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10046. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10047. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10048. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10049. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10050. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10051. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10052. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10053. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10054. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10055. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10056. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10057. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10058. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10059. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10060. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10061. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10062. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10063. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10064. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10065. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10066. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10067. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10068. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10069. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10070. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10071. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10072. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10073. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10074. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10075. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10076. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10077. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10078. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10079. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10080. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10081. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10082. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10083. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10084. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10085. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10086. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10087. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10088. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10089. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10090. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10091. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10092. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10093. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10094. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10095. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10096. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10097. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10098. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10099. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10100. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10101. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10102. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10103. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10104. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10105. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10106. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10107. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10108. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10109. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10110. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10111. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10112. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10113. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10114. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10115. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10116. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10117. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10118. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10119. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10120. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10121. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10122. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10123. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10124. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10125. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10126. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10127. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10128. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10129. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10130. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10131. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10132. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10133. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10134. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10135. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10136. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10137. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10138. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10139. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10140. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10141. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10142. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10143. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10144. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10145. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10146. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10147. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10148. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10149. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10150. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10151. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10152. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10153. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10154. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10155. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10156. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10157. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10158. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10159. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10160. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10161. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10162. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10163. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10164. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10165. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10166. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10167. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10168. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10169. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10170. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10171. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10172. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10173. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10174. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10175. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10176. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10177. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10178. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10179. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10180. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10181. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10182. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10183. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10184. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10185. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10186. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10187. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10188. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10189. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10190. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10191. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10192. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10193. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10194. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10195. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10196. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10197. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10198. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10199. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10200. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10201. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10202. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10203. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10204. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10205. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10206. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10207. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10208. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10209. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10210. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10211. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10212. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10213. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10214. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10215. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10216. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10217. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10218. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10219. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10220. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10221. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10222. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10223. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10224. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10225. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10226. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10227. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10228. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10229. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10230. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10231. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10232. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10233. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10234. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10235. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10236. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10237. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10238. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10239. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10240. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10241. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10242. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10243. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10244. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10245. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10246. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10247. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10248. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10249. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10250. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10251. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10252. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10253. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10254. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10255. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10256. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10257. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10258. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10259. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10260. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10261. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10262. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10263. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10264. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10265. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10266. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10267. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10268. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10269. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10270. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10271. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10272. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10273. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10274. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10275. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10276. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10277. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10278. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10279. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10280. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10281. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10282. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10283. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10284. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10285. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10286. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10287. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10288. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10289. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10290. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10291. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10292. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10293. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10294. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10295. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10296. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10297. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10298. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10299. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10300. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10301. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10302. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10303. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10304. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10305. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10306. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10307. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10308. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10309. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10310. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10311. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10312. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10313. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10314. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10315. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10316. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10317. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10318. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10319. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10320. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10321. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10322. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10323. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10324. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10325. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10326. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10327. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10328. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10329. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10330. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10331. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10332. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10333. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10334. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10335. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10336. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10337. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10338. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10339. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10340. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10341. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10342. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10343. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10344. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10345. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10346. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10347. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10348. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10349. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10350. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10351. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10352. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10353. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10354. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10355. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10356. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10357. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10358. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10359. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10360. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10361. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10362. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10363. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10364. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10365. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10366. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10367. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10368. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10369. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10370. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10371. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10372. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10373. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10374. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10375. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10376. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10377. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10378. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10379. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10380. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10381. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10382. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10383. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10384. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10385. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10386. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10387. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10388. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10389. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10390. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10391. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10392. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10393. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10394. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10395. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10396. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10397. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10398. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10399. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10400. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10401. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10402. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10403. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10404. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10405. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10406. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10407. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10408. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10409. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10410. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10411. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10412. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10413. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10414. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10415. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10416. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10417. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10418. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10419. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10420. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10421. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10422. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10423. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10424. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10425. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10426. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10427. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10428. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10429. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10430. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10431. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10432. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10433. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10434. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10435. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10436. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10437. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10438. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10439. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10440. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10441. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10442. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10443. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10444. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10445. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10446. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10447. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10448. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10449. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10450. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10451. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10452. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10453. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10454. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10455. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10456. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10457. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10458. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10459. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10460. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10461. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10462. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10463. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10464. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10465. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10466. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10467. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10468. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10469. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10470. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10471. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10472. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10473. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10474. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10475. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10476. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10477. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10478. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10479. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10480. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10481. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10482. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10483. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10484. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10485. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10486. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10487. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10488. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10489. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10490. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10491. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10492. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10493. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10494. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10495. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10496. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10497. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10498. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10499. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10500. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10501. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10502. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10503. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10504. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10505. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10506. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10507. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10508. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10509. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10510. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10511. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10512. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10513. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10514. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10515. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10516. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10517. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10518. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10519. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10520. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10521. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10522. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10523. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10524. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10525. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10526. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10527. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10528. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10529. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10530. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10531. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10532. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10533. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10534. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10535. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10536. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10537. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10538. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10539. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10540. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10541. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10542. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10543. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10544. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10545. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10546. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10547. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10548. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10549. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10550. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10551. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10552. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10553. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10554. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10555. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10556. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10557. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10558. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10559. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10560. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10561. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10562. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10563. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10564. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10565. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10566. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10567. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10568. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10569. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10570. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10571. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10572. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10573. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10574. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10575. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10576. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10577. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10578. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10579. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10580. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10581. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10582. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10583. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10584. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10585. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10586. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10587. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10588. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10589. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10590. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10591. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10592. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10593. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10594. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10595. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10596. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10597. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10598. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10599. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10600. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10601. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10602. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10603. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10604. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10605. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10606. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10607. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10608. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10609. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10610. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10611. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10612. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10613. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10614. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10615. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10616. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10617. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10618. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10619. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10620. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10621. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10622. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10623. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10624. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10625. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10626. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10627. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10628. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10629. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10630. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10631. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10632. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10633. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10634. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10635. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10636. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10637. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10638. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10639. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10640. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10641. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10642. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10643. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10644. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10645. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10646. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10647. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10648. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10649. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10650. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10651. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10652. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10653. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10654. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10655. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10656. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10657. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10658. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10659. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10660. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10661. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10662. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10663. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10664. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10665. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10666. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10667. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10668. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10669. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10670. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10671. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10672. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10673. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10674. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10675. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10676. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10677. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10678. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10679. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10680. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10681. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10682. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10683. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10684. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10685. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10686. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10687. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10688. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10689. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10690. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10691. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10692. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10693. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10694. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10695. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10696. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10697. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10698. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10699. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10700. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10701. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10702. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10703. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10704. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10705. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10706. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10707. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10708. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10709. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10710. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10711. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10712. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10713. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10714. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10715. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10716. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10717. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10718. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10719. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10720. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10721. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10722. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10723. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10724. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10725. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10726. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10727. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10728. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10729. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10730. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10731. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10732. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10733. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10734. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10735. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10736. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10737. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10738. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10739. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10740. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10741. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10742. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10743. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10744. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10745. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10746. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10747. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10748. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10749. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10750. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10751. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10752. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10753. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10754. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10755. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10756. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10757. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10758. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10759. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10760. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10761. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10762. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10763. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10764. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10765. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10766. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10767. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10768. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10769. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10770. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10771. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10772. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10773. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10774. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10775. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10776. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10777. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10778. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10779. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10780. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10781. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10782. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10783. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10784. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10785. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10786. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10787. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10788. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10789. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10790. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10791. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10792. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10793. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

10794. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10795. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10796. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10797. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10798. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10799. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10800. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10801. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10802. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10803. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10804. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10805. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10806. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10807. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10808. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10809. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10810. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10811. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10812. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10813. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10814. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10815. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10816. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10817. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10818. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10819. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10820. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10821. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10822. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10823. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10824. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10825. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10826. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10827. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10828. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10829. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10830. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10831. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10832. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10833. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10834. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10835. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10836. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10837. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10838. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10839. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10840. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10841. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10842. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10843. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10844. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10845. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10846. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10847. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10848. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10849. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10850. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10851. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10852. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10853. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10854. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10855. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10856. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10857. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10858. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10859. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10860. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10861. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10862. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10863. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10864. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10865. Нет CVE
CVSS: 5 (medium)

Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10866. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10867. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10868. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10869. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10870. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10871. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10872. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10873. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10874. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10875. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10876. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10877. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10878. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10879. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10880. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10881. Нет CVE
CVSS: 1 (low)
Статус: Активна

Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10882. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10883. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10884. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10885. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10886. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10887. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10888. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10889. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10890. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10891. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10892. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10893. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10894. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10895. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10896. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10897. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10898. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10899. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10900. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10901. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10902. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10903. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10904. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10905. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10906. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10907. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10908. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10909. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10910. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10911. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10912. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10913. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10914. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10915. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10916. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10917. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10918. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10919. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10920. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10921. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10922. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10923. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10924. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10925. Нет CVE
CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10926. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10927. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10928. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10929. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10930. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10931. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10932. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10933. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10934. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10935. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10936. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10937. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10938. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10939. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10940. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10941. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10942. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10943. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10944. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10945. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10946. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10947. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10948. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1701244813

10949. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

10950. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

10951. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

10952. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

10953. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

10954. Нет CVE

CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

10955. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10956. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10957. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10958. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10959. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10960. Нет CVE
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1734944650

10961. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10962. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10963. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10964. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10965. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10966. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10967. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10968. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10969. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10970. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10971. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10972. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10973. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10974. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10975. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10976. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10977. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10978. Нет CVE
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10979. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10980. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10981. Нет CVE
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10982. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10983. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10984. Нет CVE
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10985. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10986. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10987. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10988. Нет CVE
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *