

Отчёт по активу: owasp

IP: 127.0.0.1:4000

Уязвимости:

1. 23291

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2. 23292

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3. 23293

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4. 23294

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5. 23295

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6. 23296

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7. 23297

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8. 23298

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9. 23299

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10. 23300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11. 23301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

12. 23302

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

13. 23303

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

14. 23304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

15. 23305

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

16. 23306

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

17. 23307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

18. 23308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

19. 23309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

20. 23310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

21. 23311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1680327869

22. 23312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

23. 23313

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

24. 23314

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1863874346

25. 23315

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1917098446

26. 23316

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1818181818

27. 23317

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

28. 23318

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

29. 23319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

30. 23320

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

31. 23321

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

32. 23322

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

33. 23323

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

34. 23324

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

35. 23325

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

36. 23326

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

37. 23327

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

38. 23328

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

39. 23329

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

40. 23330

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

41. 23331

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

42. 23332

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

43. 23333

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

44. 23334

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

45. 23335

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

46. 23336

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

47. 23337

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

48. 23338

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

49. 23339

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

50. 23340

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

51. 23341

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

52. 23342

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

53. 23343

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

54. 23344

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

55. 23345

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

56. 23346

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

57. 23347

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

58. 23348

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

59. 23349

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

60. 23350

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

61. 23351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

62. 23352

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

63. 23353

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

64. 23354

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

65. 23355

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

66. 23356

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

67. 23357

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

68. 23358

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

69. 23359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

70. 23360

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

71. 23361

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

72. 23362

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

73. 23407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

74. 23363

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

75. 23364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

76. 23365

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

77. 23366

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

78. 23367

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

79. 23368

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

80. 23369

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

81. 23370

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

82. 23371

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

83. 23372

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

84. 23373

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

85. 23374

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

86. 23375

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

87. 23376

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

88. 23377

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

89. 23378

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

90. 23379

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

91. 23380

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

92. 23381

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

93. 23382

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

94. 23430

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

95. 23431

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

96. 23383

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

97. 23384

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

98. 23385

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

99. 23386

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

100. 23387

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

101. 23388

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

102. 23389

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

103. 23390

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

104. 23391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

105. 23392

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

106. 23393

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

107. 23394

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

108. 23395

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

109. 23396

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

110. 23397

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

111. 23398

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

112. 23399

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

113. 23400

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

114. 23401

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

115. 23402

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

116. 23403

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

117. 23404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

118. 23405

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

119. 23406

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

120. 23408

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

121. 23409

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

122. 23410

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

123. 23411

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

124. 23412

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

125. 23413

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

126. 23414

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

127. 23415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

128. 23416

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

129. 23417

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

130. 23418

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

131. 23419

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

132. 23420

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

133. 23421

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

134. 23422

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

135. 23423

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

136. 23424

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

137. 23425

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

138. 23426

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

139. 23427

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

140. 23428

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

141. 23429

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

142. 23432

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

143. 23433

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

144. 23434

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

145. 23435

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

146. 23436

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

147. 23437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

148. 23438

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

149. 23439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

150. 23440

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

151. 23441

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

152. 23442

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

153. 23443

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

154. 23444

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

155. 23445

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

156. 23446

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

157. 23447

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

158. 23448

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

159. 23449

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

160. 23450

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

161. 23451

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

162. 23452

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

163. 23453

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

164. 23454

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

165. 23455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

166. 23456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

167. 23457

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

168. 23458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

169. 23459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

170. 23460

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

171. 23461

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

172. 23462

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

173. 23463

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

174. 23464

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

175. 23465

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

176. 23466

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

177. 23467

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

178. 23468

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

179. 23469

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

180. 23470

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

181. 23471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

182. 23472

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

183. 23473

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

184. 23474

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

185. 23475

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

186. 23476

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

187. 23477

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

188. 23478

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

189. 23479

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

190. 23480

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

191. 23481

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

192. 23482

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

193. 23483

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

194. 23484

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

195. 23485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

196. 23486

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

197. 23487

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

198. 23488

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

199. 23489

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

200. 23490

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

201. 23491

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

202. 23492

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

203. 23493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

204. 23494
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

205. 23495
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

206. 23496
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

207. 23497
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

208. 23498
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

209. 23499
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

210. 23500

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

211. 23501

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

212. 23502

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

213. 23503

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

214. 23504

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

215. 23505

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

216. 23506

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

217. 23507

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

218. 23508

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

219. 23509

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

220. 23510

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

221. 23511

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

222. 23512

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

223. 23513

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

224. 23514

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

225. 23515

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

226. 23516

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

227. 23517

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

228. 23518

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

229. 23519

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

230. 23520

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

231. 23521

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

232. 23522

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

233. 23523

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

234. 23524

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

235. 23525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

236. 23526

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

237. 23527

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

238. 23528

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

239. 23529

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

240. 23530

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

241. 23531

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

242. 23532

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

243. 23533

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

244. 23534

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

245. 23535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

246. 23536

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

247. 23537

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

248. 23538

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

249. 23539

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

250. 23540

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

251. 23541

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

252. 23542

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

253. 23543

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

254. 23544

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

255. 23545

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

256. 23546

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

257. 23547

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

258. 23548

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

259. 23549

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

260. 23550

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

261. 23551

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

262. 23552

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

263. 23553

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

264. 23554

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

265. 23555

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

266. 23556

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

267. 23557

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

268. 23558

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

269. 23559
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

270. 23560
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

271. 23561
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

272. 23562
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

273. 23563
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

274. 23564

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

275. 23565

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

276. 23566

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

277. 23567

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

278. 23568

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

279. 23569

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

280. 23570

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

281. 23571

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

282. 23572

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

283. 23573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

284. 23574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

285. 23575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

286. 23576

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

287. 23577

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

288. 23578

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

289. 23579

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

290. 23580

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

291. 23581

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

292. 23582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

293. 23583

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

294. 23584

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

295. 23585

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

296. 23586

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

297. 23587

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

298. 23588

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

299. 23589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

300. 23590

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

301. 23591

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

302. 23592

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

303. 23593

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

304. 23594

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

305. 23595

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

306. 23596

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

307. 23597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

308. 23598

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

309. 23599

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

310. 23600

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

311. 23601

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

312. 23602

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

313. 23603

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

314. 23604

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

315. 23605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

316. 23606

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

317. 23607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

318. 23608

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

319. 23609

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

320. 23610

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

321. 23611

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

322. 23612

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

323. 23613

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

324. 23614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

325. 23615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

326. 23616

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

327. 23617

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

328. 23618

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

329. 23619

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

330. 23620

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

331. 23621

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

332. 23622

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

333. 23623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

334. 23624

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

335. 23625

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

336. 23626

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

337. 23627

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

338. 23628

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

339. 23629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

340. 23630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

341. 23631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

342. 23632

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

343. 23633

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

344. 23634

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

345. 23635

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

346. 23636

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

347. 23637

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

348. 23638

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

349. 23639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

350. 23640

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

351. 23641

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

352. 23642

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

353. 23643

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

354. 23644

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

355. 23645

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

356. 23646

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

357. 23647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

358. 23648

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

359. 23649

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

360. 23650

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

361. 23651

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

362. 23652

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

363. 23653

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

364. 23654

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

365. 23655

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

366. 23656

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

367. 23657

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

368. 23658

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

369. 23659

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

370. 23660

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

371. 23661

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

372. 23662

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

373. 23663

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

374. 23664

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

375. 23665

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

376. 23666

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

377. 23667

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

378. 23668

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

379. 23669

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

380. 23670

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

381. 23671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

382. 23672

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

383. 23673

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

384. 23674

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

385. 23675

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

386. 23676

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

387. 23677

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

388. 23678

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

389. 23679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

390. 23680

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

391. 23681

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

392. 23682

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

393. 23683

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

394. 23684

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

395. 23685

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

396. 23686

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

397. 23687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

398. 23688

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

399. 23689

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

400. 23690

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

401. 23691

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

402. 23692

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

403. 23693

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

404. 23694

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

405. 23695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

406. 23696

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

407. 23697

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

408. 23698

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

409. 23699

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

410. 23700

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

411. 23701

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

412. 23702

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

413. 23703

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

414. 23704

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

415. 23705

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

416. 23706

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

417. 23707

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

418. 23708

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

419. 23709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

420. 23710

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

421. 23711

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

422. 23712

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

423. 23713

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

424. 23714

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

425. 23715

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

426. 23716

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

427. 23717

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

428. 23718

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

429. 23719

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

430. 23720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

431. 23721

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

432. 23722

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

433. 23723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

434. 23724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

435. 23725

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

436. 23726

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

437. 23727

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

438. 23728

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<a href="">ftp</a>`

439. 23729

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

440. 23730

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

441. 23731

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

442. 23732

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

443. 23733

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

444. 23734

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

445. 23735

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

446. 23736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

447. 23737

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

448. 23738

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

449. 23739

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

450. 23740

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

451. 23741

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

452. 23742

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

453. 23743

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

454. 23744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

455. 23745

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

456. 23746

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

457. 23747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

458. 23748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

459. 23749

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

460. 23750

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

461. 23751

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

462. 23752

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

463. 23753

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

464. 23754

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

465. 23755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

466. 23756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

467. 23757

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

468. 23758

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

469. 23759

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

470. 23760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

471. 23761

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

472. 23762

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

473. 23763

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

474. 23764

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

475. 23765

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

476. 23766

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

477. 23767

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

478. 23768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

479. 23769

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

480. 23770

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

481. 23771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

482. 23772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

483. 23773

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

484. 23774

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

485. 23775

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

486. 23776
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

487. 23777
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

488. 23778
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

489. 23779
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

490. 23780
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

491. 23781
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

492. 23782

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

493. 23783

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

494. 23784

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

495. 23785

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

496. 23786

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

497. 23787

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

498. 23788

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

499. 23789

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

500. 23790

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

501. 23791

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

502. 27961

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: <http://127.0.0.1:4000/health> (status 200)

503. 23792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

504. 23793

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

505. 23794

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

506. 23795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

507. 23796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

508. 23797

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

509. 23798

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

510. 23799

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

511. 23800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

512. 23801

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

513. 23802

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

514. 23803

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

515. 23804

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

516. 23805

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

517. 23806

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

518. 23807

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

519. 23808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

520. 23809

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

521. 23810

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

522. 23811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

523. 23812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

524. 23813

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

525. 23814

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

526. 23815

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

527. 23816

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

528. 23817

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

529. 23818

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

530. 23819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

531. 23820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

532. 23821

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

533. 23822

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

534. 23823

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

535. 23824

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

536. 23825

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

537. 23826

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

538. 23827

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

539. 23828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

540. 23829

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

541. 23830

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

542. 23831

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

543. 23832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

544. 23833

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

545. 23834

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

546. 23835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

547. 23836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

548. 23837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

549. 23838

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

550. 23839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

551. 23840

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

552. 23841

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

553. 23842

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

554. 23843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

555. 23844

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

556. 23845

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

557. 23846

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

558. 23847

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

559. 23848

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

560. 23849

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

561. 23850

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

562. 23851

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

563. 23852

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

564. 23853

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

565. 23854

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

566. 23855

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

567. 23856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

568. 23857

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

569. 23858

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

570. 23859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

571. 23860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

572. 23861

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

573. 23862

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

574. 23863

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

575. 23864

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

576. 23865

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

577. 23866

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

578. 23867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

579. 23868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

580. 23869

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

581. 23870

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

582. 23871

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

583. 23872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

584. 23873

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

585. 23874

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

586. 23875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

587. 23876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

588. 23877

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

589. 23878

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

590. 23879

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

591. 23880

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

592. 23881

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

593. 23882

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

594. 23883

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

595. 23884

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

596. 23885

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

597. 23886

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

598. 23887

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

599. 24200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

600. 23888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

601. 23889

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

602. 23890

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

603. 23891

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

604. 23892

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

605. 23893

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

606. 23894

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

607. 23895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

608. 23896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

609. 23897

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

610. 23898

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

611. 23899

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

612. 23900

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

613. 23901

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

614. 23902

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

615. 23903

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

616. 23904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

617. 23905

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

618. 23906

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

619. 23907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

620. 23908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

621. 23909

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

622. 23910

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

623. 23911

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

624. 23912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

625. 23913

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

626. 23914

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

627. 23915

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

628. 23916

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

629. 23917

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

630. 23918

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

631. 23919

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

632. 23920

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

633. 23921

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

634. 23922

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

635. 23923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

636. 23924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

637. 23925

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

638. 23926

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

639. 23927

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

640. 23928

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

641. 23929

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

642. 23930

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

643. 23931

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

644. 23932

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

645. 23933

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

646. 23934

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

647. 23935

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

648. 23936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

649. 23937

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

650. 23938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

651. 23939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

652. 23940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

653. 23941

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

654. 23942

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

655. 23943

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

656. 23944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

657. 23945

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

658. 23946

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

659. 23947

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

660. 23948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

661. 23949

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

662. 23950

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

663. 23951

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

664. 23952

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

665. 23953

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

666. 23954

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

667. 23955

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

668. 23956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

669. 23957

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

670. 23958

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

671. 23959

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

672. 23960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

673. 23961

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

674. 23962

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

675. 23963

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

676. 23964

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

677. 23965

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

678. 23966

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

679. 23967

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

680. 23968

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

681. 23969

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

682. 23970

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

683. 23971

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

684. 23972

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

685. 23973

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

686. 23974

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

687. 23975

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

688. 23976

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

689. 23977

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

690. 23978

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

691. 23979

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

692. 23980

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

693. 23981

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

694. 23982

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

695. 23983

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

696. 23984

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

697. 23985

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

698. 23986

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

699. 23987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

700. 23988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

701. 23989

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

702. 23990

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

703. 23991

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

704. 23992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

705. 23993

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

706. 23994

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

707. 23995

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

708. 23996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

709. 23997

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

710. 23998

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

711. 23999

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

712. 24000

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

713. 24001

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

714. 24002

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

715. 24003

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

716. 24004

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

717. 24005

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

718. 24006

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

719. 24007

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

720. 24008

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

721. 24009

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

722. 24010

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

723. 24011

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

724. 24012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

725. 24013

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

726. 24014

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

727. 24015

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

728. 24016

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

729. 24017

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

730. 24018

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

731. 24019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

732. 24020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

733. 24021

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

734. 24022

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

735. 24023

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

736. 24024

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

737. 24025

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

738. 24026

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

739. 24027

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

740. 24028

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

741. 24029

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

742. 24030

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

743. 24031

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

744. 24032

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

745. 24033

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

746. 24034

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

747. 24035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

748. 24036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

749. 24037

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

750. 24038

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

751. 24039

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

752. 24040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

753. 24041

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

754. 24042

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

755. 24043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

756. 24044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

757. 24045

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

758. 24046

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

759. 24047

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

760. 24048

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

761. 24049

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

762. 24050

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

763. 24051

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

764. 24052

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

765. 24053

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

766. 24054

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

767. 24055

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

768. 24056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

769. 24057

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

770. 24058

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

771. 24059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

772. 24060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

773. 24061

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

774. 24062

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

775. 24063

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

776. 24064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

777. 24065

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

778. 24066

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

779. 24067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

780. 24068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

781. 24069

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

782. 24070

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

783. 24071

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

784. 24072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

785. 24073

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

786. 24074

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

787. 24075

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

788. 24076

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

789. 24077

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

790. 24078

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

791. 24079

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

792. 24080

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

793. 24081

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

794. 24082

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

795. 24083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

796. 24084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

797. 24085

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

798. 24086

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

799. 24087

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

800. 24088

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

801. 24089

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

802. 24090

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

803. 24091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

804. 24092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

805. 24093

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

806. 24094

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

807. 24095

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

808. 24096

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

809. 24097

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

810. 24098

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

811. 24099

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

812. 24100

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

813. 24101

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

814. 24102

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

815. 24103

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

816. 24104

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

817. 24105

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

818. 24106

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

819. 24107

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

820. 24108

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

821. 24109

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

822. 24110

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

823. 24111

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

824. 24112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

825. 24113

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

826. 24114

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

827. 24115

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

828. 24116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

829. 24117

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

830. 24118

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

831. 24119

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

832. 24120

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

833. 24121

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

834. 24122

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

835. 24123

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

836. 24124

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

837. 24125

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

838. 24126

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

839. 24127

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

840. 24128

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

841. 24129

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

842. 24130

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

843. 24131

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

844. 24132

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

845. 24133

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

846. 24134

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

847. 24135

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

848. 24136

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

849. 24137

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

850. 24138

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

851. 24139

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

852. 24140

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

853. 24141

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

854. 24142

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

855. 24143

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

856. 24144

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

857. 24145

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

858. 24146

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

859. 24147

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

860. 24148

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

861. 24149

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

862. 24150

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

863. 24151

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

864. 24152

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

865. 24153

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

866. 24154

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

867. 24155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

868. 24156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

869. 24157

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

870. 24158

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

871. 24159

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

872. 24160

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

873. 24161

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

874. 24162

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

875. 24163

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

876. 24164

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

877. 24165

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

878. 24166

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

879. 24167

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

880. 24168

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

881. 24169

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

882. 24170

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

883. 24171

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

884. 24172

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

885. 24173

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

886. 24174

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

887. 24175

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

888. 24176

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

889. 24177

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

890. 24178

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

891. 24179

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

892. 24180

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

893. 24181

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

894. 24182

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

895. 24183

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

896. 24184

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

897. 24185

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

898. 24186

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

899. 24187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

900. 24188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

901. 24189

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

902. 24190

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

903. 24191

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

904. 24192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

905. 24193

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

906. 24194

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

907. 24195

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

908. 24196

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

909. 24197

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

910. 24198

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

911. 24199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

912. 24201

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

913. 24202

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

914. 24203

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

915. 24204

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

916. 24205

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

917. 24206

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

918. 24207

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

919. 24208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

920. 24209

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

921. 24210

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

922. 24211

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

923. 24212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

924. 24213

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

925. 24214

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

926. 24215

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

927. 24216

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

928. 24217

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

929. 24218

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

930. 24219

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

931. 24220

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

932. 24221

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

933. 24222

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

934. 24223

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

935. 24224

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

936. 24225

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

937. 24226

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

938. 24227

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

939. 24228

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

940. 24229

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

941. 24230

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

942. 24231

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

943. 24232

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

944. 24233

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

945. 24234

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

946. 24235

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

947. 24236

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

948. 24237

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

949. 24238

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

950. 24239

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

951. 24240

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

952. 24241

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

953. 24242

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

954. 24243

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

955. 24244

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

956. 24245

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

957. 24246

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

958. 24247

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

959. 24248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

960. 24249

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

961. 24250

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

962. 24251

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

963. 24252

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

964. 24253

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

965. 24254

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

966. 24255

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

967. 24256

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

968. 24257

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

969. 24258

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

970. 24259

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

971. 24260

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

972. 24261

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

973. 24262

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

974. 24263

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

975. 24264

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

976. 24265

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

977. 24266

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

978. 24267

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

979. 24268

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

980. 24269

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

981. 24270

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

982. 24271

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

983. 24272

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

984. 24273

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

985. 24274

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

986. 24275

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

987. 24276

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

988. 24277

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

989. 24278

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

990. 24279

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

991. 24280

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

992. 24281

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

993. 24282

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

994. 24283

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

995. 24284

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

996. 24285

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

997. 24286

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

998. 24287

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

999. 24288

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1000. 24289

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1001. 24290

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1002. 24291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1003. 24292

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1004. 24293

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1005. 24294

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1006. 24342

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1007. 24295
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1008. 24296
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1009. 24297
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1010. 24298
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1011. 24299
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1012. 24300
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1013. 24301
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1014. 24302
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1015. 24303
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1016. 24304
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1017. 24305
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1018. 24306

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1019. 24307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1020. 24308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1021. 24309

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1022. 24310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1023. 24311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1024. 24312
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1025. 24313
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1026. 24314
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1027. 24315
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1028. 24316
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

1029. 24317

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1030. 24318

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1031. 24319

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1032. 24320

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1033. 24321

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1034. 24322

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1035. 24323

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1036. 24324

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1037. 24325

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1038. 24326

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1039. 24327

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1040. 24328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1041. 24329

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1042. 24330

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1043. 24331

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1044. 24332

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1045. 24333

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1046. 24334

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1047. 24335

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1048. 24336

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1049. 24337

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1050. 24338

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1051. 24339

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1052. 24340

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1053. 24341

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1054. 24343

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1055. 24344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1056. 24345

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1057. 24346

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1058. 24347

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1059. 24348

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1060. 24349

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1061. 24350

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1062. 24351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1063. 24352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1064. 24353

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1065. 24354

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1066. 24355

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1067. 24356

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1068. 24357

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1069. 24358

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1070. 24359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1071. 24360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1072. 24361

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1073. 24362

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1074. 24363

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1075. 24364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1076. 24365

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1077. 24366

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1078. 24367

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1079. 24368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1080. 24369

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1081. 24370

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1082. 24371

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1083. 24372
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1084. 24373
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1085. 24374
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1086. 24375
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1087. 24376
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1088. 24377

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1089. 24378

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1090. 24379

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1091. 24380

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1092. 24381

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1093. 24382

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1094. 24383

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1095. 24384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1096. 24385

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1097. 24386

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1098. 24387

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1099. 24388

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1100. 24389

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1101. 24390

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1102. 24391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1103. 24392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1104. 24393

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1105. 24394

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1106. 24395

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1107. 24396

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1108. 24397

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1109. 24398
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1110. 24399
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1111. 24400
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1112. 24401
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1113. 24402
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1114. 24403
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1115. 24404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1116. 24405

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1117. 24406

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1118. 24407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1119. 24408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1120. 24409

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1121. 24410

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1122. 24411

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1123. 24412

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1124. 24413

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1125. 24414

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1126. 24415

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1127. 24416

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1128. 24417

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1129. 24418

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1130. 24419

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1131. 24420

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1132. 24421

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1133. 24422

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1134. 24423

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1135. 24424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1136. 24425

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1137. 24426

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1138. 24427

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1139. 24428

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1140. 24429

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1141. 24430

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1142. 24431

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1143. 24432

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1144. 24433

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1145. 24434

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1146. 24435

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1147. 24436

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1148. 24437

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1149. 24438

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1150. 24439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1151. 24440

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1152. 24441

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1153. 24442

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1154. 24443

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1155. 24444

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1156. 24445

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1157. 24446

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1158. 24447

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1159. 24448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1160. 24449

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1161. 24450

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1162. 24451

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1163. 24452

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1164. 24453

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1165. 24454

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1166. 24455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1167. 24456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1168. 24457

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1169. 24458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1170. 24459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1171. 24460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1172. 24461

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1173. 24462

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1174. 24463

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1175. 24488

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1176. 24464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1177. 24465

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1178. 24466

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1179. 24467

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1180. 24468

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1181. 24469

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1182. 24470

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1183. 24471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1184. 24472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1185. 24473

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1186. 24474

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1187. 24475

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1188. 24476

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1189. 24477

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1190. 24478

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1191. 24479
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1192. 24480
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1193. 24481
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1194. 24482
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1195. 24483
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1196. 24484

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1197. 24485

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1198. 24486

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1199. 24487

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1200. 24489

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1201. 24490

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1202. 24491

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1203. 24492

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1204. 24493

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1205. 24494

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1206. 24495

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1207. 24496

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1208. 24497

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1209. 24498

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1210. 24499

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1211. 24500

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1212. 24501

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1213. 24502

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1214. 24503

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1215. 24504

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1216. 24505

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1217. 24506

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1218. 24507

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1219. 24508

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1220. 24509

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1221. 24510

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1222. 24511

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1223. 24512

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1224. 24513

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1225. 24514

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1226. 24515

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1227. 24516

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1228. 24517

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1229. 24518

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1230. 24519

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1231. 24520

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1232. 24521

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1233. 24522

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1234. 24523

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1235. 24524

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1236. 24525

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1237. 24526

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1238. 24527

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1239. 24528

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1240. 24529

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1241. 24530

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1242. 24531

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1243. 24532

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1244. 24533

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1245. 24534

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1246. 24535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1247. 24536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1248. 24537

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1249. 24538

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1250. 24539

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1251. 24540

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1252. 24541

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1253. 24542

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1254. 24543

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1255. 24544

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1256. 24545

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1257. 24546

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1258. 24547

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1259. 24548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1260. 24549

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1261. 24550

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1262. 24551

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1263. 24552

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1264. 24553

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1265. 24554

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1266. 24555

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1267. 24556

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1268. 24557

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1269. 24558

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1270. 24559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1271. 24560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1272. 24561

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1273. 24562

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1274. 24563

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1275. 24564

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1276. 24565

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1277. 24566

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1278. 24567

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1279. 24568

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1280. 24569

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1281. 24570

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1282. 24571

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1283. 24572

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1284. 24573

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1285. 24574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1286. 24575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1287. 24576

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1288. 24577

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1289. 24578

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1290. 24579

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1291. 24580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1292. 24581

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1293. 24582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1294. 24583
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1295. 24584
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1296. 24585
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1297. 24586
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1298. 24587
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1299. 24588
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1300. 24589

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1301. 24590

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1302. 24591

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1303. 24592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1304. 24593

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1305. 24594

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1306. 24595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1307. 24596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1308. 24597

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1309. 24598

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1310. 24599

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1311. 24600

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1312. 24601

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1313. 24602

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1314. 24603

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1315. 24604

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1316. 24605

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1317. 24606

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1318. 24607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1319. 24608

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1320. 24609

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1321. 24610

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1322. 24611

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1323. 24612

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1324. 24613

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1325. 24614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1326. 24615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1327. 24616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1328. 24617

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1329. 24618

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1330. 24619

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1331. 24620

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1332. 24621

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1333. 24622

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1334. 24623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1335. 24624

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1336. 24625

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1337. 24626

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1338. 24627

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1339. 24628

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1340. 24629

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1341. 24630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1342. 24631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1343. 24632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1344. 24633

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1345. 24634

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1346. 24635

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1347. 24636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1348. 24637

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1349. 24638

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1350. 24639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1351. 24640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1352. 24641

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1353. 24642

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1354. 24643
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1355. 24644
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1356. 24645
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1357. 24646
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1358. 24647
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

1359. 24648

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1360. 24649

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1361. 24650

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1362. 24651

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1363. 24652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

1364. 24653

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1365. 24654

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1366. 24655

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1367. 24656

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1368. 24657

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1369. 24658

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1370. 24659

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1371. 24660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1372. 24661

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1373. 24662

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1374. 24663

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1375. 24664

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1376. 24665

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1377. 24666

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1378. 24667

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1379. 24668

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1380. 24669

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1381. 24670

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1382. 24671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1383. 24672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1384. 24673

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1385. 24674

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1386. 24675

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1387. 24676

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1388. 24677

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1389. 24678

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1390. 24679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1391. 24680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1392. 24681

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1393. 24682

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1394. 24683

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1395. 24684

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1396. 24685

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1397. 24686

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1398. 24687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1399. 24688

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1400. 24689

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1401. 24690

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1402. 24691

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1403. 24692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1404. 24693

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1405. 24694

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1406. 24695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1407. 24696

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1408. 24697

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1409. 24698

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1410. 24699

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1411. 24700

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1412. 24701

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1413. 24702

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1414. 24703

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1415. 24704

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1416. 24705

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1417. 24706

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1418. 24707

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1419. 24708

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1420. 24709

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1421. 24710

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1422. 24711

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1423. 24712

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1424. 24713

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1425. 24714

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1426. 24715

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1427. 24716

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1428. 24717

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1429. 24718

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1430. 24719

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1431. 24720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1432. 24721

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1433. 24722

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1434. 24723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1435. 24724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1436. 24725

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1437. 24726

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1438. 24727

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1439. 24728

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1440. 24729

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1441. 24730

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1442. 24731

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1443. 24732

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1444. 24733

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1445. 24734

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1446. 24735

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1447. 24736

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1448. 24737

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1449. 24738

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1450. 24739

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1451. 24740

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1452. 24741

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1453. 24742

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1454. 24743

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1455. 24744

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1456. 24745

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1457. 24746

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1458. 24747

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1459. 24748

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1460. 24749

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1461. 24750

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1462. 24751
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1463. 24752
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1464. 24753
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1465. 24754
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1466. 24755
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1467. 24756

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1468. 24757

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1469. 24758

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1470. 24759

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1471. 24760

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1472. 24761

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1473. 24762

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1474. 24763

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1475. 24764

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1476. 24765

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1477. 24766

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

1478. 24767

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1479. 24768

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1480. 24769

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1481. 24770

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1482. 24771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1483. 24772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1484. 24773

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1485. 24774

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1486. 24775

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1487. 24776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1488. 24777

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1489. 24778

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1490. 24779

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1491. 24780

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1492. 24781

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1493. 24782

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1494. 24783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1495. 24784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1496. 24785

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1497. 24786

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1498. 24787

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1499. 24788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1500. 24789

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1501. 24790

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1502. 24791

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1503. 24792

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1504. 24793

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1505. 24794

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1506. 24795

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1507. 24796

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1508. 24797

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1509. 24798

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1510. 24799

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1511. 24800
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1512. 24801
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1513. 24802
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1514. 24803
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1515. 24804
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

1516. 24805

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1517. 24806

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1518. 24807

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1519. 24808

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1520. 24809

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1521. 24810

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1522. 24811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1523. 24812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1524. 24813

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1525. 24814

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1526. 24815

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1527. 24816

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1528. 24817

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1529. 24818

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1530. 24819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1531. 24820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1532. 24821

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1533. 24822

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1534. 24823

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1535. 24824

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1536. 24825

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1537. 24826

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1538. 24827

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1539. 24828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1540. 24829

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1541. 24830

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1542. 24831

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1543. 24832

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1544. 24833

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1545. 24834

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1546. 24835

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1547. 24836

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1548. 24837

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1549. 24838

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1550. 24839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1551. 24840

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1552. 24841

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1553. 24842

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1554. 24843

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1555. 24844

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1556. 24845

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1557. 24846

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1558. 24847

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1559. 24848

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1560. 24849
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1561. 24850
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1562. 24851
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1563. 24852
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1564. 24853
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1565. 24854

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1566. 24855

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1567. 24856

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1568. 24857

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1569. 24858

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1570. 24859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1571. 24860
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1572. 24861
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1573. 24862
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1574. 24863
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1575. 24864
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

1576. 24865

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1577. 24866

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1578. 24867

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1579. 24868

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1580. 24869

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

1581. 24870

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1582. 24871

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1583. 24872

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1584. 24873

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1585. 24874

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1586. 24875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1587. 24876

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1588. 24877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1589. 24878

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1590. 24879

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1591. 24880

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1592. 24881

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1593. 24882

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1594. 24883

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1595. 24884

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1596. 24885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1597. 24886
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1598. 24887
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1599. 24888
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1600. 24889
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1601. 24890
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1602. 24891
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1603. 24892

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1604. 24893

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1605. 24894

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1606. 24895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1607. 24896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1608. 24897

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1609. 24898

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1610. 24899

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1611. 24900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1612. 24901

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1613. 24902

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1614. 24903

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1615. 24904

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1616. 24905

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1617. 24906

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1618. 24907

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1619. 24908

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1620. 24909

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1621. 24910

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1622. 24911

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1623. 24912

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1624. 24913

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1625. 24914

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1626. 24915

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1627. 24916

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1628. 24917

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1629. 24918

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1630. 24919
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1631. 24920
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1632. 24921
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1633. 24922
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1634. 24923
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1635. 24924

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1636. 24925

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1637. 24926

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1638. 24927

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1639. 24928

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1640. 24929

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1641. 24930

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1642. 24931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1643. 24932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1644. 24933

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1645. 24934

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1646. 24935

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1647. 24936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1648. 24937

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1649. 24938

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1650. 24939

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1651. 24940

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1652. 24941

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1653. 24942

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1654. 24943

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1655. 24944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1656. 24945

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1657. 24946

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1658. 24947

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1659. 24948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1660. 24949

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1661. 24950

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1662. 24951

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1663. 24952
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1664. 24953
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1665. 24954
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1666. 24955
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1667. 24956
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

1668. 24957

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1669. 24958

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1670. 24959

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1671. 24960

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1672. 24961

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1673. 24962

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1674. 24963

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1675. 24964

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1676. 24965

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1677. 24966

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1678. 24967

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1679. 24968

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1680. 24969

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1681. 24970

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1682. 24971

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1683. 24972

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1684. 24973

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1685. 24974

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1686. 24975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1687. 24976

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1688. 24977

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1689. 24978

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1690. 24979

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1691. 24980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1692. 24981

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1693. 24982

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1694. 24983

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1695. 24984

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1696. 24985

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1697. 24986

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1698. 24987

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1699. 24988

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1700. 24989

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1701. 24990

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1702. 24991

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1703. 24992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1704. 24993

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1705. 24994

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1706. 24995

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1707. 24996

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1708. 24997

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1709. 24998

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1710. 24999

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1711. 25000

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1712. 25001

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1713. 25002

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1714. 25003

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1715. 25004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1716. 25005

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1717. 25006

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1718. 25007

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1719. 25008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1720. 25009

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1721. 25010

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1722. 25011

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1723. 25012

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1724. 25013

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1725. 25014

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1726. 25015

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1727. 25016

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1728. 25017

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1729. 25018

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1730. 25019

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1731. 25020

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1732. 25021

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1733. 25022

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1734. 25023

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1735. 25024

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1736. 25025

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1737. 25026

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1738. 25027

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1739. 25028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1740. 25029

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1741. 25030

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1742. 25031

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1743. 25032

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1744. 25033

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1745. 25034

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1746. 25035

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1747. 25036

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1748. 25037

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1749. 25038

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1750. 25039

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1751. 25040

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1752. 25041

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1753. 25042

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1754. 25043

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1755. 25044

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1756. 25045

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1757. 25046

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1758. 25047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1759. 25048

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1760. 25049

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1761. 25050

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1762. 25051

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1763. 25052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1764. 25053

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1765. 25054

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1766. 25055
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1767. 25056
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1768. 25057
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1769. 25058
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1770. 25059
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1771. 25060

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1772. 25061

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1773. 25062

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1774. 25063

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1775. 25064

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1776. 25065

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1777. 25066

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1778. 25067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1779. 25068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1780. 25069

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1781. 25070

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1782. 25071

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1783. 25072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1784. 25073

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1785. 25074

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1786. 25075

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1787. 25076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1788. 25077

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1789. 25078

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1790. 25079

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1791. 25080

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1792. 25081

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1793. 25082

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1794. 25083

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1795. 25084

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1796. 25085

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1797. 25086

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1798. 25087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1799. 25088
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1800. 25089
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1801. 25090
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1802. 25091
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1803. 25092
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

1804. 25093

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1805. 25094

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1806. 25095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1807. 25096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1808. 25097

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1809. 25098

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1810. 25099

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1811. 25100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1812. 25101

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1813. 25102

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1814. 25103

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1815. 25104

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1816. 25105

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1817. 25106

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1818. 25107

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1819. 25108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1820. 25109

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1821. 25110

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1822. 25111

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1823. 25112

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1824. 25113

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1825. 25114

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1826. 25115

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1827. 25116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1828. 25117

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1829. 25118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1830. 25119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1831. 25120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1832. 25121

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1833. 25122

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1834. 25123

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1835. 25124

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1836. 25125

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1837. 25126

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1838. 25127

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1839. 25128

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1840. 25129

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1841. 25130

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1842. 25131

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1843. 25132

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1844. 25133

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1845. 25134

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1846. 25135

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1847. 25136

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1848. 25137

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1849. 25138

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1850. 25139

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1851. 25140

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1852. 25141

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1853. 25142

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1854. 25143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1855. 25144

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1856. 25145

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1857. 25146

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1858. 25147

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1859. 25148

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1860. 25149

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1861. 25150

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1862. 25151

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1863. 25152

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1864. 25153

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1865. 25154

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1866. 25155

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1867. 25156

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1868. 25157

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1869. 25158
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1870. 25159
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1871. 25160
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1872. 25161
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1873. 25162
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1874. 25163
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1875. 25164
CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1876. 25165

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1877. 25166

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1878. 25167

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1879. 25168

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1880. 25169

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1881. 25170

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1882. 25171

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1883. 25172

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1884. 25173

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1885. 25174

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1886. 25175

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1887. 25176

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1888. 25177

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1889. 25178

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1890. 25179

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1891. 25180

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1892. 25181

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1893. 25182

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1894. 25183

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1895. 25184

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1896. 25185

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1897. 25186

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1898. 25187

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1899. 25188

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1900. 25189

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1901. 25190

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

1902. 25191
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1903. 25192
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1904. 25193
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1905. 25194
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1906. 25195
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1907. 25196

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1908. 25197

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1909. 25198

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1910. 25199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1911. 25200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1912. 25201

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1913. 25202

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1914. 25203

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1915. 25204

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1916. 25205

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1917. 25206

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1918. 25207

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1919. 25208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1920. 25209

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1921. 25210

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1922. 25211

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1923. 25212

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1924. 25213

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1925. 25214

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1926. 25215

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1927. 25216

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1928. 25217

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1929. 25218

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1930. 25219

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1931. 25220

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1932. 25221

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1933. 25222

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1934. 25223

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1935. 25224
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1936. 25225
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1937. 25226
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1938. 25227
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1939. 25228
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

1940. 25229

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1941. 25230

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1942. 25231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1943. 25232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1944. 25400

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1945. 25233

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1946. 25234

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1947. 25235

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1948. 25236

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1949. 25237

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1950. 25238

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1951. 25239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1952. 25240

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1953. 25241

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1954. 25242

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1955. 25243

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1956. 25244

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1957. 25245

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1958. 25246

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1959. 25247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1960. 25248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1961. 25249

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1962. 25250

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1963. 25251

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1964. 25252

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1965. 25253

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1966. 25254

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1967. 25255

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1968. 25256

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1969. 25257

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1970. 25258

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1971. 25259

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1972. 25260

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

1973. 25261

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

1974. 25262

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1975. 25263

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1976. 25264

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1977. 25265

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1978. 25266

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1979. 25267

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1980. 25268

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1981. 25269

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1982. 25270

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1983. 25271

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

1984. 25272
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

1985. 25273
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

1986. 25274
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

1987. 25275
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1988. 25276
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

1989. 25277

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1990. 25278

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1991. 25279

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

1992. 25280

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

1993. 25281

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

1994. 25282

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

1995. 25283

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1996. 25284

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

1997. 25285

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

1998. 25286

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

1999. 25287

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2000. 25288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2001. 25289

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2002. 25290

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2003. 25291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2004. 25292

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2005. 25293

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2006. 25294

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2007. 25295

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2008. 25296

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2009. 25297

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2010. 25298

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2011. 25299

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2012. 25300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2013. 25301

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2014. 25302

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2015. 25303

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2016. 25304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2017. 25305

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2018. 25306

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2019. 25307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2020. 25308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2021. 25309

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2022. 25310

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2023. 25311

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2024. 25312

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2025. 25313

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2026. 25314

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2027. 25315

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2028. 25316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2029. 25317

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2030. 25318

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2031. 25319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2032. 25320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2033. 25321

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2034. 25322

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2035. 25323

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2036. 25324

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2037. 25325

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2038. 25326

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2039. 25327

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2040. 25328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2041. 25329

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2042. 25330

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2043. 25331

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2044. 25332

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2045. 25333

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2046. 25334

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2047. 25335

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2048. 25336

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2049. 25337

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2050. 25338

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2051. 25339

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2052. 25340

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2053. 25341

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2054. 25342

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2055. 25343

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2056. 25344

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2057. 25345

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2058. 25346

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2059. 25347

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2060. 25348

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2061. 25349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2062. 25350

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2063. 25351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2064. 25352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2065. 25353

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2066. 25354

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2067. 25355

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2068. 25356

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2069. 25357

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2070. 25358

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2071. 25359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2072. 25360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2073. 25361

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2074. 25362

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2075. 25363

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2076. 25364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2077. 25365

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2078. 25366

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2079. 25367

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2080. 25368

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2081. 25369

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2082. 25370

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2083. 25371

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2084. 25372

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2085. 25373

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2086. 25374

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2087. 25375
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2088. 25376
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2089. 25377
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2090. 25378
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2091. 25379
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2092. 25380
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2093. 25381

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2094. 25382

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2095. 25383

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2096. 25384

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2097. 25385

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2098. 25386

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2099. 25387

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2100. 25388

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2101. 25389

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2102. 25390

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2103. 25391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2104. 25392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2105. 25393

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2106. 25394

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2107. 25395

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2108. 25396

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2109. 25397

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2110. 25398

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2111. 25399

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2112. 25401

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2113. 25402

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2114. 25403

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2115. 25404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2116. 25405

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2117. 25406

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2118. 25407

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2119. 25408

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2120. 25409

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2121. 25410

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2122. 25411

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2123. 25412

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2124. 25413

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2125. 25414

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2126. 25415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2127. 25416

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2128. 25417

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2129. 25418

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2130. 25419

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2131. 25420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2132. 25421

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2133. 25422

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2134. 25423

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2135. 25424

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2136. 25544
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2137. 25425
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2138. 25426
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2139. 25427
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2140. 25428
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2141. 25429

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2142. 25430

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2143. 25431

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2144. 25432

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2145. 25433

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2146. 25434

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2147. 25435

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2148. 25436

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2149. 25437

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2150. 25438

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2151. 25439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2152. 25440

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2153. 25441

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2154. 25442

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2155. 25443

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2156. 25444

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2157. 25445

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2158. 25446

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2159. 25447

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2160. 25448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2161. 25449

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2162. 25450

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2163. 25451

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2164. 25452

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2165. 25453

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2166. 25454

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2167. 25455

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2168. 25456

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2169. 25457

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2170. 25458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2171. 25459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2172. 25460

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2173. 25461

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2174. 25462

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2175. 25463

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2176. 25464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2177. 25465

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2178. 25466

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2179. 25467

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2180. 25468

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2181. 25469

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2182. 25470

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2183. 25471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2184. 25472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2185. 25473

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2186. 25474

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2187. 25475

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2188. 25476

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2189. 25477

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2190. 25478

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2191. 25479

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2192. 25480

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2193. 25481

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2194. 25482

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2195. 25483

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2196. 25484

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2197. 25485

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2198. 25486

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2199. 25487

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2200. 25488

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2201. 25489

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2202. 25490

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2203. 25491

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2204. 25492

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2205. 25493

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2206. 25494

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2207. 25495

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2208. 25496

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2209. 25497

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2210. 25498

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2211. 25499

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2212. 25500

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2213. 25501

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2214. 25502

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2215. 25503

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2216. 25504

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2217. 25505

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2218. 25506

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2219. 25507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2220. 25508

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2221. 25509

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2222. 25510

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2223. 25511

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2224. 25512

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2225. 25513

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2226. 25514

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2227. 25515

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2228. 25516

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2229. 25517

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2230. 25518

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2231. 25519

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2232. 25520

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2233. 25521

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2234. 25522

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2235. 25523

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2236. 25524

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2237. 25525

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2238. 25526

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2239. 25527
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2240. 25528
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2241. 25529
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2242. 25530
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2243. 25531
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2244. 25532

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2245. 25533

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2246. 25534

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2247. 25535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2248. 25536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2249. 25537

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2250. 25538

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2251. 25539

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2252. 25540

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2253. 25541

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2254. 25542

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2255. 25543

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2256. 25545

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2257. 25546

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2258. 25547

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2259. 25548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2260. 25549

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2261. 25550

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2262. 25551

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2263. 25552

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2264. 25553

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2265. 25554

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2266. 25555

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2267. 25556

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2268. 25557

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2269. 25558

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2270. 25559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2271. 25560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2272. 25561

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2273. 25562

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2274. 25563

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2275. 25564

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2276. 25565

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2277. 25566

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2278. 25567

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2279. 25568

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2280. 26408

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2281. 25569

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2282. 25570

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2283. 25571

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2284. 25572

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2285. 25573

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2286. 25574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2287. 25575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2288. 25576

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2289. 25577

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2290. 25578

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2291. 25579

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2292. 25580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2293. 25581

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2294. 25582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2295. 25583

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2296. 25584

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2297. 25585

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2298. 25586

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2299. 25587

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2300. 25588

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2301. 25589

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2302. 25590

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2303. 25591

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2304. 25592
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2305. 25593
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2306. 25594
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2307. 25595
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2308. 25596
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

2309. 25597

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2310. 25598

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2311. 25599

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2312. 25600

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2313. 25601

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2314. 25602

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2315. 25603

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2316. 25604

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2317. 25605

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2318. 25606

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2319. 25607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2320. 25608

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2321. 25609

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2322. 25610

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2323. 25611

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2324. 25612

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2325. 25613

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2326. 25614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2327. 25615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2328. 25616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2329. 25617

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2330. 25618

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2331. 25619

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2332. 25620

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2333. 25621

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2334. 25622

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2335. 25623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2336. 25624

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2337. 25625

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2338. 25626

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2339. 25627

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2340. 25628

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2341. 25629

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2342. 25630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2343. 25631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2344. 25632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2345. 25633

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2346. 25634

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2347. 25635

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2348. 25636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2349. 25637

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2350. 25638

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2351. 25639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2352. 25640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2353. 25641

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2354. 25642

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2355. 25643

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2356. 25644

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2357. 25645

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2358. 25646

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2359. 25647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2360. 25648

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2361. 25649

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2362. 25650

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2363. 25651

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2364. 25652

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2365. 25653

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2366. 25654

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2367. 25655

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2368. 25656

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2369. 25657

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2370. 25658

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2371. 25659

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2372. 25660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2373. 25661

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2374. 25662

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2375. 25663

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2376. 25664

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2377. 25665

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2378. 25666

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2379. 25667

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2380. 25668

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2381. 25669

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2382. 25670

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2383. 25671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2384. 25672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2385. 25673

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2386. 25674

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2387. 25675

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2388. 25676

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2389. 25677

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2390. 25678

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2391. 25679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2392. 25680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2393. 25681

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2394. 25682

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2395. 25683

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2396. 25684

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2397. 25685

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2398. 25686

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2399. 25687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2400. 25688

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2401. 25689

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2402. 25690

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2403. 25691

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2404. 25692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2405. 25693

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2406. 25694

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2407. 25695
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2408. 25696
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2409. 25697
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2410. 25698
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2411. 25699
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2412. 25700

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2413. 25701

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2414. 25702

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2415. 25703

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2416. 25704

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2417. 25705

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2418. 25706

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2419. 25707

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2420. 25708

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2421. 25709

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2422. 25710

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2423. 25711

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2424. 25712

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2425. 25713

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2426. 25714

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2427. 25715

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2428. 25716

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2429. 25717

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2430. 25718

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2431. 25719

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2432. 25720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2433. 25721

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2434. 25722

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2435. 25723

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2436. 25724

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2437. 25725

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2438. 25726

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2439. 25727

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2440. 25728

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2441. 25729

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2442. 25730

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2443. 25731

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2444. 25732

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2445. 25733

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2446. 25734

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2447. 25735

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2448. 25736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2449. 25737

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2450. 25738

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2451. 25739
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2452. 25740
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2453. 25741
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2454. 25742
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2455. 25743
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

2456. 25744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2457. 25745

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2458. 25746

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2459. 25747

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2460. 25748

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

2461. 25749

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2462. 25750

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2463. 25751

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2464. 25752

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2465. 25753

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2466. 25754

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2467. 25755

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2468. 25756

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2469. 25757

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2470. 25758

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2471. 25759

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2472. 25760

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2473. 25761

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2474. 25762

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2475. 25763

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2476. 25764

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2477. 25765

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2478. 25766

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2479. 25767

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2480. 25768

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2481. 25769

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2482. 25770

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2483. 25771

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2484. 25772

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2485. 25773

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2486. 25774

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2487. 25775

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2488. 25776

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2489. 25777

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2490. 25778

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2491. 25779

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2492. 25780

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2493. 25781

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2494. 25782

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2495. 25783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2496. 25784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2497. 25785

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2498. 25786

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2499. 25787

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2500. 25788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2501. 25789

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2502. 25790

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2503. 25791

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2504. 25792

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2505. 25793

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2506. 25794

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2507. 25795

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2508. 25796

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2509. 25797

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2510. 25798

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2511. 25799

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2512. 25800

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2513. 25801

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2514. 25802

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2515. 25803

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2516. 25804

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2517. 25805

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2518. 25806

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2519. 25807

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2520. 25808

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2521. 25809

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2522. 25810

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2523. 25811

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2524. 25812

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2525. 25813

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2526. 25814

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2527. 25815

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2528. 25816

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2529. 25817

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2530. 25818

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2531. 25819

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2532. 25820

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2533. 25821

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2534. 25822

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2535. 25823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2536. 25824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2537. 25825

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2538. 25826

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2539. 25827

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2540. 25828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2541. 25829

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2542. 25830

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2543. 25831

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2544. 25832

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2545. 25833

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2546. 25834

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2547. 25835

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2548. 25836

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2549. 25837

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2550. 25838

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2551. 25839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2552. 25840

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2553. 25841

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2554. 25842

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2555. 25843

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2556. 25844

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2557. 25845

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2558. 25846

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2559. 25847

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2560. 25848

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2561. 25849

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2562. 25850

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2563. 25851

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2564. 25852

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2565. 25853

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2566. 25854

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2567. 25855

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2568. 25856

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2569. 25857

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2570. 25858

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2571. 25859

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2572. 25860

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2573. 25861

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2574. 25862

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2575. 25863

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2576. 25864

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2577. 25865

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2578. 25866

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2579. 25867

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2580. 25868

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2581. 25869

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2582. 25870

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2583. 25871

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2584. 25872

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2585. 25873

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2586. 25874

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2587. 25875

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2588. 25876

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2589. 25877

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2590. 25878

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2591. 25879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2592. 25880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2593. 25881

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2594. 25882

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2595. 25883

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2596. 25884

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2597. 25885

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2598. 25886

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2599. 25887

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2600. 25888

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2601. 25889

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2602. 25890

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2603. 25891

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2604. 25892

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2605. 25893

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2606. 25894

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2607. 25895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2608. 25896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2609. 25897

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2610. 25898

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2611. 25899

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2612. 25900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

2613. 25901

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2614. 25902

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2615. 25903

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2616. 25904

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2617. 25905

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2618. 25906

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2619. 25907

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2620. 25908

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2621. 25909

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2622. 25910

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2623. 25911

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2624. 25912

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2625. 25913

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2626. 25914

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2627. 25915

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2628. 25916

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2629. 25917

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2630. 25918

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2631. 25919

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2632. 25920

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2633. 25921

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2634. 25922

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2635. 25923

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2636. 25924

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2637. 25925

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2638. 25926

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2639. 25927

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2640. 25928

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2641. 25929

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2642. 25930

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2643. 25931

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2644. 25932

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2645. 25933

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2646. 25934

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2647. 25935

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2648. 25936

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2649. 25937

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2650. 25938

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2651. 25939

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2652. 25940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2653. 25941

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2654. 25942

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2655. 25943

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2656. 25944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2657. 25945

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2658. 25946

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2659. 25947

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2660. 25948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2661. 25949

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2662. 25950

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2663. 25951

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2664. 25952

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2665. 25953

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2666. 25954

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2667. 25955

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2668. 25956

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2669. 25957

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2670. 25958

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2671. 25959

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2672. 25960

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2673. 25961

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2674. 25962

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2675. 25963

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2676. 25964

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2677. 25965

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2678. 25966

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2679. 25967

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2680. 25968

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2681. 25969

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2682. 25970

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2683. 25971

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2684. 25972

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2685. 25973

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2686. 25974

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2687. 25975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2688. 25976

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2689. 25977

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2690. 25978

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2691. 25979

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2692. 25980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2693. 25981

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2694. 25982

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2695. 25983

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2696. 25984

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2697. 25985

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2698. 25986

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2699. 25987

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2700. 25988

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2701. 25989

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2702. 25990

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2703. 25991

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2704. 25992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2705. 25993

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2706. 25994

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2707. 25995

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2708. 25996

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2709. 25997

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2710. 25998

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2711. 25999

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2712. 26000

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2713. 26001

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2714. 26002

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2715. 26003

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2716. 26004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2717. 26005

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2718. 26006

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2719. 26007

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2720. 26008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2721. 26009

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2722. 26010

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2723. 26011

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2724. 26012

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2725. 26013

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2726. 26014

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2727. 26015

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2728. 26016

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2729. 26017

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2730. 26018

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2731. 26019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2732. 26020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2733. 26021

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2734. 26022

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2735. 26023

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2736. 26024

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2737. 26025

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2738. 26026

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2739. 26027

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2740. 26028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2741. 26029

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2742. 26030

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2743. 26031

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2744. 26032

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2745. 26033

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2746. 26034

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2747. 26035

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2748. 26036

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2749. 26037

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2750. 26038

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2751. 26039

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2752. 26040

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2753. 26041

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2754. 26042

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2755. 26043

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2756. 26044

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2757. 26045

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2758. 26046

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2759. 26047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2760. 26048
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2761. 26049
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2762. 26050
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2763. 26051
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2764. 26052
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

2765. 26053

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2766. 26054

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2767. 26055

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2768. 26056

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2769. 26057

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2770. 26058

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2771. 26059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2772. 26060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2773. 26061

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2774. 26062

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2775. 26063

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2776. 26064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2777. 26065

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2778. 26066

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2779. 26067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2780. 26068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2781. 26069

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2782. 26070

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2783. 26071

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2784. 26072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2785. 26073

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2786. 26074

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2787. 26075

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2788. 26076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2789. 26077

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2790. 26078

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2791. 26079

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2792. 26080

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2793. 26081

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2794. 26082

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2795. 26083

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2796. 26084

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2797. 26085

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2798. 26086

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2799. 26087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2800. 26088

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2801. 26089

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2802. 26090

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2803. 26091

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2804. 26092

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2805. 26093

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2806. 26094

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2807. 26095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2808. 26096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2809. 26097

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2810. 26098

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2811. 26099

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2812. 26100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2813. 26101

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2814. 26102

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2815. 26103

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2816. 26104

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2817. 26105

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2818. 26106

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2819. 26107

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2820. 26108
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2821. 26109
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2822. 26110
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2823. 26111
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2824. 26112
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

2825. 26113

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2826. 26114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2827. 26115

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2828. 26116

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2829. 26117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2830. 26118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2831. 26119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2832. 26120

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2833. 26121

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2834. 26122

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2835. 26123

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2836. 26124

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2837. 26125

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2838. 26126

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2839. 26127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2840. 26128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2841. 26129

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2842. 26130

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2843. 26131

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2844. 26132

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2845. 26133

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2846. 26134

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2847. 26135

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2848. 26136

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2849. 26137

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2850. 26138

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2851. 26139

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2852. 26140

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2853. 26141

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2854. 26142

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2855. 26143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2856. 26144

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2857. 26145

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2858. 26146

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2859. 26147

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2860. 26148

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2861. 26149

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2862. 26150

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2863. 26151

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2864. 26152

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2865. 26153

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2866. 26154

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2867. 26155

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2868. 26156

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2869. 26157

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2870. 26158

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2871. 26159

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2872. 26160

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2873. 26161

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2874. 26162

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2875. 26163

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2876. 26164

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2877. 26165

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2878. 26166

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2879. 26167
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2880. 26168
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2881. 26169
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2882. 26170
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

2883. 26171
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2884. 26172
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2885. 26173

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2886. 26174

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2887. 26175

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2888. 26176

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2889. 26177

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2890. 26178

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2891. 26179

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2892. 26180

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2893. 26181

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2894. 26182

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2895. 26183

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2896. 26184

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2897. 26185

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2898. 26186

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2899. 26187

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2900. 26188

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2901. 26189

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2902. 26190

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2903. 26191

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2904. 26192

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2905. 26193

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2906. 26194

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2907. 26195

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2908. 26196

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2909. 26197

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2910. 26198

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

2911. 26199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2912. 26200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2913. 26201

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2914. 26202

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2915. 26203

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2916. 26204

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2917. 26205

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2918. 26206

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2919. 26207

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2920. 26208

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2921. 26209

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2922. 26210

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2923. 26211

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2924. 26212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2925. 26213

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2926. 26214

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2927. 26215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2928. 26216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2929. 26217

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2930. 26218

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2931. 26219

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2932. 26220

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2933. 26221

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2934. 26222

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2935. 26223

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2936. 26224

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2937. 26225

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2938. 26226

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2939. 26227

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2940. 26228

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2941. 26229

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2942. 26230

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2943. 26231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2944. 26232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2945. 26233

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2946. 26234

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2947. 26235

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2948. 26236

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

2949. 26237

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2950. 26238

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2951. 26239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2952. 26240

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2953. 26241

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2954. 26242

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2955. 26243

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2956. 26244

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2957. 26245

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2958. 26246

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2959. 26247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2960. 26248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2961. 26249

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2962. 26250

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2963. 26251

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2964. 26252

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2965. 26253

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2966. 26254

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2967. 26255

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2968. 26256

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2969. 26257

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2970. 26258

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2971. 26259

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2972. 26260

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2973. 26261

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2974. 26262

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2975. 26263

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2976. 26264

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2977. 26265

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2978. 26266

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2979. 26267

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2980. 26268

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

2981. 26269

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2982. 26270

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2983. 26271

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

2984. 26272

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2985. 26273

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

2986. 26274

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2987. 26275

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

2988. 26276
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

2989. 26277
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

2990. 26278
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

2991. 26279
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2992. 26280
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2993. 26281

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

2994. 26282

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

2995. 26283

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

2996. 26284

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

2997. 26285

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

2998. 26286

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

2999. 26287

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3000. 26288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3001. 26289

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3002. 26290

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3003. 26291

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3004. 26292

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3005. 26293

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3006. 26294

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3007. 26295

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3008. 26296

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3009. 26297

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3010. 26298

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3011. 26299

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3012. 26300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3013. 26301

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3014. 26302

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3015. 26303

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3016. 26304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3017. 26305

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3018. 26306

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3019. 26307

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3020. 26308

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3021. 26309

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3022. 26310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3023. 26311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3024. 26312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3025. 26313

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3026. 26314

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3027. 26315

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3028. 26316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3029. 26317

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3030. 26318

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3031. 26319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3032. 26320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3033. 26321

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3034. 26322

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3035. 26323

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3036. 26324

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3037. 26325

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3038. 26326

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3039. 26327

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3040. 26328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3041. 26329

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3042. 26330

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3043. 26331

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3044. 26332

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3045. 26333

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3046. 26334

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3047. 26335
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3048. 26336
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3049. 26337
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3050. 26338
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3051. 26339
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3052. 26340

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3053. 26341

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3054. 26342

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3055. 26343

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3056. 26344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3057. 26345

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3058. 26346

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3059. 26347

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3060. 26348

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3061. 26349

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3062. 26350

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3063. 26351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3064. 26352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3065. 26353

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3066. 26354

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3067. 26355

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3068. 26356

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3069. 26357

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3070. 26358

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3071. 26359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3072. 26360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3073. 26361

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3074. 26362

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3075. 26363

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3076. 26364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3077. 26365

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3078. 26366

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3079. 26367

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3080. 26368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3081. 26369

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3082. 26370

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3083. 26371

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3084. 26372

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3085. 26373
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3086. 26374
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3087. 26375
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3088. 26376
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3089. 26377
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3090. 26378

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3091. 26379

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3092. 26380

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3093. 26381

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3094. 26382

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3095. 26383

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3096. 26384
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3097. 26385
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3098. 26386
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3099. 26387
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3100. 26388
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

3101. 26389

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3102. 26390

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3103. 26391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3104. 26392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3105. 26393

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3106. 26394

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3107. 26395

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3108. 26396

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3109. 26397

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3110. 26398

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3111. 26399

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3112. 26400

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3113. 26401

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3114. 26402

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3115. 26403

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3116. 26404

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3117. 26405

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3118. 26406

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3119. 26407

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3120. 26409

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3121. 26410

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3122. 26411

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3123. 26412

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3124. 26413

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3125. 26414

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3126. 26415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3127. 26416

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3128. 26417

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3129. 26418

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3130. 26419

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3131. 26420

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3132. 26421

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3133. 26422

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3134. 26423

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3135. 26424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3136. 26425

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3137. 26426

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3138. 26427

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3139. 26428

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3140. 26429

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3141. 26430

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3142. 26431

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3143. 26432

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3144. 26457

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3145. 26433

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3146. 26434

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3147. 26435

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3148. 26436

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3149. 26437

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3150. 26438

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3151. 26439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3152. 26440

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3153. 26441

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3154. 26442

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3155. 26443

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3156. 26444

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3157. 26445

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3158. 26446

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3159. 26447

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3160. 26448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3161. 26449

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3162. 26450

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3163. 26451

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3164. 26452

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3165. 26453

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3166. 26454

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3167. 26455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3168. 26456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3169. 26458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3170. 26459

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3171. 26460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3172. 26461

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3173. 26462

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3174. 26463

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3175. 26464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3176. 26465

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3177. 26466

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3178. 26467

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3179. 26468

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3180. 26469

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3181. 26470

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3182. 26471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3183. 26472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3184. 26473

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3185. 26474

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3186. 26475

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3187. 26476

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3188. 26477

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3189. 26478

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3190. 26479

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3191. 26480

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3192. 26485

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3193. 26505

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

3194. 26481

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3195. 26482

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3196. 26483

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3197. 26484

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3198. 26486

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3199. 26487

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3200. 26488

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3201. 26489

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3202. 26490

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3203. 26491

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3204. 26492

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3205. 26493

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3206. 26494

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3207. 26495

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3208. 26496

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3209. 26497

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3210. 26498

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3211. 26499

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3212. 26500

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3213. 26501

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3214. 26502
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3215. 26503
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3216. 26504
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3217. 26506
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

3218. 26507
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

3219. 26508
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

3220. 26509
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

3221. 26510
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3222. 26511
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

3223. 26512
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3224. 26513
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

3225. 26514
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3226. 26515
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3227. 26516

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3228. 26517

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3229. 26518

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

3230. 26519

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3231. 26520

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3232. 26521

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3233. 26522

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3234. 26523

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3235. 26524

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3236. 26525

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3237. 26526

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3238. 26527

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3239. 26528

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3240. 26574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3241. 26529

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3242. 26530

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3243. 26531

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3244. 26532

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3245. 26533

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3246. 26534

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3247. 26535

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3248. 26536

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3249. 26537

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3250. 26538

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3251. 26539

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3252. 26540

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3253. 26541

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3254. 26542

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3255. 26543

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3256. 26544

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3257. 26545

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3258. 26546

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3259. 26547

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3260. 26548

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3261. 26549

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3262. 26550

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3263. 26551

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3264. 26552

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3265. 26553

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3266. 26554

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3267. 26555

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3268. 26556

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3269. 26557

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3270. 26558

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3271. 26559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3272. 26560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3273. 26561

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3274. 26562

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3275. 26563

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3276. 26564

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3277. 26565

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3278. 26566

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3279. 26567

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3280. 26568

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3281. 26569

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3282. 26570

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3283. 26571

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3284. 26572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3285. 26573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3286. 28656

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: http://127.0.0.1:4000/health (status 200)

3287. 26575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3288. 26576

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3289. 26577

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3290. 26578

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3291. 26579

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3292. 26580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3293. 26581

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3294. 26582

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3295. 26583

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3296. 26584

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3297. 26585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3298. 26586

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3299. 26587

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3300. 26588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3301. 26589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3302. 26590

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3303. 26591

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3304. 26592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3305. 26593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3306. 26594

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3307. 26595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3308. 26596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3309. 26597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3310. 26620

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3311. 26598

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3312. 26599

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3313. 26600

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3314. 26601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3315. 26602

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3316. 26603

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3317. 26604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3318. 26605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3319. 26606

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3320. 26607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3321. 26608

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3322. 26609

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3323. 26610

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3324. 26611

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3325. 26612

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3326. 26613

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3327. 26614

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3328. 26615

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3329. 26616

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3330. 26617

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3331. 26618

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3332. 26619

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3333. 26621

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3334. 26622

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3335. 26623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3336. 26624

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3337. 26625

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3338. 26626

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3339. 26627

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3340. 26628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3341. 26629

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3342. 26630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3343. 26631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3344. 26632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3345. 26633

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3346. 26634

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3347. 26635

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3348. 26636

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3349. 26637

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3350. 26638

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3351. 26639

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3352. 26640

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3353. 26641

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3354. 26642

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3355. 26643

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3356. 26644

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3357. 26645

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3358. 26646

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3359. 26647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3360. 26648

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3361. 26649

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3362. 26650

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3363. 26651

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3364. 26652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3365. 26653

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3366. 26654

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3367. 26655

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3368. 26656

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3369. 26657

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3370. 26658
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3371. 26659
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3372. 26660
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3373. 26661
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3374. 26662
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3375. 26663

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3376. 26664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3377. 26665

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3378. 26666

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3379. 26667

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3380. 26668

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3381. 29527

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: <http://127.0.0.1:4000/health> (status 200)

3382. 26669

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3383. 26670

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3384. 26671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3385. 26672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3386. 26673

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3387. 26674

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3388. 26675

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3389. 26676

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3390. 26677

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3391. 26678

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3392. 26679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3393. 26680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3394. 26681

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3395. 26682

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3396. 26683

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3397. 26684

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3398. 26685

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3399. 26686

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3400. 26687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3401. 26688

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3402. 26689

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3403. 26690

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3404. 26691

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3405. 26692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3406. 26693

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3407. 26694

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3408. 26695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3409. 26696

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3410. 26697

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3411. 26698

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3412. 26699

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3413. 26700

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3414. 26701

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3415. 26702

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3416. 26703

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3417. 26704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3418. 26705

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3419. 26706

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3420. 26707

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3421. 26708

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3422. 26709

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3423. 26710

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3424. 26711

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3425. 26712

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3426. 26713

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3427. 26714

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3428. 26715

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3429. 26716

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3430. 26717

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3431. 26718

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3432. 26719

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3433. 26720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3434. 26721

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3435. 26722

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3436. 26723

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3437. 26724

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3438. 26725

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3439. 26726

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3440. 26727

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3441. 26728

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3442. 26729

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3443. 26730

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3444. 26731

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3445. 26732

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3446. 26733

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3447. 26734

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3448. 26735

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3449. 26736

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3450. 26737

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3451. 26738

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3452. 26739

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3453. 26740

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3454. 26741

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3455. 26742

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3456. 26743

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3457. 26744
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3458. 26745
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3459. 26746
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3460. 26747
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3461. 26748
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3462. 26749
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3463. 26750

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3464. 26751

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3465. 26752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3466. 26753

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3467. 26754

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3468. 26755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3469. 26756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3470. 26757

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3471. 26758

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3472. 26759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3473. 26760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3474. 26761

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3475. 26762

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3476. 26763

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3477. 26764

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3478. 26765

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3479. 26766

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3480. 26767

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3481. 26768

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3482. 26769

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3483. 26770

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3484. 26771

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3485. 26772

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3486. 26773

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3487. 26774

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3488. 26775

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3489. 26776

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3490. 26777
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3491. 26778
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3492. 26779
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3493. 26780
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3494. 26781
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3495. 26782

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3496. 26783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3497. 26784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3498. 26785

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3499. 26786

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3500. 26787

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3501. 26788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3502. 26789

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3503. 26790

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3504. 26791

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3505. 26792

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3506. 26793

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3507. 26794

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3508. 26795

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3509. 26796

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3510. 26797

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3511. 26798

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3512. 26799

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3513. 26800

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3514. 26801

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3515. 26802

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3516. 26803

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3517. 26804

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3518. 26805

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3519. 26806

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3520. 26807

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3521. 26808

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3522. 26809

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3523. 26810

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3524. 26811

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3525. 26812

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3526. 26813

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3527. 26814

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3528. 26815

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3529. 26816

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3530. 26817

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3531. 26818

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3532. 26819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3533. 26820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3534. 26821
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3535. 26822
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3536. 26823
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3537. 26824
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3538. 26825
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3539. 26826

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3540. 26827

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3541. 26828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3542. 26829

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3543. 26830

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3544. 26831

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3545. 26832

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3546. 26833

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3547. 26834

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3548. 26835

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3549. 26836

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3550. 26837

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3551. 26838

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3552. 26839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3553. 26840

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3554. 26841

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3555. 26842

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3556. 26843

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3557. 26844

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3558. 26845

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3559. 26846

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3560. 26847

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3561. 26848

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3562. 26849

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3563. 26850

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3564. 26851

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3565. 26852

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3566. 26853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3567. 26854

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3568. 26855

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3569. 26856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3570. 26857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3571. 26858

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3572. 26859

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3573. 26860

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3574. 26861

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3575. 26862

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3576. 26863

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3577. 26864

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3578. 26865

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3579. 26866

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3580. 26867

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3581. 26868

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3582. 26869

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3583. 26870

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3584. 26871

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3585. 26872

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3586. 26873

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3587. 26874

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3588. 26875

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3589. 26876

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3590. 26877

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3591. 26878

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3592. 26879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3593. 26880
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3594. 26881
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3595. 26882
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3596. 26883
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3597. 26884
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3598. 26885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3599. 26886

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3600. 26887

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3601. 26888

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3602. 26889

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3603. 26890

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3604. 26891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3605. 26892

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3606. 26893

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3607. 26894

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3608. 26895

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3609. 26896

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3610. 26897

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3611. 26898

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3612. 26899

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3613. 26900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3614. 26901

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3615. 26902

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3616. 26903

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3617. 26904

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3618. 26905

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3619. 26906

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3620. 26907

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3621. 26908

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3622. 26909

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3623. 26910

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3624. 26911

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3625. 26912

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3626. 26913

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3627. 26914

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3628. 26915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3629. 26916

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3630. 26917

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3631. 26918

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3632. 26919
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3633. 26920
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3634. 26921
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3635. 26922
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: ftp

3636. 26923
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3637. 26924

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3638. 26925

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3639. 26926

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3640. 26927

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3641. 26928

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3642. 26929

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3643. 26930

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3644. 26931

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3645. 26932

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3646. 26933

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3647. 26934

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3648. 26935

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3649. 26936

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3650. 26937

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3651. 26938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3652. 26939

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3653. 26940
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3654. 26941
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3655. 26942
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3656. 26943
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1701244813

3657. 26944
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

3658. 26945
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

3659. 26946
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

3660. 26947
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

3661. 26948
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3662. 26949
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

3663. 26950
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3664. 26951
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

3665. 26952
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

3666. 26953
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3667. 26954
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3668. 26955
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3669. 26956
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1734944650

3670. 26957
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3671. 26958

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3672. 26959

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3673. 26960

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3674. 26961

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3675. 26962

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3676. 26963

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3677. 26964

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3678. 26965

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3679. 26966

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3680. 26967

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3681. 26968

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3682. 26969

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3683. 26970

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3684. 26971

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3685. 26972

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3686. 26973

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3687. 26974

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3688. 26975

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3689. 26976

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3690. 26977

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3691. 26978

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3692. 26979

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3693. 26980

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3694. 26981

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3695. 26982

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3696. 26983

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3697. 26984

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3698. 26985

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3699. 26986

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3700. 26987

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3701. 26988

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3702. 26989

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3703. 26990

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3704. 26991

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3705. 26992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3706. 26993

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3707. 26994

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3708. 26995

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3709. 26996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3710. 26997

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3711. 26998

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3712. 26999

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3713. 27000

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3714. 27001

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3715. 27002

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3716. 27003

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3717. 27004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3718. 27005

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3719. 27006

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3720. 27007

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3721. 27008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3722. 27009

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3723. 27010

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3724. 27011

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3725. 27012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3726. 27013

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3727. 27014

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3728. 27015

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3729. 27016

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3730. 27017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3731. 27018

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3732. 27019

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3733. 27020

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3734. 27021

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3735. 27022

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3736. 27023

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3737. 27024

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3738. 27025

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3739. 27026

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3740. 27027

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3741. 27291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3742. 27028

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3743. 27029

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3744. 27030

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3745. 27031

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3746. 27032

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3747. 27033

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3748. 27034

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3749. 27035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3750. 27036

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3751. 27037

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3752. 27038

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3753. 27039

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3754. 27040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3755. 27041

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3756. 27042

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3757. 27043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3758. 27044

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3759. 27045

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3760. 27046

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3761. 27047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3762. 27048

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3763. 27049

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3764. 27290

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3765. 27050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3766. 27051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3767. 27052

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3768. 27053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3769. 27054

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3770. 27055

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3771. 27056

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3772. 27057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3773. 27058

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3774. 27059

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3775. 27060

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3776. 27061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3777. 27062

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3778. 27063

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3779. 27064

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3780. 27065

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3781. 27066

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3782. 27067

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3783. 27068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3784. 27069

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3785. 27070

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3786. 27071

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3787. 27072

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3788. 27073

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3789. 27192

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3790. 27193

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3791. 27074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3792. 27075

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3793. 27076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3794. 27077

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3795. 27078

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3796. 27079

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3797. 27080

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3798. 27081

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3799. 27082

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3800. 27083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3801. 27084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3802. 27085

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3803. 27086

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3804. 27087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3805. 27088

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3806. 27089

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3807. 27090

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3808. 27091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3809. 27092

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3810. 27093

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3811. 27094

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3812. 27095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3813. 27096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3814. 27097
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3815. 27098
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3816. 27099
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3817. 27100
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3818. 27101
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3819. 27102

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3820. 27103

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3821. 27104

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3822. 27105

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3823. 27106

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

3824. 27107

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3825. 27108

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3826. 27109

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3827. 27110

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3828. 27111

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3829. 27112

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3830. 27113

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3831. 27114

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3832. 27115

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3833. 27116

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3834. 27117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3835. 27118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3836. 27119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3837. 27194

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3838. 27195

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3839. 27120

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3840. 27121

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3841. 27122

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3842. 27123

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3843. 27124

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3844. 27125

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3845. 27126

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3846. 27127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3847. 27128

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3848. 27129

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3849. 27130

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3850. 27131

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3851. 27132

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3852. 27133

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3853. 27134

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3854. 27135

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3855. 27136

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3856. 27137

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3857. 27138

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3858. 27139

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3859. 27140

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3860. 27141

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3861. 27142

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3862. 27143

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3863. 27144

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3864. 27145

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3865. 27146

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3866. 27147

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3867. 27148

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3868. 27149

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3869. 27150

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3870. 27151

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3871. 27152

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3872. 27153

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3873. 27154

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3874. 27155

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3875. 27156

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3876. 27157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3877. 27158

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3878. 27159

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3879. 27160

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3880. 27161

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3881. 27162

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3882. 27163

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3883. 27164

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3884. 27165

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3885. 27166

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3886. 27167

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3887. 27168

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3888. 27169

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3889. 27170

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3890. 27171

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3891. 27172

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3892. 27173

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3893. 27174

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3894. 27175

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3895. 27176

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3896. 27177

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3897. 27178

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3898. 27179

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3899. 27180

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3900. 27181

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3901. 27182

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3902. 27183

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3903. 27184

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3904. 27185

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3905. 27186

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3906. 27187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3907. 27188

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3908. 27189

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3909. 27190

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3910. 27191

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3911. 27196

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3912. 27197

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3913. 27198

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3914. 27199

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3915. 27200

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3916. 27201

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3917. 27202

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3918. 27203

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3919. 27204

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3920. 27205

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3921. 27206

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

3922. 27207
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3923. 27208
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

3924. 27209
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3925. 27210
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3926. 27211
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

3927. 27212

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3928. 27213

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3929. 27214

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3930. 27215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3931. 27216

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3932. 27217

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3933. 27218

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3934. 27219

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3935. 27220

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3936. 27221

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3937. 27222

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3938. 27223

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3939. 27224

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3940. 27225

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3941. 27226

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3942. 27227

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3943. 27228

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3944. 27229

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3945. 27230

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3946. 27231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3947. 27232

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3948. 27233

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

3949. 27234

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3950. 27235

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3951. 27236

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3952. 27237

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3953. 27238

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3954. 27239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3955. 27240

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3956. 27241

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3957. 27242

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3958. 27243

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3959. 27244

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3960. 27245

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3961. 27246

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3962. 27247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3963. 27248

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3964. 27249

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3965. 27250

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3966. 27251

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

3967. 27252

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3968. 27253

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3969. 27254

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3970. 27255

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

3971. 27256

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

3972. 27257

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3973. 27258

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3974. 27259

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3975. 27260

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3976. 27261

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3977. 27262

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3978. 27263

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3979. 27264

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3980. 27265

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3981. 27266

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3982. 27267

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3983. 27268

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3984. 27269

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3985. 27270

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3986. 27271

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3987. 27272

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3988. 27273

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3989. 27274

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3990. 27275

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3991. 27276

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3992. 27277

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

3993. 27278

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

3994. 27279

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

3995. 27280

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

3996. 27281

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

3997. 27282

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

3998. 27283

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

3999. 27284

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4000. 27285

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4001. 27286

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4002. 27287

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4003. 27288

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4004. 27289

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4005. 27292

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4006. 27293

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4007. 27294

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4008. 27295

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4009. 27296

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4010. 27297

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4011. 27298

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4012. 27299

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4013. 27300

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4014. 27301

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4015. 27302

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4016. 27303

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4017. 27304

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4018. 27305

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4019. 27306

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4020. 27307

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4021. 27308

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4022. 27309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4023. 27310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4024. 27311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4025. 27312

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4026. 27313

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4027. 27314

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4028. 27315

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4029. 27316

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4030. 27317

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4031. 27318

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4032. 27319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4033. 27320

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4034. 27321

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4035. 27322

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4036. 27323

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4037. 27324

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4038. 27325

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4039. 27326

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4040. 27327

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4041. 27328

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4042. 27329

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4043. 27330

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4044. 27331

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4045. 27332

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4046. 27333

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4047. 27334

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4048. 27335

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4049. 27336

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4050. 27337

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4051. 27338

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4052. 27339

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4053. 27340

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4054. 27341

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4055. 27342

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4056. 27343

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4057. 27344

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4058. 27345

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4059. 27346

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4060. 27347

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4061. 27348

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4062. 27349

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4063. 27350

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4064. 27351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4065. 27352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4066. 27353

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4067. 27354

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4068. 27355

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4069. 27356

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4070. 27357

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4071. 27358

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4072. 27359

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4073. 27360

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<a href="">ftp</a>`

4074. 27361

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

4075. 27362

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

4076. 27363

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4077. 27364

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4078. 27530

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4079. 27365

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4080. 27366

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4081. 27367

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4082. 27368

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4083. 27369

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4084. 27370

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4085. 27371

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4086. 27372

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4087. 27373

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4088. 27374

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4089. 27375

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4090. 27376

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4091. 27377

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4092. 27378

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4093. 27379

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4094. 27380

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4095. 27381

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4096. 27382

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4097. 27383

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4098. 27384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4099. 27385

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4100. 27386

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4101. 27387

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4102. 27388

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4103. 27389

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4104. 27390

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4105. 27391

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4106. 27392

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4107. 27393

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4108. 27394

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4109. 27395

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4110. 27396

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4111. 27397

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4112. 27398

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4113. 27399

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4114. 27400

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4115. 27401

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4116. 27402

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4117. 27403

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4118. 27404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4119. 27405

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4120. 27406

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4121. 27407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4122. 27408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4123. 27409

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4124. 27410

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4125. 27411

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4126. 27412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4127. 27413

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4128. 27414

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4129. 27415

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4130. 27416

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4131. 27417

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4132. 27418

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4133. 27419

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4134. 27420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4135. 27421

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4136. 27422

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4137. 27423

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

script>

4138. 27424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4139. 27425

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4140. 27426

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4141. 27427

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4142. 27428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4143. 27429

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4144. 27430
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4145. 27431
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4146. 27432
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4147. 27433
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4148. 27434
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4149. 27435
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4150. 27436

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4151. 27437

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4152. 27438

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4153. 27439

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4154. 27440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4155. 27441

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4156. 27442

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4157. 27443

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4158. 27444

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4159. 27445

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4160. 27446

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4161. 27447

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4162. 27448

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4163. 27449

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4164. 27450

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4165. 27451

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4166. 27452

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4167. 27453

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4168. 27454

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4169. 27455

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4170. 27456

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4171. 27457

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4172. 27458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4173. 27459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4174. 27460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4175. 27461

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4176. 27462

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4177. 27463

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4178. 27464

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4179. 27465

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4180. 27466

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4181. 27467

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4182. 27468

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4183. 27469

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4184. 27470

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4185. 27471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4186. 27472

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4187. 27473

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4188. 27474

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4189. 27475

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4190. 27476

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4191. 27477

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4192. 27478

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4193. 27479

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4194. 27480

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4195. 27481

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4196. 27482

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4197. 27483

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4198. 27484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4199. 27485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4200. 27486

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4201. 27487

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4202. 27488

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4203. 27489

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4204. 27490

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4205. 27491

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4206. 27492

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4207. 27493

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4208. 27494

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4209. 27495

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4210. 27496

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4211. 27497

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4212. 27498

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4213. 27499

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4214. 27500

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4215. 27501

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4216. 27502

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4217. 27503

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4218. 27504

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4219. 27505

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4220. 27506

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4221. 27507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4222. 27508

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4223. 27509

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4224. 27510

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4225. 27511

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4226. 27512

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4227. 27513

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4228. 27514

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4229. 27515

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4230. 27516

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4231. 27517

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4232. 27518

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4233. 27519

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4234. 27520

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4235. 27521

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4236. 27522

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4237. 27523

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4238. 27524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4239. 27525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4240. 27526

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4241. 27527

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4242. 27528

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4243. 27529

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4244. 27531

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4245. 27532

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4246. 27533

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

4247. 27534

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4248. 27535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4249. 27536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4250. 27537

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4251. 27538

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4252. 27539

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4253. 27540

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4254. 27541

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4255. 27542

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4256. 27543

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4257. 27544

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4258. 27545

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4259. 27546

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4260. 27547

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4261. 27548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4262. 27549

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4263. 27550

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4264. 27551

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4265. 27552

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4266. 27553

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4267. 27554

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4268. 27555

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4269. 27556

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4270. 27579

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4271. 27557

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4272. 27558

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4273. 27559

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4274. 27560

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4275. 27561

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4276. 27562

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4277. 27563

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4278. 27564

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4279. 27565

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4280. 27566

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4281. 27567

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4282. 27568

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4283. 27569

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4284. 27570

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4285. 27571

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4286. 27572

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4287. 27573

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4288. 27574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4289. 27575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4290. 27576

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4291. 27577

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4292. 27578

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4293. 27580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4294. 27581

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4295. 27582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4296. 27583

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4297. 27584

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4298. 27585

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4299. 27586

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4300. 27587

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4301. 27588

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4302. 27589

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4303. 27590

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4304. 27591

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4305. 27592

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4306. 27593

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4307. 27594

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4308. 27595

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4309. 27596

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4310. 27597

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4311. 27598

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4312. 27599

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4313. 27600

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4314. 27601

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4315. 27602

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4316. 27603

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4317. 27604

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4318. 27605

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4319. 27606

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4320. 27607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4321. 27608

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4322. 27609

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4323. 27610

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4324. 27611

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4325. 27612

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4326. 27613

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4327. 27614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4328. 27615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4329. 27616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4330. 27617

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4331. 27618

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4332. 27619

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4333. 27620

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4334. 27621

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4335. 27622

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4336. 27623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4337. 27624

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4338. 27625

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4339. 27626

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4340. 27627

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4341. 27628

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4342. 27629

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4343. 27630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4344. 27631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4345. 27632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4346. 27633

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4347. 27634

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4348. 27635

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4349. 27636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

4350. 27637

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4351. 27638

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4352. 27639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4353. 27640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4354. 27641

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4355. 27642

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4356. 27643

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4357. 27644

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4358. 27645

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4359. 27646

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4360. 27647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4361. 27648

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4362. 27649

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4363. 27650

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4364. 27651

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4365. 27652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4366. 27653

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4367. 27654

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4368. 27655

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4369. 27656

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4370. 27657

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4371. 27658

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4372. 27659

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4373. 27660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4374. 27661

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4375. 27662

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4376. 27663

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4377. 27664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4378. 27665

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4379. 27666

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4380. 27667

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4381. 27668

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4382. 27669

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4383. 27670

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4384. 27671

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4385. 27672

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4386. 27673

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4387. 27674

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4388. 27675

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4389. 27676

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4390. 27677

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4391. 27678

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4392. 27679

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4393. 27680

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4394. 27681

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4395. 27682

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4396. 27683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4397. 27684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4398. 27685

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4399. 27686

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4400. 27687

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4401. 27688

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4402. 27689

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4403. 27690

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4404. 27691
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4405. 27692
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4406. 27693
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4407. 27694
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4408. 27695
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4409. 27696

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4410. 27697

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4411. 27698

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4412. 27699

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4413. 27700

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4414. 27701

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4415. 27702

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4416. 27703

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4417. 27704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4418. 27705

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4419. 27706

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4420. 27707

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4421. 27708

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4422. 27709

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4423. 27710

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4424. 27711

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4425. 27712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4426. 27713

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4427. 27714

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4428. 27715

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4429. 27716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4430. 27717

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4431. 27718

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4432. 27719

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4433. 27720

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4434. 27721

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4435. 27722

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4436. 27723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4437. 27724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4438. 27725

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4439. 27726

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4440. 27727

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4441. 27728

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4442. 27729

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4443. 27730

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4444. 27731

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4445. 27732

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4446. 27733

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4447. 27734

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4448. 27735

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4449. 27736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4450. 27737

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4451. 27738

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4452. 27739

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4453. 27740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4454. 27741

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4455. 27742

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4456. 27743

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4457. 27744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

4458. 27745

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4459. 27746

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4460. 27747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4461. 27748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4462. 27749

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4463. 27750

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4464. 27751

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4465. 27752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4466. 27753

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4467. 27754

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4468. 27755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4469. 27756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4470. 27757

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4471. 27758

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4472. 27759

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4473. 27760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4474. 27761

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4475. 27762

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4476. 27763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4477. 27764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4478. 27765

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4479. 27766

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4480. 27767

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4481. 27768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4482. 27769

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4483. 27770

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4484. 27771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4485. 27772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4486. 27773

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4487. 27774

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4488. 27775

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4489. 27776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4490. 27777

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4491. 27778

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4492. 27779

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4493. 27780

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4494. 27781

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4495. 27782

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4496. 27783

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4497. 27784

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4498. 27785

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4499. 27786

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4500. 27787

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4501. 27788

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4502. 27789

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4503. 27790

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4504. 27791

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4505. 27792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4506. 27793

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4507. 27794

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4508. 27795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4509. 27796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4510. 27797

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4511. 27798

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4512. 27799

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4513. 27800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4514. 27801

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4515. 27802

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4516. 27803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4517. 27804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4518. 27805

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4519. 27806

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4520. 27807

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4521. 27808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4522. 27809

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4523. 27810

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4524. 27811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4525. 27812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4526. 27813

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4527. 27814

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4528. 27815

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4529. 27816

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4530. 27817

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4531. 27818

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4532. 27819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4533. 27820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4534. 27821

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4535. 27822

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4536. 27823

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4537. 27824

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4538. 27825

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4539. 27826

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4540. 27827

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4541. 27828

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4542. 27829

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4543. 27830

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4544. 27831

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4545. 27832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4546. 27833

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4547. 27834

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4548. 27835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4549. 27836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4550. 27837

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4551. 27838

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4552. 27839

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4553. 27840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4554. 27841

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4555. 27842

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4556. 27843
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4557. 27844
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4558. 27845
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4559. 27846
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4560. 27847
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4561. 27848

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4562. 27849

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4563. 27850

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4564. 27851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4565. 27852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4566. 27853

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4567. 27854

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4568. 27855

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4569. 27856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4570. 27857

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4571. 27858

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4572. 27859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4573. 27860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4574. 27861

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4575. 27862

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4576. 27863

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4577. 27864

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4578. 27865

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4579. 27866

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4580. 27867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4581. 27868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4582. 27869

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4583. 27870

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4584. 27871

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4585. 27872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4586. 27873

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4587. 27874

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4588. 27875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4589. 27876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4590. 27877

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4591. 27878

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4592. 27879

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4593. 27880

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4594. 27881

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4595. 27882

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4596. 27883

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4597. 27884

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4598. 27885

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4599. 27886

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4600. 27887

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4601. 27888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4602. 27889

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4603. 27890

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4604. 27891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4605. 27892
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4606. 27893
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4607. 27894
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4608. 27895
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4609. 27896
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

4610. 27897

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4611. 27898

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4612. 27899

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4613. 27900

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4614. 27901

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4615. 27902

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4616. 27903

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4617. 27904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4618. 27905

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4619. 27906

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4620. 27907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4621. 27908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4622. 27909

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4623. 27910

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4624. 27911

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4625. 27912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4626. 27913

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4627. 27914

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4628. 27915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4629. 27916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4630. 27917

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4631. 27918

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4632. 27919

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4633. 27920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4634. 27921

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4635. 27922

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4636. 27923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4637. 27924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4638. 27925

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4639. 27926

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4640. 27927

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4641. 27928

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4642. 27929

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4643. 27930

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4644. 27931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4645. 27932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4646. 27933

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4647. 27934

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4648. 27935

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4649. 27936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4650. 27937

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4651. 27938

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4652. 27939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4653. 27940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4654. 27941

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4655. 27942

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4656. 27943

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4657. 27944

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4658. 27945

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4659. 27946

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4660. 27947

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4661. 27948

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4662. 27949

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4663. 27950

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4664. 27951

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4665. 27952

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4666. 27953

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4667. 27954

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4668. 27955

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4669. 27956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4670. 27957

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4671. 27958

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4672. 27959

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4673. 27960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4674. 27962

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4675. 27990

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4676. 27991

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4677. 27992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4678. 27963

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4679. 27964

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4680. 27965

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4681. 27966

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4682. 27967

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4683. 27968

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4684. 27969

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4685. 27970

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4686. 27971

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4687. 27972

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4688. 27973

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4689. 27974

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4690. 27975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4691. 27976

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4692. 27977
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4693. 27978
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4694. 27979
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4695. 27980
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4696. 27981
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4697. 27982
CVSS: 5 (medium)
Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4698. 27983
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1701244813

4699. 27984
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

4700. 27985
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

4701. 27986
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

4702. 27987
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

4703. 27988
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

4704. 27989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1818181818

4705. 34722

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: <http://127.0.0.1:4000/health> (status 200)

4706. 27993

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4707. 27994

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4708. 27995

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

4709. 27996

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4710. 27997

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4711. 27998

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4712. 27999

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4713. 28000

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4714. 28001

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4715. 28002

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4716. 28003

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4717. 28004

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4718. 28005

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4719. 28006

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4720. 28007

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4721. 28008

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4722. 28009

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4723. 28010

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4724. 28011

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4725. 28012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4726. 28013

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4727. 28014

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4728. 28015

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4729. 28016

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4730. 28017

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4731. 28018

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4732. 28019

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4733. 28020

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4734. 28021

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4735. 28022

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4736. 28023

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4737. 28024

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4738. 28025

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4739. 28026

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4740. 28027

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4741. 28028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4742. 28029

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4743. 28030

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4744. 28057

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4745. 28031

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4746. 28032

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4747. 28033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4748. 28034

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4749. 28035
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4750. 28036
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4751. 28037
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4752. 28038
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4753. 28039
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4754. 28040
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4755. 28041

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4756. 28042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4757. 28043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4758. 28044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4759. 28045

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4760. 28046

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4761. 28047

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4762. 28048

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4763. 28049

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4764. 28050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4765. 28051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4766. 28052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4767. 28053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4768. 28054

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4769. 28055

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4770. 28056

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4771. 28058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4772. 28059

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4773. 28060

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4774. 28061

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4775. 28062

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4776. 28063

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4777. 28064

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4778. 28065

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4779. 28066

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4780. 28067

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4781. 28068

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4782. 28069

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4783. 28070

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4784. 28071

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4785. 28072

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

4786. 28073

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4787. 28074

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4788. 28075

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4789. 28076

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4790. 28077

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4791. 28078

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4792. 28079

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4793. 28080

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4794. 28081

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4795. 28082

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4796. 28083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

4797. 28084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

4798. 28085

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1839622642

4799. 28086
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

4800. 28087
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

4801. 28088
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

4802. 28089
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

4803. 28090
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4804. 28091
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4805. 28092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4806. 28093

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4807. 28094

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4808. 28095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

4809. 28096

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4810. 28097

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4811. 28098

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4812. 28099

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4813. 28100

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4814. 28101

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4815. 28102

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4816. 28103

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4817. 28104

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4818. 28105

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4819. 28106

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4820. 28107

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4821. 28108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4822. 28109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4823. 28110

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4824. 28111

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4825. 28112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4826. 28113

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4827. 28114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4828. 28115

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4829. 28116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4830. 28117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4831. 28118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4832. 28119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4833. 28120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4834. 28121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4835. 28122

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4836. 28123

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4837. 28124

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4838. 28125

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4839. 28126

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

4840. 28127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

4841. 28128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

4842. 28129
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

4843. 28130
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

4844. 28131
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

4845. 28132
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

4846. 28133
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4847. 28134
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4848. 28135
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4849. 28136

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4850. 28137

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4851. 28138

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

4852. 28139

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4853. 28140

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4854. 28141

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4855. 28142

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4856. 28143

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4857. 28144

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4858. 28145

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4859. 28146

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4860. 28147

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4861. 28148

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4862. 28149

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4863. 28150

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4864. 28151

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4865. 28152

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4866. 28153

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4867. 28198

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4868. 28154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4869. 28155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4870. 28156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4871. 28157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4872. 28158

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4873. 28159

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4874. 28160

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4875. 28161

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4876. 28162

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4877. 28163

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4878. 28164

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4879. 28165

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4880. 28166

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4881. 28167

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4882. 28168

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4883. 28169

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4884. 28170

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4885. 28171

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4886. 28172

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4887. 28197

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4888. 28173

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4889. 28174

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4890. 28175

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4891. 28176

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4892. 28177

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4893. 28178
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4894. 28179
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4895. 28180
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4896. 28181
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4897. 28182
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4898. 28183
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4899. 28184

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4900. 28185

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4901. 28186

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4902. 28187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4903. 28188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4904. 28189

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4905. 28190

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4906. 28191

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4907. 28192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4908. 28193

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4909. 28194

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4910. 28195

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4911. 28196

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

4912. 28199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4913. 28200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4914. 28201

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

4915. 28202

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4916. 28203

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4917. 28204

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4918. 28205

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4919. 28206

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4920. 28207

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4921. 28208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4922. 28209

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4923. 28210

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4924. 28211

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4925. 28212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4926. 28213

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4927. 28214

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4928. 28215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4929. 28216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4930. 28217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4931. 28218

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4932. 28219

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4933. 28220

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4934. 28221

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

4935. 28222

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4936. 28223

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4937. 28224

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4938. 28225

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4939. 28226

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4940. 28227

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4941. 28228

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4942. 28229

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4943. 28230

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4944. 28231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4945. 28232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4946. 28233

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4947. 28234

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

4948. 28235
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4949. 28236
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

4950. 28237
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4951. 28238
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

4952. 28239
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1701244813

4953. 28240
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2033195021

4954. 28241

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

4955. 28242

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1680327869

4956. 28243

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1863874346

4957. 28244

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1917098446

4958. 28245

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1818181818

4959. 28246

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4960. 28247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4961. 28248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4962. 28249

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4963. 28250

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4964. 28251

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

4965. 28270

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

4966. 28460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

4967. 28252

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4968. 28253

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4969. 28254

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4970. 28255

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4971. 28256

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4972. 28257

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4973. 28258

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4974. 28259

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4975. 28260

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4976. 28261

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4977. 28262

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4978. 28263

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4979. 28264

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4980. 28265

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4981. 28266

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4982. 28267

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4983. 28268

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4984. 28269

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4985. 28271

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4986. 28272

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

4987. 28273

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4988. 28274

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

4989. 28275

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4990. 28276

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4991. 28277

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4992. 28278

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4993. 28279

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4994. 28280

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4995. 28281

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

4996. 28282

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

4997. 28283

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

4998. 28284

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

4999. 28285

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5000. 28286

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5001. 28287

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5002. 28288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5003. 28289

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5004. 28290

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5005. 28291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5006. 28292
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5007. 28293
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5008. 28294
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5009. 28295
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5010. 28296

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5011. 28297

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5012. 28298

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5013. 28299

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5014. 28300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5015. 28301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

5016. 28302

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5017. 28303

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5018. 28304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5019. 28305

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5020. 28306

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5021. 28307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5022. 28308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5023. 28309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5024. 28310

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5025. 28311

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5026. 28312

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5027. 28313

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5028. 28314

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5029. 28315

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5030. 28316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5031. 28317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5032. 28318

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5033. 28319

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5034. 28320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5035. 28321

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5036. 28322

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5037. 28323

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5038. 28324

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5039. 28325

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5040. 28326

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5041. 28327

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5042. 28328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5043. 28329

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5044. 28330

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5045. 28331

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5046. 28332

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5047. 28333

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5048. 28334

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5049. 28335

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5050. 28336

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5051. 28337

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5052. 28338

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5053. 28339

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5054. 28340

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5055. 28341

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5056. 28342

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5057. 28343

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5058. 28344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5059. 28345

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5060. 28346

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5061. 28347

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5062. 28348

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5063. 28349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5064. 28350

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5065. 28351

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5066. 28352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5067. 28353

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5068. 28354

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5069. 28355

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5070. 28356

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5071. 28357
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5072. 28358
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5073. 28359
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5074. 28360
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5075. 28361

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5076. 28362

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5077. 28363

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5078. 28364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5079. 28365

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5080. 28366

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

5081. 28367

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5082. 28368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5083. 28369

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5084. 28370

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5085. 28371

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5086. 28372

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5087. 28373

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5088. 28374

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5089. 28375

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5090. 28376

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5091. 28377

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5092. 28378

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5093. 28379

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5094. 28380

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5095. 28381

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5096. 28382

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5097. 28383

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5098. 28384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5099. 28385

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5100. 28386

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5101. 28387

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5102. 28388

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5103. 28389

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5104. 28390

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5105. 28391

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5106. 28392

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5107. 28393

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5108. 28394

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5109. 28395

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5110. 28396

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5111. 28397

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5112. 28398

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5113. 28399

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5114. 28400

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5115. 28401

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5116. 28402

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5117. 28403

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5118. 28404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5119. 28405

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5120. 28406

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5121. 28407

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5122. 28408

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5123. 28409

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5124. 28410

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5125. 28435

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5126. 28411

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5127. 28412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5128. 28413

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5129. 28414

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5130. 28415

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5131. 28416

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5132. 28417

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5133. 28418

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5134. 28419

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5135. 28420

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5136. 28421

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5137. 28422

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5138. 28423

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5139. 28424

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5140. 28425

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5141. 28426

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5142. 28427

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5143. 28428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5144. 28429

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5145. 28430

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5146. 28431

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5147. 28432

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5148. 28433

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5149. 28434

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5150. 28436

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5151. 28437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5152. 28438

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5153. 28439

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5154. 28440

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5155. 28441

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5156. 28442

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5157. 28443

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5158. 28444

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5159. 28445

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5160. 28446

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5161. 28447

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5162. 28448

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5163. 28449

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5164. 28450

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5165. 28451

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5166. 28452

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5167. 28453

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5168. 28454

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5169. 28455

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5170. 28456

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5171. 28457

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5172. 28458

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5173. 28459

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5174. 28461

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5175. 28462

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5176. 28463

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5177. 28464

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5178. 28465

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5179. 28466

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5180. 28467

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5181. 28468

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5182. 28469

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5183. 28470

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5184. 28471

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5185. 28472

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5186. 28473

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5187. 28474

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5188. 28475

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5189. 28476

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5190. 28477

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5191. 28478

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5192. 28479

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5193. 28480

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5194. 28481

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5195. 28482

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5196. 28483

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5197. 28484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5198. 28485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5199. 28486

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5200. 28487

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5201. 28488

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5202. 28489

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5203. 28490

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5204. 28491

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5205. 28492

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5206. 28493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5207. 28494

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5208. 28495

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5209. 28496

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5210. 28497

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5211. 28498

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5212. 28499

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5213. 28500

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5214. 28501

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5215. 28502

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5216. 28503

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5217. 28504

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5218. 28505

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5219. 28506

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5220. 28507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5221. 28508

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5222. 28509

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5223. 28510

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5224. 28511

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5225. 28512

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5226. 28513

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5227. 28514

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5228. 28515

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5229. 28516

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5230. 28517

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5231. 28518

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5232. 28519

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5233. 28520

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5234. 28521

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5235. 28522

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5236. 28523

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5237. 28524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5238. 28525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5239. 28526

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5240. 28527

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5241. 28528

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5242. 28529

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5243. 28530

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5244. 28531

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5245. 28532

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5246. 28533

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5247. 28534

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5248. 28535

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5249. 28536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5250. 28537

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5251. 28538

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5252. 28539

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5253. 28540

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5254. 28541

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5255. 28542

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5256. 28543

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5257. 28544

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5258. 28545

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5259. 28546

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5260. 28547

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5261. 28548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5262. 28549

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5263. 28550

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5264. 28551

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5265. 28552

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5266. 28553

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5267. 28554

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5268. 28555

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5269. 28556

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5270. 28557

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5271. 28558

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5272. 28559

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5273. 28560

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5274. 28561

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5275. 28562

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5276. 28563

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5277. 28564

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5278. 28565

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5279. 28566

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5280. 28567

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5281. 28568

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5282. 28569

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5283. 28570

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5284. 28571

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5285. 28572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5286. 28573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5287. 28574

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5288. 28575

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5289. 28576

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5290. 28577

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5291. 28578

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5292. 28579

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5293. 28580

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5294. 28581

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5295. 28582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5296. 28583

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5297. 28584

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5298. 28585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5299. 28586

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5300. 28587

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5301. 28588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5302. 28589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5303. 28590

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5304. 28591

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5305. 28592

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5306. 28593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5307. 28594

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5308. 28595

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5309. 28596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5310. 28597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5311. 28598

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5312. 28599

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5313. 28600

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5314. 28601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5315. 28602

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5316. 28603

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5317. 28604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5318. 28605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5319. 28606

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5320. 28607

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5321. 28608

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5322. 28609

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5323. 28610

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5324. 28611

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5325. 28612

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5326. 28613

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5327. 28614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5328. 28615

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5329. 28616

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5330. 28617

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5331. 28618

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5332. 28619

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5333. 28620

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5334. 28621

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5335. 28622

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5336. 28623

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5337. 28624

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5338. 28625

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5339. 28626

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5340. 28627

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5341. 28628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5342. 28629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5343. 28630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5344. 28631

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5345. 28632

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5346. 28633

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5347. 28634

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5348. 28635

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5349. 28636

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5350. 28637

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5351. 28638

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5352. 28639

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5353. 28640

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5354. 28641

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5355. 28642

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5356. 28643

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5357. 28644

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5358. 28645

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5359. 28646

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5360. 28647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5361. 28648

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5362. 28649

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5363. 28650

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5364. 28651

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5365. 28652

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5366. 28653

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5367. 28654

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5368. 28655

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<a href="">ftp</a>`

5369. 28657

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5370. 28658

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5371. 28659

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5372. 28660

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5373. 28661

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5374. 28662

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5375. 28663

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5376. 28664

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5377. 28665

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5378. 28666

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5379. 28667

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5380. 28668

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5381. 28669

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5382. 28670

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5383. 28671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5384. 28672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5385. 28673
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5386. 28674
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5387. 28675
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5388. 28676
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5389. 28677
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5390. 28678
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

5391. 28679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

5392. 28680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

5393. 28681

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1680327869

5394. 28682

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1863874346

5395. 28683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1917098446

5396. 28684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1818181818

5397. 28685

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5398. 28686
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5399. 28687
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5400. 28688
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5401. 28689
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5402. 28690
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1734944650

5403. 28691
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5404. 28692

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5405. 28693

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5406. 28694

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5407. 28695

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5408. 28696

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5409. 28697

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5410. 28698

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5411. 28699

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5412. 28700

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5413. 28701

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5414. 28702

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5415. 28703

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5416. 28773

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5417. 28704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5418. 28705

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5419. 28706

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5420. 28707

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5421. 28708

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5422. 28709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5423. 28710

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5424. 28711

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5425. 28712

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5426. 28713

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5427. 28714

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5428. 28715

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5429. 28716

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5430. 28717

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5431. 28718

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5432. 28719

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5433. 28720

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5434. 28721

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5435. 28722

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5436. 28723

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5437. 28724

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5438. 28725

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5439. 28726

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5440. 28727

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5441. 28728

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5442. 28729

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5443. 28730
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5444. 28731
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5445. 28732
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5446. 28733
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5447. 28734
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5448. 28735

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5449. 28736

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5450. 28737

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5451. 28738

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5452. 28739

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5453. 28740

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5454. 28741

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5455. 28742

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5456. 28743

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5457. 28744

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5458. 28745

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5459. 28746

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5460. 28747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5461. 28748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5462. 28820

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5463. 34723

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: http://127.0.0.1:4000/health (status 200)

5464. 28749

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5465. 28750

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5466. 28751

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5467. 28752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5468. 28753

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5469. 28754

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5470. 28755

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5471. 28756

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5472. 28757

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5473. 28758

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5474. 28759

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5475. 28760

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5476. 28761

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5477. 28762

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5478. 28763

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5479. 28764

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5480. 28765

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5481. 28766

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5482. 28767

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5483. 28768

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5484. 28769

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5485. 28770

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5486. 28771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5487. 28772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5488. 28774

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5489. 28775

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5490. 28776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5491. 28777

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5492. 28778

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5493. 28779

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5494. 28780

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5495. 28781

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5496. 28782

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5497. 28783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5498. 28784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5499. 28785

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5500. 28786

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5501. 28787

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5502. 28788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5503. 28789

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5504. 28790

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5505. 28791

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5506. 28792

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5507. 28793

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5508. 28794

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5509. 28795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5510. 28796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5511. 28797

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5512. 28798

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5513. 28799

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5514. 28800

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5515. 28801

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5516. 28802

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5517. 28803

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5518. 28804

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5519. 28805

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5520. 28806

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5521. 28807

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5522. 28808

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5523. 28809

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5524. 28810

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5525. 28811

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5526. 28812

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5527. 28813

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5528. 28814

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5529. 28815

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5530. 28816

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5531. 28817

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5532. 28818

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5533. 28819

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5534. 28821

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5535. 28822

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5536. 28823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5537. 28824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5538. 28825

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5539. 28826

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5540. 28827

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5541. 28828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5542. 28829

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5543. 28830

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5544. 28831

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5545. 28832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5546. 28833

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5547. 28834

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5548. 28835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5549. 28836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5550. 28837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5551. 28838

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5552. 28839

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5553. 28840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5554. 28841

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5555. 28842

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5556. 28843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5557. 28844

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5558. 28845

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5559. 28846

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5560. 28847

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5561. 28848

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5562. 28849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5563. 28850

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5564. 28851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5565. 28852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5566. 28853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5567. 28854

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5568. 28855

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5569. 28856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5570. 28857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5571. 28858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5572. 28859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5573. 28860
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5574. 28861
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5575. 28862
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5576. 28863
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5577. 28864
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

5578. 28865

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5579. 28866

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5580. 28867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5581. 28868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5582. 28869

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5583. 28870

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5584. 28871

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5585. 28872

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5586. 28873

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5587. 28874

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5588. 28875

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></`

script>

5589. 28876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5590. 28877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5591. 28878

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5592. 28879

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5593. 28880

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5594. 28881

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5595. 28882

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5596. 28883

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5597. 28884

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5598. 28885

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5599. 28886

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5600. 28887

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5601. 28888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5602. 28889

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5603. 28890

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5604. 28891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5605. 28892

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5606. 28893

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5607. 28894

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5608. 28895

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5609. 28896

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5610. 28897

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5611. 28898

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5612. 28899

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5613. 28900

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5614. 28901

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5615. 28902

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5616. 28903

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5617. 28904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5618. 28905

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5619. 28906

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5620. 28907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5621. 28908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5622. 28909

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5623. 28910

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5624. 28911

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5625. 28912

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5626. 28913

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5627. 28914

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5628. 28915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5629. 28916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5630. 28917

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5631. 28918

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5632. 28919

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5633. 28920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5634. 28921

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5635. 28922

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5636. 28923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5637. 28924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5638. 28925

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5639. 28926

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5640. 28927

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5641. 28928

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5642. 28929

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

5643. 28930

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5644. 28931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5645. 28932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5646. 28933

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5647. 28934

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5648. 28935

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5649. 28936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5650. 28937

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5651. 28938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5652. 28939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5653. 28940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5654. 28941

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5655. 28942

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5656. 28943

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5657. 28944

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5658. 28945

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5659. 28946

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5660. 28947

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5661. 28948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5662. 28949

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5663. 28950

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5664. 28951

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5665. 28952

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5666. 28953

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5667. 28954

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5668. 28955

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5669. 28956

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5670. 28957

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5671. 28958

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5672. 28959

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5673. 28960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5674. 28961

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5675. 28962

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5676. 28963

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5677. 28964

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5678. 28965

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5679. 28966

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5680. 28967

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5681. 28968

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5682. 28969

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5683. 28970

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5684. 28971

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5685. 28972

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5686. 28973

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5687. 28974

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5688. 28975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5689. 28976

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5690. 28977

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5691. 28978

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5692. 28979

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5693. 28980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5694. 28981

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5695. 28982

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5696. 28983

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5697. 28984

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5698. 28985

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5699. 28986

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5700. 28987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5701. 28988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5702. 28989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5703. 28990

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5704. 28991

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5705. 28992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5706. 28993

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5707. 28994

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5708. 28995

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5709. 28996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5710. 28997

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5711. 28998

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5712. 28999

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5713. 29000

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5714. 29001

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5715. 29002

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5716. 29003

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5717. 29004

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5718. 29005

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5719. 29006

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5720. 29007

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5721. 29008

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5722. 29009

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5723. 29010

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5724. 29011

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5725. 29012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5726. 29013

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5727. 29014

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5728. 29015

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5729. 29016

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5730. 29017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5731. 29018

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5732. 29019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5733. 29020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5734. 29021

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5735. 29022

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5736. 29023

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5737. 29024

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5738. 29025

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5739. 29026

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5740. 29027

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5741. 29028
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5742. 29029
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5743. 29030
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5744. 29031
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5745. 29032
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5746. 29033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5747. 29034

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5748. 29035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5749. 29036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5750. 29037

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5751. 29038

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5752. 29039

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5753. 29040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5754. 29041

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5755. 29042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5756. 29043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5757. 29044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5758. 29045

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5759. 29046

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5760. 29047

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5761. 29048

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5762. 29049

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5763. 29050

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5764. 29051

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5765. 29052

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5766. 29053

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5767. 29054

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5768. 29055

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5769. 29056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5770. 29057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5771. 29058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5772. 29059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5773. 29060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5774. 29061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5775. 29062

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5776. 29063

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5777. 29064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5778. 29065

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5779. 29066

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5780. 29067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5781. 29068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5782. 29069

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5783. 29070

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5784. 29071

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5785. 29072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5786. 29073

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5787. 29074

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5788. 29075

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5789. 29076

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5790. 29077
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5791. 29078
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

5792. 29079
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5793. 29080
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

5794. 29081
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5795. 29082

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5796. 29083

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5797. 29084

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5798. 29085

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5799. 29086

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5800. 29087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5801. 29088

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5802. 29089

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5803. 29090

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5804. 29091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5805. 29092

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5806. 29093

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5807. 29094

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: ftp

5808. 29095

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

5809. 29096

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5810. 29097

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

5811. 29098

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5812. 29099

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5813. 29100

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5814. 29101

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5815. 29102

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5816. 29103

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5817. 29104

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5818. 29105

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5819. 29106

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5820. 29227

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5821. 29107

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5822. 29108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5823. 29109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5824. 29110

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5825. 29111

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5826. 29112

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5827. 29113

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5828. 29114

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5829. 29115

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5830. 29116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5831. 29117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5832. 29118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5833. 29119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5834. 29120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5835. 29121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5836. 29122

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5837. 29123

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5838. 29124

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5839. 29125

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5840. 29126

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5841. 29127

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5842. 29128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5843. 29129

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5844. 29130

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5845. 29131

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5846. 29132

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5847. 29133

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5848. 29134

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5849. 29135

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5850. 29136

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5851. 29137

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5852. 29138

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5853. 29139

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5854. 29140

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5855. 29141

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5856. 29142

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5857. 29143

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5858. 29144

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5859. 29145

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

5860. 29146

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5861. 29147

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5862. 29148

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5863. 29149

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5864. 29150

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5865. 29151

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5866. 29152

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5867. 29153

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5868. 29154

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5869. 29155

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5870. 29156

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5871. 29157

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5872. 29158

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5873. 29159

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5874. 29160

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5875. 29161

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5876. 29162

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5877. 29163

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5878. 29164

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5879. 29165

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5880. 29166

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5881. 29167

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5882. 29168

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5883. 29169

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5884. 29170

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5885. 29171

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5886. 29172

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5887. 29173

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5888. 29174

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5889. 29175

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5890. 29176

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5891. 29177

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5892. 29178

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5893. 29179

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5894. 29180

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5895. 29181

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5896. 29182

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5897. 29183

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5898. 29184

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5899. 29185

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5900. 29186

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5901. 29187

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5902. 29188

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5903. 29189

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5904. 29190

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5905. 29191

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5906. 29192

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5907. 29193

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5908. 29194

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5909. 29195

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5910. 29196

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5911. 29197

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5912. 29198

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5913. 29199

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5914. 29200

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5915. 29201

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5916. 29202

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5917. 29228

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5918. 29229

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5919. 29203

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5920. 29204

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5921. 29205

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5922. 29206

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5923. 29207

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5924. 29208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5925. 29209

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5926. 29210

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5927. 29211

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5928. 29212

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5929. 29213

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5930. 29214

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5931. 29215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5932. 29216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5933. 29217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5934. 29218

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5935. 29219

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5936. 29220

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5937. 29221

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5938. 29222

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5939. 29223

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5940. 29224

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5941. 29225

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5942. 29226

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5943. 29230

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5944. 29231

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5945. 29232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5946. 29233

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5947. 29234

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5948. 29235

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5949. 29236

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5950. 29237

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5951. 29238

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5952. 29239

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5953. 29240

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5954. 29241

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5955. 29242

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5956. 29243

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5957. 29244

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5958. 29245
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5959. 29246
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

5960. 29247
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5961. 29248
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

5962. 29249
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

5963. 29250
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5964. 29251

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5965. 29252

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5966. 29253

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5967. 29254

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5968. 29255

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5969. 29256

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5970. 29257

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5971. 29258

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5972. 29259

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5973. 29260

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5974. 29261

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5975. 29262

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

5976. 29263

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

5977. 29264

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5978. 29265

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5979. 29266

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5980. 29267

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5981. 29268

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5982. 29269

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5983. 29270

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5984. 29271

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5985. 29272

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5986. 29273

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5987. 29274

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

5988. 29275

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5989. 29276

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5990. 29277

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5991. 29278

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5992. 29279

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

5993. 29280

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

5994. 29281

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5995. 29282

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

5996. 29283

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

5997. 29284

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

5998. 29285

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

5999. 29286

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6000. 29287

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6001. 29288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6002. 29289

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6003. 29290

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6004. 29291

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6005. 29292

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6006. 29293

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6007. 29294

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6008. 29295

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6009. 29296

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6010. 29297

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6011. 29298

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6012. 29299

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6013. 29300

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6014. 29301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6015. 29302

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6016. 29303

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6017. 29304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6018. 29305
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6019. 29306
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6020. 29307
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6021. 29308
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6022. 29309
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6023. 29310

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6024. 29311

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6025. 29312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6026. 29313

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6027. 29314

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6028. 29315

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6029. 29316

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6030. 29317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6031. 29318

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6032. 29319

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6033. 29320

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6034. 29321

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6035. 29322

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6036. 29323

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6037. 29324

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6038. 29325

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6039. 29326

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6040. 29327

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6041. 29328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6042. 29329

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6043. 29330

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6044. 29331

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6045. 29332

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6046. 29333

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6047. 29334

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6048. 29335

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6049. 29336

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6050. 29337

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6051. 29338

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6052. 29339

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6053. 29340

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6054. 29341

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6055. 29342

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6056. 29343

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6057. 29344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6058. 29345

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6059. 29346

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6060. 29347

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6061. 29348

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6062. 29349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6063. 29350

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6064. 29351

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6065. 29352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6066. 29353
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6067. 29354
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6068. 29355
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6069. 29356
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6070. 29357
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6071. 29358

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6072. 29359

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6073. 29360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6074. 29361

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6075. 29362

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6076. 29363

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6077. 29364

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6078. 29365

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6079. 29366

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6080. 29367

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6081. 29368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6082. 29369

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6083. 29370

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6084. 29371

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6085. 29372

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6086. 29373

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6087. 29374

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6088. 29375

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6089. 29376

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6090. 29377

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6091. 29378

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6092. 29379

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6093. 29380

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6094. 29381

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6095. 29382

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6096. 29383

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6097. 29384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6098. 29385

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6099. 29386

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6100. 29387

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6101. 29388

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6102. 29389

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6103. 29390

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6104. 29391

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6105. 29392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6106. 29393

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6107. 29394

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6108. 29395

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6109. 29396

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6110. 29397

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6111. 29398

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6112. 29399

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6113. 29400

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6114. 29401

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6115. 29402

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6116. 29403

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6117. 29404

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6118. 29405

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6119. 29406

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6120. 29407

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6121. 29408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6122. 29409

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6123. 29410

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6124. 29411

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6125. 29412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6126. 29413
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6127. 29414
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6128. 29415
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6129. 29416
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6130. 29417
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

6131. 29418

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6132. 29419

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6133. 29420

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6134. 29421

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6135. 29422

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

6136. 29423

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6137. 29424

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6138. 29425

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6139. 29426

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6140. 29427

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6141. 29428

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6142. 29429

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6143. 29430

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6144. 29431

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6145. 29432

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6146. 29433

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6147. 29434

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6148. 29435

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6149. 29436

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6150. 29437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6151. 29438

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6152. 29439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6153. 29440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6154. 29441

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6155. 29442

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6156. 29443

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6157. 29444

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6158. 29445

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6159. 29446

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6160. 29447

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6161. 29448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6162. 29449

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6163. 29450

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6164. 29451

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6165. 29452

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6166. 29453

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6167. 29454

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6168. 29455

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6169. 29456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6170. 29457

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6171. 29458

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6172. 29459

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6173. 29460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6174. 29461

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6175. 29462
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6176. 29463
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6177. 29464
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6178. 29465
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6179. 29466
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6180. 29467

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6181. 29468

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6182. 29469

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6183. 29470

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6184. 29471

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6185. 29472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6186. 29473

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6187. 29474

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6188. 29475

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6189. 29476

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6190. 29477

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6191. 29478

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6192. 29479

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6193. 29480

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6194. 29481

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6195. 29482

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6196. 29483

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6197. 29484

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6198. 29485

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6199. 29486

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6200. 29487

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6201. 29488

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6202. 29489

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6203. 29490

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6204. 29491

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6205. 29492

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6206. 29493

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6207. 29494

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6208. 29495

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6209. 29496

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6210. 29497

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6211. 29498

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6212. 29499

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6213. 29500

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6214. 29501

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6215. 29502

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6216. 29503

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6217. 29504

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6218. 29505

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6219. 29506

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6220. 29507

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6221. 29508

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6222. 29509

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6223. 29510

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6224. 29511

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6225. 29512

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6226. 29513

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6227. 29514

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6228. 29515

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6229. 29516

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6230. 29517

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6231. 29518

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6232. 29519

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6233. 29520

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6234. 29521
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6235. 29522
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6236. 29523
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6237. 29524
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6238. 29525
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6239. 29526

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6240. 29528

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6241. 29529

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6242. 29530

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6243. 29531

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6244. 29532

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6245. 29533

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6246. 29534

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6247. 29535

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6248. 29536

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6249. 29537

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6250. 29538

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6251. 29586

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6252. 29539

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6253. 29540

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6254. 29541

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6255. 29542
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6256. 29543
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6257. 29544
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6258. 29545
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6259. 29546
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6260. 29547
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6261. 29548

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6262. 29549

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

6263. 29550

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

6264. 29551

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

6265. 29552

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1680327869

6266. 29553

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1863874346

6267. 29554

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

6268. 29555
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

6269. 29556
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6270. 29557
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6271. 29558
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6272. 29559
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6273. 29560
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6274. 29561

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

6275. 29562

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6276. 29563

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6277. 29564

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6278. 29565

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6279. 29566

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6280. 29609

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6281. 29567

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6282. 29568

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6283. 29569

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6284. 29570

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6285. 29571

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6286. 29572

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6287. 29573

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6288. 29574

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6289. 29575

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6290. 29576

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6291. 29577

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6292. 29578

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6293. 29579

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6294. 29580

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6295. 29581

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6296. 29582

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6297. 29583

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6298. 29584

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6299. 29585

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6300. 29587

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6301. 29588

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6302. 29589

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6303. 29590

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6304. 29591

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6305. 29592

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6306. 29593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6307. 29594

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6308. 29595

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6309. 29596

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6310. 29597

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6311. 29598

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6312. 29599

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6313. 29600

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6314. 29601

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6315. 29602

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6316. 29603

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6317. 29604

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6318. 29605

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6319. 29606

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6320. 29607

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6321. 29608

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6322. 29610

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6323. 29611

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6324. 29612

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6325. 29613

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6326. 29614

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6327. 29615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6328. 29616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6329. 29617

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6330. 29618

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6331. 29619

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6332. 29620

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6333. 29621

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6334. 29622

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6335. 29623

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6336. 29624

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6337. 29625

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6338. 29626

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6339. 29627

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6340. 29628

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6341. 29629

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6342. 29630

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6343. 29631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6344. 29632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6345. 29633

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6346. 29634

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6347. 29635

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6348. 29636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6349. 29637

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6350. 29638

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6351. 29639
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6352. 29640
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6353. 29641
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6354. 29642
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6355. 29643
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6356. 29644
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6357. 29645

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6358. 29646

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6359. 29647

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6360. 29648

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6361. 29649

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6362. 29650

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6363. 29651

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6364. 29652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6365. 29653

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6366. 29654

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6367. 29655

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6368. 29656

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6369. 29657

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6370. 29658

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6371. 29659

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6372. 29660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6373. 29661

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6374. 29662

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6375. 29663

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6376. 29664

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6377. 29665

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6378. 29666

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6379. 29667

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6380. 29668

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6381. 29669

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6382. 29670

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6383. 29671

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6384. 29672

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6385. 29673

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6386. 29674

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6387. 29675

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6388. 29676

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6389. 29677

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6390. 29678

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6391. 29679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6392. 29680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6393. 29681

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6394. 29682

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6395. 29683

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6396. 29684

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6397. 29685

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6398. 29686

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6399. 29687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6400. 29688

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6401. 29689

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6402. 29690

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6403. 29691

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6404. 29692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

6405. 29693

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6406. 29694

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6407. 29695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6408. 29696

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6409. 29697

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6410. 29698

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6411. 29699

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6412. 29700

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6413. 29701

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6414. 29702

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6415. 29703

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6416. 29704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6417. 30209

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6418. 29705

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6419. 29706

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6420. 29707

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6421. 29708

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6422. 29709

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6423. 29710

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6424. 29711

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6425. 29712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6426. 29713

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6427. 29714

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6428. 29715

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6429. 29716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6430. 29717

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6431. 29718

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6432. 29719

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6433. 29720

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6434. 29721

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6435. 29722

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6436. 29723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6437. 29724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6438. 29725

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6439. 29726

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6440. 29727

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6441. 29728

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6442. 29729

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6443. 29730

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6444. 29731

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6445. 29732

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6446. 29733

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6447. 29734

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6448. 29735

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6449. 29736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6450. 29737

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6451. 29738

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6452. 29739

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6453. 29740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6454. 29741

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6455. 29742

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6456. 29743

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6457. 29744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6458. 29745

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6459. 29746

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6460. 29747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6461. 29748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6462. 29749

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6463. 29750

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6464. 29751

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6465. 29752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6466. 29753

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6467. 29754

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6468. 29755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6469. 29756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6470. 29757

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6471. 29758

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6472. 29759

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6473. 29760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6474. 29761

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6475. 29762

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6476. 29763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6477. 29764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6478. 29765

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6479. 29766

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6480. 29767

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6481. 29768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6482. 29769

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6483. 29770

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6484. 29771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6485. 29772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6486. 29773

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6487. 29774

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6488. 29775

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6489. 29776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6490. 29777

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6491. 29778

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6492. 29779

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6493. 29780

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6494. 29781

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6495. 29782

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6496. 29783

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6497. 29784

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6498. 29785

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6499. 29786

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6500. 29787

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6501. 29788

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6502. 29789

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6503. 29790

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6504. 29791

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6505. 29792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6506. 29793

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6507. 29794

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6508. 29795
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6509. 29796
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6510. 29797
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6511. 29798
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6512. 29799
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6513. 29800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6514. 29801

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6515. 29802

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6516. 29803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6517. 29804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6518. 29805

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6519. 29806

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6520. 29807

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6521. 29808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6522. 29809

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6523. 29810

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6524. 29811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6525. 29812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6526. 29813

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6527. 29814

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6528. 29815

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6529. 29816

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6530. 29817

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6531. 29818

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6532. 29819

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6533. 29820

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6534. 29821

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6535. 29822

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6536. 29823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6537. 29824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6538. 29825

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6539. 29826

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6540. 29827

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6541. 29828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6542. 29829

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6543. 29830

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6544. 29831

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6545. 29832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6546. 29833

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6547. 29834

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6548. 29835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6549. 29836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6550. 29837

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6551. 29838

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6552. 29839

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6553. 29840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6554. 29841

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6555. 29842

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6556. 29843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6557. 29844

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6558. 29845

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6559. 29846

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6560. 29847

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6561. 29848

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6562. 29849

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6563. 29850

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6564. 29851

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6565. 29852

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6566. 29853

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6567. 29854

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6568. 29855

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6569. 29856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6570. 29857

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6571. 29858

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6572. 29859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6573. 29860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6574. 29861

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6575. 29862

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6576. 29863

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6577. 29864

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6578. 29865

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6579. 29866

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6580. 29867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6581. 29868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6582. 29869

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6583. 29870

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6584. 29871

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6585. 29872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6586. 30305

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6587. 29873

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6588. 29874

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6589. 29875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6590. 29876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6591. 29877

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6592. 29878

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6593. 29879

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6594. 29880

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6595. 29881

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6596. 29882

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6597. 29883

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6598. 29884

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6599. 29885

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6600. 29886

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6601. 29887

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6602. 29888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6603. 29889

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6604. 29890

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6605. 29891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6606. 29892
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6607. 29893
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6608. 29894
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6609. 29895
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6610. 29896
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

6611. 29897

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6612. 29898

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6613. 29899

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6614. 29900

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6615. 29901

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6616. 29902

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6617. 29903

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6618. 29904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6619. 29905

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6620. 29906

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6621. 29907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6622. 29908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6623. 29909

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6624. 29910

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6625. 29911

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6626. 29912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6627. 29913

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6628. 29914

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6629. 29915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6630. 29916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6631. 29917

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6632. 29918

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6633. 29919

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6634. 29920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6635. 29921

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6636. 29922

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6637. 29923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6638. 29924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6639. 29925

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6640. 29926

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6641. 29927

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6642. 29928

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6643. 29929

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6644. 29930

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6645. 29931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6646. 29932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6647. 29933

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6648. 29934

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6649. 29935

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6650. 29936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6651. 29937

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6652. 29938

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6653. 29939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6654. 29940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6655. 29941

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6656. 29942

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6657. 29943

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6658. 29944

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6659. 29945

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6660. 29946

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6661. 29947

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6662. 29948

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6663. 29949

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6664. 29950

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6665. 29951

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6666. 29952

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6667. 29953

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6668. 29954

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6669. 29955

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6670. 29956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6671. 29957

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6672. 29958

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6673. 29959

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6674. 29960

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6675. 29961

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6676. 29962

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6677. 29963

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6678. 29964

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6679. 29965

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: ftp

6680. 29966

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

6681. 29967

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6682. 29968

CVSS: 5 (medium)

Статус: Активна

Описание: CSP: Failure to Define Directive with No Fallback

The Content Security Policy fails to define one of the directives that has no fallback.

Missing/excluding them is the same as allowing anything.

Evidence: default-src 'none'

6683. 29969

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6684. 30016

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6685. 29970

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6686. 29971

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6687. 29972

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6688. 29973

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6689. 29974

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6690. 29975

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6691. 29976

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6692. 29977

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6693. 29978

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6694. 29979

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6695. 29980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6696. 29981

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6697. 29982

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6698. 29983

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6699. 29984

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6700. 29985

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6701. 29986

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6702. 29987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6703. 29988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6704. 29989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6705. 29990

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6706. 29991

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6707. 29992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6708. 29993

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6709. 29994

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6710. 29995

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6711. 29996

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6712. 29997

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6713. 29998

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6714. 29999

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6715. 30000

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6716. 30001

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6717. 30002

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6718. 30003

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6719. 30004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6720. 30005

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6721. 30006

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6722. 30007

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6723. 30008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6724. 30009

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6725. 30010

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6726. 30011

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6727. 30012

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6728. 30013

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6729. 30014

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6730. 30015

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6731. 30017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6732. 30018

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6733. 30019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6734. 30020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6735. 30021

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6736. 30022

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6737. 30023

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6738. 30024

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6739. 30025

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6740. 30026

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6741. 30027

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6742. 30028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6743. 30029

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6744. 30030

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6745. 30031

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6746. 30032

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6747. 30033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6748. 30034

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6749. 30035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6750. 30036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6751. 30037

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6752. 30038

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6753. 30039

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6754. 30040

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6755. 30041

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6756. 30112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6757. 30042

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6758. 30043

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6759. 30044

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6760. 30045

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6761. 30046

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6762. 30047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6763. 30048

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6764. 30049

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6765. 30050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6766. 30051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6767. 30052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6768. 30053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6769. 30054

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6770. 30055

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6771. 30056

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6772. 30057

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6773. 30058

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6774. 30059

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6775. 30060

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6776. 30061

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6777. 30062

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6778. 30063

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6779. 30064

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6780. 30065

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6781. 30066

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6782. 30067

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6783. 30068

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6784. 30069

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6785. 30070

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6786. 30071

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6787. 30072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6788. 30073

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6789. 30074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6790. 30075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6791. 30076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6792. 30077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6793. 30078

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6794. 30079

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6795. 30080
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6796. 30081
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6797. 30082
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6798. 30083
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6799. 30084
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6800. 30085
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6801. 30086
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6802. 30087
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6803. 30088
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6804. 30089
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6805. 30090
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6806. 30091

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6807. 30092

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6808. 30093

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6809. 30094

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6810. 30095

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6811. 30096

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6812. 30097

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6813. 30098

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6814. 30099

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6815. 30100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6816. 30101

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6817. 30102

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6818. 30103

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6819. 30104

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6820. 30105

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6821. 30106

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6822. 30107

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6823. 30108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6824. 30109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6825. 30110

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6826. 30111

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6827. 30113

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6828. 30114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6829. 30115

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6830. 30116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6831. 30117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6832. 30118

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6833. 30119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6834. 30120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6835. 30121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6836. 30122

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6837. 30123

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6838. 30124

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6839. 30125

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6840. 30126

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6841. 30127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6842. 30128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6843. 30129

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6844. 30130

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6845. 30131

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6846. 30132

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6847. 30133

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6848. 30134

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6849. 30135

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6850. 30136
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6851. 30137
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6852. 30207
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

6853. 30208
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

6854. 30138
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

6855. 30139

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6856. 30140

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6857. 30141

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6858. 30142

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6859. 30143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6860. 30144

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6861. 30145

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6862. 30146

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6863. 30147

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6864. 30148

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6865. 30149

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6866. 30150

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6867. 30151

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6868. 30152

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6869. 30153

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6870. 30154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6871. 30155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6872. 30156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6873. 30157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6874. 30158

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6875. 30159

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6876. 30160

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6877. 30161

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6878. 30162

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6879. 30163

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6880. 30164

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6881. 30165

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6882. 30166

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6883. 30167

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6884. 30168

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6885. 30169

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6886. 30170

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6887. 30171

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6888. 30172

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6889. 30173

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6890. 30174

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6891. 30175

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6892. 30176

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6893. 30177

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6894. 30178

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6895. 30179

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6896. 30180

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6897. 30181

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6898. 30182

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6899. 30183

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6900. 30184

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6901. 30185

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6902. 30186

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6903. 30187

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6904. 30188

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6905. 30189

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6906. 30190

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6907. 30191

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6908. 30192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6909. 30193

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6910. 30194

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6911. 30195

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6912. 30196

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6913. 30197

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6914. 30198

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6915. 30199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6916. 30200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6917. 30201

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6918. 30202

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6919. 30203

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6920. 30204

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6921. 30205

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6922. 30206

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6923. 30210

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6924. 30211

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6925. 30212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6926. 30213

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6927. 30214

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6928. 30215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6929. 30216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6930. 30217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6931. 30218

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6932. 30219

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6933. 30220

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6934. 30221

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6935. 30222

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6936. 30223

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6937. 30224

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6938. 30225

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6939. 30226

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6940. 30227

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

6941. 30228

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6942. 30229

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6943. 30230

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6944. 30231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6945. 30232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6946. 30233

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6947. 30234

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6948. 30235

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6949. 30236

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6950. 30237

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6951. 30238

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6952. 30239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6953. 30240

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6954. 30241

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6955. 30242

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6956. 30243

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6957. 30244

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6958. 30245

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6959. 30246

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6960. 30247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6961. 30248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6962. 30249

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

6963. 30250

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6964. 30251

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6965. 30252

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6966. 30253

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

6967. 30254

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

6968. 30255

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6969. 30256

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6970. 30257

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6971. 30258

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6972. 30259

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6973. 30260

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6974. 30261

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6975. 30262

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6976. 30263

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6977. 30264

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6978. 30265

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6979. 30266

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6980. 30267

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6981. 30268

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6982. 30269

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6983. 30270

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6984. 30271

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6985. 30272

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6986. 30273

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6987. 30274

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

6988. 30275

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

6989. 30276

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6990. 30277

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

6991. 30278

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6992. 30279

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6993. 30280

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6994. 30496

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6995. 30281

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

6996. 30282

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

6997. 30283

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

6998. 30284

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

6999. 30285

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7000. 30286

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7001. 30287

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7002. 30288

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7003. 30289

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7004. 30290

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7005. 30291

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7006. 30292

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7007. 30293

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7008. 30294

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7009. 30295

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7010. 30296

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7011. 30297

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7012. 30298

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7013. 30299

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7014. 30300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7015. 30301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7016. 30302

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7017. 30303

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7018. 30304

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7019. 30306

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7020. 30307

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7021. 30308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7022. 30309

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7023. 30310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7024. 30311

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7025. 30312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7026. 30313

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7027. 30314

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7028. 30315

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7029. 30316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7030. 30317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7031. 30318

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7032. 30319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7033. 30320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7034. 30321

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7035. 30322

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7036. 30323

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7037. 30324

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7038. 30325

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7039. 30326

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7040. 30327

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7041. 30328

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7042. 30329

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7043. 30330

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7044. 30331

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7045. 30332

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7046. 30333

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7047. 30334

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7048. 30335

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7049. 30336

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7050. 30337

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7051. 30338

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7052. 30339

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7053. 30340

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7054. 30341

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7055. 30342

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7056. 30343

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7057. 30344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7058. 30345

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7059. 30346

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7060. 30347

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7061. 30348

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7062. 30349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7063. 30350

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7064. 30351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7065. 30352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7066. 30353
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7067. 30354
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7068. 30355
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7069. 30356
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7070. 30357
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

7071. 30358

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7072. 30359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7073. 30360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7074. 30361

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7075. 30362

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7076. 30363

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7077. 30364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7078. 30365

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7079. 30366

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7080. 30367

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7081. 30368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7082. 30369

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7083. 30370

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7084. 30371

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7085. 30372

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7086. 30373

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7087. 30374

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7088. 30375

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7089. 30376

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7090. 30377

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7091. 30378

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7092. 30379

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7093. 30380

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7094. 30381

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7095. 30382

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7096. 30383

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7097. 30384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7098. 30385

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7099. 30386

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7100. 30387

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7101. 30388

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7102. 30389

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7103. 30390

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7104. 30391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7105. 30392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7106. 30393

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7107. 30394

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7108. 30395

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7109. 30396

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7110. 30397

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7111. 30398

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7112. 30399

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7113. 30400

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7114. 30401

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7115. 30402

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7116. 30403

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7117. 30404

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7118. 30405

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7119. 30406

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7120. 30407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7121. 30408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7122. 30409

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7123. 30410

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7124. 30411

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7125. 30412

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7126. 30413

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7127. 30414

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7128. 30415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7129. 30416

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7130. 30417

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7131. 30418

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7132. 30419

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7133. 30420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7134. 30421

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7135. 30422

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7136. 30423

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7137. 30424

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7138. 30425

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7139. 30426

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7140. 30427

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7141. 30428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7142. 30429

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7143. 30430

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7144. 30431

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7145. 30432

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7146. 30433

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7147. 30434

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7148. 30435

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7149. 30436

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7150. 30437

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7151. 30438

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7152. 30439

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7153. 30440

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7154. 30441

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7155. 30442

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7156. 30443

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7157. 30444

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7158. 30445

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7159. 30446

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7160. 30447

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7161. 30448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7162. 30449

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7163. 30450

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7164. 30451

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7165. 30452

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7166. 30453

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7167. 30454

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7168. 30455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7169. 30456
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7170. 30457
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7171. 30458
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7172. 30459
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7173. 30460
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7174. 30461

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7175. 30462

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7176. 30463

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7177. 30464

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7178. 30465

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7179. 30466

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7180. 30467

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7181. 30468

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7182. 30469

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7183. 30470

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7184. 30471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7185. 30472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7186. 30473

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7187. 30474

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7188. 30475

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7189. 30476

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7190. 30477

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7191. 30478

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7192. 30479

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7193. 30480

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7194. 30481

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7195. 30482

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7196. 30483

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7197. 30484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7198. 30485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7199. 30486

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7200. 30487

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7201. 30488

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7202. 30489

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7203. 30490

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7204. 30491

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7205. 30492

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7206. 30493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7207. 30494

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7208. 30495

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7209. 30497

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7210. 30498

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7211. 30499

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7212. 30500
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7213. 30501
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7214. 30502
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7215. 30503
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7216. 30504
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7217. 30505

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7218. 30506

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7219. 30507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7220. 30508

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7221. 30509

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7222. 30510

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7223. 30511

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7224. 30512

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7225. 30513

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7226. 30514

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7227. 30515

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7228. 30516

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7229. 30517

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7230. 30518

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7231. 30519

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7232. 30520

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7233. 30521

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7234. 30544

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7235. 30522

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7236. 30523

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7237. 30524

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7238. 30525

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7239. 30526

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7240. 30527

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7241. 30528

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7242. 30529

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7243. 30530

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7244. 30531

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7245. 30532

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7246. 30533

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7247. 30534

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7248. 30535

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7249. 30536

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7250. 30537

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7251. 30538

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7252. 30539

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7253. 30540

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7254. 30541

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7255. 30542

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7256. 30543

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7257. 30545

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7258. 30546

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7259. 30547

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7260. 30548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7261. 30549
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7262. 30550
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7263. 30551
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7264. 30552
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7265. 30553
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7266. 30554
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7267. 30555

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7268. 30556

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7269. 30557

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7270. 30558

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7271. 30559

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7272. 30560

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7273. 30561

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7274. 30562

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7275. 30563

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7276. 30564

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7277. 30565

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7278. 30566

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7279. 30567

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7280. 30568

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7281. 30569

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7282. 30570

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7283. 30571

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7284. 30572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7285. 30573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7286. 30574

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7287. 30575

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7288. 30576

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7289. 30577

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7290. 30578

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7291. 30579

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7292. 30580

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7293. 30581

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7294. 30582

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7295. 30583

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7296. 30584

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7297. 30585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7298. 30586

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7299. 30587

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7300. 30588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7301. 30589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7302. 30590

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7303. 30591

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7304. 30592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7305. 30593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7306. 30594

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7307. 30595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7308. 30596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7309. 30597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7310. 30598

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7311. 30599

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7312. 30600

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7313. 30601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7314. 30602

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7315. 30603

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7316. 30604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7317. 30605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7318. 30606

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7319. 30607

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7320. 30608

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7321. 30609

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7322. 30610

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7323. 30611

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7324. 30612

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7325. 30613

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7326. 30614

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7327. 30615

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7328. 30616

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7329. 30617

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7330. 30618

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7331. 30619

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7332. 30620

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7333. 30621

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7334. 30622

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7335. 30623

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7336. 30624

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7337. 30625

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7338. 30626

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7339. 30627

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7340. 30628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7341. 30629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7342. 30630

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7343. 30631

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7344. 30632

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7345. 30633

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7346. 30634

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7347. 30635

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7348. 30636

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7349. 30637

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7350. 30638

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7351. 30639

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7352. 30640

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7353. 30641

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7354. 30642

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7355. 30643

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7356. 30644

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7357. 30645

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7358. 30646

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7359. 30647

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7360. 30648

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7361. 30649

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7362. 30650

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7363. 30651

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7364. 30652
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7365. 30653
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7366. 30654
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7367. 30655
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7368. 30656
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7369. 30657
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7370. 30658

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7371. 30659

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7372. 30660

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7373. 30661

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7374. 30662

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7375. 30663

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7376. 30664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7377. 30665

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7378. 30688

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7379. 30666

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7380. 30667

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7381. 30668

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7382. 30669

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7383. 30670

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7384. 30671

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7385. 30672

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7386. 30673

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7387. 30674

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7388. 30675

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7389. 30676

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7390. 30677

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7391. 30678

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7392. 30679

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7393. 30680

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7394. 30681

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7395. 30682

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7396. 30683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7397. 30684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7398. 30685

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7399. 30686

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7400. 30687

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7401. 30689

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7402. 30690

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7403. 30691

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7404. 30692

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7405. 30693

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7406. 30694

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7407. 30695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7408. 30696
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7409. 30697
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7410. 30698
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7411. 30699
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7412. 30700
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7413. 30701

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7414. 30702

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7415. 30703

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7416. 30704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7417. 30705

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

script>

7418. 30706

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7419. 30707

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7420. 30708

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7421. 30709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7422. 30710

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7423. 30711

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7424. 30712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7425. 30713

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7426. 30714

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7427. 30715

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7428. 30716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7429. 30717

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7430. 30718

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7431. 30719

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7432. 30720

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7433. 30721

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7434. 30722

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7435. 30723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7436. 30724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7437. 30725

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7438. 30726

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7439. 30727

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7440. 30728

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7441. 30729

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7442. 30730

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7443. 30731

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7444. 30732

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7445. 30733

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7446. 30734

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7447. 30735

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7448. 30736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7449. 30737

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7450. 30738

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7451. 30739

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7452. 30740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7453. 30741

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7454. 30742

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7455. 30743

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7456. 30744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7457. 30745

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7458. 30746

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7459. 30747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7460. 30748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7461. 30749

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7462. 30750

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7463. 30751

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7464. 30752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7465. 30753

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7466. 30754

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7467. 30755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7468. 30756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7469. 30757

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7470. 30758

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7471. 30759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7472. 30760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7473. 30761

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7474. 30762

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7475. 30763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7476. 30764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7477. 30765

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7478. 30766

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7479. 30767

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7480. 30768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7481. 30769

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7482. 30770

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7483. 30771

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7484. 30772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7485. 30773

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7486. 30774

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7487. 30775

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7488. 30776

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7489. 30777

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7490. 30778

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7491. 30779

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7492. 30780

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7493. 30781

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7494. 30782

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7495. 30783

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7496. 30784

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7497. 30785

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7498. 30786

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7499. 30787

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7500. 30788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7501. 30789

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7502. 30790

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7503. 30791

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7504. 30792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

7505. 30793

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7506. 30794

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7507. 30795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7508. 30796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7509. 30797

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7510. 30798

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7511. 30799

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7512. 30800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7513. 30801

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7514. 30802

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7515. 30803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7516. 30804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7517. 30805

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7518. 30806

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7519. 30807

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7520. 30808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7521. 31099

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7522. 30809

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7523. 30810

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7524. 30811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7525. 30812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7526. 30813

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7527. 30814

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7528. 30815

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7529. 30816

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7530. 30817

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7531. 30818

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7532. 30819
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7533. 30820
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7534. 30821
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7535. 30822
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7536. 30823
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7537. 30824
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7538. 30825
CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7539. 30826

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7540. 30827

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7541. 30828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7542. 30829

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7543. 30830

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7544. 30831

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7545. 30832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7546. 30833

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7547. 30834

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7548. 30835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7549. 30836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7550. 30837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7551. 30838

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7552. 30839

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7553. 30840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7554. 30841

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7555. 30842

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7556. 30843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7557. 30844

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7558. 30845

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7559. 30846

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7560. 30847

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7561. 30848

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7562. 30849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7563. 30850

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7564. 30851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7565. 30852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7566. 30853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7567. 30854

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7568. 30855

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7569. 30856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7570. 30857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7571. 30858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7572. 30859

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7573. 30860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7574. 30861

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7575. 30862

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7576. 30863

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7577. 30864

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7578. 30865

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7579. 30866

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7580. 30867

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7581. 30868

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7582. 30869

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7583. 30870

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7584. 30871

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7585. 30872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7586. 30873

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7587. 30874

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7588. 30875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7589. 30876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7590. 30877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7591. 30878

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7592. 30879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7593. 30880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7594. 30881

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7595. 30904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7596. 30882

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7597. 30883

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7598. 30884

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7599. 30885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7600. 30886

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7601. 30887

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7602. 30888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7603. 30889

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7604. 30890

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7605. 30891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7606. 30892

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7607. 30893

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7608. 30894

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7609. 30895

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7610. 30896

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7611. 30897

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7612. 30898

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7613. 30899

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7614. 30900
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7615. 30901
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7616. 30902
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7617. 30903
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7618. 30905
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7619. 30906

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7620. 30907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7621. 30908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7622. 30909

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7623. 30910

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7624. 30911

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7625. 30912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7626. 30913

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7627. 30914

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7628. 30915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7629. 30916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7630. 30917

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7631. 30918

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7632. 30919

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7633. 30920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7634. 30921

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7635. 30922

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7636. 30923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7637. 30924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7638. 30925

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7639. 30926

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7640. 30927

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7641. 30928

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7642. 30929

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7643. 30952

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7644. 30930

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7645. 30931

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7646. 30932

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7647. 30933

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7648. 30934

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7649. 30935

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7650. 30936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7651. 30937

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7652. 30938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7653. 30939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7654. 30940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7655. 30941

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7656. 30942

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7657. 30943

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7658. 30944

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7659. 30945

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7660. 30946

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7661. 30947

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7662. 30948

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7663. 30949
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7664. 30950
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7665. 30951
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7666. 30953
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7667. 30954
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7668. 30955

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7669. 30956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7670. 30957

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7671. 30958

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7672. 30959

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7673. 30960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7674. 30961

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7675. 30962

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7676. 30963

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7677. 30964

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7678. 30965

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7679. 30966

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7680. 30967

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7681. 30968

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7682. 30969

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7683. 30970

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7684. 30971

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7685. 30972

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7686. 30973

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7687. 30974

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7688. 30975

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7689. 30976

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7690. 30977

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7691. 30978

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7692. 30979

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7693. 30980

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7694. 30981

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7695. 30982

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7696. 30983

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7697. 30984

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7698. 30985

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7699. 30986

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7700. 30987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7701. 30988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7702. 30989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7703. 30990

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7704. 30991

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7705. 30992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7706. 30993

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7707. 30994

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7708. 30995

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7709. 30996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7710. 30997

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7711. 30998

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7712. 30999
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

7713. 31000
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7714. 31001
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7715. 31024
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7716. 31002
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7717. 31003

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7718. 31004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7719. 31005

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7720. 31006

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7721. 31007

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7722. 31008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7723. 31009

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7724. 31010

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7725. 31011

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7726. 31012

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7727. 31013

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7728. 31014

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7729. 31015

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7730. 31016

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7731. 31017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7732. 31018

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7733. 31019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7734. 31020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7735. 31021

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7736. 31022

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7737. 31023

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7738. 31025

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7739. 31026

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7740. 31027

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7741. 31028

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7742. 31029

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7743. 31030

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7744. 31031

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7745. 31032

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7746. 31033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7747. 31034

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7748. 31035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7749. 31036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7750. 31037
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7751. 31038
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7752. 31039
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7753. 31040
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7754. 31041
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7755. 31042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7756. 31043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7757. 31044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7758. 31045

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7759. 31046

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7760. 31047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7761. 31048

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7762. 31049

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7763. 31098

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7764. 31050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7765. 31051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7766. 31052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7767. 31053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7768. 31054

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7769. 31055

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7770. 31056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7771. 31057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7772. 31058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7773. 31059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7774. 31060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7775. 31061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7776. 31062

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7777. 31063

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7778. 31064

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7779. 31065

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7780. 31066

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7781. 31067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7782. 31068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7783. 31069

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7784. 31070

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7785. 31071

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7786. 31072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7787. 31073

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7788. 31074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7789. 31075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7790. 31076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7791. 31077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7792. 31078

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7793. 31079

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7794. 31080

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7795. 31081

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7796. 31082

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7797. 31083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7798. 31084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7799. 31085
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7800. 31086
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7801. 31087
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7802. 31088
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7803. 31089
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

7804. 31090

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7805. 31091

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7806. 31092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7807. 31093

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7808. 31094

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7809. 31095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7810. 31096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7811. 31097

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7812. 31100

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7813. 31101

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7814. 31102

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7815. 31103

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7816. 31104

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7817. 31105

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7818. 31106

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7819. 31107

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7820. 31108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7821. 31109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7822. 31110

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7823. 31111

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7824. 31112

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7825. 31113

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7826. 31114

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7827. 31115

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7828. 31116

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7829. 31117

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7830. 31118

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7831. 31119

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7832. 31120

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7833. 31121

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7834. 31122

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7835. 31123

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7836. 31124

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7837. 31125

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7838. 31126

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7839. 31127

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7840. 31128

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7841. 31129

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7842. 31130

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7843. 31131

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7844. 31132

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7845. 31133

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7846. 31134

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7847. 31135

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7848. 31136

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7849. 31137

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7850. 31138

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7851. 31139

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7852. 31140

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

7853. 31141
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7854. 31142
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

7855. 31143
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7856. 31144
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7857. 31145
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

7858. 31146

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7859. 31147

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7860. 31148

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7861. 31149

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7862. 31150

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7863. 31151

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7864. 31152

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7865. 31153

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7866. 31154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7867. 31155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7868. 31156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7869. 31157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7870. 31158

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7871. 31159

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7872. 31160

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7873. 31161

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7874. 31162

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7875. 31163

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7876. 31164

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7877. 31165

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7878. 31166

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7879. 31167

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

7880. 31168

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7881. 31169

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7882. 31170

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7883. 31171

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7884. 31172

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7885. 31173

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7886. 31174

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7887. 31175

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7888. 31176

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7889. 31177

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7890. 31178

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7891. 31179

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7892. 31180

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7893. 31181

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7894. 31182

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7895. 31183

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7896. 31184

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7897. 31185

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7898. 31186

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7899. 31187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7900. 31188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7901. 31189

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

7902. 31190

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7903. 31191

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7904. 31192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7905. 31193

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7906. 31194

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7907. 31195

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7908. 31196

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7909. 31197

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7910. 31198

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7911. 31199

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7912. 31200

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7913. 31201

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7914. 31202

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7915. 31203

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7916. 31204

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7917. 31205

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7918. 31206

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7919. 31207

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7920. 31208

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7921. 31209

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7922. 31210

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7923. 31211

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7924. 31212

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7925. 31213

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7926. 31214

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7927. 31215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7928. 31216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7929. 31217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7930. 31218

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7931. 31219

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7932. 31220

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7933. 31221

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7934. 31222

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7935. 31223

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7936. 31224

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7937. 31225

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7938. 31226

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7939. 31227

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7940. 31228

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7941. 31229

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7942. 31230

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7943. 31231

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7944. 31232

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7945. 31233

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7946. 31234

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7947. 31235

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7948. 31236

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7949. 31237

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7950. 31238

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7951. 31239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7952. 31240

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7953. 31241

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7954. 31242

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7955. 31243

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7956. 31244

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7957. 31245

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7958. 31246

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7959. 31247

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7960. 31248

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7961. 31249

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7962. 31250

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7963. 31251

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7964. 31252

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7965. 31253

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7966. 31254

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7967. 31255

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7968. 31256

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7969. 31257

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7970. 31258

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7971. 31259

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7972. 31260

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7973. 31261

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7974. 31262

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7975. 31263

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7976. 31264

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7977. 31265

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

7978. 31413

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7979. 31266

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

7980. 31267

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7981. 31268

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7982. 31269

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7983. 31270

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7984. 31271

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7985. 31272

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7986. 31273

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7987. 31274

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7988. 31275

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7989. 31276

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7990. 31277

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7991. 31278

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

7992. 31279

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

7993. 31280

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7994. 31281

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

7995. 31282

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

7996. 31283

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

7997. 31284

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

7998. 31285

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

7999. 31286

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8000. 31287

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8001. 31288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8002. 31289

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8003. 31290

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8004. 31291

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8005. 31292

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8006. 31293

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8007. 31294

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8008. 31295

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8009. 31296

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8010. 31297

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8011. 31298

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8012. 31299

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8013. 31300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8014. 31301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8015. 31302

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8016. 31303

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8017. 31304

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8018. 31305

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8019. 31306

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8020. 31307

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

8021. 31308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8022. 31309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8023. 31310

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8024. 31311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8025. 31312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8026. 31313

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8027. 31314

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8028. 31315

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8029. 31316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8030. 31317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8031. 31318

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8032. 31319

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8033. 31320

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8034. 31321

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8035. 31322

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8036. 31323

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8037. 31324

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8038. 31325

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8039. 31326

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8040. 31327

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8041. 31328

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8042. 31329

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8043. 31330

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8044. 31331

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8045. 31332

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8046. 31333

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8047. 31334

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8048. 31335

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8049. 31336
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8050. 31337
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8051. 31338
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8052. 31339
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8053. 31340
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8054. 31341

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8055. 31342

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8056. 31343

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8057. 31344

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8058. 31345

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

8059. 31346

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8060. 31347

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8061. 31348

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8062. 31349

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8063. 31350

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8064. 31351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8065. 31352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8066. 31353

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8067. 31354

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8068. 31355

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8069. 31356

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8070. 31357

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8071. 31358

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8072. 31359

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8073. 31360

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8074. 31361

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8075. 31435

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8076. 31362

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8077. 31363

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8078. 31364

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8079. 31365

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8080. 31366

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8081. 31367

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8082. 31368

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8083. 31369

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8084. 31370

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8085. 31371

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8086. 31372

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8087. 31373

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8088. 31374

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8089. 31375

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8090. 31376

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8091. 31377

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8092. 31378

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8093. 31379

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8094. 31380

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8095. 31381

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8096. 31382

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8097. 31383

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8098. 31384

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8099. 31385

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8100. 31386

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8101. 31387

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8102. 31388

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8103. 31389
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8104. 31390
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8105. 31391
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8106. 31392
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8107. 31393
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8108. 31394
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8109. 31395

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8110. 31396

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8111. 31397

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8112. 31398

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8113. 31399

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8114. 31400

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8115. 31401

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8116. 31402

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8117. 31403

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8118. 31404

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8119. 31405

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8120. 31406

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8121. 31407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8122. 31408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8123. 31409

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8124. 31410

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8125. 31411

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8126. 31412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8127. 31414

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8128. 31415

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8129. 31416

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8130. 31417

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8131. 31418

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8132. 31419

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8133. 31420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8134. 31421

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8135. 31422

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8136. 31423

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8137. 31424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8138. 31425

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8139. 31426

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8140. 31427

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8141. 31428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8142. 31429

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8143. 31430

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8144. 31431

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8145. 31432

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8146. 31433

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8147. 31434

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8148. 31436

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8149. 31437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8150. 31438

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8151. 31439

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8152. 31440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8153. 31441

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8154. 31442

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8155. 31443

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8156. 31444

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8157. 31445
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8158. 31446
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8159. 31447
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8160. 31448
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8161. 31449
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

8162. 31450

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8163. 31451

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8164. 31452

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8165. 31453

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8166. 31454

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8167. 31455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8168. 31456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8169. 31457

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8170. 31458

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8171. 31459

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8172. 31460

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8173. 31461

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8174. 31462

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8175. 31463

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8176. 31464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8177. 31465

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8178. 31466

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8179. 31467

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8180. 31468

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8181. 31469

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8182. 31470

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8183. 31471

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8184. 31472

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8185. 31473

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8186. 31474

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8187. 31475

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8188. 31476

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8189. 31477

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8190. 31478

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8191. 31479

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8192. 31480

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8193. 31481

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8194. 31482

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8195. 31483

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8196. 31484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8197. 31485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8198. 31486

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8199. 31487

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8200. 31488

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8201. 31489

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8202. 31490

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8203. 31491

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8204. 31492

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8205. 31493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8206. 31494
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8207. 31495
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8208. 31496
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8209. 31497
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8210. 31498
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8211. 31499

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8212. 31500

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8213. 31501

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8214. 31502

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8215. 31503

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8216. 31504

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8217. 31505

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8218. 31506

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8219. 31507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8220. 31508

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8221. 31509

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8222. 31510

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8223. 31511

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8224. 31512

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8225. 31513

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8226. 31514

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8227. 31515

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8228. 31516

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8229. 31517

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8230. 31518

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8231. 31519

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8232. 31520

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8233. 31521

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8234. 31522

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8235. 31523

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8236. 31524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8237. 31525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8238. 31526

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8239. 31527

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8240. 31528

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8241. 31529

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8242. 31530

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8243. 31531

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8244. 31532

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8245. 31605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8246. 31533

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8247. 31534

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8248. 31535

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8249. 31536

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8250. 31537

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8251. 31538

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8252. 31539

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8253. 31540

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8254. 31541

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8255. 31542

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8256. 31543

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8257. 31544

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8258. 31545

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8259. 31546

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8260. 31547

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8261. 31548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8262. 31549

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8263. 31550

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8264. 31551

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8265. 31552

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8266. 31553

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8267. 31554

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8268. 31555

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8269. 31556

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8270. 31557

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8271. 31558

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8272. 31559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8273. 31560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8274. 31561

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8275. 31562

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8276. 31563

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8277. 31564

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8278. 31565

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8279. 31566

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8280. 31567

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8281. 31568

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8282. 31569

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8283. 31570

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8284. 31571

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8285. 31572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8286. 31573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8287. 31574

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8288. 31575

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8289. 31576

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8290. 31577

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8291. 31578

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8292. 31579

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8293. 31580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8294. 31581

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8295. 31582

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8296. 31583

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8297. 31584

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8298. 31585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8299. 31586

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8300. 31587

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8301. 31588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8302. 31589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8303. 31590

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8304. 31591

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8305. 31592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8306. 31593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8307. 31594

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8308. 31595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8309. 31596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8310. 31597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8311. 31598

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8312. 31599

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8313. 31600

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8314. 31601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8315. 31602

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8316. 31603

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8317. 31604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8318. 31606

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8319. 31607

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8320. 31608
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8321. 31609
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8322. 31610
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8323. 31611
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8324. 31612
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8325. 31613

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8326. 31614

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8327. 31615

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8328. 31616

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8329. 31617

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

8330. 31618

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8331. 31619

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8332. 31620

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8333. 31621

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8334. 31622

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8335. 31623

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8336. 31624

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8337. 31625

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8338. 31626

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8339. 31627

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8340. 31628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8341. 31629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8342. 31630

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8343. 31631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8344. 31632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8345. 31633

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8346. 31634

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8347. 31635

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8348. 31636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8349. 31637

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8350. 31638

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8351. 31639

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8352. 31640

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8353. 31641

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8354. 31642

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8355. 31643

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8356. 31644

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8357. 31645

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8358. 31646

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8359. 31647

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8360. 31648

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8361. 31649

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8362. 31650

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8363. 31651

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8364. 31652

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8365. 31653

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8366. 31654

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8367. 31655

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8368. 31656

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8369. 31657

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8370. 31658

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8371. 31659

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8372. 31660

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8373. 31661

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8374. 31662

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8375. 31663

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8376. 31664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8377. 31665

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8378. 31666

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8379. 31667

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8380. 31668

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8381. 31669

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8382. 31670

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8383. 31671

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8384. 31672

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8385. 31673

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8386. 31674

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8387. 31675

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8388. 31676

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8389. 31677

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8390. 31678

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8391. 31679

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8392. 31680

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8393. 31681

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8394. 31682

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8395. 31683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8396. 31684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8397. 31685

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8398. 31686

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8399. 31687

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8400. 31688

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8401. 31689

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8402. 31690

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8403. 31691

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8404. 31692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8405. 31693

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8406. 31694

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8407. 31695

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8408. 31696

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8409. 31697

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8410. 31698

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8411. 31699

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8412. 31700

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8413. 31701

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8414. 31702

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8415. 31703

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8416. 31704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8417. 31705

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8418. 31706

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8419. 31707

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8420. 31708

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8421. 31709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8422. 31710

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8423. 31711

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8424. 31712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8425. 31713

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8426. 31714

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8427. 31715

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8428. 31716
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8429. 31717
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8430. 31718
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8431. 31719
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8432. 31720
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8433. 31721
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8434. 31722

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8435. 31723

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8436. 31724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8437. 31725

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8438. 31726

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8439. 31727

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8440. 31728

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8441. 31729

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8442. 31730

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8443. 31731

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8444. 31732

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8445. 31733

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8446. 31734

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8447. 31735

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8448. 31736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8449. 31737

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8450. 31738

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8451. 31739

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8452. 31740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8453. 31741

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8454. 31742

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8455. 31743

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8456. 31744

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8457. 31745

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8458. 31746

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8459. 31747

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8460. 31748

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8461. 31749

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8462. 31750

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8463. 31751

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8464. 31752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8465. 31753

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8466. 31754

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8467. 31755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8468. 31756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8469. 31757

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8470. 31758

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8471. 31759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8472. 31760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8473. 31761

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8474. 31762

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8475. 31763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8476. 31764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8477. 31765

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8478. 31766

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8479. 31767

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8480. 31768

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8481. 31769

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8482. 31770

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8483. 31771
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

8484. 31772
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8485. 31773
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8486. 31774
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8487. 31775
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8488. 31776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8489. 31777

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8490. 31778

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8491. 31779

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8492. 31780

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8493. 31781

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8494. 31782

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8495. 31783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8496. 31784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8497. 31785

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8498. 31786

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8499. 31787

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8500. 31788

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8501. 31789

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8502. 31790

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8503. 31791

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8504. 31792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8505. 31793

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8506. 31794

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8507. 31795

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8508. 31796

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8509. 31797

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8510. 31821

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8511. 31798

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8512. 31799

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8513. 31800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8514. 31801

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8515. 31802

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8516. 31803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8517. 31804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8518. 31805

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8519. 31806

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8520. 31807

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8521. 31808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8522. 31809

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8523. 31810

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8524. 31811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8525. 31812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8526. 31813
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8527. 31814
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8528. 31815
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8529. 31816
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8530. 31817
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8531. 31818

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8532. 31819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8533. 31820

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8534. 31822

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8535. 31823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8536. 31824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8537. 31825

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8538. 31826

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8539. 31827

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8540. 31828

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8541. 31829

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8542. 31830

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or

distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8543. 31831

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8544. 31832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8545. 31833

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8546. 31834

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8547. 31835

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8548. 31836

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8549. 31837

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8550. 31838

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8551. 31839

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8552. 31840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8553. 31841

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8554. 31842

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8555. 31843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8556. 31844

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8557. 31845

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8558. 31941

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8559. 31846

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8560. 31847

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8561. 31848

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8562. 31849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8563. 31850

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8564. 31851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8565. 31852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8566. 31853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8567. 31854

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8568. 31855

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8569. 31856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8570. 31857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8571. 31858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8572. 31859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8573. 31860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8574. 31861

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8575. 31862

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8576. 31863

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8577. 31864

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8578. 31865

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8579. 31866

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8580. 31867

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8581. 31868

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8582. 31869

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8583. 31870

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8584. 31871

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8585. 31872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8586. 31873

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8587. 31874

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8588. 31875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8589. 31876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8590. 31877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8591. 31878

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8592. 31879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8593. 31880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8594. 31881

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8595. 31882

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8596. 31883

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8597. 31884

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8598. 31885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8599. 31886

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8600. 31887

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8601. 31888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8602. 31889

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8603. 31890

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8604. 31891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8605. 31892

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8606. 31893

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8607. 31894

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8608. 31895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8609. 31896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8610. 31897

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8611. 31898

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8612. 31899

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8613. 31900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8614. 31901

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8615. 31902

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8616. 31903

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8617. 31904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8618. 31905

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8619. 31906

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8620. 31907

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8621. 31908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8622. 31909

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8623. 31910

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8624. 31911

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8625. 31912

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8626. 31913

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8627. 31914

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8628. 31915

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8629. 31916

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8630. 31917

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8631. 31918

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8632. 31919

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8633. 31920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8634. 31921

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8635. 31922

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8636. 31923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8637. 31924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8638. 31925

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8639. 31926

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8640. 31927

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8641. 31928

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8642. 31929

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8643. 31930

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8644. 31931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8645. 31932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8646. 31933

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8647. 31934

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8648. 31935

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8649. 31936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8650. 31937

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

8651. 31938

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8652. 31939

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8653. 31940

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8654. 31942

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8655. 31943

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8656. 31944

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8657. 31945

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8658. 31946

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8659. 31947

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8660. 31948

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8661. 31949

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8662. 31950

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8663. 31951

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8664. 31952

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8665. 31953

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8666. 31954

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8667. 31955

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8668. 31956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8669. 31957

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8670. 31958

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8671. 31959

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8672. 31960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8673. 31961

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8674. 31962

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8675. 31963

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8676. 31964

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8677. 31965

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8678. 32133

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8679. 32255

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8680. 31966

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8681. 31967

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8682. 31968

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8683. 31969

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8684. 31970

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8685. 31971

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8686. 31972

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8687. 31973

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8688. 31974

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8689. 31975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8690. 31976

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8691. 31977

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8692. 31978

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8693. 31979

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8694. 31980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8695. 31981

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8696. 31982

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8697. 31983

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8698. 31984

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

8699. 31985

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8700. 31986

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8701. 31987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8702. 31988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8703. 31989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8704. 31990

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8705. 31991

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8706. 31992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8707. 31993

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8708. 31994

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8709. 31995

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8710. 31996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8711. 31997

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8712. 31998

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8713. 31999

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8714. 32000

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8715. 32001

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8716. 32002

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8717. 32003

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8718. 32004

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8719. 32005

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8720. 32006

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8721. 32007

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8722. 32008

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8723. 32009

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8724. 32010

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8725. 32011

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8726. 32012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8727. 32013

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8728. 32014

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8729. 32015

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8730. 32016

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8731. 32017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8732. 32018

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8733. 32019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8734. 32020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8735. 32021

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8736. 32022

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8737. 32023

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8738. 32024

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8739. 32025

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8740. 32026

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8741. 32027

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8742. 32028

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8743. 32029

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8744. 32030

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8745. 32031

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8746. 32032

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8747. 32033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8748. 32034

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8749. 32035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8750. 32036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8751. 32037

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8752. 32038

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8753. 32039

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8754. 32040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8755. 32041

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8756. 32042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8757. 32043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8758. 32044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

8759. 32045
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8760. 32046
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

8761. 32047
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8762. 32048
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8763. 32049
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

8764. 32050

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8765. 32051

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8766. 32052

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8767. 32053

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8768. 32054

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8769. 32055

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8770. 32056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8771. 32057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8772. 32058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8773. 32059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8774. 32060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8775. 32061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8776. 32062

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8777. 32063

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8778. 32064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8779. 32065

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8780. 32066

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8781. 32067

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8782. 32068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8783. 32069

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8784. 32070

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8785. 32071

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8786. 32072

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8787. 32073

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8788. 32074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8789. 32075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8790. 32076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8791. 32077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8792. 32078

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8793. 32079

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8794. 32080

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8795. 32081

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8796. 32082

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8797. 32083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8798. 32084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8799. 32085

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8800. 32086

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8801. 32087

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8802. 32088

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8803. 32089

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8804. 32090

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8805. 32091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8806. 32092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8807. 32093

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8808. 32094

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8809. 32095

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8810. 32096

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8811. 32097

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8812. 32098

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8813. 32099

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8814. 32100

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8815. 32101

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8816. 32102

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8817. 32103

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8818. 32104

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8819. 32105

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8820. 32106

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8821. 32107

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8822. 32108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8823. 32109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8824. 32110

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8825. 32111

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8826. 32112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8827. 32113

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8828. 32114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8829. 32115

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8830. 32116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8831. 32117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8832. 32118

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8833. 32119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8834. 32120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8835. 32121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8836. 32122

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8837. 32123

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8838. 32124

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8839. 32125

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8840. 32126

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8841. 32127

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8842. 32128

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8843. 32129

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8844. 32130

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8845. 32131

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8846. 32132

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8847. 32134

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8848. 32135

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8849. 32136

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8850. 32137

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

script>

8851. 32138

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8852. 32139

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8853. 32140

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8854. 32141

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8855. 32142

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8856. 32143

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8857. 32144

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8858. 32145

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8859. 32146

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8860. 32147

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8861. 32148

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8862. 32149

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8863. 32150

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8864. 32151

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8865. 32152

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8866. 32153

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8867. 32154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8868. 32155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8869. 32156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8870. 32157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8871. 32158

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8872. 32159

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8873. 32160

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8874. 32161

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8875. 32162

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8876. 32163

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8877. 32164

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8878. 32165

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8879. 32166

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8880. 32167

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8881. 32168

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8882. 32169

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8883. 32170

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8884. 32171

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8885. 32172

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8886. 32173

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8887. 32174

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8888. 32175

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8889. 32176

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8890. 32177

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8891. 32178

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8892. 32179

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8893. 32180

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8894. 32181

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8895. 32254

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8896. 32182

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8897. 32183

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8898. 32184

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8899. 32185

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8900. 32186

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8901. 32187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8902. 32188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8903. 32189

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8904. 32190

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8905. 32191

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8906. 32192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8907. 32193

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8908. 32194

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8909. 32195

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8910. 32196

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8911. 32197

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8912. 32198

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8913. 32199

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8914. 32200

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8915. 32201

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8916. 32202

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8917. 32203

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8918. 32204

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8919. 32205

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8920. 32206

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8921. 32207

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

8922. 32208

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8923. 32209

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8924. 32210

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8925. 32211

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8926. 32212

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8927. 32213

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8928. 32214

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8929. 32215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8930. 32216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8931. 32217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8932. 32218

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8933. 32219

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8934. 32220

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8935. 32221

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8936. 32222

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8937. 32223

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

script>

8938. 32224

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8939. 32225

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8940. 32226

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8941. 32227

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8942. 32228

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8943. 32229

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8944. 32230

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8945. 32231

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8946. 32232

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8947. 32233

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8948. 32234

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8949. 32235

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8950. 32236

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8951. 32237

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8952. 32238

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8953. 32239

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8954. 32240

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8955. 32241

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8956. 32242

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8957. 32243

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8958. 32244

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8959. 32245

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8960. 32246

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8961. 32247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8962. 32248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8963. 32249

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8964. 32250

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8965. 32251

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8966. 32252

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8967. 32253

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8968. 32256

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8969. 32257

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8970. 32258

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8971. 32259

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8972. 32260

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8973. 32261

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

8974. 32262

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8975. 32263

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8976. 32264

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8977. 32265

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8978. 32266

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8979. 32267

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8980. 32268

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8981. 32269

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

8982. 32270

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8983. 32271

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8984. 32272

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8985. 32273

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8986. 32274

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

8987. 32275

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8988. 32276

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8989. 32277

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8990. 32278

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8991. 32279

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

8992. 32280

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8993. 32281

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

8994. 32282

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

8995. 32283

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

8996. 32284

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

8997. 32285

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

8998. 32286

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

8999. 32287

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9000. 32288

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9001. 32289

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9002. 32290

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9003. 32291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9004. 32292

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9005. 32293

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9006. 32294

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9007. 32295

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9008. 32296

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9009. 32297

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9010. 32298

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9011. 32299

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9012. 32300

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9013. 32301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9014. 32302

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9015. 32303

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9016. 32304

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9017. 32305

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9018. 32306

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9019. 32307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9020. 32308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9021. 32309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9022. 32310

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9023. 32311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9024. 32312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9025. 32313

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9026. 32314

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9027. 32315

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9028. 32316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9029. 32317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9030. 32318

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9031. 32319

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9032. 32320

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9033. 32321

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9034. 32322

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9035. 32323

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9036. 32324

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9037. 32325

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9038. 32326

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9039. 32327

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9040. 32328

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9041. 32329

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9042. 32330

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9043. 32331

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9044. 32332

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9045. 32333

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9046. 32334

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9047. 32335

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9048. 32336

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9049. 32337

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9050. 32338

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9051. 32339

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9052. 32340
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9053. 32341
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9054. 32342
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9055. 32343
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9056. 32344
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9057. 32345
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9058. 32346

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9059. 32347

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9060. 32348

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9061. 32349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9062. 32350

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9063. 32351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9064. 32352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9065. 32353

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9066. 32354

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9067. 32355

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9068. 32356

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9069. 32357

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9070. 32358

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9071. 32359

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9072. 32360

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9073. 32361

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9074. 32362

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9075. 32363

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9076. 32364

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9077. 32365

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9078. 32366

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9079. 32367

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9080. 32368

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9081. 32369

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9082. 32370

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9083. 32371

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9084. 32372

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9085. 32373

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9086. 32374

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9087. 34724

CVSS: 3 (low)

Статус: Активна

Описание: Backend health endpoint открыт: http://127.0.0.1:4000/health (status 200)

9088. 32375

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9089. 32376

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9090. 32377

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9091. 32378

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9092. 32379

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9093. 32380

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9094. 32381

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9095. 32382

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9096. 32383

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9097. 32384

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9098. 32385

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9099. 32386

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9100. 32387

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9101. 32388

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9102. 32389

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9103. 32390

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9104. 32391

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9105. 32392

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9106. 32393

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9107. 32394

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9108. 32395

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9109. 32396

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9110. 32397

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9111. 32398

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9112. 32399

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9113. 32400

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9114. 32401

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9115. 32402

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9116. 32403

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9117. 32404

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9118. 32405

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9119. 32406

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9120. 32407

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9121. 32408

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9122. 32409

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

9123. 32410

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9124. 32411

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9125. 32412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9126. 32413

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9127. 32414

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9128. 32415

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9129. 32416

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9130. 32417

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9131. 32418

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9132. 32419

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9133. 32420

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9134. 32421

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9135. 32422

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9136. 32423

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9137. 32424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9138. 32425

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9139. 32426

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9140. 32427

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9141. 32428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9142. 32429

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9143. 32430

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9144. 32431

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9145. 32432

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9146. 32433

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9147. 32434

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9148. 32435

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9149. 32436

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9150. 32437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9151. 32438

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9152. 32439

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9153. 32440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9154. 32441

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9155. 32442

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9156. 32443

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9157. 32444

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9158. 32445

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9159. 32446

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9160. 32447

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9161. 32448

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9162. 32449

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9163. 32450

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9164. 32451

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9165. 32452

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9166. 32453

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9167. 32454

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9168. 32455

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9169. 32456

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9170. 32457

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9171. 32458

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9172. 32459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9173. 32460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9174. 32461

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9175. 32462

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9176. 32463

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9177. 32464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9178. 32465

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9179. 32466

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9180. 32467

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9181. 32468

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9182. 32469

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9183. 32470

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9184. 32471

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9185. 32472

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9186. 32473

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9187. 32474

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9188. 32475

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9189. 32476

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9190. 32477

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9191. 32478

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9192. 32479

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9193. 32480

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9194. 32481

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9195. 32482

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9196. 32483

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9197. 32484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9198. 32485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9199. 32486

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9200. 32487

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9201. 32488

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9202. 32489

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9203. 32490

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9204. 32491

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9205. 32492

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9206. 32493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9207. 32494

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9208. 32495

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9209. 32496

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9210. 32497

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9211. 32498

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9212. 32499

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9213. 32500

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9214. 32501

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9215. 32502

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9216. 32503

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9217. 32504

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9218. 32505

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9219. 32506

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9220. 32507

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9221. 32508
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9222. 32509
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9223. 32510
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9224. 32511
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9225. 32512
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9226. 32513

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9227. 32514

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9228. 32515

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9229. 32516

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9230. 32517

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9231. 32518

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9232. 32519

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9233. 32520

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9234. 32521

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9235. 32522

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9236. 32523

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9237. 32524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9238. 32525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9239. 32526

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9240. 32527

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9241. 32528

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9242. 32529

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9243. 32530

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9244. 32531

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9245. 32532

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9246. 32533

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9247. 32534

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9248. 32535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9249. 32536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9250. 32537

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9251. 32538

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9252. 32539

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9253. 32540

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9254. 32541

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9255. 32542

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9256. 32543

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9257. 32544

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9258. 32545

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9259. 32546

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9260. 32547

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9261. 32548

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9262. 32549

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9263. 32550

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9264. 32551

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9265. 32552
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9266. 32553
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9267. 32554
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9268. 32555
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9269. 32556
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9270. 32557

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9271. 32558

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9272. 32559

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9273. 32560

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9274. 32561

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

9275. 32562

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9276. 32563

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9277. 32564

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9278. 32565

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9279. 32566

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9280. 32567

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9281. 32568

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9282. 32569

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9283. 32570

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9284. 32571

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9285. 32572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9286. 32573

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9287. 32574

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9288. 32575

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9289. 32576

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9290. 32577

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9291. 32578

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9292. 32579

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9293. 32580

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9294. 32581

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9295. 32582

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9296. 32583

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9297. 32584

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9298. 32585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9299. 32586

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9300. 32587

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9301. 32588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9302. 32589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9303. 32590

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9304. 32591

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9305. 32592

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9306. 32593

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9307. 32594

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9308. 32595

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9309. 32596

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9310. 32597

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9311. 32598

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9312. 32599

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9313. 32600

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9314. 32601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9315. 32602

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9316. 32603

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9317. 32604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9318. 32605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9319. 32606
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9320. 32607
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9321. 32608
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9322. 32609
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9323. 32610
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9324. 32611

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9325. 32612

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9326. 32613

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9327. 32614

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9328. 32615

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9329. 32616

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9330. 32617

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9331. 32618

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9332. 32619

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9333. 32620

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9334. 32621

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9335. 32622

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9336. 32623

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9337. 32624

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9338. 32625

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9339. 32626

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9340. 32627

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9341. 32628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9342. 32629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9343. 32630

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9344. 32631

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9345. 32632

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9346. 32633

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9347. 32634

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9348. 32635

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9349. 32636

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9350. 32637

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9351. 32638

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9352. 32639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9353. 32640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9354. 32641

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9355. 32642

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9356. 32643

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9357. 32644

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9358. 32645

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9359. 32646

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9360. 32647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9361. 32648

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9362. 32649

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9363. 32650

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9364. 32651

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9365. 32652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9366. 32653

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9367. 32654

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9368. 32655

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9369. 32656

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9370. 32657

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9371. 32658

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9372. 32659

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9373. 32660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9374. 32661

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9375. 32662

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9376. 32663

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9377. 32664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9378. 32665

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9379. 32666

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9380. 32667

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9381. 32668

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9382. 32669

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9383. 32670

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9384. 32671

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9385. 32672

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9386. 32673

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9387. 32674

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9388. 32675

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

9389. 32676

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9390. 32677

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9391. 32678

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9392. 32679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9393. 32680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9394. 32681

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9395. 32682

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9396. 32683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9397. 32684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9398. 32685

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9399. 32686

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9400. 32687

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9401. 32688

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9402. 32689

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9403. 32690

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9404. 32691

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9405. 32692

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9406. 32693

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9407. 32694

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9408. 32695

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9409. 32696

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9410. 32697

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9411. 32698

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9412. 32699

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9413. 32700

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9414. 32701

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9415. 32702

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9416. 32703

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9417. 32704
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9418. 32705
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9419. 32706
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9420. 32707
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9421. 32708
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9422. 32709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9423. 32710

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9424. 32711

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9425. 32712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9426. 32713

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

9427. 32714

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9428. 32715

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9429. 32716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9430. 32717

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9431. 32718

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9432. 32719

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9433. 32720

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9434. 32721

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9435. 32722

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9436. 32723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9437. 32724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9438. 32725

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9439. 32726

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9440. 32727

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9441. 32728

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9442. 32729

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9443. 32730

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9444. 32731

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9445. 32732

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9446. 32733

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9447. 32734

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9448. 32735

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9449. 32736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9450. 32737

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9451. 32738

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9452. 32739

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9453. 32740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9454. 32741

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9455. 32742

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9456. 32743

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9457. 32744

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9458. 32745

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9459. 32746

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9460. 32747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9461. 32748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9462. 32749

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9463. 32750

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9464. 32751

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9465. 32752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9466. 32753

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9467. 32754

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9468. 32755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9469. 32756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9470. 32757

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9471. 32758

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9472. 32759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9473. 32760

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9474. 32761

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9475. 32762

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9476. 32763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9477. 32764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9478. 32765

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9479. 32766

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9480. 32767

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9481. 32768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9482. 32769

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9483. 32770

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9484. 32771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9485. 32772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9486. 32773

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9487. 32774

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9488. 32775

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9489. 32776

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9490. 32777

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9491. 32778

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9492. 32779

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9493. 32780

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9494. 32781

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9495. 32782

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9496. 32783

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9497. 32784

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9498. 32785

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9499. 32786

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9500. 32787

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9501. 32788

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9502. 32789

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9503. 32790

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9504. 32791

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9505. 32792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9506. 32793

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9507. 32794

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9508. 32795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9509. 32796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9510. 32797

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9511. 32798

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9512. 32799

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9513. 32800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9514. 32801

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9515. 32802

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9516. 32803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9517. 32804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9518. 32805

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9519. 32806

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9520. 32807

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9521. 32808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9522. 32809

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9523. 32810

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9524. 32811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9525. 32812
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9526. 32813
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9527. 32814
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9528. 32815
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9529. 32816
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9530. 32817

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9531. 32818

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9532. 32819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9533. 32820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9534. 32821

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9535. 32822

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9536. 32823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9537. 32824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9538. 32825

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9539. 32826

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9540. 32827

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9541. 32828

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9542. 32829

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9543. 32830

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9544. 32831

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9545. 32832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9546. 32833

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9547. 32834

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9548. 32835

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9549. 32836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9550. 32837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9551. 32838

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9552. 32839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9553. 32840
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9554. 32841
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9555. 32842
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9556. 32843
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9557. 32844
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9558. 32845

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9559. 32846

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9560. 32847

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9561. 32848

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9562. 32849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9563. 32850

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9564. 32851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9565. 32852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9566. 32853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9567. 32854

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9568. 32855

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9569. 32856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9570. 32857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9571. 32858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9572. 32859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9573. 32860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9574. 32861

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9575. 32862

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9576. 32863

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9577. 32864

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9578. 32865

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9579. 32866

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9580. 32867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9581. 32868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9582. 32869

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9583. 32870

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9584. 32871

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9585. 32872

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9586. 32873

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9587. 32874

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9588. 32875

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9589. 32876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9590. 32877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9591. 32878

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9592. 32879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9593. 32880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9594. 32881

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9595. 32882

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9596. 32883

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9597. 32884

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9598. 32885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9599. 32886

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9600. 32887

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9601. 32888

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9602. 32889

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9603. 32890

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9604. 32891

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9605. 32892

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9606. 32893

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9607. 32894

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9608. 32895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9609. 32896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9610. 32897

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9611. 32898

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9612. 32899

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9613. 32900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9614. 32901

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9615. 32902

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9616. 32903

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9617. 32904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9618. 32905

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9619. 32906

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9620. 32907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9621. 32908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9622. 32909

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9623. 32910

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9624. 32911

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9625. 32912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9626. 32913

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9627. 32914

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9628. 32915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9629. 32916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9630. 32917

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9631. 32918

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9632. 32919

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9633. 32920

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9634. 32921

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9635. 32922

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9636. 32923

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9637. 32924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9638. 32925

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9639. 32926

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9640. 32927

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9641. 32928

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9642. 32929

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9643. 32930

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9644. 32931

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9645. 32932

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9646. 32933

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9647. 32934

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9648. 32935

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9649. 32936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9650. 32937

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9651. 32938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9652. 32939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9653. 32940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9654. 32941

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9655. 32942

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9656. 32943

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9657. 32944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9658. 32945

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9659. 32946

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9660. 32947

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9661. 32948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9662. 32949

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9663. 32950

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9664. 32951

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9665. 32952

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9666. 32953

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9667. 32954

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9668. 32955

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9669. 32956

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9670. 32957

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9671. 32958

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9672. 32959

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9673. 32960

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9674. 32961

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9675. 32962

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9676. 32963

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9677. 32964

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9678. 32965

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9679. 32966

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9680. 32967

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9681. 32968

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9682. 32969

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9683. 32970

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9684. 32971

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9685. 32972

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9686. 32973

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9687. 32974

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9688. 32975

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9689. 32976

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9690. 32977

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9691. 32978

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9692. 32979

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9693. 32980

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9694. 32981

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9695. 32982

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9696. 32983

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9697. 32984

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9698. 32985

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9699. 32986

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9700. 32987

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9701. 32988

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9702. 32989

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9703. 32990

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9704. 32991

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9705. 32992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9706. 32993

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9707. 32994

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9708. 32995

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9709. 32996

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9710. 32997
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9711. 32998
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9712. 32999
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9713. 33000
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9714. 33001
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

9715. 33002

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9716. 33003

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9717. 33004

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9718. 33005

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9719. 33006

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9720. 33007

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9721. 33008

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9722. 33009

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9723. 33010

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9724. 33011

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9725. 33012

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9726. 33013

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9727. 33014

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9728. 33015

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9729. 33016

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9730. 33017

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9731. 33018

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9732. 33019

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9733. 33020

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9734. 33021

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9735. 33022

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9736. 33023

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9737. 33024

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9738. 33025

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9739. 33026

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9740. 33027

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9741. 33028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9742. 33029

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9743. 33030

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9744. 33031

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9745. 33032

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9746. 33033

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9747. 33034

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9748. 33035

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9749. 33036

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9750. 33037

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9751. 33038

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9752. 33039

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9753. 33040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9754. 33041

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9755. 33042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9756. 33043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9757. 33044

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9758. 33045

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9759. 33046

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9760. 33047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9761. 33048

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9762. 33049

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9763. 33050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9764. 33051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9765. 33052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9766. 33053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9767. 33054

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9768. 33055

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9769. 33056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9770. 33057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9771. 33058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9772. 33059

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9773. 33060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9774. 33061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9775. 33062

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9776. 33063

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9777. 33064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9778. 33065

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9779. 33066

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9780. 33067

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9781. 33068

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9782. 33069

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9783. 33070

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9784. 33071

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9785. 33072

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9786. 33073

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9787. 33074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9788. 33075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9789. 33076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9790. 33077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9791. 33078

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9792. 33079

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9793. 33080

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9794. 33081

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9795. 33082

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9796. 33083

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9797. 33084

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9798. 33085

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9799. 33086

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9800. 33087

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9801. 33088

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9802. 33089

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9803. 33090

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9804. 33091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9805. 33092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9806. 33093

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9807. 33094

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9808. 33095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9809. 33096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9810. 33097

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9811. 33098

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9812. 33099

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9813. 33100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9814. 33101

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9815. 33102

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9816. 33103

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9817. 33104

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9818. 33105

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9819. 33106

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9820. 33107

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9821. 33108

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9822. 33109

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9823. 33110

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9824. 33111

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9825. 33112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9826. 33113

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9827. 33114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9828. 33115

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9829. 33116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9830. 33117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9831. 33118

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9832. 33119

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9833. 33120

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9834. 33121

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9835. 33122

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9836. 33123

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9837. 33124

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9838. 33125

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9839. 33126

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9840. 33127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9841. 33128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9842. 33129

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9843. 33130

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9844. 33131

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9845. 33132

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9846. 33133

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9847. 33134

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9848. 33135

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9849. 33136

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9850. 33137

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9851. 33138

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9852. 33139

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9853. 33140

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9854. 33141

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9855. 33142

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9856. 33143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9857. 33144
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9858. 33145
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9859. 33146
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

9860. 33147
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9861. 33148
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

9862. 33149

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9863. 33150

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9864. 33151

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9865. 33152

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9866. 33153

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

9867. 33154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9868. 33155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9869. 33156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9870. 33157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9871. 33158

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9872. 33159

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9873. 33160

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9874. 33161

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9875. 33162

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9876. 33163

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9877. 33164

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9878. 33165

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9879. 33166

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9880. 33167

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9881. 33168

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9882. 33169

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9883. 33170

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9884. 33171

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9885. 33172

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9886. 33173

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9887. 33174

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9888. 33175

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

9889. 33176

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9890. 33177

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9891. 33178

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9892. 33179

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9893. 33180

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9894. 33181

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9895. 33182

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9896. 33183

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9897. 33184

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9898. 33185

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9899. 33186

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9900. 33187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9901. 33188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9902. 33189

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9903. 33190

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9904. 33191

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9905. 33192

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9906. 33193

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9907. 33194

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9908. 33195

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9909. 33196

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9910. 33197

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9911. 33198

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9912. 33199

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9913. 33200

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9914. 33201

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9915. 33202

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9916. 33203

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9917. 33204

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9918. 33205

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9919. 33206

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9920. 33207

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9921. 33208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9922. 33209

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9923. 33210

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9924. 33211

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9925. 33212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9926. 33213

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9927. 33214

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9928. 33215

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9929. 33216

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9930. 33217

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9931. 33218

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9932. 33219

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9933. 33220

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9934. 33221

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9935. 33222

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9936. 33223

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9937. 33224

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9938. 33225

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9939. 33226

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9940. 33227

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9941. 33228

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9942. 33229

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9943. 33230

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9944. 33231

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9945. 33232

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9946. 33233

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9947. 33234

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9948. 33235

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9949. 33236

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9950. 33237

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9951. 33238

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9952. 33239

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9953. 33240

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9954. 33241

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9955. 33242

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9956. 33243

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9957. 33244

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9958. 33245

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9959. 33246

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9960. 33247

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9961. 33248

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9962. 33249

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9963. 33250

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9964. 33251

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9965. 33252
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9966. 33253
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9967. 33254
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9968. 33255
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

9969. 33256
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

9970. 33257
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

9971. 33258

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9972. 33259

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9973. 33260

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9974. 33261

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9975. 33262

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9976. 33263

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9977. 33264

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9978. 33265

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9979. 33266

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9980. 33267

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9981. 33268

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9982. 33269

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9983. 33270

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9984. 33271

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9985. 33272

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9986. 33273

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

9987. 33274

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9988. 33275

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9989. 33276

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9990. 33277

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9991. 33278

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

9992. 33279

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

9993. 33280

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

9994. 33281

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

9995. 33282

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

9996. 33283

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

9997. 33284

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

9998. 33285

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

9999. 33286

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10000. 33287

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10001. 33288

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10002. 33289

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10003. 33290

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10004. 33291

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10005. 33292

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10006. 33293

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10007. 33294

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10008. 33295

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10009. 33296

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10010. 33297

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10011. 33298

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10012. 33299

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10013. 33300

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10014. 33301

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10015. 33302

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10016. 33303

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10017. 33304

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10018. 33305

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10019. 33306

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10020. 33307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10021. 33308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10022. 33309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10023. 33310

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10024. 33311

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10025. 33312

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10026. 33313

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10027. 33314

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10028. 33315

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10029. 33316

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10030. 33317

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10031. 33318

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10032. 33319

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10033. 33320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10034. 33321

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10035. 33322

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10036. 33323

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10037. 33324

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10038. 33325

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10039. 33326

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10040. 33327

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10041. 33328

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10042. 33329

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10043. 33330

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10044. 33331

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10045. 33332

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10046. 33333

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10047. 33334

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10048. 33335

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10049. 33336

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10050. 33337

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10051. 33338

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10052. 33339

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10053. 33340

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10054. 33341

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10055. 33342

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10056. 33343

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10057. 33344

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10058. 33345

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10059. 33346

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10060. 33347

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10061. 33348

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10062. 33349

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10063. 33350

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10064. 33351

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10065. 33352

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10066. 33353

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10067. 33354

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10068. 33355

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10069. 33356

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10070. 33357

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10071. 33358

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10072. 33359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10073. 33360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10074. 33361

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10075. 33362

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10076. 33363

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10077. 33364

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10078. 33365

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10079. 33366

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10080. 33367

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10081. 33368

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10082. 33369

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10083. 33370

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10084. 33371

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10085. 33372

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10086. 33373

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10087. 33374

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10088. 33375

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10089. 33376

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

10090. 33377

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10091. 33378

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10092. 33379

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10093. 33380

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10094. 33381

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10095. 33382

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10096. 33383

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10097. 33384

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10098. 33385

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10099. 33386

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10100. 33387

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10101. 33388

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10102. 33389

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10103. 33390

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10104. 33391

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10105. 33392

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10106. 33393

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10107. 33394

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10108. 33395

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10109. 33396

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10110. 33397

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10111. 33398

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10112. 33399
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10113. 33400
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10114. 33401
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10115. 33402
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10116. 33403
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10117. 33404
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10118. 33405

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10119. 33406

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10120. 33407

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10121. 33408

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10122. 33409

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10123. 33410

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10124. 33411

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10125. 33412

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10126. 33413

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10127. 33414

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10128. 33415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10129. 33416

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10130. 33417

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10131. 33418

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10132. 33419

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10133. 33420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10134. 33421

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10135. 33422

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10136. 33423

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10137. 33424

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10138. 33425

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10139. 33426

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10140. 33427

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10141. 33428

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10142. 33429

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10143. 33430

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10144. 33431

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10145. 33432

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10146. 33433

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10147. 33434

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10148. 33435

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10149. 33436

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10150. 33437

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10151. 33438

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10152. 33439

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10153. 33440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10154. 33441

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10155. 33442

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10156. 33443

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10157. 33444

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10158. 33445

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10159. 33446

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10160. 33447

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10161. 33448

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10162. 33449

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10163. 33450

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10164. 33451

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10165. 33452

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10166. 33453

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10167. 33454

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10168. 33455

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10169. 33456

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10170. 33457

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10171. 33458

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10172. 33459

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10173. 33460

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10174. 33461

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10175. 33462

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10176. 33463

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10177. 33464

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10178. 33465

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10179. 33466

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10180. 33467

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10181. 33468

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10182. 33469

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10183. 33470

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10184. 33471

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10185. 33472

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10186. 33473

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10187. 33474

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10188. 33475

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10189. 33476

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10190. 33477

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10191. 33478

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10192. 33479

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10193. 33480

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10194. 33481

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10195. 33482

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10196. 33483

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10197. 33484

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10198. 33485

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10199. 33486

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10200. 33487

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10201. 33488

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10202. 33489

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10203. 33490

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10204. 33491

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10205. 33492

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10206. 33493

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10207. 33494

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10208. 33495

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10209. 33496

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10210. 33497

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10211. 33498

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10212. 33499

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10213. 33500

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10214. 33501

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10215. 33502

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10216. 33503

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10217. 33527

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10218. 33504

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10219. 33505

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10220. 33506

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10221. 33507
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10222. 33508
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10223. 33509
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10224. 33510
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10225. 33511
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10226. 33512
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10227. 33513
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10228. 33514
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10229. 33515
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10230. 33516
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10231. 33517
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10232. 33518

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10233. 33519

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10234. 33520

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10235. 33521

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10236. 33522

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10237. 33523

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10238. 33524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10239. 33525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10240. 33526

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10241. 33528

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10242. 33529

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10243. 33530

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10244. 33531

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10245. 33532

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10246. 33533

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10247. 33534

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10248. 33535

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10249. 33536

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10250. 33537

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10251. 33538

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10252. 33539

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10253. 33540
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10254. 33541
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10255. 33542
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10256. 33543
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10257. 33544
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10258. 33545
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10259. 33546
CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10260. 33547

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10261. 33548

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10262. 33549

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10263. 33550

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10264. 33551

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10265. 33552

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10266. 33553

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10267. 33554

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10268. 33555

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10269. 33556

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10270. 33557

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10271. 33558

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10272. 33559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10273. 33560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10274. 33561

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10275. 33562

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10276. 33563

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10277. 33564

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10278. 33565

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10279. 33566

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10280. 33567

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10281. 33568

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10282. 33569

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10283. 33570

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10284. 33571

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10285. 33572

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10286. 33573
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10287. 33574
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10288. 33575
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10289. 33576
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10290. 33577
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10291. 33578
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10292. 33579

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10293. 33580

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10294. 33581

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10295. 33582

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10296. 33583
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10297. 33584
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10298. 33585
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10299. 33586
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10300. 33587
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10301. 33588
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10302. 33589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10303. 33590

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10304. 33591

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10305. 33592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10306. 33593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10307. 33594

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10308. 33595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10309. 33596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10310. 33597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10311. 33598

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10312. 33599

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10313. 33600

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10314. 33601

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10315. 33602

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10316. 33603

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10317. 33604

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10318. 33605

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10319. 33606

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10320. 33607

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10321. 33608

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10322. 33609

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10323. 33610

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10324. 33611

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10325. 33612

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10326. 33613

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10327. 33614

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10328. 33615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10329. 33616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10330. 33617
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10331. 33618
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10332. 33619
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10333. 33620
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10334. 33621
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10335. 33622

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10336. 33623

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10337. 33624

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10338. 33625

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10339. 33626

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10340. 33627

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10341. 33628

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10342. 33629

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10343. 33630

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10344. 33631

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10345. 33632

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10346. 33633

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10347. 33634

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10348. 33635

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10349. 33636

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10350. 33637

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10351. 33638

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10352. 33639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10353. 33640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10354. 33641

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10355. 33642

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10356. 33643

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10357. 33644

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10358. 33645

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10359. 33646

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10360. 33647

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10361. 33648

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10362. 33649

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10363. 33650

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10364. 33651

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10365. 33652

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10366. 33653

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10367. 33654

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10368. 33655

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10369. 33656

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10370. 33657

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10371. 33658

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10372. 33659

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10373. 33660

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10374. 33661

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10375. 33662

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10376. 33663

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10377. 33664

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10378. 33665

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10379. 33666

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10380. 33667

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10381. 33668

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10382. 33669

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10383. 33670

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10384. 33671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10385. 33672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10386. 33673

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10387. 33674

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10388. 33675

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10389. 33676

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10390. 33677

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10391. 33678

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10392. 33679

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10393. 33680

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/

cookieconsent.min.js"></script>

10394. 33681

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10395. 33682

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10396. 33683

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10397. 33684

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10398. 33685

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10399. 33686

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10400. 33687

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10401. 33688

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10402. 33689

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10403. 33690

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10404. 33691

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10405. 33692

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10406. 33693

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10407. 33694

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10408. 33695

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10409. 33696

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10410. 33697

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10411. 33698

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10412. 33699

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10413. 33700

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10414. 33701

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10415. 33702

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10416. 33703

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10417. 33704

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10418. 33705

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10419. 33706

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10420. 33707

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10421. 33708

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10422. 33709

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10423. 33710

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10424. 33711

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10425. 33712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10426. 33713

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10427. 33714

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10428. 33715

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10429. 33716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10430. 33717

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10431. 33718

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10432. 33719

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10433. 33720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10434. 33721

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10435. 33722

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10436. 33723

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10437. 33724

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10438. 33725

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10439. 33726
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10440. 33727
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10441. 33728
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10442. 33729
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10443. 33730
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10444. 33731

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10445. 33732

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10446. 33733

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10447. 33734

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10448. 33735

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10449. 33736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10450. 33737

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10451. 33738

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10452. 33739

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10453. 33740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10454. 33741
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10455. 33742
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10456. 33743
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10457. 33744
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10458. 33745
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

10459. 33746

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10460. 33747

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10461. 33748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10462. 33749

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10463. 33750

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10464. 33751

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10465. 33752

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10466. 33753

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10467. 33754

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10468. 33755

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10469. 33756

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10470. 33757

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10471. 33758

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10472. 33759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10473. 33760

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10474. 33761

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10475. 33762

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10476. 33763

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10477. 33764

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10478. 33765

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10479. 33766

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10480. 33767

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10481. 33768

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10482. 33769

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10483. 33770

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10484. 33771

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10485. 33772

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10486. 33773

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10487. 33774

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10488. 33775

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10489. 33776

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10490. 33777

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10491. 33778

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10492. 33779

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10493. 33780

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10494. 33781

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10495. 33782

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10496. 33783

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10497. 33784

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10498. 33785

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10499. 33786

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10500. 33787

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10501. 33788

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10502. 33789

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10503. 33790

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10504. 33791

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10505. 33792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10506. 33793

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10507. 33794

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10508. 33795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10509. 33796

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10510. 33797

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10511. 33798

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10512. 33799

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10513. 33800

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10514. 33801

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10515. 33802

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10516. 33803

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10517. 33804

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10518. 33805

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10519. 33806

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10520. 33807

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10521. 33808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10522. 33809

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10523. 33810

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10524. 33811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10525. 33812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10526. 33813

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10527. 33814

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10528. 33815

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10529. 33816

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10530. 33817

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10531. 33818

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10532. 33819

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10533. 33820

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10534. 33821

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10535. 33822

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10536. 33823

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10537. 33824

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10538. 33825

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10539. 33826

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10540. 33827

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10541. 33828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10542. 33829

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10543. 33830

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10544. 33831

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10545. 33832

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10546. 33833

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10547. 33834

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10548. 33835

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10549. 33836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10550. 33837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10551. 33838

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10552. 33839

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10553. 33840

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10554. 33841

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10555. 33842

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10556. 33843

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10557. 33844
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10558. 33845
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10559. 33846
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10560. 33847
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10561. 33848
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10562. 33849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10563. 33850

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10564. 33851

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10565. 33852

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10566. 33853

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10567. 33854

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10568. 33855

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10569. 33856

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10570. 33857

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10571. 33858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10572. 33859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10573. 33860
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10574. 33861
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10575. 33862
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10576. 33863
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10577. 33864
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10578. 33865
CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10579. 33866

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10580. 33867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10581. 33868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10582. 33869

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10583. 33870

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10584. 33871

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10585. 33872

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10586. 33873

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10587. 33874

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10588. 33875

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10589. 33876

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10590. 33877

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10591. 33878

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10592. 33879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10593. 33880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10594. 33881

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10595. 33882

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10596. 33883

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10597. 33884

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10598. 33885

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10599. 33886

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10600. 33887

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10601. 33888

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10602. 33889
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10603. 33890
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10604. 33891
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10605. 33892
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10606. 33893
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

10607. 33894

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10608. 33895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10609. 33896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10610. 33897

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10611. 33898

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10612. 33899

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10613. 33900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10614. 33901

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10615. 33902

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10616. 33903

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10617. 33904

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10618. 33905

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10619. 33906

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10620. 33907

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10621. 33908

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10622. 33909

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10623. 33910

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10624. 33911

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10625. 33912

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10626. 33913

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10627. 34203

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10628. 33914

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10629. 33915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10630. 33916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10631. 33917

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10632. 33918

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10633. 33919

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10634. 33920

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10635. 33921

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10636. 33922

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10637. 33923

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10638. 33924

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10639. 33925

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10640. 33926

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10641. 33927

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10642. 33928

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10643. 33929

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10644. 33930

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10645. 33931

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10646. 33932

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10647. 33933

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10648. 33934

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10649. 33935

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10650. 33936

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10651. 33937

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10652. 33938

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10653. 33939

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10654. 33940

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10655. 33941

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10656. 33942

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10657. 33943

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10658. 33944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10659. 33945

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10660. 33946

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10661. 33947
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10662. 33948
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10663. 33949
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10664. 33950
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10665. 33951
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10666. 33952
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10667. 33953

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10668. 33954

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10669. 33955

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10670. 33956

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10671. 33957

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10672. 33958

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10673. 33959

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10674. 33960

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10675. 33961

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10676. 33962

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10677. 33963

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10678. 33964

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10679. 33965

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10680. 33966

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10681. 33967

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10682. 33968

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10683. 33969

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10684. 33970

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10685. 33971

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10686. 33972

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10687. 33973

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10688. 33974

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10689. 33975

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10690. 33976

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10691. 33977

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10692. 33978

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10693. 33979

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10694. 33980

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10695. 33981

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10696. 33982

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10697. 33983

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10698. 33984

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10699. 33985

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10700. 33986

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10701. 33987

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10702. 33988

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10703. 33989

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10704. 33990

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10705. 33991

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10706. 33992

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10707. 33993

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10708. 33994

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10709. 33995

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10710. 33996

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10711. 33997

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10712. 33998

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10713. 33999

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10714. 34000

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10715. 34001

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10716. 34002

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10717. 34003

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10718. 34004

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10719. 34005

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10720. 34006

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10721. 34007

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10722. 34008

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10723. 34009

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10724. 34204

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10725. 34010

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10726. 34011
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10727. 34012
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10728. 34013
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10729. 34014
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10730. 34015
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10731. 34016
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10732. 34017
CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10733. 34018

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10734. 34019

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10735. 34020

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10736. 34021

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10737. 34022

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10738. 34023

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10739. 34024

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10740. 34025

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10741. 34026

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10742. 34027

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10743. 34028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10744. 34029

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10745. 34030

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10746. 34031

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10747. 34032

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10748. 34033

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10749. 34034

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10750. 34035

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10751. 34036

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10752. 34037

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10753. 34038

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10754. 34039

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10755. 34040

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10756. 34041

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10757. 34042

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10758. 34043

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10759. 34044
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10760. 34045
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10761. 34046
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10762. 34047
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10763. 34048
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10764. 34049
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10765. 34050

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10766. 34051

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10767. 34052

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10768. 34053

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10769. 34054

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10770. 34055

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10771. 34056

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10772. 34057

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10773. 34205

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10774. 34058

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10775. 34059
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10776. 34060
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10777. 34061
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10778. 34062
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10779. 34063
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10780. 34064
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10781. 34065
CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10782. 34066

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10783. 34067

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10784. 34068

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10785. 34069

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10786. 34070

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10787. 34071

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10788. 34072

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10789. 34073

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10790. 34074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10791. 34075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10792. 34076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10793. 34077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10794. 34078

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10795. 34079

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10796. 34080

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10797. 34081

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10798. 34082

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10799. 34083

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10800. 34084

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10801. 34085

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10802. 34086

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10803. 34087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10804. 34088

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10805. 34089

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10806. 34090

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10807. 34091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10808. 34092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10809. 34093

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10810. 34094

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10811. 34095

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10812. 34096

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10813. 34097

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10814. 34098

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10815. 34099

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10816. 34100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10817. 34101

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10818. 34102

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10819. 34103
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10820. 34104
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10821. 34105
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10822. 34106
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10823. 34107
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10824. 34108
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10825. 34109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10826. 34110

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10827. 34111

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10828. 34112

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10829. 34113

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10830. 34114

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10831. 34115

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10832. 34116

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10833. 34117

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10834. 34118

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10835. 34119

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10836. 34120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10837. 34121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10838. 34122

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10839. 34123

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10840. 34124

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10841. 34125

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10842. 34126

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10843. 34127

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10844. 34128

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10845. 34129

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10846. 34130

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10847. 34131

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10848. 34132

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10849. 34133

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10850. 34134

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10851. 34135

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10852. 34136

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10853. 34137

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10854. 34138

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10855. 34139

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10856. 34140

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10857. 34141

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10858. 34142

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10859. 34143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10860. 34144

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10861. 34145

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10862. 34146

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10863. 34147

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10864. 34148

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10865. 34149

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10866. 34150

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10867. 34151

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10868. 34152

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10869. 34153

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10870. 34179

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10871. 34154

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10872. 34155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10873. 34156

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10874. 34157

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10875. 34158

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10876. 34159

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10877. 34160

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10878. 34161

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10879. 34162

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10880. 34163

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10881. 34164

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10882. 34165

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10883. 34166

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10884. 34167

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10885. 34168

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10886. 34169

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10887. 34170

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10888. 34171

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10889. 34172

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10890. 34173
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10891. 34174
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10892. 34175
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10893. 34176
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10894. 34177
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10895. 34178
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10896. 34180

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10897. 34181

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10898. 34182

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10899. 34183

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10900. 34184

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10901. 34185

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10902. 34186

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10903. 34187

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10904. 34188

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10905. 34189

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10906. 34190

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10907. 34191

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10908. 34192

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10909. 34193

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10910. 34194

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10911. 34195

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10912. 34196

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10913. 34197

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10914. 34198

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10915. 34199

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10916. 34200

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10917. 34201

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10918. 34202

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10919. 34206

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10920. 34207

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10921. 34208

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10922. 34209

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10923. 34210

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10924. 34211

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10925. 34212

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10926. 34213

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10927. 34214

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10928. 34215

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10929. 34216

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10930. 34217

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10931. 34218

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10932. 34219

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10933. 34220

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10934. 34221

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10935. 34222

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10936. 34223

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10937. 34224

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10938. 34225

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10939. 34226

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10940. 34227

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10941. 34228

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10942. 34229

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10943. 34230

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10944. 34231

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10945. 34232

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10946. 34233

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10947. 34234

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10948. 34235

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10949. 34236

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10950. 34237

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10951. 34238

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10952. 34239

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10953. 34240

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10954. 34241

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10955. 34242

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10956. 34243

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10957. 34244

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10958. 34245

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10959. 34246

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10960. 34247

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10961. 34248

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10962. 34249

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10963. 34250

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10964. 34251

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10965. 34252

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10966. 34253

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10967. 34254

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10968. 34255

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10969. 34256

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10970. 34257

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10971. 34258

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10972. 34259

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10973. 34260

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10974. 34261

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

10975. 34262

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

10976. 34263
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

10977. 34264
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

10978. 34265
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

10979. 34266
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

10980. 34267
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

10981. 34268
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10982. 34269

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10983. 34270

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10984. 34271

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10985. 34272

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10986. 34273

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10987. 34274

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10988. 34275

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10989. 34276

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10990. 34277

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10991. 34278

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10992. 34279

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

10993. 34280

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

10994. 34281

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

10995. 34282

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

10996. 34283

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

10997. 34284

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

10998. 34285

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

10999. 34286

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11000. 34287

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11001. 34288

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11002. 34289

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11003. 34290

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11004. 34291

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11005. 34292

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11006. 34293

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11007. 34294

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11008. 34295

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11009. 34296
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11010. 34297
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11011. 34298
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11012. 34299
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11013. 34300
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11014. 34301

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11015. 34302

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11016. 34303

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11017. 34304

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11018. 34305

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11019. 34306

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11020. 34307

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11021. 34308

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11022. 34309

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11023. 34310

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11024. 34311

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11025. 34312

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11026. 34313

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11027. 34314

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11028. 34315

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11029. 34316

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11030. 34317

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11031. 34318

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11032. 34319

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11033. 34320

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11034. 34321

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11035. 34322

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11036. 34323
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11037. 34324
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11038. 34325
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11039. 34326
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11040. 34327
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11041. 34328
CVSS: 2 (low)
Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11042. 34329
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11043. 34330
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11044. 34331
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11045. 34332
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11046. 34333
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11047. 34334

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11048. 34335

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11049. 34336

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11050. 34337

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11051. 34338

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11052. 34339

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11053. 34340

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11054. 34341

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11055. 34342

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11056. 34343

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11057. 34344

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11058. 34345

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11059. 34346

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11060. 34347

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11061. 34348

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11062. 34349

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11063. 34350

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11064. 34351

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11065. 34352

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11066. 34353

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11067. 34354

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11068. 34355

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11069. 34356

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11070. 34357

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11071. 34358

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11072. 34359

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11073. 34360

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11074. 34361

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11075. 34362

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11076. 34363

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11077. 34364

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11078. 34365

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11079. 34366

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11080. 34367

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11081. 34368

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11082. 34369

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11083. 34370

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11084. 34371

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11085. 34372

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11086. 34373

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11087. 34374

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11088. 34375

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11089. 34376

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11090. 34377

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11091. 34378

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11092. 34379

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11093. 34380

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11094. 34381

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11095. 34382

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11096. 34383

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11097. 34384

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11098. 34385

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11099. 34386

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11100. 34387

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11101. 34388

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11102. 34389

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11103. 34390

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11104. 34391

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11105. 34392

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11106. 34393

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11107. 34394

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11108. 34395

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11109. 34396

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11110. 34397

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11111. 34398

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11112. 34399
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11113. 34400
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11114. 34401
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11115. 34402
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11116. 34403
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11117. 34404
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11118. 34405

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11119. 34406

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11120. 34407

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11121. 34408

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11122. 34409

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11123. 34410

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11124. 34411

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11125. 34412

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11126. 34413

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11127. 34414

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11128. 34415

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11129. 34416

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11130. 34417

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11131. 34418

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11132. 34419

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11133. 34420

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11134. 34421

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11135. 34422

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11136. 34423

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11137. 34424

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11138. 34425

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11139. 34426

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11140. 34427

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11141. 34428

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11142. 34429

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11143. 34430

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11144. 34431

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11145. 34432
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11146. 34433
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11147. 34434
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11148. 34435
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11149. 34436
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11150. 34437

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11151. 34438

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11152. 34439

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11153. 34440

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11154. 34441

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11155. 34442

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11156. 34443

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11157. 34444

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11158. 34445

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11159. 34446

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11160. 34447
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11161. 34448
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11162. 34449
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11163. 34450
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11164. 34451
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11165. 34452
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11166. 34453
CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11167. 34454

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11168. 34455

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11169. 34456

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11170. 34457

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11171. 34458

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11172. 34459

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11173. 34460

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11174. 34461

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11175. 34462

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11176. 34463

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11177. 34464

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11178. 34465
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11179. 34466
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11180. 34467
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11181. 34468
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11182. 34469
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11183. 34470

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11184. 34471

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11185. 34472

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11186. 34473

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11187. 34474

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11188. 34475

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11189. 34476

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11190. 34477

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11191. 34478

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11192. 34479

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11193. 34480

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11194. 34481

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11195. 34482

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11196. 34483

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11197. 34484

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11198. 34485

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11199. 34486

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11200. 34487

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11201. 34488

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11202. 34489

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11203. 34490

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11204. 34491

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11205. 34492

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11206. 34493

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11207. 34494

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11208. 34495

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11209. 34496

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11210. 34497

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11211. 34498

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11212. 34499

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11213. 34500

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11214. 34501

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11215. 34502

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11216. 34503

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11217. 34504

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11218. 34505

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11219. 34506

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11220. 34507

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11221. 34508

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11222. 34509

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11223. 34510

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11224. 34511

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11225. 34512

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11226. 34513
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11227. 34514
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11228. 34515
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11229. 34516
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11230. 34517
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

11231. 34518

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11232. 34519

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11233. 34520

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11234. 34521

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11235. 34522

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11236. 34523

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11237. 34524

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11238. 34525

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11239. 34526

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11240. 34527

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11241. 34528

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11242. 34529

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11243. 34530

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11244. 34531

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11245. 34532

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11246. 34533

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11247. 34534

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11248. 34535

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11249. 34536

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11250. 34537

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11251. 34538

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11252. 34539

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11253. 34540

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11254. 34541

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11255. 34542

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11256. 34543

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11257. 34544

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11258. 34545

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11259. 34546

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11260. 34547

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11261. 34548

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11262. 34549

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11263. 34550

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11264. 34551

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11265. 34552

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11266. 34553

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11267. 34554

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11268. 34555

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11269. 34556

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11270. 34557

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11271. 34558

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11272. 34559

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11273. 34560

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11274. 34561

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11275. 34562

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11276. 34563

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11277. 34564

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11278. 34565

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11279. 34566

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11280. 34567

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11281. 34568
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11282. 34569
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11283. 34570
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11284. 34571
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11285. 34572
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11286. 34573

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11287. 34574

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11288. 34575

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11289. 34576

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11290. 34577

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11291. 34578

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11292. 34579

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11293. 34580

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11294. 34581

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11295. 34582

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11296. 34583

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11297. 34584

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11298. 34585

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11299. 34586

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11300. 34587

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11301. 34588

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11302. 34589

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11303. 34590

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11304. 34591

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11305. 34592

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11306. 34593

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11307. 34594

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11308. 34595

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11309. 34596

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11310. 34597

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11311. 34598

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11312. 34599

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11313. 34600

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11314. 34601

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11315. 34602

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11316. 34603

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11317. 34604

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11318. 34605

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11319. 34606
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11320. 34607
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11321. 34608
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11322. 34609
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11323. 34610
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11324. 34611

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11325. 34612

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11326. 34613

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11327. 34614

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11328. 34615

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11329. 34616

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11330. 34617
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11331. 34618
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11332. 34619
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11333. 34620
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11334. 34621
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></

script>

11335. 34622

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11336. 34623

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11337. 34624

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11338. 34625

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11339. 34626

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11340. 34627

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11341. 34628

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11342. 34629

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11343. 34630

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11344. 34631

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11345. 34632

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11346. 34633

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11347. 34634

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11348. 34635

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11349. 34636

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11350. 34637

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11351. 34638

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11352. 34639

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11353. 34640

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11354. 34641

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11355. 34642

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11356. 34643

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11357. 34644

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11358. 34645

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11359. 34646

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11360. 34647

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11361. 34648

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11362. 34649

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11363. 34650

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11364. 34651

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11365. 34652

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11366. 34653

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11367. 34654

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11368. 34655

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11369. 34656

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11370. 34657

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11371. 34658

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11372. 34659

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11373. 34660

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11374. 34661

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11375. 34662

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11376. 34663

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11377. 34664

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11378. 34665

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11379. 34666

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11380. 34667

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11381. 34668

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11382. 34669

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11383. 34670

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11384. 34671

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11385. 34672

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11386. 34673

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11387. 34674

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11388. 34675

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11389. 34676

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11390. 34677

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11391. 34678

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11392. 34679

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11393. 34680

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11394. 34681

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11395. 34682

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11396. 34683

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11397. 34684

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11398. 34685

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11399. 34686

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11400. 34687
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11401. 34688
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11402. 34689
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11403. 34690
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11404. 34691
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11405. 34692
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11406. 34693

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11407. 34694

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11408. 34695

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11409. 34696

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11410. 34697

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11411. 34698

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11412. 34699

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11413. 34700

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11414. 34701

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11415. 34702

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11416. 34703

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11417. 34704

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11418. 34705

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11419. 34706

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11420. 34707

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11421. 34708

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11422. 34709

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11423. 34710

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11424. 34711

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11425. 34712

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11426. 34713

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

script>

11427. 34714

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11428. 34715

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11429. 34716

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11430. 34717

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11431. 34718

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11432. 34719

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11433. 34720

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11434. 34721

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11435. 34725

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11436. 34726

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11437. 34727

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11438. 34728

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11439. 34729

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11440. 34730

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11441. 34731

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11442. 34732

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11443. 34733

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection

attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11444. 34734

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11445. 34735

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11446. 34736

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11447. 34737

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11448. 34738

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11449. 34739

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11450. 34740

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11451. 34741

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11452. 34742

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11453. 34743

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11454. 34744

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11455. 34745

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11456. 34746

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11457. 34747

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11458. 34748

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1701244813

11459. 34749

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2033195021

11460. 34750

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1839622642

11461. 34751

CVSS: 2 (low)

Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1680327869

11462. 34752
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1863874346

11463. 34753
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1917098446

11464. 34754
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1818181818

11465. 34755
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11466. 34756
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11467. 34757
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11468. 34758

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1734944650

11469. 34759

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11470. 34760

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11471. 34761

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11472. 34762

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be

allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11473. 34763

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11474. 34783

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11475. 34829

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11476. 34764

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11477. 34765

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11478. 34766

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11479. 34767

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11480. 34768

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11481. 34769

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11482. 34770

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11483. 34771

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11484. 34772

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11485. 34773

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11486. 34774

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11487. 34775

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11488. 34776

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11489. 34777

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11490. 34778

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11491. 34779

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11492. 34780

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11493. 34781

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11494. 34782

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11495. 34784

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11496. 34785

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11497. 34786

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11498. 34787

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11499. 34788

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11500. 34789

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11501. 34790

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11502. 34791

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11503. 34792

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11504. 34793

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11505. 34794

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11506. 34795

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11507. 34796

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11508. 34797

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11509. 34798

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11510. 34799

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11511. 34800

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11512. 34801

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11513. 34802

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11514. 34803

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11515. 34804

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11516. 34805

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11517. 34806

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11518. 34807

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11519. 34808

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11520. 34809

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11521. 34810

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11522. 34811

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11523. 34812

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11524. 34813
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11525. 34814
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11526. 34815
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11527. 34816
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11528. 34817
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11529. 34818

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11530. 34819

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11531. 34820

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11532. 34821

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11533. 34822

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11534. 34823

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11535. 34824

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11536. 34825

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11537. 34826

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11538. 34827

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/`

cookieconsent.min.js"></script>

11539. 34828

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11540. 34830

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11541. 34831

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11542. 34832

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11543. 34833

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11544. 34834

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11545. 34835

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11546. 34836

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11547. 34837

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11548. 34838

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11549. 34839

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11550. 34840

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11551. 34841

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11552. 34842

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11553. 34843

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11554. 34844

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11555. 34845

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11556. 34846

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11557. 34847

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11558. 34848

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11559. 34849

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11560. 34850

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11561. 34851

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11562. 34852

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11563. 34853

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11564. 34854

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11565. 34855

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11566. 34856

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11567. 34857

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11568. 34858

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11569. 34859

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11570. 34860

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11571. 34861

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11572. 34862

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11573. 34863

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11574. 34864

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11575. 34865

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11576. 34866

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11577. 34867

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11578. 34868

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11579. 34869

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11580. 34870

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11581. 34871

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11582. 34872

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11583. 34873

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11584. 34874

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11585. 34875

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11586. 34876

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11587. 34877

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11588. 34878

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11589. 34879

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11590. 34880

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11591. 34881

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11592. 34882

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11593. 34883

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11594. 34884

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11595. 34885

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11596. 34886

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11597. 34887

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11598. 34888

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11599. 34889

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11600. 34890

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11601. 34891

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11602. 34892

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11603. 34893

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11604. 34894

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11605. 34895

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11606. 34896

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11607. 34897

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11608. 34898

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11609. 34899

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11610. 34900

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11611. 34901

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11612. 34902

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11613. 34903

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11614. 34904

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11615. 34905

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11616. 34906

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11617. 34907

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11618. 34908

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11619. 34909

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11620. 34910

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11621. 34911

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11622. 34912

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11623. 34913

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11624. 34914

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11625. 34915

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11626. 34916

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11627. 34917
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11628. 34918
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11629. 34919
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11630. 34920
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11631. 34921
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11632. 34922

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11633. 34923

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11634. 34924

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11635. 34925

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11636. 34926

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it

automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11637. 34927

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11638. 34928

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11639. 34929

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11640. 34930

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11641. 34931

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11642. 34932

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11643. 34933

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11644. 34934

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11645. 34935

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11646. 34936

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11647. 34937

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11648. 34938

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11649. 34939

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11650. 34940

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11651. 34941

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11652. 34942

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11653. 34943

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11654. 34944

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11655. 34945

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11656. 34946

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11657. 34947

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11658. 34948

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11659. 34949

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11660. 34950

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11661. 34951

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11662. 34952

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11663. 34953

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11664. 34954

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11665. 34955

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11666. 34956

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11667. 34957

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11668. 34958

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11669. 34959

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11670. 34960

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11671. 34961

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11672. 34962

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11673. 34963

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11674. 34964

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11675. 34965

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11676. 34966

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11677. 34967

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11678. 34968

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11679. 34969

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11680. 34970

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11681. 34971
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11682. 34972
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11683. 34973
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11684. 34974
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11685. 34975
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11686. 34976

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11687. 34977

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11688. 34978

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11689. 34979

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11690. 34980

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11691. 34981
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11692. 34982
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11693. 34983
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11694. 34984
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11695. 34985
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11696. 34986
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11697. 34987

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11698. 34988

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11699. 34989

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11700. 34990

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11701. 34991

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11702. 34992

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11703. 34993

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11704. 34994

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11705. 34995

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11706. 34996

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11707. 34997

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11708. 34998

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11709. 34999

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11710. 35000

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11711. 35001

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11712. 35002

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11713. 35003

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11714. 35004

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11715. 35005

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11716. 35006

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11717. 35007

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11718. 35008

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11719. 35009

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11720. 35010

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11721. 35011

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11722. 35012

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11723. 35013

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11724. 35014

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11725. 35015

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11726. 35016

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11727. 35017

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11728. 35018

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11729. 35019

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11730. 35020

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11731. 35021

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11732. 35022

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11733. 35023

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11734. 35024

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11735. 35025

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11736. 35026

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11737. 35027

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11738. 35028

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11739. 35029

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11740. 35030

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11741. 35031

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11742. 35032

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11743. 35033

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11744. 35034

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11745. 35035

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11746. 35036

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11747. 35037

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11748. 35038

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11749. 35039

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11750. 35040

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11751. 35041

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11752. 35042

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11753. 35043

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11754. 35044

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11755. 35045

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11756. 35046

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11757. 35047

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11758. 35048

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11759. 35049

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11760. 35050

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11761. 35051

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11762. 35052

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11763. 35053
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11764. 35054
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11765. 35055
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11766. 35056
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11767. 35057
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11768. 35058

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11769. 35059

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11770. 35060

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11771. 35061

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11772. 35062

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11773. 35063

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11774. 35064

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11775. 35065

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11776. 35066

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11777. 35067

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11778. 35068

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11779. 35069

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11780. 35070

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11781. 35071

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11782. 35072

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11783. 35073

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11784. 35074

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11785. 35075

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11786. 35076

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11787. 35077

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11788. 35078

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11789. 35079
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11790. 35080
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11791. 35081
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11792. 35082
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11793. 35083
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11794. 35084
CVSS: 2 (low)
Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11795. 35085

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11796. 35086

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11797. 35087

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11798. 35088

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11799. 35089

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11800. 35090

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11801. 35091

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11802. 35092

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11803. 35093

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11804. 35094

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11805. 35095

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing

(CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11806. 35096

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11807. 35097

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11808. 35098

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11809. 35099

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11810. 35100

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11811. 35101

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11812. 35102

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11813. 35103

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11814. 35104

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11815. 35105

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11816. 35106

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and

mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11817. 35107

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11818. 35108

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11819. 35109

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11820. 35110

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11821. 35111

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11822. 35112
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11823. 35113
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11824. 35114
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
Evidence: —

11825. 35115
CVSS: 5 (medium)
Статус: Активна
Описание: Cross-Domain Misconfiguration
Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
Evidence: Access-Control-Allow-Origin: *

11826. 35116
CVSS: 2 (low)
Статус: Активна
Описание: Cross-Domain JavaScript Source File Inclusion
The page includes one or more script files from a third-party domain.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11827. 35117

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11828. 35118

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11829. 35119

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11830. 35120

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11831. 35121

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11832. 35122

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow

website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11833. 35123

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11834. 35124

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11835. 35125

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11836. 35126

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11837. 35127

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11838. 35128

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11839. 35129

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11840. 35130

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11841. 35131

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11842. 35132

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11843. 35133

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>`

11844. 35134

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>`

11845. 35135

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11846. 35136

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11847. 35137

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11848. 35138

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames,

fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11849. 35139

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11850. 35140

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11851. 35141

CVSS: 2 (low)

Статус: Активна

Описание: Cross-Domain JavaScript Source File Inclusion

The page includes one or more script files from a third-party domain.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>

11852. 35142

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11853. 35143

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11854. 35144

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11855. 35145

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1981395349

11856. 35146

CVSS: 5 (medium)

Статус: Активна

Описание: Content Security Policy (CSP) Header Not Set

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11857. 35147

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11858. 35148

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11859. 35149

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11860. 35150

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11861. 35151

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11862. 35152

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11863. 35153

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 1650485437

11864. 35154

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix

A timestamp was disclosed by the application/web server. - Unix

Evidence: 2038834951

11865. 35155

CVSS: 2 (low)

Статус: Активна

Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11866. 35156
CVSS: 1 (low)
Статус: Активна
Описание: Modern Web Application
The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
Evidence: <script src="//cdnjs.cloudflare.com/ajax/libs/cookieconsent2/3.1.0/cookieconsent.min.js"></script>

11867. 35157
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1650485437

11868. 35158
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 2038834951

11869. 35159
CVSS: 2 (low)
Статус: Активна
Описание: Timestamp Disclosure - Unix
A timestamp was disclosed by the application/web server. - Unix
Evidence: 1981395349

11870. 35160
CVSS: 5 (medium)
Статус: Активна
Описание: Content Security Policy (CSP) Header Not Set
Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

Evidence: —

11871. 35161

CVSS: 5 (medium)

Статус: Активна

Описание: Cross-Domain Misconfiguration

Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

Evidence: Access-Control-Allow-Origin: *

11872. 35162

CVSS: 1 (low)

Статус: Активна

Описание: Modern Web Application

The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

Evidence: `<a href="">ftp</a>`