SEE 2081 (2025)

□□□□□□□□□ □□□□□□□□ □□□ □□□□□□□□
□□□□□□□□□□□□□□

o; s'lGhsfdf ePsf] afx]s cGo ;xL j}slNks tl/sfaf6 ;d:of ;dfwfg u/]df klg c+s k|bfg ug'{kg]{ 5 . pQ/s'l~hsfdf k|To]s r/0fsf] k|fKtf+Í ! k|bfg ug'{kg]{5 tyf PsfO 5'6 ePdf)=% cª\s dfq 36fpg'kg]{ 5 .

k|= g+=	pQ/	cª\s
	;d"x 's'	
1) a.	(iii) chatting in internet	1
1) b.	(iii) spirogyra	1
1) c.	(iv) fungi, Plantae, Monera	1
1) d.	(iii) climate change	1
1) e.	(ii) 2.45 m/s^2	1
1) f.	(i) surface area decreases, upthrust decreases and sink	1
1) g.	(ii) $v_1>v_2<v_3$	1
1) h.	(i) when average density is greater than the critical density	1
1) i.	(i) The kinetic energy of particle increases when heat is increases and particle, come in content faster.	1
1) j.	iv) Statement and argument 2 are correct but argument 1 is incorrect. Or Give 1 mark for any answer	1
	;d"x ...v'	
2) a.	Distance travelled by the stone is dependent variable.	1
2) b.	If 1N force is applied in $1m^2$ area that is called 1 pascal pressure	1
2) c.	 Or any correct figure.	1
2) d.	Depends upon distance between the stars	1
2) e.		1
2) f.	Roasting: (i) oxidation with oxygen to convert into metallic oxide or (ii) Generally sulphide ores are roasted Calcination: (i) formation of metallic oxide without oxygen or (ii) Generally carbonate ores are cachinnated. any one differences	1
2) g.	Al < Mg < Na	1
2) h.	• for moistening the skin • for sweetening	1
2) i.		1

	;d"x …u'	
3.	P = w/t $= \frac{f \times d}{t}$ $= \frac{N \times m}{s}$ $= kg\frac{m \times m}{s^2 \times s} = kgm^2s^{-3}$	1 1
4.	• Oviparous • heart with four chamber or • has beak has feathers any two - 2 marks	1 1
5.	Z - bring pollens, built hive, fight with others. Y - produces eggs	1 1
6	Mitosis: • It forms two diploid daughter cells • It helps physical growth or • helps in healing wounds Meiosis: • It forms four haploid daughter cells • It forms gamete or • It helps in reproduction	1 1
7.		1 1
8.	It is done during emergency operation in this process doctor inserted a pipe from a lower part of the leg and open blockage area. or other correct answer.	2
9.	• by minimizing the production of industrial gases • less use of fossil fuel as far as possible or other correct answers get 2 marks	1 1
10.	• object should be in free fall	1

	• fall of object in the absence of gravity	1
11.	$F = \frac{6.67\times10^{-11}\times2000\times4000}{(80,000)^2}$ $= \frac{6.67\times8\times10^{-11}\times10^{6}}{64\times10^{8}}$ $= \frac{53.36\times10^{-5}}{64\times10^{8}}$ $= 8.3 \times 10^{-12}$ N	1 1
12.	 Fig. Laboratory preparation of ammonia gas.	1 1
13.	$6Co_2 + 6H_2O \xrightarrow[\text{chlorophyl}]{sunlight} C_6H_{12}O6 + 6O_2$ Equation - 1 mark Balance - 1 mark or $2AgNO_3 \xrightarrow{light} 2NO_2 + O_2 + 2Ag$ Anyone correct equation gets full marks	1 1
14.	Ethyne H-C ≡ C-H	1 1
15.	• Use of organic/natural insecticides • Reduce the use of chemical insecticides or • Use, ash, liquid manure, or other • homemade insecticides	1 1
16.	$2NH_3 + CO_2 \frac{Fe/200\text{-}500\ atm}{Mo\text{-}promotor} NH_2 - CO - NH_2 + H_2O$ Equation Balance	 1 1
	;d"x …3’	
17.	• Post the creating writing in social sites. • Don't post the creative things which huts other • While using social site be conscious • Know the advantages and disadvantages of social site. Or any other correct answer gets full marks	1 1 1 1
18.	**Advantages** • It is beneficial for the couple who has no reproductive capacity • Sperm can be used according to necessity after collection or other correct answer **Disadvantages** • Well trained man power is required • It takes long time then the natural way	 1 1 1 1

	or other correct answer	
19.	• Student A - A positive • Student B - B negative • The blood group which do not consists A and B antigen and Rh factor is called O Negative blood. • The blood group which has A antigen and Rh factor is called A positive.	1 1
20.	(i) • Z • because it has lowest temperature (ii) • Y • because it has lowest specific heat capacity	1 1 1 1
21.	(i) • elongation of eye ball • shortening of focal length of eye lens (ii) • Concave lens • Because it diverges the ray of light and focus exactly on the retina	1 1 1 1
22.	$\frac{V_P}{V_S} = \frac{N_P}{N_S}$ $= \frac{400}{V_S} = \frac{1}{80}$ $V_S = 32000$ V • No, • because it is step up transform	1 1 1 1
23.	(i) Cl $\rightarrow 1s^2, 2s^2\ 2p^6, 3s^2\ 3p^5$ (ii) • C is more reactive • The outer most orbit of C has one electron but b has two electrons. It is easier to loose one electron rather then to loose two electrons. (iii) Whenever we move from right to left the number of cell decreases and the size of atom increases. Or in period atomic size decreases.	1 1 1 1

-0-