

For the 3 weeks side quest I took Dr.Karens example and changed it into a guessing age game using my baby pictures. I used GenAI to refresh my memory on how to load pictures into code.

how to add pictures into vs code using javascript?

Short answer: **you don't "add pictures to VS Code with JavaScript"** — you place image files in your project, and JavaScript (or HTML) tells the browser where to load them from.

Here are the **3 correct ways**, depending on what you're doing.

1. The simplest (HTML only – still works in any JS project)

Put your image in your project, for example:

```
project/  
├─ index.html  
├─ script.js  
└─ images/  
    └─ photo.jpg
```

Then in your HTML:

```

```

That's it.

JavaScript is **not required** if the image is static.

2. Add an image dynamically with JavaScript

If you really want to insert the image from JS:

```
const img = document.createElement("img");  
img.src = "images/photo.jpg";  
img.alt = "My photo";  
  
document.body.appendChild(img);
```

This is the most common pattern.

3. If you are using a modern setup (Vite / Next / React, etc.)

Since you've been working with modern tooling (Vercel / Next.js etc.), this matters.

General rule:

Put images in a public folder:

```
public/  
  images/  
    photo.jpg
```

Then:

```
img.src = "/images/photo.jpg";
```

This works in:

- Vite
- Next.js
- most static hosts

One very common mistake

If you just open your file like this:

```
file:///index.html
```

some images and JS features will fail.

You should use a dev server.

In VS Code:

- ➡ Right-click `index.html`
- ➡ **Open with Live Server**

(or install the Live Server extension if you don't have it)

Minimal working example

index.html

```
<!DOCTYPE html>
<html>
<body>
  <script src="script.js"></script>
</body>
</html>
```

script.js

```
const img = document.createElement("img");
img.src = "images/photo.jpg";
img.style.width = "300px";

document.body.appendChild(img);
```

If you tell me one thing:

👉 are you doing this in a **plain HTML/JS project**, or in a **framework (Next / React / Vite)**?

Because the correct path handling changes slightly in those setups (and I know you've touched Next/Vercel before).