


KLAES TRAINING MANUAL

Module: Land (& OSS) File Commissioning

Target Audience: Ministry ICT Department Staff

Session: KLAES Departmental Automation Appreciation Series (Part 1)



Contents

List of Figures.....	3
1.0 INTRODUCTION	4
2.0 INTERFACE ANATOMY: THE FILE NUMBER GENERATOR.....	4
2.1 Top-Level Selectors.....	4
2.2 File Options Pane	5
2.3 Location Details Pane	6
2.4 File Serials & Related FileNo Pane (The Lineage Engine)	7
2.5 System Settings Pane	8
2.6 Action Buttons.....	9
3.0 CORE WORKFLOWS & SCENARIOS	10
4.0 BATCH MODE PROCESSING	14
5.0 POST-COMMISSIONING & INFORMATION PRODUCTS.....	18
6.0 FILE SERIAL INITIALIZATION (ADMIN/ICT CONTROL).....	21
7.0 SUMMARY FOR ICT STAFF.....	22

List of Figures

Figure 1: Application Type Pane.....	4
Figure 2: The File Type options	5
Figure 3: File Options Pane	6
Figure 4: File Location Details Pane	6
Figure 5: File Serials & Related FileNo Pane	7
Figure 6: The Related FileNo Interface.....	8
Figure 7: System Settings Pane	8
Figure 8: The File Commissioning Interface	9
Figure 9: The Override Menu for Year and SerialNo	10
Figure 10: The 2 Extension Types.....	11
Figure 11: The Direct Allocation Types.....	12
Figure 12: The Occupancy Permit (OP) option.....	12
Figure 13: If there is an existing Batch to Process.....	13
Figure 14: Select the Batch to continue processing.....	13
Figure 15: The Batch Process Return Message	13
Figure 16: The File Commissioning Batch Mode Pane	14
Figure 17: The start New Batch Dialog.....	14
Figure 18: The OPs Data Entry Page.....	15
Figure 19: If there is the need to return to the OP Data Entry Page	15
Figure 20: The File Number Generation Message for Standalone FileNos.....	16
Figure 21: The File Number Generation Message for Standalone FileNos.....	16
Figure 22: The File Number Generation Message for Batch FileNos	17
Figure 23: The File Number Generation Message for Batch FileNos	17
Figure 24: The File Commissioning Sheet	18
Figure 25: The Property Acquisition Method Dialogue	19
Figure 26: The LGA Confirmation Letter	19
Figure 27: The File Commissioning Sheet/LGA Confirmation Sheet Batch Generation Interface	20
Figure 28: The LGA Confirmation Sheet Batch Generation Interface	20
Figure 29: The FileNo Serialization Interface	21

1.0 INTRODUCTION

Welcome to the KLAES Departmental Automation Appreciation Session. This manual provides a deep dive into the Land File Commissioning Sub-Module, the foundational entry point for the land lifecycle in the Kano State Land Administration Enterprise System (KLAES).

Understanding this module is critical for the ICT team, as it dictates the database schema for file numbering, tracks lineage via the "Related FileNo" logic, and generates the primary metadata used across all downstream departments (Deeds, Physical Planning, Cadastral, etc.).

2.0 INTERFACE ANATOMY: THE FILE NUMBER GENERATOR

The File Commissioning interface is divided into logical panes designed to capture metadata, spatial data, and system parameters.

2.1 Top-Level Selectors

- Select Application Type: Toggles between Direct Allocation or Conversion.
- File Type Dropdown: Selects the specific transaction nature (Subdivision, Merger, Extension [File/Plot], Re-grant, Resettlement, Temporary, Miscellaneous, Separation).
- Direct Allocation Type: Toggles between Occupancy Permit (OP) or Allocation List.
- Batch Mode Pane: A toggle switch to activate multi-file commissioning.

Commission New File Number

Fill in the details to generate a new MLS file number



The screenshot shows a web interface titled "Commission New File Number" with a subtitle "Fill in the details to generate a new MLS file number". Below the title is a light blue panel labeled "Application Type" with an information icon. Inside this panel, there are two radio buttons: "Direct Allocation" (which is selected) and "Conversion". To the right of these buttons is a dropdown menu labeled "FILE TYPE" with the text "Select File Type" and a downward arrow.

Figure 1: Application Type Pane





Figure 2: The File Type options

2.2 File Options Pane

Captures the core applicant and file metadata.

- File Type: Normal (Default), Old MLS, or SIT (Sectional Titling).
- File Name: The Applicant's Name (File Title).
- Select Prefix: Dictates the file nomenclature. Options include:
 - Direct: RES, COM, IND, AG, CMD-COM
 - Recertification (RC): RES-RC, COM-RC, IND-RC, AG-RC
 - Conversion (CON): CON-RES, CON-COM, CON-IND, CON-AG
 - Conversion Recertification: CON-RES-RC, CON-COM-RC, CON-IND-RC, CON-AG-RC
- Select LandUse: Auto-populates based on the selected Prefix.
- Purpose: Auto-populates based on the LandUse purpose clause.
- Customer Type: Individual (Default), Corporate, Government, Multiple Owners.
- Contact Details: Phone No and Address of Applicant.




The 'File Options' pane is a light gray rounded rectangle containing eight input fields arranged in a 4x2 grid. The top-left field is a dropdown menu labeled 'File Type' with 'Normal File' selected. The top-right field is a text input labeled 'File Name' with the placeholder 'Enter file name'. The second row has a dropdown labeled 'Select Prefix' with 'Select Prefix' selected, and a dropdown labeled 'Select Land Use' with '(Auto-selected)' selected. The third row has a dropdown labeled 'Purpose' with 'Select Purpose' selected, and a dropdown labeled 'Customer Type' with 'Select Customer T' selected. The bottom row has a text input labeled 'Phone No of Applicant' with the placeholder 'Enter Phone No', and a text input labeled 'Address of Applicant' with the placeholder 'ENTER ADDRESS'.

Figure 3: File Options Pane

2.3 Location Details Pane

Captures the spatial/administrative location of the property.

- TP Number & Plot Number: Specific plot identifiers.
- District & LGA: Administrative boundaries.
- Location: Auto-concatenated string (District + LGA + Kano State).



The 'Location Details' pane is a light gray rounded rectangle containing five input fields. The top row has a text input labeled 'TP Number' with the placeholder 'Type to search TI' and a text input labeled 'Plot Number' with the placeholder 'Enter plot number'. The second row has a dropdown menu labeled 'District' with 'Search or select ...' selected, and a dropdown menu labeled 'LGA' with 'Select LGA' selected. The bottom row has a text input labeled 'Location (auto-filled)' with the placeholder 'Filled from plot number, district & LGA'.

Figure 4: File Location Details Pane

2.4 File Serials & Related FileNo Pane (The Lineage Engine)

This pane handles the database logic for file generation and relationships.

- Related FileNo: Links an existing file to the new file being commissioned (crucial for tracking lineage).
- Year: Auto-filled with the current year.
- SerialNo: Auto-filled based on the next available serial number in the database.
- Generated FileNo Preview: Real-time preview of the final File Number.
- Tracking ID: Auto-generated unique identifier for the KLAES grouping table.
- Land Use (Purpose): Concatenation of the selected LandUse and Purpose.

☐  This file has a Related File Number
Check this if this file is related to an existing file (e.g., conversion, extension, recertification)

 Year # Serial No. Next: 3032

2026 3032

Auto-filled Auto-generated

 Generated File Number Preview

RES-2026-3032

 Tracking ID: **TRK-FBD2FDF5-55B3D**

Land Use (Purpose)

RESIDENTIAL (RESIDENTIAL)

Figure 5: File Serials & Related FileNo Pane

The screenshot displays the 'Related FileNo Interface' with the following components:

- File Options Panel:**
 - File Type:** Normal File (dropdown)
 - File Name:** Enter file name (text input)
 - Select Prefix:** Select Prefix (dropdown)
 - Select Land Use:** (Auto-selected) (dropdown)
 - Purpose:** Select Purpose (dropdown)
 - Customer Type:** Select Customer (dropdown)
 - Phone No of Applicant:** Enter Phone No (text input)
 - Address of Applicant:** ENTER ADDRESS (text input)
- Related File Section:**
 - Related File Number:** IND-2026-239 (text input) with a Select button.
 - Related File Title:** MAKA ADO ALIEE (text input).
 - Related File Type:** Mother File (dropdown).
 - Buttons:** + Add Another Related File.
- Footer Fields:**
 - Year:** 2026 (text input) with a calendar icon.
 - Serial No.:** 1 (text input) with a plus icon.
 - Auto-filled / Auto-generated** labels below the respective fields.

Figure 6: The Related FileNo Interface

2.5 System Settings Pane

Audit and execution parameters.

- Commissioning Time & Date: Auto-captured timestamp of execution.
- Commissioned By: Auto-captured logged-in user.

The screenshot shows the 'System Settings Pane' with the following fields:

- Commissioning Time:** 06:00 PM (text input) with a clock icon.
- Commissioning Date:** Auto-filled (text input) with a calendar icon.
- Commissioned By:** Auto-filled (text input) with a user icon.

Figure 7: System Settings Pane

2.6 Action Buttons


- **Override:** Allows manual intervention to force a specific Year or SerialNo (Admin use).
- **Cancel:** Aborts the process and clears the form.
- **Generate:** Executes the database write, creates the FileNo, and triggers the creation of Information Products.

The screenshot displays the 'Commission New File Number' form, which is used to generate a new MLS file number. The form is organized into several sections:

- Application Type:** Includes radio buttons for 'Direct Allocation' (selected) and 'Conversion', and a 'FILE TYPE' dropdown menu set to 'Extension'.
- SELECT REGISTRY:** Features three radio buttons: 'Default' (selected), 'Occupancy Permit (OP)', and 'Allocation List'.
- Batch Mode:** A toggle switch labeled 'Batch Mode (Generate multiple files at once)' is currently turned off.
- File Options:** A section containing multiple input fields: 'File Type' (Normal File), 'File Name' (Enter file name), 'Select Prefix' (Select Prefix), 'Select Land Use' ((Auto-selected)), 'Purpose' (Select Purpose), 'Customer Type' (Select Customer), 'Phone No of Applicant' (Enter Phone No), and 'Address of Applicant' (ENTER ADDRESS).
- Related File Number:** A checkbox labeled 'This file has a Related File Number' with a note to check if the file is related to an existing one (e.g., conversion, extension, recertification).
- Year and Serial No.:** Fields for 'Year' (2026) and '# Serial No.' (Auto-generated), both marked as 'Auto-filled'.
- Generated File Number Preview:** A section showing a preview of the generated file number, currently displaying a hyphen (-).
- Tracking ID:** A field labeled 'Tracking ID: --'.
- Land Use (Purpose):** A dropdown menu currently showing a hyphen (-).
- Location Details:** Includes fields for 'TP Number' (Type to search TI), 'Plot Number' (Enter plot number), 'District' (Search or select ...), and 'LGA' (Select LGA). Below these is a 'Location (auto-filled)' field with the text 'Filled from plot number, district & LGA'.
- Commissioning Time and Date:** Fields for 'Commissioning Time' (05:17 PM) and 'Commissioning Date' (Auto-filled), both marked as 'Auto-filled'.
- Commissioned By:** A field labeled 'Commissioned By' with the text 'Auto-filled'.

At the bottom of the form, there are three buttons: 'Override' (orange), 'Cancel' (white), and 'Generate' (blue).

Figure 8: The File Commissioning Interface



Override File Number

Year

2026

Serial Number

3032

Cancel Apply Override

Figure 9: The Override Menu for Year and SerialNo

3.0 CORE WORKFLOWS & SCENARIOS

Scenario 1: Standard Direct Allocation / Conversion

The most common workflow for new files.

1. Select Direct Allocation or Conversion.
2. Select the File Prefix (e.g., RES). The LandUse auto-selects.
3. Select the Purpose and adjust Customer Type if necessary.
4. Enter Applicant Name, Phone, and Address.
5. Fill in the Location Details pane.
6. System Action: The File Serials pane auto-populates the Year, SerialNo, and generates the Preview FileNo and Tracking ID.
7. Click Generate.

Scenario 2: Special File Types (Lineage & Modifications)

Rule: For all special types, the Existing FileNo must be selected via the "Related FileNo" tab.

- Temporary File: Prompts for the Mother FileNo. The system appends `(T)` to the mother file.
 - Backend Note: Temporary files are not captured as standalone records in the database; they are treated as an extension of the Mother File, used only when the physical mother file cannot be located.
- Extension:
 - File Extension: Appends `AND EXTENSION` to the existing FileNo.
 - Plot Extension: Preserves the existing FileNo (as it adds land to the existing space, increasing size rather than creating a new file).





Figure 10: The 2 Extension Types

- Miscellaneous: Appends `MISC` to the existing FileNo.
- Change of Purpose: The File Prefix and LandUse are strictly driven by the approved change of landuse from the Deeds Department.
- Re-grant: Used for existing files with expired terms.
- Subdivision: Select the Mother FileNo. Based on the approved subdivision count from Deeds, the system automatically triggers Batch Mode. The user then enters details for the individual parcels.
- Merger: Involves 2+ files combining into 1. The system auto-generates a `Temp FileNo` to hold the files in the merger. This Temp FileNo must be referenced in the Related FileNo field during commissioning.
- Separation: Splits a large plot into 2 contiguous plots of the same size.
- Resettlement: Reissuance of another plot to an allottee.

Scenario 3: Direct Allocation Types (Default, OP & Allocation List)

- Standalone File Commissioning request not tied to an OP or an Allocation List.
- Occupancy Permit (OP): Opens a dedicated OP data entry engine.
 - Logic: When the OP SerialNo is entered, the system runs a background check to determine if the OP is already captured (legacy) or new.
 - Data Flow: Once linked, the OP acts as the root title. Data entered in the OP Card automatically transfers to the File Commissioning Card.
- Allocation List: Directly pulls from the Allocation List submodule. Allottees captured in the list become available for selection in the File Commissioning interface.



The screenshot shows a section titled "DIRECT ALLOCATION TYPE" with a dropdown arrow. Below the title are three radio button options: "Default" (selected with a blue dot), "Occupancy Permit (OP)" (unselected), and "Allocation List" (unselected).

Figure 11: The Direct Allocation Types



The screenshot shows a dialog box with a large question mark icon at the top. Below the icon is the title "Occupancy Permit (OP)". Underneath the title is the question "Are you capturing a **single** OP, or a **batch** of OPs for OP Direct Allocation?". At the bottom of the dialog are three buttons: "Batch" (blue), "Single" (green), and "Cancel" (gray).

Figure 12: The Occupancy Permit (OP) option



Figure 13: If there is an existing Batch to Process




Figure 14: Select the Batch to continue processing




Figure 15: The Batch Process Return Message

4.0 BATCH MODE PROCESSING


For high-volume commissioning (e.g., Subdivisions or Layout Allocations).

- Capacity: Minimum 2 files, Maximum 100 files per batch.
- Data Entry: Unique File Options and Location Details can be entered for each file in the sequence.
- System Generation: The FileNo and TrackingID ranges are auto-generated sequentially based on the last used SerialNo and the system's TrackingID algorithm.



The screenshot shows a light blue panel titled "Batch Mode" with a subtext "(Generate multiple files at once)" and a toggle switch on the right. Below the title is a label "Number of Files to Generate" followed by a text input field containing "1" and the text "files (Max: 100)". At the bottom, a small icon and text state: "All files will share the same File Name and Prefix. You'll add unique location details for each."

Figure 16: The File Commissioning Batch Mode Pane



The dialog box has a large question mark icon at the top. Below it is the heading "Start a New Batch". The text "How many OPs are you capturing for **OP Direct Allocation**?" is followed by a spinner control showing the number "2". Below the spinner, it says "You can add or remove records later, before commissioning." At the bottom are two buttons: "Start" (blue) and "Cancel" (grey).

Figure 17: The start New Batch Dialog

Figure 18: The OPs Data Entry Page

Figure 19: If there is the need to return to the OP Data Entry Page




Figure 20: The File Number Generation Message for Standalone FileNos




Figure 21: The File Number Generation Message for Standalone FileNos




Figure 22: The File Number Generation Message for Batch FileNos




Figure 23: The File Number Generation Message for Batch FileNos

5.0 POST-COMMISSIONING & INFORMATION PRODUCTS

Upon successful execution of the Generate button, the system creates the database record and makes the following Information Products available for generation and printing:

1. File Commissioning Sheet: The official receipt and metadata summary for the new file.
2. LGA Confirmation Letter: Generated strictly for Conversion files to verify local government jurisdiction (this also comes with the Property Acquisition Method Dialogue).

MINISTRY OF LAND & PHYSICAL PLANNING
DEPARTMENT OF LAND
FILE COMMISSIONING SHEET

QR Code

ORIGINAL

File No/File Type: CON-AG-2026-85 (Conversion)

File Name: ALMAWASH FARM LTD

Plot No: piece of and

TP No:

Location: DAWAKIN TOFA, KANO

Time Commissioned: 04:06 PM

Date Commissioned: 2026-07-16


Commissioned by: System Admin

Created by Signature

Approved by Signature

Land Admin Database System

Figure 24: The File Commissioning Sheet



Property Acquisition Method

Please select how the property for **CON-COM-2026-488** was acquired:

- ☒ a. By Purchase
- ☐ b. By Inheritance
- ☐ c. By Gift
- ☐ d. Direct Local Government Allocation
- ☐ e. Any other (Specify)

Generate Document **Cancel**

Figure 25: The Property Acquisition Method Dialogue



CODE:	LAND 43
SERIAL NO.	900026

MINISTRY OF LAND AND PHYSICAL PLANNING
NO. 2 DR. DALA MOHD. ROAD, MASSARAWA GRA, F.M.B. 3003 KANO NIGERIA.

Our Ref: **CON-COM-2026-488** Date: **16/07/2026**

The Chairman,
DALA Local Government,
Kano State.

APPLICATION FOR CONVERSION OF CUSTOMARY TO STATUTORY RIGHT OF OCCUPANCY

I am directed to inform you that Alhaji/Malam/Mr. **ABDULKADIR HARUNA ABDULLAHI** has applied to the Ministry for Statutory Right of Occupancy over Plot No. **Piece of Land** at **PIECE OF LAND, DALA**.
You are accordingly requested to verify the genuineness of this customary claim and further confirms on how the property was acquired:


- ☒ a. By Purchase
- ☐ b. By Inheritance
- ☐ c. By Gift
- ☐ d. Director Local Government Allocation
- ☐ e. Any other (Specify)

I attached herewith two copies of site plan of the area for your guidance and further necessary action. One copy is to be returned (Stamped & Signed) along with reply, please.

Name: _____
Rank _____ Signature _____
HONOURABLE COMMISSIONER



Figure 26: The LGA Confirmation Letter



Batch Print — Commissioning Sheets ×

Select a date to generate a multi-page PDF of sheets

Commissioning Date

03/07/2026

TOTAL	PRINTED	UNPRINTED
23	3	20


Note: The 20 unprinted sheet(s) will be generated for this date.

Documents to generate

- ☒ **Commissioning Sheets**
The standard batch commissioning sheet for every file on this date.
- ☒ **Application for Conversion**
For Conversion (CON-) files only. You will review the recipient LGA before it generates.

Cancel Generate Selected Documents

Figure 27: The File Commissioning Sheet/LGA Confirmation Sheet Batch Generation Interface



Application for Conversion

13 conversion file(s). Review the recipient (**The Chairman, [LGA] Local Government**), then choose the acquisition method.

CON-AG-2026-111 — CORE SUCCESS LIMITED
Recipient LGA: Rimin Gado (read-only)

CON-AG-2026-112 — ILIYASU RABIU
Recipient LGA: Dawakin Tota (read-only)

CON-COM-2026-432 — YUSUF ABUBAKAR
Recipient LGA: Rimin Gado (read-only)

Acquisition method

☒ By Purchase

☐ By Inheritance

☐ By Gift

☐ Direct Local Government Allocation

☐ Any other (Specify)

Generate Applications Cancel

Figure 28: The LGA Confirmation Sheet Batch Generation Interface


6.0 FILE SERIAL INITIALIZATION (ADMIN/ICT CONTROL)

This is a critical backend/administrative interface for the ICT team to manage file numbering integrity.

- Scope: Contains the master list of all File Prefix variants (8 Direct Allocation variants + SIT + 8 Conversion variants).

Functionality:

- Allows the Admin to directly enter or manually adjust the current SerialNo.
- Locking Mechanism: Serial numbers can be "locked" to prevent accidental overwriting or unauthorized manual overrides during standard user commissioning.
- Importance: Proper management here prevents primary key collisions in the database and ensures seamless transition between legacy MLS numbering and new KLAES numbering.



The screenshot displays the 'Serial Number Control' interface. At the top, there are tabs for 'MLT File Number Generator', 'Serial Initialization' (which is active), and 'Consolidated Report'. A yellow warning banner states: 'Important: Serial Initialization is a one-time operation. Once initialized and locked, values cannot be modified through the UI to prevent system errors and duplicate file numbers.' Below this is a table with the following columns: 'Serial No.', 'Year', 'Last Serial', 'Status', 'Initiated By', 'Initiated At', and 'Action'. The table lists 16 entries for various file prefixes, including AG, AG-RC, COM, COM-RC, CON-AG, CON-AG-RC, CON-COM, CON-COM-RC, CON-IND, CON-IND-RC, CON-RES, CON-RES-RC, IND, IND-RC, RES, RES-RC, and SIT. Each entry shows its current status (e.g., 'Initiated', 'Locked') and the user who initiated the process (e.g., 'System Migration', 'Elias Admin').

Serial No.	Year	Last Serial	Status	Initiated By	Initiated At	Action
AG	2026	5	Initiated	System Migration	1/28/2026	Initiate
AG-RC	2026	8	Initiated	System Migration	1/28/2026	Initiate
COM	2026	280	Locked	ABOULSAHAD KDO SALBU	8/6/2025	Locked
COM-RC	2026	0	Initiated	System Migration	1/28/2026	Initiate
CON-AG	2026	122	Locked	Elias Admin	1/28/2026	Locked
CON-AG-RC	2026	0	Initiated	System Migration	1/28/2026	Initiate
CON-COM	2026	400	Locked	Elias Admin	1/28/2026	Locked
CON-COM-RC	2026	0	Initiated	Elias Admin	1/28/2026	Locked
CON-IND	2026	55	Locked	Elias Admin	1/28/2026	Locked
CON-IND-RC	2026	0	Initiated	-	-	Initiate
CON-RES	2026	2776	Locked	Elias Admin	1/28/2026	Locked
CON-RES-RC	2026	2	Initiated	System Migration	1/28/2026	Initiate
IND	2026	150	Initiated	System Migration	1/28/2026	Initiate
IND-RC	2026	5	Initiated	System Migration	1/28/2026	Initiate
RES	2026	3331	Locked	RAYHAN S. HERNI	8/6/2025	Locked
RES-RC	2026	6	Locked	Elias Admin	2/24/2026	Locked
SIT	2026	50	Locked	System Admin	8/28/2025	Locked

Figure 29: The FileNo Serialization Interface

7.0 SUMMARY FOR ICT STAFF

As the technical backbone of the Ministry, your understanding of this module ensures you can:

1. Troubleshoot FileNo generation errors (checking Serial Initialization).
2. Understand database lineage (how Related FileNo links parent/child records).
3. Support users in complex workflows (like Mergers generating Temp FileNos or Subdivisions auto-triggering Batch Mode).

Next Session: We will proceed to the OSS File Commissioning workflow and the Fetch Existing File Record (FEFR) logic.