Stepwise Logistic Regression

Veerasak Kritsanapraphan

8/3/2017

Stepwise Logistic Regression

Import packages necessary first.

```
library(MASS)
library(plyr)
library(ggplot2)
library(knitr)
```

```
## Warning: package 'knitr' was built under R version 3.4.3
```

Prepare data

```
# Assign better variable names
colnames(birthwt) <- c("birthwt.below.2500", "mother.age", "mother.weight",
    "race", "mother.smokes", "previous.prem.labor", "hypertension", "uterine.irr",
    "physician.visits", "birthwt.grams")

# Assign better labels to categorical variables
birthwt <- transform(birthwt,
          race = as.factor(mapvalues(race, c(1, 2, 3),
                           c("white","black", "other"))),
          mother.smokes = as.factor(mapvalues(mother.smokes,
                          c(0,1), c("no", "yes"))),
          hypertension = as.factor(mapvalues(hypertension,
                         c(0,1), c("no", "yes"))),
          uterine.irr = as.factor(mapvalues(uterine.irr,
                        c(0,1), c("no", "yes"))),
          birthwt.below.2500 = as.factor(mapvalues(birthwt.below.2500,
                               c(0,1), c("no", "yes")))
          )
```

Run logistic regression

```
formula = birthwt.grams ~ mother.age + mother.weight + physician.visits + mother.smokes + uterine.irr +
fullmod = lm(formula, data = birthwt)
summary(fullmod)
```

```
##
## Call:
## lm(formula = formula, data = birthwt)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -1689.4  -467.6    -7.6   464.5  1750.6
##
## Coefficients:
##                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)        2508.467    294.477   8.518 6.15e-15 ***
## mother.age            4.745      9.721   0.488 0.626019
```

```
## mother.weight          4.272      1.725   2.477 0.014172 *
## physician.visits       -8.012     48.113  -0.167 0.867923
## mother.smokesyes     -228.486    102.506  -2.229 0.027044 *
## uterine.irryes       -527.097    143.887  -3.663 0.000327 ***
## previous.prem.labor   -71.709    105.515  -0.680 0.497619
## hypertensionyes      -642.048    209.323  -3.067 0.002492 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 674.2 on 181 degrees of freedom
## Multiple R-squared:  0.1769, Adjusted R-squared:  0.1451
## F-statistic: 5.559 on 7 and 181 DF,  p-value: 8.177e-06
```

No independent variables

```
nothing <- lm(birthwt.grams ~ 1,family=binomial, data = birthwt)
```

```
## Warning: In lm.fit(x, y, offset = offset, singular.ok = singular.ok, ...) :
##   extra argument 'family' will be disregarded
```

```
summary(nothing)
```

```
##
## Call:
## lm(formula = birthwt.grams ~ 1, data = birthwt, family = binomial)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2235.59  -530.59    32.41   542.41  2045.41
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)  2944.59      53.04   55.51   <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 729.2 on 188 degrees of freedom
```

Stepwise Linear Regression ("Backward")

```
backwards = step(fullmod) # Backwards selection is the default
```

```
## Start:  AIC=2469.96
## birthwt.grams ~ mother.age + mother.weight + physician.visits +
##     mother.smokes + uterine.irr + previous.prem.labor + hypertension
##
##                       Df Sum of Sq      RSS    AIC
## - physician.visits     1     12607 82293521 2468.0
## - mother.age           1    108335 82389248 2468.2
## - previous.prem.labor  1    209962 82490875 2468.4
## <none>                            82280914 2470.0
## - mother.smokes        1   2258613 84539526 2473.1
## - mother.weight        1   2788878 85069791 2474.3
## - hypertension         1   4276845 86557758 2477.5
## - uterine.irr          1   6100389 88381303 2481.5
##
## Step:  AIC=2467.99
```

```
## birthwt.grams ~ mother.age + mother.weight + mother.smokes +
##     uterine.irr + previous.prem.labor + hypertension
##
##                         Df Sum of Sq      RSS    AIC
## - mother.age             1     98286 82391807 2466.2
## - previous.prem.labor    1    206657 82500178 2466.5
## <none>                             82293521 2468.0
## - mother.smokes          1   2257167 84550688 2471.1
## - mother.weight          1   2783045 85076566 2472.3
## - hypertension           1   4273665 86567186 2475.6
## - uterine.irr            1   6089392 88382912 2479.5
##
## Step:  AIC=2466.21
## birthwt.grams ~ mother.weight + mother.smokes + uterine.irr +
##     previous.prem.labor + hypertension
##
##                         Df Sum of Sq      RSS    AIC
## - previous.prem.labor    1    175821 82567628 2464.6
## <none>                             82391807 2466.2
## - mother.smokes          1   2314920 84706727 2469.4
## - mother.weight          1   3103917 85495724 2471.2
## - hypertension           1   4383189 86774996 2474.0
## - uterine.irr            1   6244871 88636678 2478.0
##
## Step:  AIC=2464.62
## birthwt.grams ~ mother.weight + mother.smokes + uterine.irr +
##     hypertension
##
##                 Df Sum of Sq      RSS    AIC
## <none>                     82567628 2464.6
## - mother.smokes  1   2623742 85191369 2468.5
## - mother.weight  1   3306358 85873986 2470.0
## - hypertension   1   4441221 87008848 2472.5
## - uterine.irr    1   6979875 89547503 2477.9
```

```r
formula(backwards)
```

```
## birthwt.grams ~ mother.weight + mother.smokes + uterine.irr +
##     hypertension
```

```r
summary(backwards)
```

```
##
## Call:
## lm(formula = birthwt.grams ~ mother.weight + mother.smokes +
##     uterine.irr + hypertension, data = birthwt)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -1665.02 -452.62   11.16  473.64 1858.65
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)   2577.096    226.794  11.363  < 2e-16 ***
## mother.weight    4.506      1.660   2.714 0.007270 **
```

```
## mother.smokesyes  -242.113      100.127  -2.418 0.016579 *
## uterine.irryes    -549.878      139.424  -3.944 0.000114 ***
## hypertensionyes   -649.098      206.327  -3.146 0.001931 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 669.9 on 184 degrees of freedom
## Multiple R-squared:  0.1741, Adjusted R-squared:  0.1561
## F-statistic: 9.695 on 4 and 184 DF,  p-value: 3.886e-07
```

Stepwise Linear Regression ("Forward")

```r
forwards <- step(fullmod, direction="forward")
```

```
## Start:  AIC=2469.96
## birthwt.grams ~ mother.age + mother.weight + physician.visits +
##     mother.smokes + uterine.irr + previous.prem.labor + hypertension
```

```r
formula(forwards)
```

```
## birthwt.grams ~ mother.age + mother.weight + physician.visits +
##     mother.smokes + uterine.irr + previous.prem.labor + hypertension
```

```r
summary(forwards)
```

```
##
## Call:
## lm(formula = birthwt.grams ~ mother.age + mother.weight + physician.visits +
##     mother.smokes + uterine.irr + previous.prem.labor + hypertension,
##     data = birthwt)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -1689.4  -467.6    -7.6   464.5  1750.6
##
## Coefficients:
##                      Estimate Std. Error t value Pr(>|t|)
## (Intercept)          2508.467    294.477   8.518 6.15e-15 ***
## mother.age              4.745      9.721   0.488 0.626019
## mother.weight           4.272      1.725   2.477 0.014172 *
## physician.visits       -8.012     48.113  -0.167 0.867923
## mother.smokesyes     -228.486    102.506  -2.229 0.027044 *
## uterine.irryes       -527.097    143.887  -3.663 0.000327 ***
## previous.prem.labor   -71.709    105.515  -0.680 0.497619
## hypertensionyes      -642.048    209.323  -3.067 0.002492 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 674.2 on 181 degrees of freedom
## Multiple R-squared:  0.1769, Adjusted R-squared:  0.1451
## F-statistic: 5.559 on 7 and 181 DF,  p-value: 8.177e-06
```