

Panel	Metric	Study	Block	Taxon	n	value_ci	unit	ci_method	denominator_note
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	All marine taxa	388	25.11 (95% CI: 14.63 to 35.60)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Benthic algae	96	9.42 (95% CI: -1.99 to 20.84)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Benthic cnidarians	20	25.42 (95% CI: 3.93 to 46.92)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Benthic crustaceans	30	4.96 (95% CI: -17.35 to 27.27)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Benthic molluscs	49	7.29 (95% CI: -11.86 to 26.44)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Fish	135	43.04 (95% CI: 23.66 to 62.42)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Mammals	1	-857.00	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Other benthic invertebrates	8	32.27 (95% CI: -13.81 to 78.36)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Phytoplankton	2	358.00	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Seabirds	4	104.50 (95% CI: -150.60 to 359.60)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	Poloczanska et al. (2016)	General marine taxa	Zooplankton	43	34.39 (95% CI: -3.79 to 72.57)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Phytoplankton	Zooplankton	132	45.18 (95% CI: 28.77 to 61.58)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Calanoids	46	50.39 (95% CI: 26.94 to 73.84)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Decapods	17	20.17 (95% CI: 1.64 to 38.71)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Echinoderms	1	-2.22	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Euphausiids	5	169.27 (95% CI: -14.16 to 352.70)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Fish larvae	34	17.20 (95% CI: 0.69 to 33.70)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Foraminifera	24	80.81 (95% CI: 15.71 to 145.91)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Holoplankton	77	64.62 (95% CI: 38.30 to 90.94)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Meroplankton	55	17.95 (95% CI: 6.49 to 29.42)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Non-calanoids	2	-63.94	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Distribution change	Distribution	This study	Zooplankton	Polychaetes	3	20.63 (95% CI: -57.41 to 98.68)	km decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Percentage consistent	Distribution	Poloczanska et al. (2016)	General marine taxa	Zooplankton	43	83.72 (95% CI: 70.03 to 91.88)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Calanoids	46	80.43 (95% CI: 66.83 to 89.35)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100

Panel	Metric	Study	Block	Taxon	n	value_ci	unit	ci_method	denominator_note
Percentage consistent	Distribution	This study	Zooplankton	Cnidarians	1	100.00 (95% CI: 20.65 to 100.00)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Decapods	27	51.85 (95% CI: 33.99 to 69.26)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Echinoderms	8	25.00 (95% CI: 7.15 to 59.07)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Euphausiids	6	83.33 (95% CI: 43.65 to 96.99)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Fish larvae	69	73.91 (95% CI: 62.49 to 82.81)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Foraminifera	25	76.00 (95% CI: 56.57 to 88.50)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Holoplankton	144	73.61 (95% CI: 65.87 to 80.13)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Meroplankton	219	70.32 (95% CI: 63.96 to 75.98)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Non-calanoids	2	0.00 (95% CI: 0.00 to 65.76)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Other crustaceans	12	66.67 (95% CI: 39.06 to 86.19)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Distribution	This study	Zooplankton	Polychaetes	81	75.31 (95% CI: 64.92 to 83.41)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	Cooley et al. (2022)	General marine taxa	Zooplankton	168	77.38 (95% CI: 70.48 to 83.05)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Appendicularians	6	66.67 (95% CI: 30.00 to 90.32)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Calanoids	126	78.57 (95% CI: 70.62 to 84.83)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Chaetognaths	3	66.67 (95% CI: 20.77 to 93.85)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Cladocerans	13	84.62 (95% CI: 57.77 to 95.67)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Cnidarians	5	60.00 (95% CI: 23.07 to 88.24)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Ctenophores	6	100.00 (95% CI: 60.97 to 100.00)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Cyphonautes	2	50.00 (95% CI: 9.45 to 90.55)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Decapods	16	87.50 (95% CI: 63.98 to 96.50)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Echinoderms	5	100.00 (95% CI: 56.55 to 100.00)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Fish larvae	154	65.58 (95% CI: 57.78 to 72.63)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Holoplankton	214	73.83 (95% CI: 67.56 to 79.26)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Meroplankton	200	68.00 (95% CI: 61.25 to 74.07)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100

Panel	Metric	Study	Block	Taxon	n	value_ci	unit	ci_method	denominator_note
Percentage consistent	Phenology	This study	Zooplankton	Molluscs	9	44.44 (95% CI: 18.88 to 73.33)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Non-calanoids	28	67.86 (95% CI: 49.34 to 82.07)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Other crustaceans	14	50.00 (95% CI: 26.80 to 73.20)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Other protists	9	66.67 (95% CI: 35.42 to 87.94)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Polychaetes	6	66.67 (95% CI: 30.00 to 90.32)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Percentage consistent	Phenology	This study	Zooplankton	Unspecified copepods	8	62.50 (95% CI: 30.57 to 86.32)	%	Wilson 95% CI for binomial proportion	consistent / (consistent + not consistent + unsure) x 100
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	All marine taxa	475	-2.78 (95% CI: -3.45 to -2.12)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Benthic crustaceans	1	-4.40	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Benthic molluscs	8	-0.93 (95% CI: -7.74 to 5.88)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Fish	94	-3.74 (95% CI: -5.31 to -2.18)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Mammals	11	-1.95 (95% CI: -8.72 to 4.82)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Phytoplankton	103	-3.17 (95% CI: -4.99 to -1.36)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Reptiles	12	-7.50 (95% CI: -14.82 to -0.17)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Seabirds	120	-0.46 (95% CI: -1.16 to 0.25)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	Cooley et al. (2022)	General marine taxa	Zooplankton	126	-3.69 (95% CI: -4.88 to -2.51)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Phytoplankton	Zooplankton	372	-2.90 (95% CI: -3.72 to -2.08)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Appendicularians	4	-3.33 (95% CI: -8.91 to 2.26)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Calanoids	115	-3.49 (95% CI: -4.75 to -2.24)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Chaetognaths	2	-2.25	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Cladocerans	11	-3.60 (95% CI: -7.62 to 0.42)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Cnidarians	4	0.83 (95% CI: -3.72 to 5.39)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Ctenophores	6	-15.66 (95% CI: -20.55 to -10.77)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Cyphonautes	2	-1.36	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Decapods	9	-4.14 (95% CI: -6.86 to -1.42)	days decade^-1	t-based 95% CI around the mean; shown only when n >= 3	

Panel	Metric	Study	Block	Taxon	n	value_ci	unit	ci_method	denominator_note
Phenology change	Phenology	This study	Zooplankton	Echinoderms	2	-6.60	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Fish larvae	152	-3.23 (95% CI: -4.70 to -1.77)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Holoplankton	194	-2.74 (95% CI: -3.81 to -1.67)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Meroplankton	178	-3.08 (95% CI: -4.35 to -1.81)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Molluscs	7	1.14 (95% CI: -4.31 to 6.59)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Non-calanoids	28	1.42 (95% CI: -2.24 to 5.09)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Other crustaceans	10	-0.15 (95% CI: -1.45 to 1.14)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Other protists	9	-4.06 (95% CI: -9.10 to 0.97)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Polychaetes	3	-0.83 (95% CI: -10.53 to 8.87)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	
Phenology change	Phenology	This study	Zooplankton	Unspecified copepods	8	0.92 (95% CI: -6.04 to 7.88)	days decade ⁻¹	t-based 95% CI around the mean; shown only when n >= 3	

Study	x_order	Block	Taxon	n	mean_value	ci_low	ci_high	ci_shown	unit
This study	1	Zooplankton	Ctenophores	0					km decade ⁻¹
This study	2	Zooplankton	Echinoderms	1	-2.22			FALSE	km decade ⁻¹
This study	3	Zooplankton	Decapods	17	20.17	1.64	38.71	TRUE	km decade ⁻¹
This study	4	Zooplankton	Other protists	0					km decade ⁻¹
This study	5	Zooplankton	Cladocerans	0					km decade ⁻¹
This study	6	Zooplankton	Calanoids	46	50.39	26.94	73.84	TRUE	km decade ⁻¹
This study	7	Zooplankton	Appendicularians	0					km decade ⁻¹
This study	8	Zooplankton	Fish larvae	34	17.2	0.69	33.7	TRUE	km decade ⁻¹
This study	9	Zooplankton	Chaetognaths	0					km decade ⁻¹
This study	10	Zooplankton	Cyphonautes	0					km decade ⁻¹
This study	11	Zooplankton	Polychaetes	3	20.63	-57.41	98.68	TRUE	km decade ⁻¹
This study	12	Zooplankton	Other crustaceans	0					km decade ⁻¹
This study	13	Zooplankton	Cnidarians	0					km decade ⁻¹
This study	14	Zooplankton	Unspecified copepods	0					km decade ⁻¹
This study	15	Zooplankton	Molluscs	0					km decade ⁻¹
This study	16	Zooplankton	Non-calanoids	2	-63.94			FALSE	km decade ⁻¹
This study	17	Zooplankton	Foraminifera	24	80.81	15.71	145.91	TRUE	km decade ⁻¹
This study	18	Zooplankton	Euphausiids	5	169.27	-14.16	352.7	TRUE	km decade ⁻¹
This study	19	Zooplankton	Holoplankton	77	64.62	38.3	90.94	TRUE	km decade ⁻¹
This study	20	Zooplankton	Meroplankton	55	17.95	6.49	29.42	TRUE	km decade ⁻¹
This study	21	Phytoplankton	Zooplankton	132	45.18	28.77	61.58	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	22	General marine taxa	Zooplankton	43	34.39	-3.79	72.57	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	23	General marine taxa	Reptiles	0					km decade ⁻¹
Poloczanska et al. (2016)	24	General marine taxa	Benthic crustaceans	30	4.96	-17.35	27.27	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	25	General marine taxa	Fish	135	43.04	23.66	62.42	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	26	General marine taxa	Phytoplankton	2	358			FALSE	km decade ⁻¹
Poloczanska et al. (2016)	27	General marine taxa	Mammals	1	-857			FALSE	km decade ⁻¹
Poloczanska et al. (2016)	28	General marine taxa	Benthic molluscs	49	7.29	-11.86	26.44	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	29	General marine taxa	Seabirds	4	104.5	-150.6	359.6	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	30	General marine taxa	Benthic algae	96	9.42	-1.99	20.84	TRUE	km decade ⁻¹

Study	x_order	Block	Taxon	n	mean_value	ci_low	ci_high	ci_shown	unit
Poloczanska et al. (2016)	31	General marine taxa	Benthic cnidarians	20	25.42	3.93	46.92	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	32	General marine taxa	Other benthic invertebrates	8	32.27	-13.81	78.36	TRUE	km decade ⁻¹
Poloczanska et al. (2016)	33	General marine taxa	All marine taxa	388	25.11	14.63	35.6	TRUE	km decade ⁻¹

Study	x_order	Block	Taxon	n	mean_value	ci_low	ci_high	ci_shown	unit
This study	1	Zooplankton	Ctenophores	6	-15.66	-20.55	-10.77	TRUE	days decade ⁻¹
This study	2	Zooplankton	Echinoderms	2	-6.6			FALSE	days decade ⁻¹
This study	3	Zooplankton	Decapods	9	-4.14	-6.86	-1.42	TRUE	days decade ⁻¹
This study	4	Zooplankton	Other protists	9	-4.06	-9.1	0.97	TRUE	days decade ⁻¹
This study	5	Zooplankton	Cladocerans	11	-3.6	-7.62	0.42	TRUE	days decade ⁻¹
This study	6	Zooplankton	Calanoids	115	-3.49	-4.75	-2.24	TRUE	days decade ⁻¹
This study	7	Zooplankton	Appendicularians	4	-3.33	-8.91	2.26	TRUE	days decade ⁻¹
This study	8	Zooplankton	Fish larvae	152	-3.23	-4.7	-1.77	TRUE	days decade ⁻¹
This study	9	Zooplankton	Chaetognaths	2	-2.25			FALSE	days decade ⁻¹
This study	10	Zooplankton	Cyphonautes	2	-1.36			FALSE	days decade ⁻¹
This study	11	Zooplankton	Polychaetes	3	-0.83	-10.53	8.87	TRUE	days decade ⁻¹
This study	12	Zooplankton	Other crustaceans	10	-0.15	-1.45	1.14	TRUE	days decade ⁻¹
This study	13	Zooplankton	Cnidarians	4	0.83	-3.72	5.39	TRUE	days decade ⁻¹
This study	14	Zooplankton	Unspecified copepods	8	0.92	-6.04	7.88	TRUE	days decade ⁻¹
This study	15	Zooplankton	Molluscs	7	1.14	-4.31	6.59	TRUE	days decade ⁻¹
This study	16	Zooplankton	Non-calanoids	28	1.42	-2.24	5.09	TRUE	days decade ⁻¹
This study	17	Zooplankton	Foraminifera	0					days decade ⁻¹
This study	18	Zooplankton	Euphausiids	0					days decade ⁻¹
This study	19	Zooplankton	Holoplankton	194	-2.74	-3.81	-1.67	TRUE	days decade ⁻¹
This study	20	Zooplankton	Meroplankton	178	-3.08	-4.35	-1.81	TRUE	days decade ⁻¹
This study	21	Phytoplankton	Zooplankton	372	-2.9	-3.72	-2.08	TRUE	days decade ⁻¹
Cooley et al. (2022)	22	General marine taxa	Zooplankton	126	-3.69	-4.88	-2.51	TRUE	days decade ⁻¹
Cooley et al. (2022)	23	General marine taxa	Reptiles	12	-7.5	-14.82	-0.17	TRUE	days decade ⁻¹
Cooley et al. (2022)	24	General marine taxa	Benthic crustaceans	1	-4.4			FALSE	days decade ⁻¹
Cooley et al. (2022)	25	General marine taxa	Fish	94	-3.74	-5.31	-2.18	TRUE	days decade ⁻¹
Cooley et al. (2022)	26	General marine taxa	Phytoplankton	103	-3.17	-4.99	-1.36	TRUE	days decade ⁻¹
Cooley et al. (2022)	27	General marine taxa	Mammals	11	-1.95	-8.72	4.82	TRUE	days decade ⁻¹
Cooley et al. (2022)	28	General marine taxa	Benthic molluscs	8	-0.93	-7.74	5.88	TRUE	days decade ⁻¹
Cooley et al. (2022)	29	General marine taxa	Seabirds	120	-0.46	-1.16	0.25	TRUE	days decade ⁻¹
Cooley et al. (2022)	30	General marine taxa	Benthic algae	0					days decade ⁻¹

Study	x_order	Block	Taxon	n	mean_value	ci_low	ci_high	ci_shown	unit
Cooley et al. (2022)	31	General marine taxa	Benthic cnidarians	0					days decade ⁻¹
Cooley et al. (2022)	32	General marine taxa	Other benthic invertebrates	0					days decade ⁻¹
Cooley et al. (2022)	33	General marine taxa	All marine taxa	475	-2.78	-3.45	-2.12	TRUE	days decade ⁻¹

Metric	Study	x_order	Block	Taxon	n	k_consistent	k_not_consistent	k_unsure	mean_value	ci_low	ci_high	unit
Distribution	This study	1	Zooplankton	Ctenophores	0	0	0	0				%
Phenology	This study	1	Zooplankton	Ctenophores	6	6	0	0	100	60.97	100	%
Distribution	This study	2	Zooplankton	Echinoderms	8	2	5	1	25	7.15	59.07	%
Phenology	This study	2	Zooplankton	Echinoderms	5	5	0	0	100	56.55	100	%
Distribution	This study	3	Zooplankton	Decapods	27	14	13	0	51.85	33.99	69.26	%
Phenology	This study	3	Zooplankton	Decapods	16	14	2	0	87.5	63.98	96.5	%
Distribution	This study	4	Zooplankton	Other protists	0	0	0	0				%
Phenology	This study	4	Zooplankton	Other protists	9	6	3	0	66.67	35.42	87.94	%
Distribution	This study	5	Zooplankton	Cladocerans	0	0	0	0				%
Phenology	This study	5	Zooplankton	Cladocerans	13	11	2	0	84.62	57.77	95.67	%
Distribution	This study	6	Zooplankton	Calanoids	46	37	9	0	80.43	66.83	89.35	%
Phenology	This study	6	Zooplankton	Calanoids	126	99	23	4	78.57	70.62	84.83	%
Distribution	This study	7	Zooplankton	Appendicularians	0	0	0	0				%
Phenology	This study	7	Zooplankton	Appendicularians	6	4	2	0	66.67	30	90.32	%
Distribution	This study	8	Zooplankton	Fish larvae	69	51	18	0	73.91	62.49	82.81	%
Phenology	This study	8	Zooplankton	Fish larvae	154	101	53	0	65.58	57.78	72.63	%
Distribution	This study	9	Zooplankton	Chaetognaths	0	0	0	0				%
Phenology	This study	9	Zooplankton	Chaetognaths	3	2	1	0	66.67	20.77	93.85	%
Distribution	This study	10	Zooplankton	Cyphonautes	0	0	0	0				%
Phenology	This study	10	Zooplankton	Cyphonautes	2	1	1	0	50	9.45	90.55	%
Distribution	This study	11	Zooplankton	Polychaetes	81	61	20	0	75.31	64.92	83.41	%
Phenology	This study	11	Zooplankton	Polychaetes	6	4	2	0	66.67	30	90.32	%
Distribution	This study	12	Zooplankton	Other crustaceans	12	8	4	0	66.67	39.06	86.19	%
Phenology	This study	12	Zooplankton	Other crustaceans	14	7	7	0	50	26.8	73.2	%
Distribution	This study	13	Zooplankton	Cnidarians	1	1	0	0	100	20.65	100	%
Phenology	This study	13	Zooplankton	Cnidarians	5	3	2	0	60	23.07	88.24	%
Distribution	This study	14	Zooplankton	Unspecified copepods	0	0	0	0				%
Phenology	This study	14	Zooplankton	Unspecified copepods	8	5	3	0	62.5	30.57	86.32	%
Distribution	This study	15	Zooplankton	Molluscs	0	0	0	0				%
Phenology	This study	15	Zooplankton	Molluscs	9	4	5	0	44.44	18.88	73.33	%

Metric	Study	x_order	Block	Taxon	n	k_consistent	k_not_consistent	k_unsure	mean_value	ci_low	ci_high	unit
Distribution	This study	16	Zooplankton	Non-calanoids	2	0	2	0	0	0	65.76	%
Phenology	This study	16	Zooplankton	Non-calanoids	28	19	9	0	67.86	49.34	82.07	%
Distribution	This study	17	Zooplankton	Foraminifera	25	19	5	1	76	56.57	88.5	%
Phenology	This study	17	Zooplankton	Foraminifera	0	0	0	0				%
Distribution	This study	18	Zooplankton	Euphausiids	6	5	1	0	83.33	43.65	96.99	%
Phenology	This study	18	Zooplankton	Euphausiids	0	0	0	0				%
Distribution	This study	19	Zooplankton	Holoplankton	144	106	35	3	73.61	65.87	80.13	%
Phenology	This study	19	Zooplankton	Holoplankton	214	158	52	4	73.83	67.56	79.26	%
Distribution	This study	20	Zooplankton	Meroplankton	219	154	63	2	70.32	63.96	75.98	%
Phenology	This study	20	Zooplankton	Meroplankton	200	136	64	0	68	61.25	74.07	%
Distribution	This study	21	Phytoplankton	Zooplankton	0	0	0	0				%
Phenology	This study	21	Phytoplankton	Zooplankton	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	22	General marine taxa	Zooplankton	43	36	2	5	83.72	70.03	91.88	%
Phenology	Cooley et al. (2022)	22	General marine taxa	Zooplankton	168	130	38	0	77.38	70.48	83.05	%
Distribution	Poloczanska et al. (2016)	23	General marine taxa	Reptiles	0	0	0	0				%
Phenology	Cooley et al. (2022)	23	General marine taxa	Reptiles	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	24	General marine taxa	Benthic crustaceans	0	0	0	0				%
Phenology	Cooley et al. (2022)	24	General marine taxa	Benthic crustaceans	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	25	General marine taxa	Fish	0	0	0	0				%
Phenology	Cooley et al. (2022)	25	General marine taxa	Fish	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	26	General marine taxa	Phytoplankton	0	0	0	0				%
Phenology	Cooley et al. (2022)	26	General marine taxa	Phytoplankton	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	27	General marine taxa	Mammals	0	0	0	0				%
Phenology	Cooley et al. (2022)	27	General marine taxa	Mammals	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	28	General marine taxa	Benthic molluscs	0	0	0	0				%
Phenology	Cooley et al. (2022)	28	General marine taxa	Benthic molluscs	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	29	General marine taxa	Seabirds	0	0	0	0				%
Phenology	Cooley et al. (2022)	29	General marine taxa	Seabirds	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	30	General marine taxa	Benthic algae	0	0	0	0				%
Phenology	Cooley et al. (2022)	30	General marine taxa	Benthic algae	0	0	0	0				%

Metric	Study	x_order	Block	Taxon	n	k_consistent	k_not_consistent	k_unsure	mean_value	ci_low	ci_high	unit
Distribution	Poloczanska et al. (2016)	31	General marine taxa	Benthic cnidarians	0	0	0	0				%
Phenology	Cooley et al. (2022)	31	General marine taxa	Benthic cnidarians	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	32	General marine taxa	Other benthic invertebrates	0	0	0	0				%
Phenology	Cooley et al. (2022)	32	General marine taxa	Other benthic invertebrates	0	0	0	0				%
Distribution	Poloczanska et al. (2016)	33	General marine taxa	All marine taxa	0	0	0	0				%
Phenology	Cooley et al. (2022)	33	General marine taxa	All marine taxa	0	0	0	0				%