Tech Workshop #5

Braden Guliano

Director of Technical Development


Kappa Theta Pi

Agenda

- 1. Shadcn/ui
 - 1. Buttons
 - 2. Dialogs
 - 3. Input
 - 4. Carousel
- 2. Working time + questions

Shadcn/ui

- Edit and style every component using Tailwind
- Uses Radix for accessibility and clean structure, but stays beginner-friendly
- Includes ready-to-use pieces in the form of React components
- Works with TypeScript



Example: Sonner

- Previously named Toast
- Easy way to show important information
- Very useful; very simple to setup
- Several pre-configured types
 - Default


Warning

Success

• Error

Info

Promise




⚠ Event start time cannot be earlier than 8am

Characteristics Characteristis Characteristics Characteristics Characteristics Characteristics

```
export function SonnerDemo() {
return (
  <Button
    variant="outline"
   onClick={() =>
      toast("Event has been created", {
        description: "Sunday, December 03, 2023 at 9:00 AM",
        action: {
          label: "Undo",
          onClick: () => console.log("Undo"),
    Show Toast
  </Button>
```

Shadcn/ui

npx shadcn@latest init



npx shadcn@latest add button carousel aspect-ratio dialog input label sonner

https://ui.shadcn.com/docs/components

Working time + Questions

