valuedescription	statusflag	code
MISS	A	4
MR.	A	3
MRS.	A	5
mstr	A	1
• •	A	688
• •	A	691
• •	A	690
	A	689
8	A	125
8	A	129
8 # 0	A	151
8 + 4	A	130
• •	A	376
• •	A	525
• •	A	375
• •	A	524

valuedescription	statusflag	code
.*	\mathbf{A}	222
.*	\mathbf{A}	674
.*!.#.'.	\mathbf{A}	283
.*!.%.	\mathbf{A}	258
.*	\mathbf{A}	221
.*	\mathbf{A}	220
.* 4 @ ()	\mathbf{A}	294
.*!.#.'.	A	241
. * ! . % .	\mathbf{A}	261
	\mathbf{A}	374
	\mathbf{A}	523
-! %	\mathbf{A}	272
H 2 * 3 # -	\mathbf{A}	167
4 * @ - # L	\mathbf{A}	153
• •	\mathbf{A}	001
• •	\mathbf{A}	002

valuedescription	statusflag	code
• •	\mathbf{A}	673
!.%.	\mathbf{A}	716
#.	\mathbf{A}	140
•	\mathbf{A}	137
•	\mathbf{A}	964
•	\mathbf{A}	136
9 % # 0 + ! H - !	\mathbf{A}	164
H 2 9 I + 4	\mathbf{A}	150
H 2 9 I + 4 !.#.'.	\mathbf{A}	287
H2 9I + 4 !.%.	\mathbf{A}	131
I 2 '	\mathbf{A}	148
• •	\mathbf{A}	007
· · · * · = ·	\mathbf{A}	009
	\mathbf{A}	010
%/.	\mathbf{A}	011
!.%.	\mathbf{A}	006

valuedescription	statusflag	code
#	\mathbf{A}	012
• •	A	008
• •	A	363
• •	A	512
• • •	A	395
• • •	A	391
!	A	383
!.#.'.	A	387
!.%.	A	389
• •	A	361
• •	A	510
!	\mathbf{A}	381
!.#.'.	A	386
!.%.	A	388
	A	529
* *	A	004

valuedescription	statusflag	code
	A	359
• - •	A	508
4@()	A	357
4@()	A	506
!.	A	382
!.#.'.	A	385
!.%.	A	540
+ % '	A	392
	A	528
#.	A	227
#.	A	378
#.!.%.	A	259
*.	A	228
	A	527
•	A	134
•	A	680

valuedescription	statusflag	code
# .	\mathbf{A}	379
# .	\mathbf{A}	678
# .!	\mathbf{A}	705
# .!.%.	\mathbf{A}	714
* •	\mathbf{A}	679
1 '	\mathbf{A}	864
2	\mathbf{A}	005
2 ''	\mathbf{A}	003
#4)1	\mathbf{A}	998
2 + % '	\mathbf{A}	838
(.	\mathbf{A}	141
(\mathbf{A}	965
• • •	\mathbf{A}	373
	\mathbf{A}	371
! . % .	\mathbf{A}	390
8 + 4	\mathbf{A}	133

valuedescription	statusflag	code
• •	\mathbf{A}	212
8 + 4	A	282
• • •	A	665
• • •	A	722
!.#.'.	A	707
! . % .	A	717
+ % '	A	724
• • •	A	663
	A	719
!	A	703
!.#.'.	A	708
! . % .	A	713
	A	265
#0@ I2'#' (L@ - #0- L	A	286
#0@ I2'#' (L@ - #0- L@ I2	A	274
!.#.'.	A	237

valuedescription	statusflag	code
!.%.	\mathbf{A}	255
+ % '	\mathbf{A}	276
	\mathbf{A}	661
(4@())	\mathbf{A}	659
#.	\mathbf{A}	726
	\mathbf{A}	723
!	\mathbf{A}	704
!.#.'.	A	709
!.%.	\mathbf{A}	712
+ 4 H 2 9 I + 4	\mathbf{A}	729
• •	\mathbf{A}	210
8 + 4	\mathbf{A}	289
• • •	\mathbf{A}	271
!	\mathbf{A}	235
!.#.'.	\mathbf{A}	238
!.%.	\mathbf{A}	257

valuedescription	statusflag	code
+ % '	\mathbf{A}	273
	\mathbf{A}	208
(4@())	\mathbf{A}	206
(4@())!.#.'.	\mathbf{A}	246
	\mathbf{A}	522
	\mathbf{A}	521
	\mathbf{A}	267
!.	\mathbf{A}	236
!.#.'.	\mathbf{A}	240
! . % .	\mathbf{A}	256
+ 4 8 + 4	\mathbf{A}	293
	\mathbf{A}	520
!.#.'.	\mathbf{A}	530
! . % .	\mathbf{A}	534
•	\mathbf{A}	960
•	\mathbf{A}	135

valuedescription	statusflag	code
# 0	\mathbf{A}	831
# 0 # 9	A	818
#0 #9 2 " 4 4	\mathbf{A}	917
#0 #9 4 4 2 '(L	\mathbf{A}	900
#0 #9 1 @ ! 8	\mathbf{A}	922
#0 #9 2 #8 ##! 4 4 L	\mathbf{A}	895
#0 #9 2'#*1 4 8	\mathbf{A}	884
#0 #9 ##! #	\mathbf{A}	820
#0 #9 4@ (4" ##!	\mathbf{A}	950
#0 #9 ## '1 #	\mathbf{A}	926
#0 #9 '##1 ' (L	\mathbf{A}	918
#0 #9 1 * * # 2 4 8	\mathbf{A}	886
#0 #9 #0 2(8 2 "L	\mathbf{A}	903
#0 #9 #0B 4 ##!#1 L	\mathbf{A}	894
#0 #9 #0B 4 ##!2 8 9%	\mathbf{A}	953
#0 #9 %1	\mathbf{A}	812

valuedescription	statusflag	code
#0 #9 %1 '4!%*4#4'1 L	A	815
#0 #9 %1 *1! 4 1 '4#4"2 2#"L	A	901
#0 #9 %1 *8'1 2 8	A	813
#0 #9 %1 -2 2#"L'1 L	A	814
#0 #9 1 2 # B*	A	854
#0 #9 4"*5%*2#	A	948
#0 #9 2 * 8 '4 + 2 # 2 #	A	915
#0 #9 #+!'5#*8 #	A	874
#0 #9 1 *2 # 8	A	872
#0 #9 4 1)L #+!#1)5	A	896
#0 #9 4 9 % *! ##!	A	606
#0 #9 4 9 % B 4 ##!	A	911
#0 #9 4 1 L 4 ' (L	A	955
#0 #9 4 1 L ## 4	A	870
#0 #9 4 4 '# 8	A	880
#0 #9 4 4 -8 ! 8	A	920

valuedescription	statusflag	code
#0 #9 4(4) L(2* 2#	\mathbf{A}	946
#0 #9 8 4 ##!2 8(2* L	\mathbf{A}	898
#0 #9 2' 2'# 4	\mathbf{A}	957
#0 #9' 4#'8 4 #	\mathbf{A}	916
#0 #9'#*1 4	\mathbf{A}	887
#0 #9'1 #*5%2 # L	\mathbf{A}	869
#0 #9'4 2# L*1 4	\mathbf{A}	876
#0 #9'4 4 1 8	\mathbf{A}	910
#0 #9'4 1" #	\mathbf{A}	860
#0 #9'4 9% 2 4	\mathbf{A}	941
#0 #9'4 9% ##! 4	\mathbf{A}	871
#0 #9'4 9%"L ##!(2* L	\mathbf{A}	959
#0 #9'4!% 2 B*	\mathbf{A}	853
#0 #9'4!% 2	\mathbf{A}	821
#0 #9'4!% *2#'4*8 4L	\mathbf{A}	877
#0 #9'4(2% 1 2 8	\mathbf{A}	867

valuedescription	statusflag	code
#0 #9'4*8 2 2#	\mathbf{A}	927
#0 #9'4*8 2 2#'4!%	\mathbf{A}	885
#0 #9'4*8 4L 4 2 8 9%	\mathbf{A}	951
#0 #9(#1 2 ##!B*	\mathbf{A}	932
#0 #9(#5 '1 8 2 # L	\mathbf{A}	936
#0 #9(#5(2* 8	A	958
#0 #9(1 ! %	\mathbf{A}	822
#0 #9(5% 1 2 # L	\mathbf{A}	902
#0 #9(5% *2#'4*8 4L	A	923
#0 #9* 4 8 '1 L	A	949
#0 #9*!8 # 1 "2 # L	\mathbf{A}	956
#0 #9*!8+L	\mathbf{A}	817
#0 #9*1 #4#1)L	\mathbf{A}	933
#0 #9*1 2#'4 1"	\mathbf{A}	823
#0 #9*1 #1)L	\mathbf{A}	824
#0 #9*1 '4 1"	\mathbf{A}	825

valuedescription	statusflag	code
#0 #9*1 '4 4	A	826
#0 #9*4#4 8 2#1)L	A	909
#0 #9*4#4 1"* 4	A	882
#0 #9*8 1(L ##!2 4#!	A	905
#0 #9 * 8 ##! B * 4	A	924
#0 #9*8 # 2 4#1)L	A	892
#0 #9 * 8 # 2 #	A	881
#0 #9 * 8 # ' # 1	A	939
#0 #9*8 #'#'1 L	A	928
#0 #9 * 8 # *! 8	A	907
#0 #9*8 L'# 8	A	943
#0 #9*8 L'#2 # L	A	890
#0 #9 * 8 ' # # 1 8	A	873
#0 #9-!# ##! 2"	A	945
#0 #9-!#'4*8 4 8	A	904
#0 #9-2 #B 4 4	A	940

valuedescription	statusflag	code
#0 #9-8 1! L 1 4	\mathbf{A}	875
#0 #9-8 1! L' 4B# 2*	\mathbf{A}	906
#0 #9-8@ (##! 4'4	\mathbf{A}	925
#0 #9@)! ##!2 1 L	\mathbf{A}	883
#0 #9@! 5 ##!2 8"8	A	947
#0 #9B '4 ##!B*	A	889
#0 #9B* 8 2 8 9%	A	914
#0 #9B* #4"1 4 8	A	855
#0 #9B* *!8 # 8	\mathbf{A}	930
#0 #9B* 4 '1 # 4	A	937
#0 #9B-2* ##! 4!%	A	879
#0 #9B-2**!2 2#	\mathbf{A}	935
#0 #9C 5 2	\mathbf{A}	819
#0 #9D 9% 1"*4 4L	\mathbf{A}	888
#0 #9D (2% (8 4	\mathbf{A}	878
#0 #9D B# L-#4 1"	\mathbf{A}	891

valuedescription	statusflag	code
#0 2 # L 4 1 %	A	835
#0 8 @ I2	A	837
#02	A	847
#0 2 B(A	843
#0 ##!	A	849
#0 ##!@! 2 2#"L	A	899
# 0 # # ! B *	A	851
#0 2 *! @ G #0 @ I2-"9H+1"	A	100
#0 #4"1 4	A	828
#0 %1	A	833
#0 %1 '2	A	810
# 0 % 1 I 2 "	A	811
# 0 4	A	827
#0 #+!!8 5	A	908
#0 #+!' 4# 2	A	942
#0 4(2% * 2 # 8	A	912

valuedescription	statusflag	code
#0!+2	A	839
#0!+2 2"	\mathbf{A}	934
#0"2	\mathbf{A}	123
# 0 # 1	\mathbf{A}	865
#0#1 ! %'4*8 L	\mathbf{A}	913
# 0 # 2	\mathbf{A}	808
#0#2 2	\mathbf{A}	857
#0#2 1 4	\mathbf{A}	862
#0#2 1 2	A	840
#0#2 1 #2 # L	\mathbf{A}	919
#0#2 ' 4#2 # L	\mathbf{A}	938
#0#2 '4!% B!% 5	\mathbf{A}	944
#0#2 2 0	\mathbf{A}	804
#0#2 @! 2 # L	A	931
#0'#' (L@ -	\mathbf{A}	117
#0'#' (L@ - #0- L@ I2	\mathbf{A}	128

valuedescription	statusflag	code
#0'4#4'1 L'4*8 4L	\mathbf{A}	846
#0(#5 #4"1 4 2 2	\mathbf{A}	842
#0(#5 #4"1 4 1 4	\mathbf{A}	897
#0(#5 #4"1 4B!%5	\mathbf{A}	868
#0(#5' 4#2 # L	\mathbf{A}	861
#0 *!8 + L	\mathbf{A}	816
#0*# 2 B (%	\mathbf{A}	893
#0*1 #2	\mathbf{A}	836
#0*1 2 1 #	\mathbf{A}	807
# 0 * 2 * B *	\mathbf{A}	850
#0 * 8 5 ' 1 B # !	\mathbf{A}	858
#0+4#1 "1	\mathbf{A}	806
#0- L@ I2	\mathbf{A}	119
#0-42#	\mathbf{A}	830
#0-4##!	\mathbf{A}	856
#0-1 #*1 #2	\mathbf{A}	848

valuedescription	statusflag	code
#0@ I2 #!' (L@ -	A	113
#0@ I2'#' (L@ -	A	114
#0@ I2'#' (L@ - #0- L@ I2	A	106
#0@ I2'#' (L@ - #0- L+ 4	A	105
#0@ I2+%2 "2@ -	A	116
#0@ I2+%2@ -	A	115
#0@ I2+%2@-#0-L@ I2	A	099
#0@	A	809
#0@ % 2#!8 5 (#5 % 8#2 2#"L	A	929
#0@ 2'5	A	954
#0@ #5" ##!	A	805
#0B* ##!2 # L	A	845
#0B* #4"1 4 ##!	A	866
%	A	229
% · · + % '	A	284
%	A	204

valuedescription	statusflag	code
%	\mathbf{A}	657
%	\mathbf{A}	655
%!.#.'.	\mathbf{A}	706
% ! . % .	\mathbf{A}	730
%	\mathbf{A}	653
%	\mathbf{A}	270
%!.#.'.	\mathbf{A}	285
%!.% .	\mathbf{A}	254
% + 4 8 + 4	\mathbf{A}	731
0/0	\mathbf{A}	651
% # .	\mathbf{A}	733
%	\mathbf{A}	202
% !	\mathbf{A}	232
%!.% .	\mathbf{A}	250
% · · + % '	\mathbf{A}	277
% .#	\mathbf{A}	380

valuedescription	statusflag	code
% .#	\mathbf{A}	355
% . # !	\mathbf{A}	393
% .#!.#.'.	\mathbf{A}	384
% .#! .% .	\mathbf{A}	396
% .#	\mathbf{A}	353
% .#	\mathbf{A}	351
%	A	200
%	A	538
%	A	504
%!.#.'.	\mathbf{A}	531
%!.% .	\mathbf{A}	537
0/0	A	502
%!.#.'.	A	539
%!.% .	\mathbf{A}	532
% ! % .	A	291
0/0	\mathbf{A}	500

valuedescription	statusflag	code
% ! . # . ' .	\mathbf{A}	536
% #5*!@ G #0@ #1 #2 *8 2	\mathbf{A}	104
% * 2 # ' 1 #	\mathbf{A}	159
% /	\mathbf{A}	226
% /	\mathbf{A}	377
% /	A	526
% /	\mathbf{A}	681
% / -2 * 2	\mathbf{A}	230
% / 4 @ ()	\mathbf{A}	682
% /!.%.	\mathbf{A}	247
% / * ! 1 #	\mathbf{A}	686
% / * 3 # -	\mathbf{A}	684
% / - 2 * 2	\mathbf{A}	683
% B *! @ G #0 #!B-#*2 4#2	\mathbf{A}	103
•	\mathbf{A}	144
•	\mathbf{A}	145

valuedescription	statusflag	code
2 # 2 2	\mathbf{A}	841
!	\mathbf{A}	120
!+ 4	\mathbf{A}	163
!	\mathbf{A}	695
!	\mathbf{A}	698
!	\mathbf{A}	697
!.#.'.	\mathbf{A}	121
1.%.	\mathbf{A}	122
!	\mathbf{A}	696
!'	\mathbf{A}	694
!'	\mathbf{A}	693
! '	\mathbf{A}	692
#	\mathbf{A}	218
#	\mathbf{A}	369
#	\mathbf{A}	518
# #.	\mathbf{A}	281

valuedescription	statusflag	code
#	\mathbf{A}	671
#	\mathbf{A}	669
##.	\mathbf{A}	725
#	\mathbf{A}	720
#!.%.	\mathbf{A}	715
#	\mathbf{A}	268
#	\mathbf{A}	290
#!	\mathbf{A}	233
#!.#.'.	\mathbf{A}	243
#!.%.	\mathbf{A}	252
#	\mathbf{A}	667
#	\mathbf{A}	721
#!.#.'.	\mathbf{A}	710
#!.%.	\mathbf{A}	727
#	\mathbf{A}	367
#	\mathbf{A}	516

valuedescription	statusflag	code
#8	A	533
# #.	A	278
#	A	264
#	A	269
#!	A	234
#!.#.'.	A	245
#!.%.	A	251
#	A	214
#	A	365
#	A	514
# #.	A	279
#	A	262
#	A	535
#	A	263
#!.	A	231
#!.#.'.	A	242

valuedescription	statusflag	code
#!.%.	A	248
#(.	A	142
#- *!@ G #0#2 2 0	A	803
#3!2 "L #5	A	162
#3!2 "L@-	A	147
#- @ I2- 4 2#	A	859
#-@*' #5	A	156
'H2 5H	A	364
'H2 5H	A	513
'H2 5H	A	362
'H2 5H	A	511
'H2 5H	A	360
'H2 5H	A	509
'H2 5H 4@()	A	358
'H2 5H 4@()	A	507
'H2 5H	A	213

valuedescription	statusflag	code
'H2 5H	A	666
'H2 5H	A	664
'H2 5H	A	662
'H2 5H 4@()	A	660
'Н2 5Н	A	211
'H2 5H	A	209
'H2 5H(4@())	A	207
'Н2 5Н %	A	205
'Н2 5Н %	A	656
'Н 2 5 Н %	A	654
'Н2 5Н %	A	652
'H2 5H %.#	A	356
'H2 5H %.#	A	354
'H2 5H %.#	A	352
'Н2 5Н %	A	201
'Н 2 5 Н %	A	505

valuedescription	statusflag	code
'H2 5H %	A	503
'H2 5H %	A	501
'H2 5H #	A	219
'H2 5H #	A	370
'H2 5H #	A	519
'H2 5H #	A	672
'H2 5H #	A	670
'H2 5H #!.#.'.	A	292
'H2 5H #	A	668
'H2 5H #	A	217
'H2 5H #	A	368
'H2 5H #	A	517
'H2 5H #	A	266
'H2 5H #	A	215
'H2 5H #	A	366
'H2 5H #	A	515

valuedescription	statusflag	code
'H2 5H *	A	732
'Н2 5Н %	A	658
'H2 5H#!.%.	A	260
(. #.	A	165
(.	A	143
(. 8 + 4	A	152
(A	132
(A	718
(A	275
(.#	A	288
*	A	832
*	A	225
*	A	677
*	A	676
*!.#.'.	A	239
*	A	675

valuedescription	statusflag	code
*	\mathbf{A}	711
*	\mathbf{A}	224
*! . % .	\mathbf{A}	249
*.+.	\mathbf{A}	280
*	\mathbf{A}	223
*!.#.'.	\mathbf{A}	244
* ! . % .	\mathbf{A}	253
* .	\mathbf{A}	139
* .	\mathbf{A}	138
*!2 4 #5	\mathbf{A}	701
*!2 4 @-	\mathbf{A}	699
*!2 4 B	\mathbf{A}	700
*!@ G #0	\mathbf{A}	109
*!@ G #0 2 @ I2	\mathbf{A}	101
*! @ G #0!+2'5#' (L	\mathbf{A}	844
*!@ G #0#2 5	\mathbf{A}	107

valuedescription	statusflag	code
*!@ G #0#2 2 0	A	802
*!@ G #0(#5 #4 #2 #!#2 5	A	102
*!@ G #0*1 #2	A	801
*!@ G #0*1 #2 @ I2	A	800
*! @ G #0-#4"' (2 2	A	834
*! @ G #0@ I2 5H 2 @ -@ I2 I2	A	108
*! @ G #0@ I2 4 5@ -	A	118
*! @ G #0@ I2%9 "2@ -	A	111
*! @ G #0@ I2%9 @ -	A	110
*! @ G @ I2	A	160
*! @ G @ I2 I2	A	112
+!7H	A	126
+!H-!	A	146
+ % '	A	124
- *8 '#	A	921
-*.	A	687

valuedescription	statusflag	code
-*	A	702
@ I2	A	149
@ I2 8	A	127
@ I2 2"	A	154
@ I2 2	A	166
@ I2 I2	A	161
@ I2+ 4	\mathbf{A}	155
@ I2- 4 2#	A	829
@ * G @ I2	A	157
@1 ##2 9	A	158
A!H 5	A	863