Employee Name : Sunil KatekariManager's Name : Sunil Katekari

Goalsheet Approval Date: 05-Dec-2016

KRA Category : People KRA Weightage : 15 _

Key Performance Indicator (KPI) description	Unit	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
1.To conduct the training to EHS representatives & Team member from all departments.						July & August 16	•	-
2.To identify & prepare activies list for HIRA	Text			•		July .16	•	
3.To initiate activity base HIRA study through concern department .	Text					Sep . 16	•	
4.Review HIRA study with Unit Heads & intiate the Work Instructions	Text					October ~ December 16		
5.To give the technical support for EHS infrastucture development.	Text					As per requirement		

KRA Category : Process KRA Weightage : 40 _

Key Performance Indicator (KPI) description	Unit	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
1.To prepare Internal Safety Audit checklist with quatitative assessment.	Text					July . 16		
2.To conduct Internal Safety Audit at Daman	Text					Aug . 16		
3.To conduct Internal Safety Audit at Baddi	Text					Sept.16		
4.To conduct Internal Safety Audit at Taloja	Text					Feb-March 17	•	
5.To review qurterly compliance & compliance sustaiability of all Internal audits & submit the report to Top Management .	Text					Quarterly review after Internal Audit.		

KRA Category : Customer KRA Weightage : 15 _

Key Performance Indicator (KPI) description	Unit	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
1.EMS & OHSAS certification & its compliance.	Text					June 2016 & further as per schedule.		
Physibility study for high COD treatment & work out for zero treated effluent discharge.	Text				•	Every quarter & MRM once in Six months.		
To ensure avavilability of essentail Safety equipments all the time.	Text					All the time		
4.Fire Hydrant system upgradation, - Provision for sprinkler system to Ware house 1,2,3 & hydrant /foam system for protection of tankfarm at Taloja	Text					Dec . 16		
5.Statutory compliance wrt DISH, MPCB,CCOE , wts & measurnments (storage tanks) for Taloja & Sion	Text					As per schedule		

KRA Category : Business KRA Weightage : 15 _

Key Performance Indicator (KPI) description 1 To identify the requirements	Unit Text	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
Study the basic requirement though available resources such as EHS professional groups, Internet etc.	Text					Sept.16		
3. To search & enroll for training.	Text					Oct .16		
4 . To get trained through External agency in Product Life Cycle Analysis	Text			-		Dec .16		
5. To conduct project on any one product	Text					Mar .17		

KRA Category : Business KRA Weightage : 15 _

Key Performance Indicator (KPI) description	Unit	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
1.To review & update documents ~ On site emergency Plan (Based on HIRA study) , Safety Manual & Work Permit system for Daman.	Text					Nov . 16		

Key Performance Indicator (KPI) description	Unit	KPI Weightage	Value	(1) Unsatisfactory Performance	(2) Needs Improvement	(3) Good Solid Performance	(4) Superior Performance	(5) Outstanding Performance
2.To review & update documents ~ On site emergency Plan (Based on HIRA study) , Safety Manual & Work Permit system for Baddi.	Text					Dec . 16		
3.To prepare site specific training moducles ~ Behviour Based Safety, Safety Induction, Emergency prepardness, Work permit .	Text					Aug .16		
4.To train the trainers at Daman & Baddi on agreed training modules .	Text					Sep . 16		
5.Incident tracking, evaluation & Statutory complaince for all sites for improvement.	Text					Every Month		