

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	a	a	b	b	c	c	<i>B</i>	...
...	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	...

- 1: **while** there are unmarked a's **do**
- 2: Mark the first unmarked a with *X*
- 3: Mark the first unmarked b with *X*
- 4: Mark the first unmarked c with *X*
- 5: Check if all symbols are marked

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	B	a	a	b	b	c	c	B	...
...	B	B	B	B	B	B	B	B	...




Mark the first unmarked a with X.

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	B	a	a	b	b	c	c	B	...
...	B	X	B	B	B	B	B	B	...




Mark the first unmarked b with X.

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	a	a	b	b	c	c	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	...




Mark the first unmarked *c* with *X*.

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	a	a	b	b	c	c	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	B	a	a	b	b	c	c	B	...
...	B	X	B	X	B	X	B	B	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	B	a	a	b	b	c	c	B	...
...	B	X	B	X	B	X	B	B	...




Repeat until all a's are marked.

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	B	a	a	b	b	c	c	B	...
...	B	X	X	X	X	X	B	B	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	<i>B</i>	<i>a</i>	<i>a</i>	<i>b</i>	<i>b</i>	<i>c</i>	<i>c</i>	<i>B</i>	...
...	<i>B</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>B</i>	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	B	a	a	b	b	c	c	B	...
...	B	X	X	X	X	X	X	B	...




Now, no more unmarked a's. Check if all symbols are marked.

Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


\dots	B	a	a	b	b	c	c	B	\dots
\dots	B	X	X	X	X	X	X	B	\dots



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


\dots	B	a	a	b	b	c	c	B	\dots
\dots	B	X	X	X	X	X	X	B	\dots



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	B	a	a	b	b	c	c	B	...
...	B	X	X	X	X	X	X	B	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$


...	B	a	a	b	b	c	c	B	...
...	B	X	X	X	X	X	X	B	...



Construct a **multi-track TM** that accepts the language:

$$L(M) = \{a^n b^n c^n \mid n \geq 0\}$$

...	B	a	a	b	b	c	c	B	...
...	B	X	X	X	X	X	X	B	...



Accept!