

Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

						Z
--	--	--	--	--	--	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:

$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$


Word  $w =$ 

a	b	b	a	a	a	a
---	---	---	---	---	---	---

Stack  $\alpha =$ 

						Z
--	--	--	--	--	--	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$     a   **b**   b   a   a   a   a

Stack  $\alpha =$ 

					P	Z
--	--	--	--	--	---	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$     a   b   **b**   a   a   a   a

Stack  $\alpha =$ 

						Z
--	--	--	--	--	--	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] \\ a [P \rightarrow PP] \\ a [N \rightarrow \epsilon] \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$      a    b    b    a    a    a    a

Stack  $\alpha =$ 

					N	Z
--	--	--	--	--	---	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] \\ a [P \rightarrow PP] \\ a [N \rightarrow \epsilon] \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$      a    b    b    a    a    a    a

Stack  $\alpha =$ 

						Z
--	--	--	--	--	--	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$      a    b    b    a    a    **a**    a

Stack  $\alpha =$ 

					P	Z
--	--	--	--	--	---	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$      a    b    b    a    a    a    a

Stack  $\alpha =$ 

				<i>P</i>	<i>P</i>	<i>Z</i>
--	--	--	--	----------	----------	----------

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$





Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

			P	P	P	Z
--	--	--	---	---	---	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:

$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$


Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

				P	P	Z
--	--	--	--	---	---	---

$P =$ 

a	$[Z \rightarrow PZ]$	
a	$[P \rightarrow PP]$	
a	$[N \rightarrow \epsilon]$	
b	$[Z \rightarrow NZ]$	$\epsilon [Z \rightarrow \epsilon]$
b	$[P \rightarrow \epsilon]$	$\epsilon [P \rightarrow \epsilon]$
b	$[N \rightarrow NN]$	$\epsilon [N \rightarrow \epsilon]$



Construct a **PDA** that accepts the language by **empty stacks**:

$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$


Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

					P	Z
--	--	--	--	--	---	---

$P =$ 

a	$[Z \rightarrow PZ]$	
a	$[P \rightarrow PP]$	
a	$[N \rightarrow \epsilon]$	
b	$[Z \rightarrow NZ]$	$\epsilon [Z \rightarrow \epsilon]$
b	$[P \rightarrow \epsilon]$	$\epsilon [P \rightarrow \epsilon]$
b	$[N \rightarrow NN]$	$\epsilon [N \rightarrow \epsilon]$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

						Z
--	--	--	--	--	--	---

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



Construct a **PDA** that accepts the language by **empty stacks**:


$$L_E(P) = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

Word  $w =$       a    b    b    a    a    a    a

Stack  $\alpha =$ 

--	--	--	--	--	--	--

$$P = \begin{array}{ll} a [Z \rightarrow PZ] & \\ a [P \rightarrow PP] & \\ a [N \rightarrow \epsilon] & \\ b [Z \rightarrow NZ] & \epsilon [Z \rightarrow \epsilon] \\ b [P \rightarrow \epsilon] & \epsilon [P \rightarrow \epsilon] \\ b [N \rightarrow NN] & \epsilon [N \rightarrow \epsilon] \end{array}$$



abbaaaa  $\in L_E(P)$ !