Chapter 4

Modeling Causal Impact via Randomized Experiments

Xu Kuang, Stanford GSB

Just as the rapid adoption of the telephone sparked Erlang's stochastic models for network congestion at the turn of the 20th century, the severe food shortages in 1920s Europe following World War I pushed statisticians to develop better methods for evaluating crop varieties and soil conditions to improve agricultural yields.

Enter the protagonist of this chapter, Jerzy Neyman, who from 1917 to 1921 served as a statistician at the Institute of Agriculture in Bydgoszcz, Poland. His seminal work in 1923 would lay the foundation for modern causal inference, the scientific and business impact of which can hardly be understated.

From the viewpoint of modeling, Neyman's overarching goal was remarkably similar to Erlang's: to develop an effective model of a complex reality that, when calibrated with observational data, would provide causal guidance on how to achieve better outcomes. However, a closer inspection reveals some striking and fascinating divergences between the two approaches:

1. Whereas Erlangian models are highly mechanistic, we will see that Neyman's causal inference framework does not assume we can (or even need to) accurately describe those underlying mechanisms. Rather than modeling reality as interacting submodules governed by explicit rules, Neyman takes a more end-to-end approach, directly estimating the causal impact of an intervention instead of laboring to map the inner workings of the system in question.

2. Whereas Erlangian models tend to rely on a deterministic core structure (such as the mechanisms governing buffers and servers) to describe a highly stochastic system, the original Neymanian framing is almost the opposite: it aims to estimate *deterministic* treatment effects by intentionally introducing randomness into the assignment process.

We will begin this chapter by walking through a basic version of Neyman's result using more modern notation and terminology developed by Rubin. We will then take a deeper dive into these two divergences and see what we can learn from this new way of thinking about impact and causality.

4.1 Learning Treatment Effects via Randomization

Potential outcomes.

Neyman's original motivation for experimentation remains a great starting point. Suppose we have at our disposal two crop varieties $w \in \{0, 1\}$, and we would like to understand which variety will lead to higher yields on average if planted on all lands in the nation. To answer this question, we start with n experimental agricultural plots, with varying soil acidity and other composition factors, which are believed to roughly capture the plot mix in the country at large.

Formally, we call this a randomized control trial with n units (plots), indexed by $i = 1, \ldots, n$. Each unit receives a binary treatment $W_i \in \{0, 1\}$ (crop variety) and yields

an observed outcome Y_i (crop yield). Conceptually, Neyman posited that the "potential" yields under different treatments $Y_i(1)$ and $Y_i(0)$ are predetermined in theory, but not observed. Thus, in theory, for unit i, we can define this individual treatment effect as

$$\Delta_i = Y_i(1) - Y_i(0),$$

that is, the difference in outcomes between choosing the treatment and choosing the control intervention.

However, in reality, the decision maker can observe its value only once a specific crop has been planted. As such, whatever variety one decides to plant on plot i, one is prevented from seeing the counterfactual outcome of "what would have happened if I had planted the other variety on i." That is, only *one* potential outcome, the one associated with the chosen treatment, can be observed through the experiment. In other words, the individual treatment effect can never be fully observed.[1]

The core insight of Neyman (Neyman, 1923) was that although Δ_i itself is unobservable, randomization allows us to learn averages of these effects. In finite samples, define the sample average treatment effect (SATE):

$$\Delta = \frac{1}{n}\sum_{i=1}^{n}(Y_i(1) - Y_i(0)).$$

Difference-in-Means Estimation.

A natural estimator for measuring the causal impact of a treatment is the treated-control **d**ifference in sample means:

$$\hat{\tau}_{DM} = \frac{1}{n_1}\sum_{W_i=1} Y_i - \frac{1}{n_0}\sum_{W_i=0} Y_i, \qquad n_w = |\{i : W_i = w\}|.$$

To study this estimator, we impose two further assumptions. First, SUTVA (the Stable Unit Treatment Value Assumption):

$$Y_i = Y_i(W_i), \qquad i = 1, \ldots, n.$$

SUTVA implies two key conditions. First, it means there is no interference between units, so that unit i's outcome depends only on W_i, not on others' assignments. Second, it implies that there are no hidden versions of the treatment, meaning the intervention is uniform enough that $Y_i(1)$ represents a single, unambiguous potential outcome for each unit, rather than varying effects from different doses or versions of the treatment. Together, these rule out spillovers and allow us to cleanly interpret the observed treated-control contrast as a causal contrast between $Y_i(1)$ and $Y_i(0)$.

The second assumption is that the treatment is completely randomized conditional on a fixed number of treated units n_1:

$$\mathbb{P}(W_i = 1 \mid \{Y_i(0), Y_i(1)\}_{i=1}^{n}, n_1) = \frac{n_1}{n}, \qquad i = 1, \ldots, n.$$

These assumptions yield the following foundational result:

[1] Note that even trying two different assignments on the same unit sequentially is deemed insufficient, since the nature of the unit may have changed in the meantime.

Theorem 4.1.1 (Difference in means is unbiased in a completely randomized trial)**.** *Under the assumptions above,*

$$\mathbb{E}[\hat{\tau}_{DM} \mid \{Y_i(0), Y_i(1)\}_{i=1}^n,\ n_0 > 0,\ n_1 > 0] = \Delta.$$

The proof is short and relies on linearity of expectation, so we give it here:

Proof. When $n_1 > 0$, we have that

$$\begin{aligned}
\mathbb{E}\left[\frac{1}{n_1}\sum_{W_i=1} Y_i\right] &= \mathbb{E}\left[\frac{1}{n_1}\sum_{i=1}^n W_i Y_i \,\middle|\, \{Y_i(0), Y_i(1)\}_{i=1}^n,\ n_1\right] \\
&= \mathbb{E}\left[\frac{1}{n_1}\sum_{i=1}^n W_i Y_i(1) \,\middle|\, \{Y_i(0), Y_i(1)\}_{i=1}^n,\ n_1\right] \quad \text{(SUTVA)} \\
&= \frac{1}{n_1}\sum_{i=1}^n Y_i(1)\,\mathbb{E}[W_i \mid \{Y_i(0), Y_i(1)\}_{i=1}^n,\ n_1] \quad (Y_i(1) \text{ is fixed in the conditioning set}) \\
&= \frac{1}{n}\sum_{i=1}^n Y_i(1). \quad \text{(Randomization)}
\end{aligned}$$

An analogous argument gives

$$\mathbb{E}\left[\frac{1}{n_0}\sum_{W_i=0} Y_i\right] = \frac{1}{n}\sum_{i=1}^n Y_i(0),$$

and subtracting the two equations above yields the desired result. □

4.2 Recommended Reading

Historically, the potential-outcomes framework for causal inference traces its origins to Jerzy Neyman's 1923 work on agricultural experiments (See the 1990 English translation of the original, (Neyman, 1923)). Although Neyman and R.A. Fisher were developing foundational experimental methodologies during the same era (with Fisher formulating his randomization-based design methodology (Fisher, 1935)), their early efforts were independent. Both were separately motivated by the practical demands of early 20th-century agricultural research stations: Neyman at the Institute of Agriculture in Bydgoszcz, Poland (Encyclopaedia Britannica, 2026a), and Fisher at the Rothamsted Experimental Station in the UK (Box, 1978). Decades later, Donald Rubin modernized and extended Neyman's framework to accommodate both randomized and nonrandomized observational settings (Rubin, 1974); see also the excellent review in (Holland, 1986). Rubin is also explicitly credited with formalizing the Stable Unit Treatment Value Assumption (SUTVA) (Rubin, 1980). Theorem 4.1.1 and the framing leading up to it is based on Chapter 1 of (Wager, 2024).

Bibliography

Amazon Web Services (2024). Amazon Bedrock Service Level Agreement. AWS SLA page. Accessed 2024.

Armony, M., Israelit, S., Mandelbaum, A., Marmor, Y. N., Tseytlin, Y., and Yom-Tov, G. B. (2015). On patient flow in hospitals: A data-based queueing-science perspective. *Stochastic Systems*, 5(1):146–194.

Baseten (2026). How Hebbia Uses Baseten to Power AI Workflows. Baseten customer story. Discusses TTFT-sensitive inference workloads; accessed April 10, 2026.

Bhat, U. N. (1969). Sixty years of queueing theory. *Management Science*, 15(6):B280–B294. Application Series.

Box, J. F. (1978). *R. A. Fisher: The Life of a Scientist*. John Wiley & Sons, New York.

Brown, L., Gans, N., Mandelbaum, A., Sakov, A., Shen, H., Zeltyn, S., and Zhao, L. (2005). Statistical analysis of a telephone call center: A queueing-science perspective. *Journal of the American Statistical Association*, 100(469):36–50.

Danmarks Statistik (1901). Folkemængden 1. februar 1901 i Kongeriget Danmark efter de vigtigste administrative inddelinger. Danmarks Statistik publication page. Official census publication; accessed April 2, 2026.

Encyclopaedia Britannica (2026a). Jerzy neyman. https://www.britannica.com/biography/Jerzy-Neyman. Accessible biography; states Neyman was appointed statistician at the Institute of Agriculture in Bydgoszcz, Poland; accessed 2026-04-20.

Encyclopaedia Britannica (2026b). Loading coil. Britannica article page. Overview of loading-coil purpose in long-distance telephony; accessed April 2, 2026.

Erlang, A. K. (1909). Sandsynlighedsregning og telefonsamtaler. Digital scan (Royal Danish Library). [Digital scan; accessed 2026-03-29].

Erlang, A. K. (1917). Solution of some problems in the theory of probabilities of significance in automatic telephone exchanges. *Elektroteknikeren*, 13:5–13. Original Danish title: Łosning af nogle Problemer fra Sandsynlighedsregningen af Betydning for de automatiske Telefoncentraler. Archived scan: Wayback copy.

Fischer, C. S. (1978). The spatial diffusion of information and the long-distance telephone, 1875–1900. *Social Science History*, 2(2):173–196.

Fisher, R. A. (1935). *The Design of Experiments*. Oliver and Boyd, Edinburgh.

Gingerich, O. (2007). The copernican myths. https://physicstoday.aip.org/features/the-copernican-myths. [Physics Today; accessed 2026-03-22].

Gross, D., Shortle, J. F., Thompson, J. M., and Harris, C. M. (2008). *Fundamentals of Queueing Theory*. Wiley, Hoboken, NJ, 4 edition.

Hajek, B. (2015). *Random processes for engineers*. Cambridge university press. https://hajek.ece.illinois.edu/ECE534Notes.html.

Hebbia (2025). The Distributed System Behind Hebbia's High-Scale AI. Hebbia engineering blog. Published March 17, 2025; accessed April 10, 2026.

Holland, P. W. (1986). Statistics and causal inference. *Journal of the American Statistical Association*, 81(396):945–960.

INFORMS (2026). Who Was Agner Krarup Erlang? INFORMS Erlang page. INFORMS Erlang Prize background page; accessed April 2, 2026.

Jewett, F. B. (1951). The evolution of inductive loading. *Bell System Technical Journal*, 30(2):123–140.

Kendall, D. G. (1953). Stochastic processes occurring in the theory of queues and their analysis by the method of the imbedded markov chain. *The Annals of Mathematical Statistics*, 24(3):338–354.

Kepler, J. (1609). *Astronomia Nova*. Heidelberg. Digitized edition metadata via e-rara.

Kuhn, T. S. (1957). *The Copernican Revolution: Planetary Astronomy in the Development of Western Thought*. Harvard University Press, Cambridge, MA.

Li, S., Johari, R., Kuang, X., and Wager, S. (2023). Experimenting under stochastic congestion. arXiv preprint arXiv:2302.12093 (v5 updated 2026-02-15).

National Park Service (2005). New Jersey Bell Headquarters Building, National Register of Historic Places Registration Form. NPS/NJ historic register PDF. Includes historical summary of the Independent Telephone Movement and entry scale; accessed April 2, 2026.

New York Public Library (2026). 1964–1965 new york world's fair corporation records, 1939–1966. NYPL archives entry. Photo archive; accessed 2026-03-30.

Newton, I. (1687). *Philosophiae Naturalis Principia Mathematica*. Jussu Societatis Regiae ac Typis Josephi Streater, London.

Newton, I. (1999). *The Principia: Mathematical Principles of Natural Philosophy*. University of California Press, Berkeley.

Neyman, J. (1923). On the application of probability theory to agricultural experiments. essay on principles. section 9. *Statistical Science*, 5(4):465–472. English translation published in 1990.

Our World in Data (2026a). Mean years of schooling (long-run). OWID dataset link. Long-run education dataset; accessed April 2, 2026.

Our World in Data (2026b). Share of the population with tertiary education. OWID dataset link. Dataset adapted from Barro and Lee (2015) and Lee and Lee (2016); accessed April 2, 2026.

Ross, S. M. (2014). *Introduction to Probability Models*. Academic Press, Amsterdam, 11 edition.

Rubin, D. B. (1974). Estimating causal effects of treatments in randomized and nonrandomized studies. *Journal of Educational Psychology*, 66(5):688–701.

Rubin, D. B. (1980). Randomization analysis of experimental data: The fisher randomization test comment. *Journal of the American Statistical Association*, 75(371):591.

Shalev-Shwartz, S. and Ben-David, S. (2014). *Understanding machine learning: From theory to algorithms*. Cambridge university press.

Sherbrooke, C. C. (1968). Metric: A multi-echelon technique for recoverable item control. *Operations Research*, 16(1):122–141.

Sherbrooke, C. C. (2004). *Optimal Inventory Modeling of Systems: Multi-Echelon Techniques*. Kluwer Academic Publishers, Boston, 2 edition.

Skee, J. (2019). The history of the analysis of queues and waiting lines. INFORMS history page. Edited by Linus Schrage; INFORMS History of O.R. Excellence, Queueing Models; accessed 2026-03-30.

Skee, J. D. (2016). *By the Numbers: Confidence, Consultants, and the Construction of Mass Leisure, 1953–1975*. Phd dissertation, University of California, Berkeley.

Strevens, M. (2020). *The Knowledge Machine: How Irrationality Created Modern Science*. Liveright Publishing Corporation, New York.

Sutton, R. (2019). The bitter lesson. http://www.incompleteideas.net/IncIdeas/BitterLesson.html. [Online essay; accessed 2026-03-26].

Ulrich, R. and Miller, J. (1993). Information processing models generating lognormally distributed reaction times. *Journal of Mathematical Psychology*, 37:513–525.

U.S. Bureau of Labor Statistics (2026). Cpi inflation calculator. https://www.bls.gov/data/inflation_calculator.htm. [CPI-U based; accessed 2026-04-02].

U.S. Census Bureau (2023). Facts by Decade: 1900. U.S. Census page. Includes 1900 urban population table; accessed April 2, 2026.

Wager, S. (2024). Causal inference: A statistical learning approach. Stanford Graduate School of Business course notes. [Referenced in Chapter 3].

Whitt, W. (1993). Approximations for the gi/g/m queue. *Production and Operations Management*, 2:114–161.

Xu, K. and Chan, C. W. (2016). Using future information to reduce waiting times in the emergency department via diversion. *Manufacturing & Service Operations Management*, 18(3):314–331.