

UM11168

FS65/FS45 software driver

Rev. 1 — 6 December 2018

User manual

Document information

| Information | Content |
|-------------|--|
| Keywords | system basis chip software driver SPI |
| Abstract | This documentation describes how to install and use the FS65/FS45 software driver. |



1 Important notice

NXP provides the enclosed product(s) under the following conditions:

This evaluation kit is intended for use of ENGINEERING DEVELOPMENT OR EVALUATION PURPOSES ONLY. It is provided as a sample IC pre-soldered to a printed circuit board to make it easier to access inputs, outputs, and supply terminals. This evaluation board may be used with any development system or other source of I/O signals by simply connecting it to the host MCU or computer board via off-the-shelf cables. This evaluation board is not a Reference Design and is not intended to represent a final design recommendation for any particular application. Final device in an application will be heavily dependent on proper printed circuit board layout and heat sinking design as well as attention to supply filtering, transient suppression, and I/O signal quality.

The goods provided may not be complete in terms of required design, marketing, and or manufacturing related protective considerations, including product safety measures typically found in the end product incorporating the goods. Due to the open construction of the product, it is the user's responsibility to take any and all appropriate precautions with regard to electrostatic discharge. In order to minimize risks associated with the customers applications, adequate design and operating safeguards must be provided by the customer to minimize inherent or procedural hazards. For any safety concerns, contact NXP sales and technical support services.

Should this evaluation kit not meet the specifications indicated in the kit, it may be returned within 30 days from the date of delivery and will be replaced by a new kit.

NXP reserves the right to make changes without further notice to any products herein. NXP makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does NXP assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typical", must be validated for each customer application by customer's technical experts.

NXP does not convey any license under its patent rights nor the rights of others. NXP products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the NXP product could create a situation where personal injury or death may occur.

Should the Buyer purchase or use NXP products for any such unintended or unauthorized application, the Buyer shall indemnify and hold NXP and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges NXP was negligent regarding the design or manufacture of the part. NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. © 2018 NXP B.V.

2 Overview

This user guide describes how to install and use the FS65/FS45 software driver.

This driver supports and provides a high-level software (SW) solution for these analog parts:

- [MC33FS45xxxx](#): All variants
- [MC33FS65xxxx](#): All variants

3 MCU compatibility

The driver implementation is generic—there is no dependency on a specific MCU. Any MCU with the required peripherals should be able to use this driver.

3.1 Peripheral requirements

Peripherals and resource requirements critical to the MCU's ability to handle a given part are as follows:

SPI communication mode

- **SPI Module** is required for communication (MOSI, MISO, SCLK).
- **GPIOs** are required for software controlled SPI chip select (CSB) and (optionally) for the device reset (RESET) pin.
- **Interrupt** pin is optionally required for use with the FAULT pin – interrupt implementation is up to the user.

4 FS65/FS45 software driver

The driver implements basic functionality for:

- FS65/FS45 interfacing as a SPI communication abstraction
- Watchdog settings
- Refresh/initialization procedure

The driver also provides a runtime register map.

For additional information, see the API Programmer's Guide [\[1\]](#) and the comments embedded in the code. You are advised to see the code and related commentary to get a better insight into this driver.

4.1 Configuring the driver

This driver is static with only one entry point.

4.2 Driver API

This FS65/FS45 software driver provides an API that can be used for dynamic real-time configuration of the device in user code. For a summary of available functions, refer to *API Programmer's Guide* [\[1\]](#), Section 4.1, *Driver API*.

4.3 Low-level drivers

Low-level MCU peripheral drivers are utilized by the driver. Functionality of the driver depends on these low-level drivers in terms of communication, control, etc.

Because this SW driver is generic, it is just required to implement functions specific for SPI and for wait function with microsecond resolution. Other functionalities, such as

watchdog refresh timing and ADC, must be implemented by the application. For a list of MCU-specific functions, refer to the *API Programmer's Guide* [1], Section 4.5, *MCU specific functions*.

5 References

- [1] **FS65 Programmers guide** — included in the software driver zip file
- [2] **FS6500-FS4500 data sheet** — [FS6500-FS4500 - Safety Power System Basis Chip with CAN FD and LIN Transceivers](#)
- [3] **MC33FS45xxxxx product summary page** — [MC33FS45xxxxx](#)
- [4] **MC33FS65xxxxx product summary page** — [MC33FS65xxxxx](#)

Revision history

Revision history

| Rev | Date | Description |
|-----|----------|-----------------|
| v.1 | 20181206 | Initial version |

6 Legal information

6.1 Definitions

Draft — The document is a draft version only. The content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included herein and shall have no liability for the consequences of use of such information.

6.2 Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors. In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory. Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

Suitability for use — NXP Semiconductors products are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk.

Applications — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification. Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product

design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products. NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

Export control — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

Evaluation products — This product is provided on an "as is" and "with all faults" basis for evaluation purposes only. NXP Semiconductors, its affiliates and their suppliers expressly disclaim all warranties, whether express, implied or statutory, including but not limited to the implied warranties of non-infringement, merchantability and fitness for a particular purpose. The entire risk as to the quality, or arising out of the use or performance, of this product remains with customer. In no event shall NXP Semiconductors, its affiliates or their suppliers be liable to customer for any special, indirect, consequential, punitive or incidental damages (including without limitation damages for loss of business, business interruption, loss of use, loss of data or information, and the like) arising out the use of or inability to use the product, whether or not based on tort (including negligence), strict liability, breach of contract, breach of warranty or any other theory, even if advised of the possibility of such damages. Notwithstanding any damages that customer might incur for any reason whatsoever (including without limitation, all damages referenced above and all direct or general damages), the entire liability of NXP Semiconductors, its affiliates and their suppliers and customer's exclusive remedy for all of the foregoing shall be limited to actual damages incurred by customer based on reasonable reliance up to the greater of the amount actually paid by customer for the product or five dollars (US\$5.00). The foregoing limitations, exclusions and disclaimers shall apply to the maximum extent permitted by applicable law, even if any remedy fails of its essential purpose.

Translations — A non-English (translated) version of a document is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

6.3 Trademarks

Notice: All referenced brands, product names, service names and trademarks are the property of their respective owners.

NXP — is a trademark of NXP B.V.

Contents

| | | |
|----------|--|----------|
| 1 | Important notice | 2 |
| 2 | Overview | 2 |
| 3 | MCU compatibility | 3 |
| 3.1 | Peripheral requirements | 3 |
| 4 | FS65/FS45 software driver | 3 |
| 4.1 | Configuring the driver | 3 |
| 4.2 | Driver API | 3 |
| 4.3 | Low-level drivers | 3 |
| 5 | References | 4 |
| 6 | Legal information | 5 |

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.