

3D Environments Require 3D Visualisations: The Limitations of 2D Sketch Maps in
Capturing Spatial Knowledge

Jakub Krukar¹, Ahmed Aly¹, Lukas Baecker¹, Lea Heming¹, Jiayan Zhao², & Angela
Schwering¹

¹ Institute for Geoinformatics, University of Muenster, Germany

² Laboratory of Geo-information Science and Remote Sensing, Wageningen University,
Netherlands

Author Note

Correspondence concerning this article should be addressed to Jakub Krukar, Institute
for Geoinformatics, University of Muenster, Heisenbergstr. 2, 48149 Muenster, Germany.
E-mail: krukar@uni-muenster.de

Abstract

Sketch maps are a widely utilized method for assessing how participants encode and externalize knowledge of large-scale environments. Even though many such spaces include an important vertical component, participants tend to omit, or distort vertical information when drawing 2D sketch maps. Recent advancement in Virtual Reality sketching interfaces open the question whether sketch maps could be realised in 3D. We recruited participants across two experiments — one in a layered indoor environment, one in a volumetric urban environment — and assessed their 2D and 3D sketch maps by coding the occurrence and correctness of qualitative spatial relations across all three dimensions. Results show that when tasked with drawing vertically-complex spaces on traditional 2D pen-and-paper medium, participants omit a lot of (mostly vertical) information that they do in fact store in their cognitive model of that space and can externalise in a Virtual Reality-based 3D sketch map. This indicates that 2D sketch maps may be a bottleneck for expressing valid parts of participants’ spatial knowledge of vertically-complex spaces, while 3D sketch maps offer a promising alternative.

Keywords: 3D visualisation, spatial cognition, sketch maps, virtual reality, 3D sketching, vertical spatial relations, qualitative spatial relations

3D Environments Require 3D Visualisations: The Limitations of 2D Sketch Maps in Capturing Spatial Knowledge

Introduction

A fundamental challenge in geographic information science is understanding how humans mentally represent spatial environments and how these cognitive representations can be accurately externalised and formalised (Mark & Frank, 1996). While much progress has been made in understanding how people encode and communicate spatial relations in the horizontal dimension, the vertical dimension remains comparatively understudied (Jeffery, 2011). This is particularly problematic given that the spaces humans navigate are inherently three-dimensional, yet the methods we use to assess spatial knowledge, remain predominantly two-dimensional. The current study investigates whether this methodological reliance on 2D representations creates a bottleneck in capturing human spatial knowledge of vertically-complex environments.

Understanding survey knowledge—how people mentally represent the spatial configuration of objects, including distances and angles between landmarks (Montello, 1998; Siegel & White, 1975)—is fundamental to the integration of spatial cognition research and geographic information science. This knowledge type is particularly critical for environmental-scale spaces like buildings and urban districts, where individuals must integrate spatial information from distributed locations into coherent mental representations (Montello, 1993). From a GIS perspective, the challenge is twofold: theoretically, we need to understand how humans encode vertical spatial relations in vertically-complex environments. Methodologically, we require tools that can capture and formalise these cognitive representations in ways that preserve their inherent three-dimensionality.

Sketch maps—simplified drawings of environmental configurations (Lynch, 1960)—have emerged as a valuable method for externalising survey knowledge, particularly because they permit relatively unrestricted visualisation of thought (Tversky, 2002), even when memory is

generalised (Manivannan, Krukar, & Schwering, 2022) or incomplete (Schwering, Krukar, Manivannan, Chipofya, & Jan, 2022). This flexibility makes them suitable for capturing imperfect spatial knowledge and has led to their widespread adoption in realistic, real-world research contexts (Simonet et al., 2025). From a GIS methodological standpoint, sketch maps represent an analytical challenge because they must contain metric information (distances, angles) even though the underlying cognitive representation of space may store it incorrectly (J. Wang & Worboys, 2017), or in approximation (Ishikawa & Montello, 2006). In order to tackle this, researchers have developed systematic approaches to extract and analyse qualitative spatial relations from sketch maps—such as topological (e.g., “inside/outside”), directional (e.g., “right of”), and sequential relations (e.g., “before/after”)—enabling the translation of hand-drawn cognitive maps into formal spatial representations that can be computationally processed and compared against ground truth (Schwering et al., 2014).

However, a critical methodological limitation has received insufficient attention: sketch maps are predominantly drawn and analysed in two-dimensional form, despite the three-dimensional nature of the environments they represent (Kim et al., 2022). Whilst this simplification may be justified for navigation scenarios where vertical dimensions are irrelevant to path choices, it becomes problematic in vertically-complex environments where elevation changes significantly affect wayfinding and spatial understanding. For example, navigational studies of multi-level buildings show that vertical misrepresentations can lead to systematic wayfinding errors, such as underestimating detours between floors or failing to integrate staircases and elevators into a coherent route plan (Hölscher, Meilinger, Vrachliotis, Brösamle, & Knauff, 2006). Understanding the vertical structure of buildings, e.g., whether separate floors have the same layout, and how they are aligned with regard to each other, is a known human factor issue of modern architecture (Dalton & Hölscher, 2016). These examples show that our understanding of how vertical information is perceived and understood might be yet insufficient and potentially lag behind the horizontal dimensions. The current study addresses this limitation by investigating whether extending established

qualitative spatial reasoning methods from 2D sketch map analysis into three dimensions can better capture human spatial knowledge of vertically-complex spaces. This represents both a theoretical contribution—examining how humans mentally encode vertical relations in buildings and urban environments—and a methodological advancement in GIS, by demonstrating how qualitative spatial relations can be applied to 3D sketch maps created in virtual reality environments.

Spatial relations in sketch maps

Drawing a sketch map requires participants to place all queried environmental features on a single representation of that environment, forcing them to explicitly define spatial relations between all objects in the sketch. These spatial relations can be analysed in multiple ways; the two dominant analyses are quantitative and qualitative. Our analysis method builds on a major contribution of geographical information science — a formal analysis of qualitative spatial relations (Frank, 1996) — and the subsequently developed method of aligning sketch maps with metric maps via such relations (Chipofya, Schultz, & Schwering, 2016). We focus on analysing qualitative relations between two types of features depicted in sketch maps: landmarks in the surrounding environment and the shape of the travelled path.

Unlike quantitative metrics such as bidimensional regression (Friedman & Kohler, 2003; Tobler, 2010), qualitative relations emphasize relative order and topology, aligning with how humans encode spatial knowledge and often remaining valid even when metric accuracy is distorted (J. Wang & Schwering, 2015; Warren, Rothman, Schnapp, & Ericson, 2017). Thus, analysing sketch maps with regard to qualitative relations carries relevance to how humans mentally represent spatial knowledge.

In the current work we distinguish between spatial relations in all three dimensions, and analyse them separately. The reason for this is twofold. First, 2D sketch maps might be particularly well-suited for communicating information in a single plane (e.g. only horizontal

plane in top-down drawings) and thus their evaluation should not be based solely on joint analyses of all dimensions. Second, there is a well-established horizontal-vertical anisotropy in how people perceive (Krukar, Manivannan, Bhatt, & Schultz, 2021), store, and communicate (Du & Mou, 2022) spatial information. This may affect the quality of 3D sketch maps but would not be captured in analyses that combine all dimensions.

Conveying vertical information in sketch maps

There are multiple ways in which one may attempt to convey vertical information in a 2D sketch. Architects are trained in the technique of multiview projection - using a set of drawings to depict a single 3-dimensional object from different views aligned with distinct axes. Most common views are a *plan* (a drawing from the top-down perspective along the vertical axis) and a *section* (a drawing from the side along the horizontal axis). Brandt et al. (2015) showed that non-architects are able to produce these two conventions.

Other possibilities for 2D sketch maps include: (a) drawing multiple plans depicting space at different levels of the vertical axis (e.g., separate floors), (b) producing a single drawing and coding the third dimension with textual or symbolic annotations, or (c) producing a perspective drawing, i.e., a sketch that represents all three spatial dimensions within a single view by simulating how objects appear from a given vantage point; this can convey depth and height more intuitively, but necessarily distorts angles and distances (Figure 1).

Yet, studies show that few participants spontaneously depict vertical relations: only 11 of 38 maps in Blajenkova, Motes, and Kozhevnikov (2005) and 16 of 62 in Zhong and Kozhevnikov (2016) included floor alignment. Yet performance on other tasks remained good, suggesting that constraints of 2D sketching, not memory, hinder expression of vertical information. This may reflect participants' inability to draw 3D relations using the pen-and-paper set-up, the affordances of the medium that encourage two-dimensional

representations, and the scarcity of consistent 3D map examples in everyday life: unlike top-down plans, 3D cartographic representations lack a standardised design convention that participants could intuitively draw upon (Häberling, Bär, & Hurni, 2008).




Figure 1. Examples of 3 sketch maps obtained by Zhong and Kozhevnikov (2016). (A) Different floors drawn as separate drawings cannot be vertically aligned. (B) A single layout drawing with annotations for different vertical levels. (C) A perspective drawing distorting angles and distances in an inconsistent way across different parts of the drawing. Figure obtained with permission from Zhong and Kozhevnikov (2016) and modified.

Our experiments re-create the procedures used by Blajenkova et al. (2005) and Zhong and Kozhevnikov (2016) in the sense of giving participants a task that requires memorising and communicating information in all three dimensions, but relying on participants' spontaneous choice of sketch mapping convention (i.e., where the exact style of drawing is not predefined by the instruction). This reflects the way in which sketch maps are used in research and in everyday settings: their advantage is that they are intuitive and can be produced spontaneously; i.e., participants can perform the task with minimal instructions and no feedback on their progress. The motivation behind this paper is that the affordances and learned conventions of intuitive 2D sketch mapping restrict participants in expressing their spatial knowledge to its full extent, and that newly available technological possibility of 3D sketch mapping does not.

2D vs. 3D in information visualisation

The question of whether 3D information is beneficial over 2D has generated a substantial body of work across multiple domains. Evidence from stereoscopic display research shows that observing 3D visualisations can deliver performance benefits for tasks that require depth judgements or object manipulation, but these benefits are inconsistent and highly task-dependent (McIntire, Havig, & Geiselman, 2014). In medicine, for example, clinicians preferred 3D artery visualisations for diagnosing heart disease, yet showed no advantage in diagnostic accuracy over 2D equivalents (Borkin et al., 2011). The intuition that a more visually realistic display must be a more useful one has been termed *naïve realism* (Smallman & Cook, 2011). However, the added visual complexity of 3D displays can impede performance e.g., by introducing occlusion, distorted distance perception, and increased cognitive load (McIntire et al., 2014). For geovisualisations, the properties of the task at hand and abilities of the user determine the usefulness of 3D over 2D information visualisation (Çöltekin, Lokka, & Zahner, 2016). Learning from 3D models in educational contexts benefited high-spatial-ability participants but not low-spatial-ability ones, suggesting that 3D may widen rather than close performance gaps between users (Huk, 2006). Spatial ability moderated performance on other VR-based spatial tasks, cautioning against assuming that 3D is uniformly beneficial (Lochhead, Hedley, Çöltekin, & Fisher, 2022). A particular benefit of 3D information visualisations has been shown to come from what is seen on them, as opposed to the possibility of performing interactive manipulations with them (Keehner, Hegarty, Cohen, Khooshabeh, & Montello, 2008). Taken together, this literature established that viewing 3D is often subjectively preferred, although simultaneously it is cognitively demanding, and genuinely beneficial only under specific conditions of task fit, interface design, and user ability.

A key difference to our work is that this entire body of research concerns the *interpretation of visualisations* — how well people read, judge, or reason from displays that

others have constructed. Fan (2026) argues that drawing tasks are different: being *generative behaviours* they reveal not only whether someone holds a spatial concept but which of its features they can retrieve and successfully convey. These are distinct constraints. A participant may understand vertical structure yet be unable to express it through a 2D medium — not because understanding or memory of the original structure failed, but because the medium of expression did. The usefulness of 3D information for *externalising* spatial knowledge has been studied much less, and this gap in knowledge motivates the present study.

Individual differences in 3D spatial information processing

Individual spatial abilities may modulate how effectively people encode and retrieve complex three-dimensional spatial information, and thus moderate the effect of drawing interface on output quality. It is unclear, however, which abilities are most predictive for this task. Hegarty, Montello, Richardson, Ishikawa, and Lovelace (2006) showed that abstract pen-and-paper spatial tests are only partially related to environmental learning. Prior work also suggests that highly-specific skills are better predictors of design-related performance than general visuospatial measures traditionally applied in psychology (Cho & Suh, 2019, 2022). This includes processes central to representing survey knowledge of buildings and urban configurations — perspective switching, 3D volume composition, and 2D-to-3D transformation.

Vertical information in different types of spaces

The differences between 2D and 3D sketch maps might depend on the type of space that is being depicted. The type of movement a space allows for affects how it is cognitively processed (Hölscher, Büchner, & Strube, 2013; Jeffery, 2011). With respect to this, we focus on two types of space: *volumetric environmental spaces* and *multi-layered environmental spaces* (Jeffery, Jovalekic, Verriotis, & Hayman, 2013). The former makes it possible to explore the vertical dimension freely (e.g., through flying), while the latter consists of

vertically-layered discrete spaces that cannot always be freely changed (e.g., floors of a building can only be changed by using elevators, escalators, or stairs). These movement constraints might contribute to participants’ choice of depicting separate floors of buildings as separate 2D plans (Blajenkova et al., 2005; Zhong & Kozhevnikov, 2016). Specifically, floors lend themselves to easier annotation of qualitative vertical relations (e.g., one can label separate floor plans with numbers). A volumetric space cannot be intuitively represented as multiple 2D plans. For this reason we present two experiments, one in each type of space, and discuss the similarities and differences in their outcomes.

VR-based drawing interfaces

Laypersons are not trained to represent 3D spatial relations effectively on 2D sketch maps. A 2D medium necessitates that information from one of the three dimensions is either ignored, distorted, or represented with a different convention than the remaining two dimensions. 3D sketch maps allow for the representation of information from all three dimensions within a single, consistent drawing convention. However, an open question is whether 3D sketch maps can be used to communicate 3D information by laymen (Xiao et al., 2024). Prior research shows that laypeople struggle with precision when sketching 3D objects in VR, although training improves performance (Deisinger, Blach, Wesche, Breining, & Simon, 2000). These challenges motivate our focus on qualitative rather than precise metric analyses.

This study

We present two experiments that investigated the difference between 2D and 3D sketch maps in two types of vertically-complex environments: a layered 3D environment (a building; Experiment 1), and a volumetric 3D environment (an urban area; Experiment 2). Our analyses focus on whether participants are able to express qualitative spatial relations between objects in the sketches (e.g., “x is higher than y”) in a way that would be

interpretable by another human, and whether these spatial relations are expressed correctly, in relation to the environment they have explored.

We state three main hypotheses:

H1. Participants will exhibit a cognitive bias toward the horizontal plane in 2D sketch maps, resulting in a lower rate of represented vertical (Z-axis) relations in 2D sketch maps.

The common way of thinking about and drawing maps on 2D paper in non-professional contexts is the top-down view (Blajenkova et al., 2005; Zhong & Kozhevnikov, 2016).

Although alternative drawing styles are possible (cross-section from the side, perspective drawing), we hypothesised that most participants will prioritise depicting horizontal relations at the expense of vertical information.

H2. 3D sketch maps will capture vertical (Z-axis) spatial relations between landmarks with higher correctness, compared to 2D sketch maps. Given that all sketches are selective and generalised (Tversky, 2002), the fact that drawing in 3D requires activation of a more complex 3D mental representation (Gagnier, Atit, Ormand, & Shipley, 2017; Tung & Chang, 2024) but demand less mental projection (Kim et al., 2022) may mean that that 2D sketch maps (potentially not requiring maintaining such a representation in working memory, especially for vertical information) will result in lower correctness of vertical spatial relations.

H3. Spatial relations that were left out from participant’s 2D sketch map but present on their corresponding 3D sketch map will capture valid spatial knowledge (higher than chance accuracy of elements left out in 2D sketch but present in the 3D sketch). Our assumption is that participants are able to store complex 3D spatial relations (Lu & Ye, 2019), and it is the limitation of 2D drawing that does not allow them to express what they know. This is contrary to an alternative possibility that 3D drawing forces participants to draw spatial relations that they have no chance of knowing, because they never stored them.

Methods

Participants

Experiment 1: Vertically layered environment. A total of 30 participants (13 men, 15 women, 2 undeclared) were recruited from the general population and among attendees of the “Places _ VR Festival” introducing Virtual Reality applications to the general population. They had no specifically spatial education, but were predominantly students. Data from 3 participants were excluded due to heavy motion sickness, problems with understanding the application, or inability to memorise the building model.

The age of the remaining 27 participants ranged from 20 to 29 years ($M = 24.07$, $SD = 2.56$). All participants provided informed consent and received 12 euro for their participation. The study was approved by the institutional ethics committee.

Experiment 2: Vertically volumetric environment. A total of 41 participants (16 men, 25 women) were recruited from the general population and via a university newsletter. None of them participated in Experiment 1 and they did not have specifically spatial education. Data from 4 participants were excluded due to heavy motion sickness preventing them from completing the study or because they did not fully follow the instructions.

The age of the remaining 37 participants ranged from 18 to 45 years ($M = 25.32$, $SD = 6.08$). All participants provided informed consent and received 12 euro for their participation. The study was approved by the institutional ethics committee.

Sample size was determined primarily through resource constraints (time, money). Statistical power computed within the framework of Judd, Westfall, and Kenny (2017) varied between 0.74 and 0.92 for a medium effect size but we use Bayesian statistics appropriate for lower sample sizes.

Materials

Experiment 1: Vertically layered environment. The environment that was explored and sketched by the participants was a virtual 3D model of a building consisting of three rectangular-shaped levels, the middle of which was rotated by 90 degrees (Figure 2). The floors were connected by a large open staircase. The interior consisted of furniture that differentiated the spaces by adding functional context (kitchen furniture, office furniture, gym furniture). In addition, there were 6 distinct landmarks: (1) car, (2) cat, and (3) trees located outside the building, and (4) shark, (5) sheep, and (6) rhino located inside. The building also included two vertical pillars with a large button located on top. Pressing the virtual button by the participant initiated the experiment by displaying a line on the floor that participants would follow. The building was designed in Blender 3.4.4 and then imported into experiment environment in Unity version 2021.3.10f1.

Oculus Quest 2 VR headset was used for both exploring the environment and for the 3D drawing task. It has a horizontal field of view of up to 97° and vertical field of view of up to 93° (depending on the user) with two 1832x1920 pixel displays. Movement through the building was controlled with a joystick on the headset’s hand controller. Rotation of the head corresponded to the rotation of the field of view in the virtual environment.

Participants were drawing 3D sketch maps using the *Gravity Sketch* v.5.6.2 application¹. When the user presses the button of the controller located under the pointing finger, the application leaves a trace of “virtual ink” in the air. One can control the perspective by moving around the 3D sketch. It is also possible to scale and move the 3D sketch by using “pinch and zoom movement” on both controllers. Participants adhered to pre-configured sketching settings, ensuring consistency across trials, but were allowed to modify colours to improve clarity in their 3D sketches. Gravity Sketch was selected for this study from a large number of available 3D sketching tools, because it relies on freehand

¹ www.gravitysketch.com



Figure 2. The environment that was explored and sketched by the participants in Experiment 1. The orange-red line indicates the route.

sketching and most closely resembles 2D pen-and-paper sketching (e.g., the used tools do not input any objects for participants, and do not correct their shapes). This makes 3D and 2D sketch mapping condition comparable.

2D sketch maps were drawn on A4 paper, using the provided pens. Participants could request an additional sheet of paper at any time.

Experiment 2: Vertically volumetric environment. The environment that was explored and sketched by the participants was a virtual 3D model of an urban area consisting of 6 buildings and 6 landmarks (Figure 3). The landmarks were the same objects as in Experiment 1. Each landmark was located in close proximity to a single building and

the vertical location of the landmark was fixed at one of three heights (either standing on the ground or floating in the air). The scenario simulated a drone flight around the area. The Unity version was 2021.3.11f1.




Figure 3. The environment that was explored and sketched by the participants in Experiment 2. The grey line indicates the route.

Oculus Quest 2 VR headset, same as in Experiment 1, was used for both exploring the environment and for the 3D drawing task. Unlike in Experiment 1, participants were not able to navigate the environment freely, but were experiencing the flight from the first-person perspective. They could freely rotate the view (by moving their head) and stop the drone movement at will (by pressing a button on the controller), but they could not deviate from the pre-defined path. The path circumnavigated the buildings, passing nearby each landmark. After reaching the end, the drone followed the same path in the reverse direction, back to the starting position, so the flight was experienced twice, from both directions. Unless paused by the participant, the video lasted 270 seconds. Compared to Experiment 1, this procedure restricted participants' path more (in Experiment 1, exploration included a

path-free phase), and changed their control of locomotion (in Experiment 1 they had to operate the controller in order to move, in Experiment 2 in order to stop the movement). The reason for this decision was that controlling locomotion in 3D proven to be overwhelming to unskilled participants in pilot testing. Because the focus of this study is on the difference between 2D and 3D sketch maps, the goal of the procedure was to ensure that participants are able to successfully comprehend the environment. We adjusted the learning method across the two experiments to facilitate this goal.

Participants were drawing 3D sketch maps using the *Gravity Sketch* v.6.1.6 with the same configuration as in Experiment 1. 2D sketch maps were drawn on A4 paper, using the provided pens. Participants could request an additional sheet of paper at any time.

Questionnaires. Participants completed three questionnaires on a tablet: a short demographic questionnaire (both experiments), NASA-TLX for subjective cognitive load estimation (both experiments) (Hart, 2006), Indoor Perspective Test (Experiment 1 only), and Urban Layout Test (Experiment 2 only). Indoor Perspective Test and Urban Layout Test come from a battery of tests created to investigate spatial abilities of architecture students (Berkowitz et al., 2021). This battery was used previously e.g., to show the positive impact of AR-enhanced training programme on improving spatial abilities among first-year engineering students (Porat & Ceobanu, 2024). NASA-TLX is a standard tool for measuring subjective workload in six sub-scales: mental demand, physical demand, temporal demand, user performance, effort, and frustration.

Procedure

In Experiment 1, participants came into an isolated room, signed an Informed Consent Form, and filled in the Indoor Perspective Test. After a short training in the VR interface they were moved into the virtual study scene and instructed to explore the scene:

“Please memorize the mentioned landmarks as you will be asked to draw them on

a sketch map. The position of the landmarks is crucial. It is important to be able to represent them on your sketch map.”

The learning phase consisted of free exploration and a navigation task. In the free exploration participants first circumnavigated the building model, and then freely walked inside. There was no time limit. The experimenter then visually and verbally verified that participant had memorised the location of landmarks by asking them to (a) point to each of them, and (b) verbally confirm how many floors the building has. Participants who made mistakes or showed uncertainties were asked to further explore the scene before the assessment was repeated. As the final step of the learning phase, participants performed a navigation task by following a line displayed on the floor near all indoor landmarks.

Following the learning phase, participants were asked to draw two sketch maps of the environment (in a counterbalanced order): a 2D pen-and-paper sketch map and a VR-based 3D sketch map in Gravity Sketch. They were asked to use the red colour for drawing the route, green for six landmarks, and black for everything else. At the end the experimenter verified whether the identity of each landmark is identifiable, and asked for a clarification (e.g., adding a label) if necessary. The instruction was:

“Please draw the route you took and the six objects you should have paid attention to: the rhino, the shark, the sheep, the trees, the cat, and the car. You can add anything you want to your drawing, but please stick to the following colors: the route in red, the six objects in green, and everything else in black. You are free to draw whatever you want but your drawing should clearly display the location of the objects and the path you walked. You should feel that your drawing is clearly understandable to others.”

Lastly, participants were asked to fill in NASA-TLX questionnaire separately for both conditions (2D and 3D sketching). The time between the exploration of the VR environment

and completing the second sketch in the study was approx. 30-60 min, depending on the participant.

In Experiment 2, procedure was similar to Experiment 1. Each participant was tested individually. After coming into the room they were presented with the informed consent forms, demographic questionnaire, the Urban Perspective Test, and asked to perform a tutorial on drawing in 3D in Gravity Sketch. Then, while wearing a VR headset and seated in a rotating chair, participants watched an immersive 360 video inside a training environment from the first-person perspective of a drone flying through an urban environment. They were shown how to pause the drone (using a button on the controller) and how to look around the environment (using head movement) and explained that they are not able to affect the flying path of the drone. After experiencing this sample environment and confirming no motion sickness they saw the flight in the main environment with the instruction to remember the layout of buildings, the path of the drone and the location of landmarks for future drawing. After flying the same route in both directions they were asked to point to a selection of objects as a confirmation that they remember the environment. They were offered a chance to repeat the flight but no one reported such a need. Participants then drew two sketch maps (in a counterbalanced order) and filled the NASA-TLX questionnaire for both drawing tasks on a tablet. Exact instructions are reported in Appendix A.

Experimental design

Both experiments followed a within-subject design. Each participant drew two sketch maps (2D and 3D). The complexity of the environment was equal for all participants, and the number of landmarks that had to be drawn was pre-determined.

Data analysis

Sketch interpretation. Each sketch map from Experiment 1 contained 6 landmarks and the travelled path, as remembered by the participant. We have manually

coded each sketch map to extract the following binary variable of interest: *occurrence* (is the relation occurring in/interpretable from the sketch) and *correctness* (i.e., is the relation true with respect to the ground-truth environment travelled by the participant) of each of the following spatial relation:

- relative horizontal (X-dimension) relation between pairs of landmarks, e.g., “the shark is to the left relative to the sheep”;
- relative depth (Y-dimension) relation between pairs of landmarks, e.g., “the car is closer to the front relative to the sheep”;
- relative vertical (Z-dimension) relation between pairs of landmarks, e.g., “the shark is lower than the sheep”;
- as well as X-, Y-, and Z-dimension relations of each landmark relative to the path, e.g., “the car is to the right of the first path segment”.

There were 45 XYZ relations between pairs of landmarks in total (15 pairs * 3 dimensions) and there were 18 relations between landmarks and the path (6 landmarks * 3 dimensions). Thus, there were 63 spatial relations in total. However, any spatial relation that was marked as not *occurring* on a given sketch map, would be automatically marked as *NA* in terms of its *correctness*. So the maximal *correctness* score per participant was capped by their number of *occurring* relations. Note that some relations were correct only if the landmarks overlapped, e.g., the trees are directly behind the cat in Experiment 1, and therefore the X-dimension relation would be correct if their bounding boxes would overlap on the X-dimension.

The reference viewpoint from which the relations were estimated was the starting view of the journey. This choice is based on existing evidence for the special role of initial views on forming spatial memories (McNamara, 2003). We noted that a vast majority of 2D sketch

maps were drawn with their top-orientation aligned with that view, which validates the above assumption.

In Experiment 2, sketch map analysis was as similar as possible to the one employed in Experiment 1. Each sketch map contained 6 landmarks, 6 buildings, and the travelled path, as remembered by the participant. We have manually coded each sketch map with respect to *occurrence* and *correctness* of the same spatial relations as in Experiment 1 and one additional type:

- relative horizontal relation between the path and the nearest building. Due to mixed perspectives of 2D sketch maps (buildings were often drawn in a different perspective than the path) we opted for considering X- and Y-dimension relations jointly (i.e., XY-dimension such as “Correct, if the path makes a left turn behind the building”, and separately the Z-dimension such as “Correct, if the path goes under the bridge of the building”).

There were 45 spatial relations between landmarks (15 pairs * 3 dimensions), 18 spatial relations between landmarks and the path (6 landmarks * 3 dimensions), and 12 spatial relations between the path and the nearest building (6 buildings * 2 spatial relations). Therefore, there were 75 spatial relations in total that were analysed. As in Experiment 1, the maximal *correctness* score per participant was capped by their number of *occurring* relations.

The reference viewpoint from which the relations were estimated was the starting view of the journey and, as in Experiment 1, the orientation of the majority of 2D sketch maps validated that this orientation was preferred (McNamara, 2003).

Interrater agreement. For each experiment, we conducted two interrater agreement analyses, using raters familiar and unfamiliar with the procedure design. All analyses yielded kappa values corresponding to ‘almost perfect’ or ‘substantial’ agreement

making it possible to draw further conclusion from the analysis (Hallgren, 2012). Details are provided in Appendix D.

Results

In Experiment 1, the percentage of spatial relations that were occurring in 2D sketch maps was $M = 74\%$ ($SD = 15\%$) and ranged from 48% to 98%. In the 3D sketch map condition all relations were classified as occurring (100%). In the 2D condition, out of relations that were occurring, $M = 92\%$ ($SD = 7\%$) were correct, ranging from 76% to 100%. In the 3D condition, correctness was $M = 92\%$ ($SD = 6\%$), ranging from 75% to 100%. Figures 4 and 5 show selected examples.

In Experiment 2, the percentage of spatial relations that were occurring in 2D sketch maps equalled $M = 78\%$ ($SD = 12\%$) and ranged from 55% to 95%. In the 3D sketch map condition, occurrence was $M = 96\%$ ($SD = 6\%$) and ranged from 69% to 100%. In the 2D condition, out of relations that were occurring, $M = 83\%$ ($SD = 10\%$) were correct, ranging from 44% to 98%. In the 3D condition, correctness was $M = 79\%$ ($SD = 9\%$), ranging from 60% to 95%. Figure 6 shows two examples.

H1: Cognitive bias toward horizontal plane in 2D sketch maps. We validate our hypotheses by checking the posterior probability of data in favour of the hypothesis, and by checking whether the 95% Credible Interval excludes 1 (for odds-ratio parameters) or 0 (for log-scale parameters), which is a conservative approach. The attached code repository and Appendix E contain technical details of each model.

In order to test H1 we implemented a Bernoulli-family mixed-effect model² explaining the probability of a given spatial relation *occurring* on a sketch map, across both conditions (2D vs 3D sketch map) and across three dimensions (X, Y, and Z). A Bayesian hypothesis

² Occurrence $\sim$ Condition * Spatial Dimension + (1 + Condition | Participant ID) + (1 + Condition | Spatial Relation)




Figure 4. Examples of 2D sketch maps from Experiment 1 demonstrate challenges of drawing a 3D structure on 2D paper. A: Part of the drawing is a cross-section, while the left part is drawn in perspective. Judging some relations becomes impossible (e.g., are trees further to the right or directly behind the cat?). B: A top-down view ignoring vertical information. Two landmarks in the upper left ("Hai" - a shark, and "Katze" - a cat) are drawn as a single point without indicating which one is higher. C: Two upper floors represented as one, without indicating which is higher. D: Three floors represented separately without indicating how they align vertically. Consequently, relations between landmarks at different floors cannot be interpreted. The location of outside landmarks (e.g., B - "Baum" for a tree) is ambiguous.




Figure 5. Four examples of 3D sketch maps from Experiment 1. Despite various degree of detail and correctness, spatial relations between objects can be interpreted on all three dimensions.




Figure 6. A good-quality 2D (top) and a corresponding 3D (bottom) sketch map of a single participant from Experiment 2. The 2D sketch map is a mixture of a top-down view and inconsistent perspective, and relies heavily on annotations. Despite that, interpreting some relations between distant landmarks remains impossible (e.g., is the sheep in upper-right corner higher than the shark mid-left?). 3D sketch maps make even distant relations possible to interpret.

test was conducted to evaluate whether the occurrence probability in the Z-dimension was lower than in the X-dimension in the 2D condition. The odds of occurrence in the Z-dimension of 2D sketch maps were approximately 2.04 times lower than in the X-dimension (OR = 0.49, 95% CI [0.22, 1.10]). The posterior probability that the odds are lower was 93%, indicating moderate evidence in favour of Hypothesis 1 (Figure 7)

In Experiment 2, the odds of occurrence in the Z-dimension of 2D sketch maps were approximately 34.94 times lower than in the X-dimension (OR = 0.03, 95% CI [0.02, 0.05]). The posterior probability that the odds are lower was approaching 100% indicating very strong evidence in favor of Hypothesis 1 (Figure 7).




Figure 7. Predicted probability of occurrence of each pairwise relation as a function of condition and spatial dimension. 3D sketch maps yield higher occurrence of spatial relations across all dimensions, with the gap most pronounced for vertical (Z) relations.

H2: Vertical relations are easier to represent correctly on 3D sketch maps.

Since there are more Z-axis relations represented on 3D sketch maps, their correctness on 2D sketch maps might be biased towards those that were easier to represent. We therefore condition this analysis on whether each specific relation was included in both sketch maps of a given participant. Only those spatial relations that were included in both sketch maps are

taken into account in this analysis. We implemented a Bernoulli-family mixed-effect model³ explaining the probability of a given spatial relation being *correct* on a sketch map, across both conditions and three dimensions. A Bayesian hypothesis test was conducted to evaluate whether the correctness probability in the Z-dimension was higher in the 3D condition, compared to 2D.

In both experiments, the correctness in the Z-dimension was not higher in the 3D condition. The data from Experiment 1 showed log-scale interaction effect of condition and Z-dimension = -0.32; 95% CI [-1.17, 0.52]; posterior probability showing that the data is approximately 3 times more likely under the null, providing moderate evidence against Hypothesis 2 (Figure 8).

In Experiment 2, log-scale interaction effect of condition and Z-dimension = -0.31; 95% CI [-0.76, 0.12]; posterior probability showing that the data is approximately 7 times more likely under the null, providing moderate evidence against Hypothesis 2 (Figure 8).

H3: Relations left out in 2D are mostly correct when they appear in the 3D sketch. Spatial relations that were missing from participants' 2D Sketch Map but present in their corresponding 3D Sketch Map covered all three dimensions in similar proportions. In Experiment 1, there were 138 such relations in the X dimension, 154 in the Y dimension, and 150 in the Z dimension. This shows that vertical relations were not left out disproportionately often. Overall, the correctness of these relations in the 3D Sketch Map was 91%. To test this statistically, we have implemented an intercept-only Bernoulli-family model. The results showed that the odds of correctness of these relations are 10.54 times greater than chance; 95% CI [6.47, 17.46], with posterior probability for this hypothesis approaching 100%. This provides strong evidence in favour of Hypothesis 3.

In Experiment 2, it was also mostly the Z-dimension relations that were missing from

³ Correctness $\sim$ Condition * Spatial Dimension + (1 + Condition | Participant ID) + (1 + Condition | Spatial Relation)




Figure 8. Predicted correctness as a function of condition and spatial dimension. Correctness of spatial relations does not differ systematically between 2D and 3D sketch maps, regardless of dimension.

participants' 2D Sketch Map (32 in the X dimension, 69 in the Y dimension, and 455 in the Z dimension). This shows that vertical relations were left out disproportionately often. Overall, the correctness of these relations in the 3D Sketch Map was 67%. The odds of correctness of these relations are 1.88 times greater than chance; 95% CI [1.47, 2.41], with posterior probability for this hypothesis approaching 100%, providing evidence in favour of Hypothesis 3.

Discussion

Across both experiments, 2D sketch maps systematically under-represented spatial relations, particularly vertical ones, limiting their utility for studying vertically-complex environments. This effect was stronger in the volumetric environment of Experiment 2. The information left out is not something participants failed to remember — it is knowledge they do hold correctly, as demonstrated by its accurate externalisation in the corresponding 3D sketch maps. This pattern was consistent across the layered building environment and the volumetric urban environment, confirming that 2D pen-and-paper sketch maps act as a bottleneck for externalising spatial knowledge of vertically-complex spaces.

This finding stands in contrast to the broader 3D visualisation literature, where 3D displays are often more cognitively demanding in interpretation tasks compared to their 2D counterparts, without delivering accuracy benefits (McIntire et al., 2014; Smallman & Cook, 2011). That 3D proves more expressive in a knowledge externalisation task (i.e., drawing a sketch map) suggests that the complexity-benefit trade-offs are different in generative-behaviour situations (Fan, 2026). It bears noting however, that a small number of participants was excluded from our analysis due to motion sickness, which shows that VR-based sketch mapping is not universally accessible, which is consistent with findings on immersive 3D displays more broadly (Çöltekin et al., 2016; McIntire et al., 2014).

The bottleneck predominantly concerns vertical relations, though its severity differed between experiments. In Experiment 2, vertical relations were left out more often than in Experiment 1. Two factors may contribute to this difference. Volumetric environments with objects at varying elevations are less familiar than multi-storey buildings, which people navigate daily — and familiarity shapes what spatial features people prioritise encoding and communicating (Lokka & Çöltekin, 2020). Additionally, urban environments are overwhelmingly represented as top-down 2D maps in everyday life, which may reinforce a horizontal-plane bias more strongly for urban than for architectural settings. In the layered environment, some participants worked around the 2D bottleneck by using textual labels to communicate floor membership. No equivalent workaround emerged in the volumetric environment. For tasks where the vertical dimension is irrelevant, 2D sketch maps remain adequate: X- and Y-dimension relations were communicated at comparable levels of occurrence across both media. This pattern aligns with the well-established horizontal-vertical anisotropy in spatial perception and communication (Du & Mou, 2022; Krukar et al., 2021), and 2D sketch maps appear to amplify this asymmetry.

This has direct implications for wayfinding research: studies relying on 2D sketch maps to assess spatial knowledge of multi-storey buildings and urban environments likely

underestimate how much vertical structure participants encode. Since vertical misrepresentation is already linked to wayfinding errors in multi-level buildings (Dalton & Hölscher, 2016; Hölscher et al., 2006), disentangling the actual poor understanding of vertical structure from poor performance in other wayfinding tasks has been methodologically difficult. 3D sketch maps offer a way to separate the two.

One notable difference between experiments concerns the occurrence of relations in 3D sketch maps, which was perfect in Experiment 1 but averaged 96% in Experiment 2. In the volumetric environment of Experiment 2, inconsistent scaling across distant parts of the drawing made vertical relations between far-apart landmarks uninterpretable (more often for 2D, but even for some 3D sketch maps). This issue is in line with prior evidence that laypeople struggle with geometric precision when sketching in VR (Deisinger et al., 2000). As our results show, even interpretability — a lower bar than precision — broke down for distant landmark pairs in the volumetric environment. Beyond scaling, freehand 3D sketching introduces additional difficulties that 2D drawing does not: occlusion of background elements by foreground strokes, the absence of a stable drawing surface, and the unfamiliarity of operating in an egocentric 3D canvas. These interface-level difficulties are distinct from participants’ spatial knowledge, but they constrain what knowledge can be externalised. They seem to be more pronounced for representing larger-scale environments.

This problem was not present in Experiment 1, where the floor structure of the layered environment provided a natural scaffold for consistency of a 3D sketch that volumetric environments lack. A visual analysis of 2D sketch maps from Experiment 1 illustrates the bottleneck of pen-and-paper medium: many participants correctly labelled landmarks by floor number, yet merged the floor surfaces, suggesting they understood the vertical structure but could not externalise it geometrically. This points to the need for drawing tools that scaffold correct floor depiction (Xiao et al., 2024) and shows that volumetric spaces require different tools than those developed for layered environments (Xiao et al., 2025).

One approach that is particularly promising is constraint-based 3D sketching: allowing participant to draw only such structures that would be physically possible. An inspiring precedent exists in geological modelling, where sketch-based interface and modelling (SBIM) tools enforce spatial operators that prevent geometrically inconsistent outputs — for instance, ensuring that sketched surfaces remain bounded by previously established reference structures (Banaeizadeh et al., 2024; Jacquemyn et al., 2021). Analogous mechanisms applied to 3D sketch mapping could reduce the interpretability failures observed here in volumetric environments: allowing participants to snap landmarks to defined elevation levels, enforcing consistent scale across the canvas, or constraining spatial relations to those consistent with the explored path. Such tools could decouple participants’ spatial knowledge from the motor and interface difficulties of freehand 3D sketching.

Two limitations of the experimental design warrant consideration. First, the two environments differed not only in their spatial structure but also in their familiarity. Buildings are spaces people navigate daily, whereas a drone flythrough with landmarks floating at varying heights is an unusual experience. Environmental realism in VR had been shown to affect spatial knowledge acquisition differently across user groups (Lokka & Çöltekin, 2020). For example, participants may have encoded vertical information in Experiment 2 with less confidence compared to vertical information in Experiment 1, which may partly account for the lower proportion of correct vertical relations in 3D sketch maps of Experiment 2. The cognitive-processing account (layered vs. volumetric) and the familiarity account are not mutually exclusive, and disentangling them would require a follow-up study varying familiarity independently of spatial structure. A group that might be familiar with navigating volumetric environments, and encountering relevant objects at various elevations are plane pilots (Kim, Kwok, Zhong, Kiefer, & Raubal, 2024; S. Wang, Sarbach, & Raubal, 2024).

Second, our instructions mentioned the term “sketch map” which might in itself create

a bias towards drawing a more map-like representations. Keeping the instructions more ambivalent might not be enough to control this bias, because assuming a top-down perspective is likely the most intuitive for drawing both architectural and urban environments for navigational purposes - we use such representations for our own navigation every day. Future work could therefore provide participants with exposure to different kinds of drawings, or training in multiple drawing conventions, before participants are asked to decide which of them they want to use for their final drawing.

Conclusion

This research addresses a fundamental methodological limitation in geographic information science: the reliance on 2D methods to assess spatial knowledge of inherently 3D environments. Our findings demonstrate that 2D sketch maps systematically under-represent participants' knowledge of vertically-complex spaces, creating a methodological bottleneck. Across both layered (building interiors) and volumetric (urban terrain) environments, participants externalised substantially more vertical spatial relations in 3D sketch maps whilst maintaining comparable correctness. This indicates that the limitation lies in the capacity of 2D pen-and-paper methods rather than in participants' spatial knowledge itself, directly addressing the challenge of how cognitive representations can be accurately externalised and formalised (Mark & Frank, 1996).

The intellectual contribution to advancing GI science are multiple. First, we provide empirical validation for distinctions between layered and volumetric spatial environments (Jeffery, 2021). This suggests that information about such environments should be treated differently in GIS interfaces, e.g. in Virtual Reality and digital twin contexts (Verbree, Maren, Germs, Jansen, & Kraak, 1999). Second, we introduce and validate a VR-based 3D sketch mapping methodology, extending analysis of qualitative relations in sketch maps (Chipofya et al., 2016) to 3D. Most fundamentally, our findings challenge the assumption that 2D representations suffice for capturing spatial knowledge simply because environments

can be projected onto two dimensions. Instead, we show that assessment method must match the dimensionality of the spatial knowledge being investigated. This principle has broad implications for spatial cognition studies, wayfinding technologies, and built environment assessment.

For researchers studying navigation or spatial memory in vertically-complex environments, our work demonstrates that 2D sketch maps may systematically underestimate what participants know. For urban planners and architects, this shows that the importance of the vertical information might be under-represented in existing evidence base used for decision making. For software developers of 3D design support systems and GIS analyses, it highlights the need to support vertical information processing and representation explicitly, rather than assuming users can always communicate about 3D structures through 2D interfaces. For example, the scale inconsistencies observed in 3D sketch maps of volumetric environments highlight the need for computational tools that support consistent scaling or can quantify and trace distortions.

Funding

This work was supported by Schweizerischer Nationalfonds zur Förderung der Wissenschaftlichen Forschung [grant number Sinergia 202284].

Data and Software Availability Statement

An interactive landing page with a browsable side-by-side viewer for every 2D and 3D sketch map, alongside video demonstrations of the experimental procedure, is available at: <https://kubakrukar.github.io/3dsmpaper/>

The versioned data and code repository, containing all raw data, cleaned data, the R Markdown source of this manuscript, and the Bayesian analysis scripts, is archived on Zenodo with the DOI: <https://doi.org/10.5281/zenodo.20187342>

References

- Banaeizadeh, A., Ramos, S., Silva, J. D., Samavati, F. F., Sousa, M. C., & Eaton, D. (2024). Fault-sketch: A framework for modeling geological faults and displacements. *Computers & Graphics*, *120*, 103920. <https://doi.org/10.1016/j.cag.2024.103920>
- Barrera Machuca, M. D., Stuerzlinger, W., & Asente, P. (2019). The Effect of Spatial Ability on Immersive 3D Drawing. *Proceedings of the 2019 on Creativity and Cognition*, 173–186. San Diego CA USA: ACM. <https://doi.org/10.1145/3325480.3325489>
- Berkowitz, M., Gerber, A., Thurn, C. M., Emo, B., Hoelscher, C., & Stern, E. (2021). Spatial Abilities for Architecture: Cross Sectional and Longitudinal Assessment With Novel and Existing Spatial Ability Tests. *Frontiers in Psychology*, *11*. Retrieved from <https://www.frontiersin.org/articles/10.3389/fpsyg.2020.609363>
- Blajenkova, O., Motes, M. A., & Kozhevnikov, M. (2005). Individual differences in the representations of novel environments. *Journal of Environmental Psychology*, *25*(1), 97–109. <https://doi.org/10.1016/j.jenvp.2004.12.003>
- Borkin, M., Gajos, K., Peters, A., Mitsouras, D., Melchionna, S., Rybicki, F., . . . Pfister, H. (2011). Evaluation of Artery Visualizations for Heart Disease Diagnosis. *IEEE Transactions on Visualization and Computer Graphics*, *17*(12), 2479–2488. <https://doi.org/10.1109/TVCG.2011.192>
- Brandt, T., Huber, M., Schramm, H., Kugler, G., Dieterich, M., & Glasauer, S. (2015). ‘Taller and Shorter’: Human 3-D Spatial Memory Distorts Familiar Multilevel Buildings. *PLOS ONE*, *10*(10), e0141257. <https://doi.org/10.1371/journal.pone.0141257>
- Chipofya, M. C., Schultz, C., & Schwering, A. (2016). A metaheuristic approach for efficient and effective sketch-to-metric map alignment. *International Journal of Geographical Information Science*, *30*(2), 405–425. <https://doi.org/10.1080/13658816.2015.1090000>
- Cho, J. Y., & Suh, J. (2019). Understanding Spatial Ability in Interior Design Education: 2D-to-3D Visualization Proficiency as a Predictor of Design Performance. *Journal of Interior Design*, *44*(3), 141–159. <https://doi.org/10.1111/joid.12143>

- Cho, J. Y., & Suh, J. (2022). The Architecture and Interior Design Domain-Specific Spatial Ability Test (AISAT): Its Validity and Reliability. *Journal of Interior Design*, 47(2), 11–30. <https://doi.org/10.1111/joid.12211>
- Çöltekin, A., Lokka, I., & Zahner, M. (2016). ON THE USABILITY AND USEFULNESS OF 3D (GEO)VISUALIZATIONS – A FOCUS ON VIRTUAL REALITY ENVIRONMENTS. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLI-B2, 387–392. <https://doi.org/10.5194/isprs-archives-XLI-B2-387-2016>
- Dalton, R. C., & Hölscher, C. (2016). *Take one building: Interdisciplinary research perspectives of the seattle central library*. Taylor & Francis.
- Deisinger, J., Blach, R., Wesche, G., Breining, R., & Simon, A. (2000). Towards Immersive Modeling — Challenges and Recommendations: A Workshop Analyzing the Needs of Designers. In J. Mulder & R. van Liere (Eds.), *Virtual Environments 2000* (pp. 145–156). Vienna: Springer. https://doi.org/10.1007/978-3-7091-6785-4_16
- Du, Y. K., & Mou, W. (2022). When humans can fly: Imprecise vertical encoding in human 3D spatial navigation. *Behavioural Brain Research*, 426, 113835. <https://doi.org/10.1016/j.bbr.2022.113835>
- Fan, J. E. (2026). Generative Behaviors as Key Targets for Cognitive Models. *Current Directions in Psychological Science*, 09637214261416790. <https://doi.org/10.1177/09637214261416790>
- Frank, A. U. (1996). Qualitative spatial reasoning: Cardinal directions as an example. *International Journal of Geographical Information Systems*, 10(3), 269–290. <https://doi.org/10.1080/02693799608902079>
- Friedman, A., & Kohler, B. (2003). Bidimensional regression: Assessing the configural similarity and accuracy of cognitive maps and other two-dimensional data sets. *Psychological Methods*. <https://doi.org/10.1037/1082-989X.8.4.468>
- Gagnier, K. M., Atit, K., Ormand, C. J., & Shipley, T. F. (2017). Comprehending 3D

- Diagrams: Sketching to Support Spatial Reasoning. *Topics in Cognitive Science*, 9(4), 883–901. <https://doi.org/10.1111/tops.12233>
- Häberling, C., Bär, H., & Hurni, L. (2008). Proposed Cartographic Design Principles for 3D Maps: A Contribution to an Extended Cartographic Theory. *Cartographica*, 43(3), 175–188. <https://doi.org/10.3138/carto.43.3.175>
- Hallgren, K. A. (2012). Computing inter-rater reliability for observational data: An overview and tutorial. *Tutorials in Quantitative Methods for Psychology*, 8(1), 23–34. <https://doi.org/10.20982/tqmp.08.1.p023>
- Hart, S. G. (2006). Nasa-Task Load Index (NASA-TLX); 20 Years Later. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, 50(9), 904–908. <https://doi.org/10.1177/154193120605000909>
- Hegarty, M., Montello, D. R., Richardson, A. E., Ishikawa, T., & Lovelace, K. (2006). Spatial abilities at different scales: Individual differences in aptitude-test performance and spatial-layout learning. *Intelligence*, 34(2), 151–176. <https://doi.org/10.1016/j.intell.2005.09.005>
- Hölscher, C., Büchner, S., & Strube, G. (2013). Multi-floor buildings and human wayfinding cognition. *Behavioral and Brain Sciences*, 36(5), 551–552. <https://doi.org/10.1017/S0140525X1300040X>
- Hölscher, C., Meilinger, T., Vrachliotis, G., Brösamle, M., & Knauff, M. (2006). Up the down staircase: Wayfinding strategies in multi-level buildings. *Journal of Environmental Psychology*, 26(4), 284–299. <https://doi.org/10.1016/j.jenvp.2006.09.002>
- Huk, T. (2006). Who benefits from learning with 3D models? The case of spatial ability. *Journal of Computer Assisted Learning*, 22(6), 392–404. <https://doi.org/10.1111/j.1365-2729.2006.00180.x>
- Ishikawa, T., & Montello, D. (2006). Spatial knowledge acquisition from direct experience in the environment: Individual differences in the development of metric knowledge and the integration of separately learned places. *Cognitive Psychology*, 52(2), 93–129.

<https://doi.org/10.1016/j.cogpsych.2005.08.003>

Jacquemyn, C., Pataki, M. E. H., Hampson, G. J., Jackson, M. D., Petrovskyy, D., Geiger, S., ... Costa Sousa, M. (2021). Sketch-based interface and modelling of stratigraphy and structure in three dimensions. *Journal of the Geological Society*, 178(4), jgs2020–187.

<https://doi.org/10.1144/jgs2020-187>

Jeffery, K. J. (2011). *Navigating in a Three-Dimensional World*.

<https://doi.org/10.7551/mitpress/9187.003.0006>

Jeffery, K. J. (2021). How environmental movement constraints shape the neural code for space. *Cognitive Processing*, 22(Suppl 1), 97–104.

<https://doi.org/10.1007/s10339-021-01045-2>

Jeffery, K. J., Jovalekic, A., Verriotis, M., & Hayman, R. (2013). A framework for three-dimensional navigation research. *Behavioral and Brain Sciences*, 36(5), 571–587.

<https://doi.org/10.1017/S0140525X13001556>

Jonker, T. R., Wammes, J. D., & MacLeod, C. M. (2019). Drawing enhances item information but undermines sequence information in memory. *Journal of Experimental Psychology. Learning, Memory, and Cognition*, 45(4), 689–699.

<https://doi.org/10.1037/xlm0000610>

Judd, C. M., Westfall, J., & Kenny, D. A. (2017). Experiments with more than one random factor: Designs, analytic models, and statistical power. *Annual Review of Psychology*, 68(1), 601–625. <https://doi.org/10.1146/annurev-psych-122414-033702>

Keehner, M., Hegarty, M., Cohen, C., Khooshabeh, P., & Montello, D. R. (2008). Spatial Reasoning With External Visualizations: What Matters Is What You See, Not Whether You Interact. *Cognitive Science*, 32(7), 1099–1132.

<https://doi.org/10.1080/03640210801898177>

Kim, K. G., Krukar, J., Mavros, P., Zhao, J., Kiefer, P., Schwering, A., ... Raubal, M. (2022). 3D Sketch Maps: Concept, Potential Benefits, and Challenges. In T. Ishikawa, S. I. Fabrikant, & S. Winter (Eds.), *15th International Conference on Spatial Information*

- Theory (COSIT 2022)* (pp. 14:1–14:7). Dagstuhl, Germany: Schloss Dagstuhl – Leibniz-Zentrum für Informatik. <https://doi.org/10.4230/LIPIcs.COSIT.2022.14>
- Kim, K. G., Kwok, T. C. K., Zhong, S., Kiefer, P., & Raubal, M. (2024). Can You Sketch in 3D? Exploring Perceived Feasibility and Use Cases of 3D Sketch Mapping. *LIPICs, Volume 315, COSIT 2024, 315*, 3:1–3:17. <https://doi.org/10.4230/LIPICS.COSIT.2024.3>
- Krukar, J., Manivannan, C., Bhatt, M., & Schultz, C. (2021). Embodied 3D isovists: A method to model the visual perception of space. *Environment and Planning B: Urban Analytics and City Science*, 48(8), 2307–2325. <https://doi.org/10.1177/2399808320974533>
- Lochhead, I., Hedley, N., Çöltekin, A., & Fisher, B. (2022). The Immersive Mental Rotations Test: Evaluating Spatial Ability in Virtual Reality. *Frontiers in Virtual Reality*, 3. <https://doi.org/10.3389/frvir.2022.820237>
- Lokka, I. E., & Çöltekin, A. (2020). Perspective switch and spatial knowledge acquisition: Effects of age, mental rotation ability and visuospatial memory capacity on route learning in virtual environments with different levels of realism. *Cartography and Geographic Information Science*, 47(1), 14–27. <https://doi.org/10.1080/15230406.2019.1595151>
- Lu, Y., & Ye, Y. (2019). Can people memorize multilevel building as volumetric map? A study of multilevel atrium building. *Environment and Planning B: Urban Analytics and City Science*, 46(2), 225–242. <https://doi.org/10.1177/2399808317705659>
- Lynch, K. (1960). *The image of the city* (21st ed). Cambridge (Mass.): The MIT Press.
- Manivannan, C., Krukar, J., & Schwering, A. (2022). Spatial generalization in sketch maps: A systematic classification. *Journal of Environmental Psychology*, 83, 101851. <https://doi.org/10.1016/j.jenvp.2022.101851>
- Mark, D. M., & Frank, A. U. (1996). Experiential and Formal Models of Geographic Space. *Environment and Planning B: Planning and Design*, 23(1), 3–24. <https://doi.org/10.1068/b230003>
- McIntire, J. P., Havig, P. R., & Geiselman, E. E. (2014). Stereoscopic 3D displays and human performance: A comprehensive review. *Displays*, 35(1), 18–26.

<https://doi.org/10.1016/j.displa.2013.10.004>

McNamara, T. P. (2003). How Are the Locations of Objects in the Environment Represented in Memory? In C. Freksa, W. Brauer, C. Habel, & K. F. Wender (Eds.), *Spatial Cognition III* (pp. 174–191). Berlin, Heidelberg: Springer.

https://doi.org/10.1007/3-540-45004-1_11

Montello, D. R. (1993). Scale and multiple psychologies of space. In A. U. Frank & I. Campari (Eds.), *Spatial Information Theory A Theoretical Basis for GIS* (pp. 312–321). Berlin, Heidelberg: Springer. https://doi.org/10.1007/3-540-57207-4_21

Montello, D. R. (1998). A new framework for understanding the acquisition of spatial knowledge in large-scale environments. *Spatial and Temporal Reasoning in Geographic Information Systems*, 143–154.

Porat, R., & Ceobanu, C. (2024). Enhancing Spatial Ability among Undergraduate First-Year Engineering and Architecture Students. *Education Sciences*, 14(4). <https://doi.org/10.3390/educsci14040400>

Schwering, A., Krukar, J., Manivannan, C., Chipofya, M., & Jan, S. (2022). Generalized, Inaccurate, Incomplete: How to Comprehensively Analyze Sketch Maps Beyond Their Metric Correctness. In T. Ishikawa, S. I. Fabrikant, & S. Winter (Eds.), *15th International Conference on Spatial Information Theory (COSIT 2022)* (pp. 8:1–8:15). Dagstuhl, Germany: Schloss Dagstuhl – Leibniz-Zentrum für Informatik. <https://doi.org/10.4230/LIPIcs.COSIT.2022.8>

Schwering, A., Wang, J., Chipofya, M., Jan, J., Li, R., & Broelemann, K. (2014). SketchMapia: Qualitative Representations for the Alignment of Sketch and Metric Maps. *Spatial Cognition & Computation*, 14(3), 220–254. <https://doi.org/10.1080/13875868.2014.917378>

Siegel, A. W., & White, S. H. (1975). The Development of Spatial Representations of Large-Scale Environments. In H. W. Reese (Ed.), *Advances in Child Development and Behavior* (Vol. 10, pp. 9–55). JAI. [https://doi.org/10.1016/S0065-2407\(08\)60007-5](https://doi.org/10.1016/S0065-2407(08)60007-5)

- Simonet, M., Vater, C., Abati, C., Zhong, S., Mavros, P., Schwering, A., . . . Krukar, J. (2025). Probing mental representations of space through sketch mapping: A scoping review. *Cognitive Research: Principles and Implications*, 10(1), 59.
<https://doi.org/10.1186/s41235-025-00667-w>
- Smallman, H. S., & Cook, M. B. (2011). Naïve Realism: Folk Fallacies in the Design and Use of Visual Displays. *Topics in Cognitive Science*, 3(3), 579–608.
<https://doi.org/10.1111/j.1756-8765.2010.01114.x>
- Tobler, W. R. (2010). Bidimensional regression. *Geographical Analysis*, 26(3), 187–212.
<https://doi.org/10.1111/j.1538-4632.1994.tb00320.x>
- Tung, Y.-H., & Chang, C.-Y. (2024). How three-dimensional sketching environments affect spatial thinking: A functional magnetic resonance imaging study of virtual reality. *PLOS ONE*, 19(3), e0294451. <https://doi.org/10.1371/journal.pone.0294451>
- Tversky, B. (2002). What do sketches say about thinking. In R. Davis, J. Landay, & T. Stahovich (Eds.), *2002 AAAI spring symposium, sketch understanding workshop, stanford university, AAAI technical report SS-02-08* (pp. 148–151). Stanford, CA.
- Verbree, E., Maren, G. V., Germs, R., Jansen, F., & Kraak, M.-J. (1999). Interaction in virtual world views-linking 3D GIS with VR. *International Journal of Geographical Information Science*, 13(4), 385–396. <https://doi.org/10.1080/136588199241265>
- Wang, J., & Schwering, A. (2015). Invariant spatial information in sketch maps — a study of survey sketch maps of urban areas. *Journal of Spatial Information Science*, (11), 31–52.
 Retrieved from <http://josis.net/index.php/josis/article/view/62>
- Wang, J., & Worboys, M. (2017). Ontologies and representation spaces for sketch map interpretation. *International Journal of Geographical Information Science*, 31(9), 1697–1721. <https://doi.org/10.1080/13658816.2017.1309043>
- Wang, S., Sarbach, A., & Raubal, M. (2024). 3D Flight Planning Using Extended Reality. *Proceedings of the 2024 ACM Symposium on Spatial User Interaction*, 1–10. New York, NY, USA: Association for Computing Machinery.

<https://doi.org/10.1145/3677386.3682088>

Warren, W. H., Rothman, D. B., Schnapp, B. H., & Ericson, J. D. (2017). Wormholes in virtual space: From cognitive maps to cognitive graphs. *Cognition*, 166, 152–163.

<https://doi.org/10.1016/j.cognition.2017.05.020>

Xiao, T., Chen, Y., Zhong, S., Kiefer, P., Krukar, J., Kim, K. G., . . . Raubal, M. (2025). Sketch2Terrain: AI-Driven Real-Time Terrain Sketch Mapping in Augmented Reality. *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*, 1–24. New York, NY, USA: Association for Computing Machinery.

<https://doi.org/10.1145/3706598.3713467>

Xiao, T., Kim, K. G., Krukar, J., Subramaniyan, R., Kiefer, P., Schwering, A., & Raubal, M. (2024). VResin: Externalizing spatial memory into 3D sketch maps. *International Journal of Human-Computer Studies*, 190, 103322.

<https://doi.org/10.1016/j.ijhcs.2024.103322>

Zhong, J. Y., & Kozhevnikov, M. (2016). Relating allocentric and egocentric survey-based representations to the self-reported use of a navigation strategy of egocentric spatial updating. *Journal of Environmental Psychology*, 46, 154–175.

<https://doi.org/10.1016/j.jenvp.2016.04.007>

Zimmerer, C., & Matthiesen, S. (2021). STUDY ON THE IMPACT OF COGNITIVE LOAD ON PERFORMANCE IN ENGINEERING DESIGN. *Proceedings of the Design Society*, 1, 2761–2770. <https://doi.org/10.1017/pds.2021.537>

Appendix A

Exact instructions for Experiment 2

Instructions for Experiment 1 are reported in the manuscript. Instructions for Experiment 2 were designed to be as similar as possible:

For the memorization phase:

“Please memorize the mentioned landmarks, the route you took, and the buildings’ locations, as you will be asked to draw them on a sketch map. The position of the landmarks is crucial; it’s important to be able to represent them on your sketch map.”

For the drawing phase:

“Please draw the route you took and the six objects you should have paid attention to: the rhino, the shark, the sheep, the trees, the cat, and the car. You can add anything you want to your drawing, but please stick to the following colors: the route in red, the six objects in green, and buildings, and everything else in black. You are free to draw whatever you want but your drawing should clearly display the location of the objects and the path you walked. You should feel that your drawing is clearly understandable to others. They should be able to follow the same flight path based on your sketch map.”

Appendix B

Exploratory analyses in Experiment 1: drawing order, cognitive load, and spatial ability

We report additional results structured around three exploratory hypotheses H4-H6.

H4. The occurrence and correctness of spatial relations will be higher in both 2D and 3D sketch maps when participants draw the 3D map first. Being required to draw a 3D sketch map first requires to activate a more complex mental representation of the environment shortly after learning it (Jonker, Wammes, & MacLeod, 2019; Tung & Chang, 2024). We hypothesise that this will result in better overall memory throughout the task.

The score from the Indoor Perspective Test used in Experiment 1 is the number of correct answers (0-10). For determining cognitive load, we used raw-TLX index, consisting of a sum of all unweighted NASA-TLX scales (Hart, 2006). We scaled and mean-centred questionnaire results before submitting them to the analysis which improves the fit of statistical models.

In order to test H4 we implemented two Bernoulli-family mixed-effect models⁴ explaining the probability of a given spatial relation *occurring/correct* on a sketch map depending on the order of drawing the two sketch maps (2D_first vs 3D_first). Two Bayesian hypothesis tests were conducted to assess whether the odds of occurrence/correctness in the 3D_first case were higher. For occurrence, the odds ratio equaled 0.91 with a 95% credible interval ranging from 0.54 to 2.13. The posterior probability that the odds ratio was higher than 1 was 33%, with an evidence ratio of 0.50, or approximately 2 times more likely under the opposite hypothesis. This indicates that the probability of a spatial relation occurring was not higher when the 3D Sketch Map was drawn as first.

⁴ Occurrence/Correctness $\sim$ Condition * Order * Spatial Dimension + (1 + Condition | Participant ID) + (1 + Condition | Spatial Relation)

For correctness, the odds ratio equaled 0.82 with a 95% credible interval ranging from 0.55 to 1.50. The posterior probability that the odds ratio was higher than 1 was 22%, with an evidence ratio of 0.28, or approximately 4 times more likely under the opposite hypothesis. Probability of a spatial relation being correct was not higher when the 3D Sketch Map was drawn as first. Figure B1 demonstrates these results.




Figure B1. Predicted occurrence and correctness depending on drawing order. Drawing the 3D sketch map first did not increase the probability of spatial relations occurring or being more correct in Experiment 1.

H5. Higher cognitive load, as measured by NASA-TLX, will be correlated with lower occurrence and correctness of spatial relations in both 2D and 3D sketch maps. Cognitive load associated with drawing (both in 2D and 3D) might be a factor limiting participants from expressing everything they would like to (Zimmerer & Matthiesen, 2021).

We implemented two Bernoulli-family mixed-effect models⁵ explaining the probability of a given spatial relation *occurring/correct* on a sketch map, depending on the raw NASA-TLX score, and its interaction with the sketch map condition. Visual inspection of the data revealed that the relation seems to be reverse compared to our initial hypothesis.

⁵ Occurrence/Correctness $\sim$ raw-TLX * Condition + (1 + Condition | Participant ID) + (1 + Condition | Spatial Relation)

We therefore report the results of a statistical estimates of the opposite hypothesis: occurrence/correctness being higher with higher cognitive load. These exploratory results should be treated with caution.

For occurrence, the log-scale estimate was 0.32 (95% CI = [-0.03, 0.67]). The posterior probability that the estimate was higher than 0 was 94%, with an evidence ratio of 14.52 times more likely than the null. Probability of a spatial relation occurring was higher when the reported cognitive load was higher. As demonstrated in Figure B2, this was mainly due to the 2D Sketch Map condition.

For correctness, there was no corresponding effect: the log-scale estimate was -0.02 (95% CI = [-0.32, 0.27]). The posterior probability that the estimate was higher than 0 was 47%, with an evidence ratio of 0.88.




Figure B2. Reported cognitive load across conditions (left) and the relation between reported cognitive load and occurrence of spatial relations (right). Higher cognitive load was associated with higher occurrence of spatial relations. Y-axis on the right figure was truncated at 0.5 for readability.

H6: Participants with higher spatial ability will produce more occurring and more correct spatial relations, and will produce a smaller difference between 2D and 3D sketch maps. Spatial abilities might be associated with greater ease of remembering the

environment (Hegarty et al., 2006), as well as manipulating and transforming it for the drawing task (Barrera Machuca, Stuerzlinger, & Asente, 2019), regardless of whether the sketch happens in 2D or 3D.

We implemented two Bernoulli-family mixed-effect models⁶ explaining the probability of a given spatial relation *occurring/correct* on a sketch map, depending on the IPT score, and its interaction with the sketch map condition and dimension. The probability of the Z-dimension spatial relation occurring decreased for participants with higher spatial abilities (the log-scale estimate of the interaction between the IPT score and Z-dimension occurrence was -0.47 (95% CI = [-0.74, -0.20])). The posterior probability that the estimate was lower than 0 was 100%, with an evidence ratio of 607.70 times more likely than the null (Figure B3). Note the ceiling effect for participants with lower IPT scores, and the increasing Credible Intervals for participants with higher IPT scores: this pattern might indicate that the effect size is small, and the result should be treated with caution.

The evidence for the corresponding effect of correctness was not equally substantial (the interaction estimate was -0.63 (95% CI = [-1.36, 0.07])). The posterior probability that the estimate was lower than 0 was 93%, with an evidence ratio of 13.26 times more likely than the null. Since these are post-diction test, they should be treated with caution. As seen in Figure B3(b), the differences in correctness across the IPT score are minimal.

Surprised by the counter-intuitive relation between spatial abilities and occurrence, we have performed a series of exploratory checks testing whether highly skilled participants had lower occurrence of Z-dimension spatial relations due to some systematic choice of drawing convention for depicting 2D sketch maps. We did not find any indication suggesting that participants with better spatial ability were more likely to: draw a specific type of 2D sketch

⁶ Occurrence/Correctness $\sim$ IPT Score * Condition * Spatial Dimension + (1 + Condition | Participant ID) + (1 + Condition | Spatial Relation)




Figure B3. Predicted occurrence (left) and correctness (right) depending on the IPT score indicating participant's spatial ability, across the 3 spatial dimensions. Higher spatial ability (IPT score) was associated with lower occurrence of Z-dimension relations but not with correctness. No equivalent pattern was found for X- or Y-dimensions. Y-axis was truncated at 0.5 for readability. Lines on the right-side figure are not distinguishable as they overlap along 1.0.

map (like top-down, or a perspective drawing), split their 2D sketch map into multiple parts (usually separate floors), misremember the vertical or horizontal alignment of floors.

Another possibility we have investigated is that participants with higher spatial abilities engage with the task less, which would be indicated by reporting lower cognitive load. There was no substantial evidence for the correlation between the IPT score and the raw TLX score ($b = -0.14$ (95% CI = $[-0.48, 0.21]$). The posterior probability that the estimate was lower than 0 was 75%, with an evidence ratio of 2.94 times more likely than the null.

We also tested whether the number of relations left out in 2D but present in participant's 3D Sketch Map was correlated with their spatial abilities (Indoor Perspective Test score). They were not (the log-scale coefficient for IPT score was 0.09, 95% CI $[-0.21, 0.39]$). This indicates that the number of spatial relations left out on 2D sketch maps is not related to participant's spatial abilities.

Reported cognitive load was similar across the conditions. However, 2D sketch maps that were more complete (higher occurrence of spatial relations) were associated with higher cognitive load. Presumed lower cognitive load of 2D sketch maps is only true for those sketch maps that are incomplete.

We also classified (but do not include in main analyses):

- whether the drawn route had a correct sequence of turns (true for 63% in 2D and for 78% in 3D);
- whether the route was drawn as continuous line or its continuity could be inferred (true for 74% in 2D and for 100% in 3D);
- whether the sketch map was split into multiple parts (true for 48% in 2D and for 0% in 3D);
- whether the sketch map depicted that there were 3 floors (true for 67% in 2D and for 59% in 3D); and
- whether at least two of them would be depicted as having rectangular shape with the middle floor being rotated by 90 degrees (true for 19% in 2D and for 26% in 3D).

Appendix C

Exploratory analyses in Experiment 2: drawing order, cognitive load, and spatial ability

H4: The occurrence and correctness of spatial relations will be higher in both 2D and 3D sketch maps when participants draw the 3D map first.

The Urban Layout Test used in Experiment 2 allowed 0-20 correct responses. For determining cognitive load, we used raw-TLX index, consisting of a sum of all unweighted NASA-TLX scales (Hart, 2006). We scaled and mean-centred questionnaire results before submitting them to the analysis which improves the fit of statistical models.

The odds ratio for spatial relations occurring more if 3D sketch map was drawn first, equaled 5.84 with a 95% credible interval ranging from 1.35 to 51.73. The posterior probability that the odds ratio was higher than 1 was 99%, with an evidence ratio of 100.45 more likely than the opposite. This confirms that probability of a spatial relation occurring was higher when the 3D Sketch Map was drawn as first.

The odds ratio for spatial relations being more correct if 3D sketch map was drawn first, equaled 1.27 with a 95% credible interval including 1, ranging from 0.70 to 2.93. The posterior probability that the odds ratio was higher than 1 was 67%, with an evidence ratio of 2.03 times more likely than the opposite. There was therefore no convincing evidence that a spatial relation would be more likely correct when the 3D Sketch Map was drawn as first.

H5. Higher cognitive load will be correlated with lower occurrence and correctness of spatial relations in both 2D and 3D sketch maps.

For occurrence, the log-scale estimate was 0.20 (95% CI = [-0.22, 0.61]). The posterior probability that the estimate was higher than 0 was 79%, with an evidence ratio of 3.70 times more likely than the opposite. This does not provide conclusive evidence on the main effect of cognitive load on occurrence.

However, as demonstrated on Figure C1, there is a ceiling effect in the 3D Sketch map condition, where almost all participants reported high cognitive load. For this reason, we have conducted a follow-up post-diction analysis evaluating the significance of the interaction effect between NASA-TLX score and the 3D condition. The interaction effect was significant (log-scale estimate = -0.64, 95% CI = [-1.24, -0.03]). The posterior probability that the interaction effect estimate was lower than 0 was 96%, with an evidence ratio of 21.69 times more likely than the opposite hypothesis. This result indicates that, contrary to Hypothesis 5, higher cognitive load was associated with *higher* occurrence, but only in the 2D condition.

For correctness, there was no corresponding effect: the log-scale estimate was -0.05 (95% CI = [-0.31, 0.19]). The posterior probability that the estimate was higher than 0 was 37%, with an evidence ratio of 0.59. The interaction effect was not significant either.




Figure C1. Reported cognitive load across conditions (left) and the relation between reported cognitive load and occurrence of spatial relations (right). Higher cognitive load was associated with higher occurrence in the 2D condition only. Y-axis on the right figure was truncated at 0.5 for readability.

H6: Better spatial ability leads to higher occurrence and correctness and is associated with smaller difference between participant's 2D and 3D sketch map.

As seen in Figure C2, there was a ceiling effect for the occurrence of the X- and Y-

dimensions, so we have focused on estimating whether Z-dimension relations were correlated with spatial abilities. The occurrence of the Z-dimension did not significantly increased for participants with higher spatial abilities (the log-scale estimate of the interaction between urban test score and Z-dimension occurrence was 0.09 (95% CI = [-0.20, 0.38]). The posterior probability that the estimate was higher than 0 was 70%, with an evidence ratio of 2.29 times more likely than the opposite hypothesis.

However, there was stronger evidence for the corresponding effect of correctness. The main effect was 0.54 (95% CI = [0.26, 0.83]). The posterior probability that the estimate was higher than 0 was approaching 100%, with an evidence ratio of 699 times more likely than the opposite hypothesis. This is substantial evidence for the effect of spatial ability on the correctness of sketch maps. The interaction estimate with the Z-dimension was present but small (log-scale estimate = 0.17; 95% CI = [-0.13, 0.46], posterior probability that the estimate was higher than 0 = 83%, with an evidence ratio of 4.74 times more likely than the opposite). Since these are post-diction test, they should be treated with caution.




Figure C2. Predicted occurrence (left) and correctness (right) depending on the Urban Layout Test score indicating participant's spatial ability, across the 3 spatial dimensions. Higher spatial ability was associated with greater correctness but not occurrence of Z-dimension relations. Y-axis truncated at 0.3 for readability.

There was no effect of spatial abilities on the reported task load (estimate = 0.11; 95% CI = [-0.15, 0.35]). Also the number of relations included in the 3D sketch map but missing in corresponding participant's 2D sketch map was not correlated with spatial skills (estimate = -0.08; 95% CI = [-0.26, 0.10]).

We also classified (but do not include in main analyses):

- whether the drawn route had a correct sequence of turns (true for 73% in 2D and for 76% in 3D);
- whether the route was drawn as continuous line or its continuity could be inferred (true for 100% in 2D and for 100% in 3D); and
- whether the sketch map was split into multiple parts (true for 3% in 2D and for 0% in 3D).

Asked in a brief questionnaire about their experience with using VR, 13 selected “I never used VR”, 21 selected “I used VR <10 times in my life”, 2 selected “I used VR 10 times or more in my life but don't use it regularly”, and 1 selected “I use VR regularly”.

Appendix D

Interrater agreement

Experiment 1. Initially, a second researcher rated the occurrence and correctness of all spatial relations in 8 sketch maps (4 of each condition, i.e., 14% of the dataset). The Kappa coefficient for the occurrence variable was 0.95 and for the correctness (of those relations that were considered ‘occurring’ by both raters) was 0.76. These values correspond to ‘almost perfect’ and ‘substantial’ agreement respectively and make it possible to draw further conclusion from the analysis (Hallgren, 2012). Subsequently to running all other analyses, an additional rater was recruited to conduct an interrater agreement analysis of the full dataset. The Kappa coefficient for the occurrence variable was 0.72 and for the correctness (of those relations that were considered ‘occurring’ by both raters) was 0.85. These values correspond to ‘substantial’ and ‘almost perfect’ agreement respectively and make it possible to draw further conclusion from the analysis (Hallgren, 2012). We associate the lower number with the fact that the new rater did not participate in the definition of the scoring scheme.

Experiment 2. Initially, a second researcher rated the occurrence and correctness of all spatial relations in 8 sketch maps (4 of each condition, i.e., 11% of the dataset). The Kappa coefficient for the occurrence variable was 0.91 and for the correctness (of those relations that were considered ‘occurring’ by both raters) was 0.77. These values correspond to ‘almost perfect’ and ‘substantial’ agreement respectively and make it possible to draw further conclusion from the analysis (Hallgren, 2012). As in Experiment 1, an additional rater performed the analysis on the full dataset. The Kappa coefficient for the occurrence variable was 0.67 and for the correctness (of those relations that were considered ‘occurring’ by both raters) was 0.80. These values correspond to ‘substantial’ agreement and make it possible to draw further conclusion from the analysis (Hallgren, 2012).

Interrater agreement demonstrated satisfactory, yet imperfect scores. We associate the lower number of the full analysis (compared to the initial partial analysis) with the fact that

the new rater did not participate in the definition of the scoring scheme. In the initial situation where both raters co-created the scoring system and scored the relations independently, the interrater agreement was higher. This demonstrates that the key issue in interrater agreement is the explanation of the scoring system, and not its intrinsic characteristics. Further work on scoring sketch maps based on qualitative spatial relations is necessary to avoid such ambiguities (Manivannan et al., 2022).

Appendix E

Details of statistical models

Experiment 1 - H1		
Variable	Odds Ratio	95% CI
cond		
cond		
2D	—	—
3D	66.3	18.1, 245
relation.dim		
X	—	—
Y	0.89	0.34, 2.38
Z	0.49	0.18, 1.27
participant.ID		
cond3D:relation.dimY	2.81	0.64, 13.4
cond3D:relation.dimZ	3.02	0.71, 14.3

Abbreviation: CI = Credible Interval

Experiment 1 - H2		
Variable	Odds Ratio	95% CI
cond		
cond		
2D	—	—
3D	0.98	0.42, 2.11
relation.dim		
X	—	—
Y	1.14	0.31, 4.09
Z	2.48	0.63, 9.50
participant.ID		
cond3D:relation.dimY	1.23	0.57, 2.64
cond3D:relation.dimZ	0.72	0.26, 1.97

Abbreviation: CI = Credible Interval

Experiment 2 - H1		
Variable	Odds Ratio	95% CI
cond		
cond		
2D	—	—
3D	3.17	1.32, 7.98
relation.dim		
X	—	—
Y	0.58	0.27, 1.32
Z	0.03	0.01, 0.06
participant.ID		
cond3D:relation.dimY	0.71	0.30, 1.59
cond3D:relation.dimZ	15.6	7.34, 32.6

Abbreviation: CI = Credible Interval

Experiment 2 - H2		
Variable	Odds Ratio	95% CI
cond		
cond		
2D	—	—
3D	0.89	0.61, 1.31
relation.dim		
X	—	—
Y	1.71	0.58, 4.92
Z	0.61	0.22, 1.69
participant.ID		
cond3D:relation.dimY	1.18	0.67, 2.05
cond3D:relation.dimZ	0.73	0.43, 1.22

Abbreviation: CI = Credible Interval