Lenta hackathon API `v1`

[Base URL: localhost:8000/]

http://localhost:8000/swagger/?format=openapi

Документация для бэкенд приложения.

Contact the developer

BSD License

Schemes

| HTTP ⌄ |

Django Login   **Authorize** 🔓

| Filter by tag |

api ⌃

| POST | /api/{version}/auth/token/login/ | api_auth_token_login_create ⌃ 🔒 |

Use this endpoint to obtain user authentication token.

Parameters   **Try it out**

Name	Description

data * required
object
(body)
	Example Value │ **Model**
	
	TokenCreate ⌄ {
	    password string
	                        title: Password
	                        minLength: 1
	    email string
	                        title: Email
	                        minLength: 1
	
	}

version * required string (path)	version

Responses   Response content type | application/json ⌄ |

Code	Description

201	Example Value │ **Model**
	
	TokenCreate ⌄ {
	    password string
	                        title: Password
	                        minLength: 1
	    email string
	                        title: Email
	                        minLength: 1
	
	}

| POST | /api/{version}/auth/token/logout/ | api_auth_token_logout_create ⌄ 🔒 |

POST /api/{version}/auth/token/logout/   api_auth_token_logout_create ∨ 🔒

GET /api/{version}/forecast/   api_forecast_list ∨ 🔒

POST /api/{version}/forecast/   api_forecast_create ∨ 🔒

GET /api/{version}/forecast/excel_forecast_download/   api_forecast_excel_forecast_download ∨ 🔒

GET /api/{version}/forecast/{id}/   api_forecast_read ∨ 🔒

PUT /api/{version}/forecast/{id}/   api_forecast_update ∨ 🔒

PATCH /api/{version}/forecast/{id}/   api_forecast_partial_update ∨ 🔒

DELETE /api/{version}/forecast/{id}/   api_forecast_delete ∨ 🔒

GET /api/{version}/product/   api_product_list ∨ 🔒

POST /api/{version}/product/   api_product_create ∨ 🔒

GET /api/{version}/product/{sku}/   api_product_read ∨ 🔒

PUT /api/{version}/product/{sku}/   api_product_update ∨ 🔒

PATCH /api/{version}/product/{sku}/   api_product_partial_update ∨ 🔒

DELETE /api/{version}/product/{sku}/   api_product_delete ∨ 🔒

GET /api/{version}/sales/   View to get historic numbers for sales.   api_sales_list ∨ 🔒

GET /api/{version}/shops/   api_shops_list ∨ 🔒

POST /api/{version}/shops/   api_shops_create ∨ 🔒

GET /api/{version}/shops/{title}/   api_shops_read ∨ 🔒

PUT /api/{version}/shops/{title}/   api_shops_update ∨ 🔒

PATCH /api/{version}/shops/{title}/   api_shops_partial_update ∨ 🔒

DELETE /api/{version}/shops/{title}/   api_shops_delete ∨ 🔒

GET /api/{version}/statistics   View for calculation of statistics.   api_statistics_list ∨ 🔒

Models ∧

TokenCreate >

ForecastPoint >

ReadForecast >

Forecast >

DataItem >

Data >

Product >

DataPoint >

Sales >

Shops >