



TTD  
ASISTEN

## LAB 5

### PERTEMUAN 10



POINT  
RESPON



POINT  
TUGAS

NAMA : MOSSES AIDJILI

NIM : 0608086902

KELAS : 2P4.....

---

### RELASI TABEL DAN LOCALHOST REFERENCIAL INTEGRITY

#### 1. ISI DATA PADA TABEL :

KOTA, Barang, Cust, pegawai, supplier

Kota :

K1	PEKALONGAN	JAWA TENGAH
K2	BATANG	JAWA TENGAH
K3	JAKARTA	DKI JAKARTA
K4	BANDUNG	JAWA BARAT

```
mysql> insert into kota values ("K1","PEKALONGAN","JAWA TENGAH");  
Query OK, 1 row affected (0.04 sec)
```

```
mysql> insert into kota values ("K2","BATANG","JAWA TENGAH");  
Query OK, 1 row affected (0.04 sec)
```

```
mysql> insert into kota values ("K3","JAKARTA","DKI JAKARTA");  
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into kota values ("K4","BANDUNG","JAWA BARAT");  
Query OK, 1 row affected (0.04 sec)
```

```
mysql> SELECT * FROM KOTA;
```

kota	namakota	propinsi
K1	PEKALONGAN	JAWA TENGAH
K2	BATANG	JAWA TENGAH
K3	JAKARTA	DKI JAKARTA
K4	BANDUNG	JAWA BARAT

Barang :

BR-001	KERAMIK MULIA	KON. 60 FIT	780.000.000
BR-002	GRANIT	KON. 90 FIT	1.200.000.000

```
mysql> insert into barang values ("BR-001","KERAMIK MULIA","KON. 60 FIT",
-> 780000000);
```

Query OK, 1 row affected (0.05 sec)

```
mysql> insert into barang values ("BR-002","GRANIT","KON. 90 FIT",
-> 1200000000);
```

Query OK, 1 row affected (0.06 sec)

```
mysql> SELECT * FROM BARANG;
```

kdbrg	nmbrg	satuan	harga
BR-001	KERAMIK MULIA	KON. 60 FIT	780000000
BR-002	GRANIT	KON. 90 FIT	1200000000

2 rows in set (0.00 sec)

## Cust :

C001	TOKO KERAMIK SURYA	JL MERPATI	K1
C002	TOKO ALAT BANGUNAN	JL. MERAK	K2

```
mysql> insert into cust values ("C001","TOKO KERAMIK SURYA","JL MERPATI","K1");
Query OK, 1 row affected (0.03 sec)
```

```
mysql> insert into cust values ("C002","TOKO ALAT BANGUNAN","JL MERAK","K2");
Query OK, 1 row affected (0.04 sec)
```

```
mysql> SELECT * FROM CUST;
```

kdcust	nmcust	almtcust	kotacust
C001	TOKO KERAMIK SURYA	JL MERPATI	K1
C002	TOKO ALAT BANGUNAN	JL MERAK	K2

## PEGAWAI:

P001	BUDI WALUYO	JL PENI	K1
P002	SARI PUSPA	JL. CERMAI	K2

```
mysql> insert into pegawai values ("P001","BUDI WALUYO","JL PENI","K1");
Query OK, 1 row affected (0.03 sec)
```

```
mysql> insert into pegawai values ("P002","SARI PUSPA","JL CERMAI","K2");
Query OK, 1 row affected (0.04 sec)
```

```
mysql> SELECT * FROM PEGAWAI;
```

kdpeg	nmpeg	almtpeg	kotapeg
P001	BUDI WALUYO	JL PENI	K1
P002	SARI PUSPA	JL CERMAI	K2

```
2 rows in set (0.00 sec)
```

SUPPLIER :

S001	AHMAT	JL MERDEKA	K3
S002	JOKO	JL CI AMLAS	K4

```
mysql> insert into SUPPLIER values ("S001","AHMAT","JL MERDEKA","K3");
Query OK, 1 row affected (0.03 sec)
```

```
mysql> insert into SUPPLIER values ("S002","JOKO","JL CI AMLAS","K4");
Query OK, 1 row affected (0.03 sec)
```

```
mysql> SELECT * FROM SUPPLIER;
```

kdsuppl	nmsuppl	almtsuppl	kotasuppl
S001	AHMAT	JL MERDEKA	K3
S002	JOKO	JL CI AMLAS	K4

```
2 rows in set (0.00 sec)
```

```
mysql> █
```

## 2. ISI DATA TRANSAKSI BELI :

### TRANSBELI :

NT-B-0001	S001	BR-002	3600	2	2.400.000.000

```
mysql> insert into TRANSBELI values ("NT-B-0001","S001","BR-002",3600,2,
-> 2400000000);
Query OK, 1 row affected, 1 warning (0.03 sec)
```

```
mysql> SELECT * FROM TRANSBELI;
```

nofaktur	kdsuppl	kdbrg	qty	jml	hargabeli
NT-B-0001	S001	BR-002	3600	2	2147483647

NILAI HARGABELI SALAH HARUS DI PERBAIKI  
DENGAN:

```
mysql> alter table transbeli modify hargabeli bigint (13) unsigned;
Query OK, 1 row affected (0.31 sec)
Records: 1 Duplicates: 0 Warnings: 0
```

```
mysql> desc transbeli;
```

Field	Type	Null	Key	Default	Extra
nofaktur	char(10)	NO	PRI	NULL	
kdsuppl	char(10)	YES	MUL	NULL	
kdbrg	char(10)	YES	MUL	NULL	
qty	int(8)	YES		NULL	
jml	int(10)	YES		NULL	
hargabeli	bigint(13) unsigned	YES		NULL	

```
6 rows in set (0.02 sec)
```

## Rubah nilai dari transaksi beli yaitu menjadi 2.400.000.000

```
mysql> update transbeli set hargabeli=2400000000 where nofaktur="NT-B-0001";
Query OK, 1 row affected (0.09 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> SELECT * FROM TRANSBELI;
```

nofaktur	kdsuppl	kdbrg	qty	jml	hargabeli
NT-B-0001	S001	BR-002	3600	2	2400000000

```
1 row in set (0.00 sec)
```

## RETURBELI :

RT-B-0001	NT-B-0001	12/03/2019	BR-002	15	PECAH

```
mysql> insert into returbeli values ("RT-B-0001","NT-B-0001","2019-03-12",
-> "BR-002",15,"PECAH");
Query OK, 1 row affected (0.03 sec)
```

```
mysql> SELECT * FROM RETURBELI;
```

noretbeli	nofaktur	tglretur	kdbrg	qty	ketrbrg
RT-B-0001	NT-B-0001	2019-03-12	BR-002	15	PECAH

```
1 row in set (0.00 sec)
```

```
mysql> █
```

### 3. ISI DATA TRANSAKSI JUAL :

#### TRANSJUAL :

NT-J-0001	04/04/2019	C001	BR-002	1.800	1	1.200.000.000	P002

```
mysql> insert into TRANSJUAL values ("NT-J-0001","2019-04-04","C001",
-> "BR-002",1800,1,1200000000,"P002");
Query OK, 1 row affected (0.03 sec)

mysql> select * from transjual;
+-----+-----+-----+-----+-----+-----+-----+-----+
| nota      | tglnota    | kdcust | kdbrg  | qty  | jml  | hargajual | kdpeg |
+-----+-----+-----+-----+-----+-----+-----+-----+
| NT-J-0001 | 2019-04-04 | C001   | BR-002 | 1800 | 1    | 1200000000 | P002  |
+-----+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

#### RETURJUAL :

RT-J-0001	NT-J-0001	09/04/2019	BR-002	4	KARDUS DAN PECAH	P001

```
mysql> insert into returjual values ("RT-J-0001","NT-J-0001","2019-04-09",
-> "BR-002",4,"KARDUS DAN PECAH","P001");
Query OK, 1 row affected, 1 warning (0.04 sec)

mysql> select * from returjual;
+-----+-----+-----+-----+-----+-----+-----+-----+
| noretjual | nota      | tglRetur | kdbrg  | qty  | ketrbrg      | kdpe |
+-----+-----+-----+-----+-----+-----+-----+-----+
| RT-J-0001 | NT-J-0001 | 2019-04-09 | BR-002 | 4    | KARDUS DAN PECA | P001 |
+-----+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> _
```

Nilai keterangan barang salah di ganti struktur dan update data :

```

> alter table returjual modify ketrbrg char (20) ;
OK, 1 row affected (0.29 sec)
ds: 1 Duplicates: 0 Warnings: 0

> update returjual set ketrbrg="KARDUS DAN PECAH" where noretjual="RT-J-0001"
OK, 1 row affected (0.02 sec)
matched: 1 Changed: 1 Warnings: 0

> SELECT * FROM RETURJUAL;
+-----+-----+-----+-----+-----+-----+-----+
| etjual | nota      | tglRetur  | kdbrg   | qty  | ketrbrg          | kdpeg |
+-----+-----+-----+-----+-----+-----+-----+
| J-0001 | NT-J-0001 | 2019-04-09 | BR-002  | 4    | KARDUS DAN PECAH | P001  |
+-----+-----+-----+-----+-----+-----+-----+
in set (0.00 sec)

```

#### 4. TAMPILKAN DATA KODE PEGAWAI, NAMA PEGAWAI, NAMA KOTA.

PEGAWAI (KODE PEGAWAI, NAMA PEGAWAI)  
KOTA (NAMA KOTA)

SELECT PEGAWAI.KDPEG, PEGAWAI.NMPEG,  
KOTA.NAMAKOTA FROM PEGAWAI, KOTA  
WHERE PEGAWAI.KOTAPEG = KOTA.KOTA;

```

mysql> select pegawai.kdpeg, pegawai.nmpeg, kota.namakota
-> from pegawai, kota
-> where pegawai.kotapeg = kota.kota;
+-----+-----+-----+
| kdpeg | nmpeg      | namakota |
+-----+-----+-----+
| P001  | BUDIWALUYO | PEKALONGAN |
| P002  | SARI PUSPA  | BATANG    |
+-----+-----+-----+

```

5. TAMPILKAN TRANSAKSI BELI YAITU NO FAKTUR, NAMA SUPPLIER, NAMA BARANG ,QUALITY, JUMLAH DAN HARGA BELI.

TRANSBELI (NO FAKTUR, QUALITY, JUMLAH DAN HARGA BELI)

SUPPLIER (NAMA SUPPLIER)

BARANG (NAMA BARANG)

```
SELECT TRANSBELI.NOFAKTUR,  
SUPPLIER.NMSUPPL, BARANG.NMBRG.  
TRANSBELI.QTY, TRANSBELI.JML,  
TRANSBELI.HARGABELI  
FROM TRANSBELI, SUPPLIER, BARANG  
WHERE TRANSBELI.KDSUPPL = SUPPLIER.KDSUPPL  
AND TRANSBELI.KDBRG = BARANG.KDBRG
```

MODEL PERINTAHNYA :

```
mysql> select transbeli.nofaktur, supplier.nmsuppl, barang.nmbrg,  
-> transbeli.qty, transbeli.jml, transbeli.hargabeli  
-> from transbeli, supplier, barang  
-> where transbeli.kdsuppl = supplier.kdsuppl  
-> and transbeli.kdbrg = barang.kdbrg;  
+-----+-----+-----+-----+-----+-----+  
| nofaktur | nmsuppl | nmbrg | qty | jml | hargabeli |  
+-----+-----+-----+-----+-----+-----+  
| NT-B-0001 | AHMAT | GRANIT | 3600 | 2 | 2400000000 |  
+-----+-----+-----+-----+-----+-----+  
1 row in set (0.00 sec)
```



## **TUGAS MANDIRI**

- 1. BUATLAH LAPORAN DARI TABEL YANG SUDAH ADA, ATAU DI TAMBAHKAN DATA SECARA INDIVIDU**
- 2. BUAT LAPORAN TAMBAHAN SEBANYAK 3 LAPORAN YANG MENGAMBIL DARI BEBERAPA TABEL DAN TERANGKAN**