

Not Finished, But Abandoned

by

Cameron T. Kuchta

A dissertation submitted in partial fulfillment of
the requirements for the degree of

Doctor of Philosophy

(Physics)

at the

UNIVERSITY OF WISCONSIN–MADISON

2026

Date of final oral examination: 01/01/2100

The dissertation is approved by the following members of the Final Oral Committee:

Jane Doeverything, Professor, Electrical Engineering

John Dosomethings, Associate Professor, Electrical Engineering

© Copyright by Cameron T. Kuchta 2026
All Rights Reserved

ACKNOWLEDGMENTS

It is customary for authors of academic books to include in their prefaces statements such as this: "I am indebted to ... for their invaluable help; however, any errors which remain are my sole responsibility." Occasionally an author will go further. Rather than say that if there are any mistakes then he is responsible for them, he will say that there will inevitably be some mistakes and he is responsible for them....

Although the shouldering of all responsibility is usually a social ritual, the admission that errors exist is not — it is often a sincere avowal of belief. But this appears to present a living and everyday example of a situation which philosophers have commonly dismissed as absurd; that it is sometimes rational to hold logically incompatible beliefs.

— DAVID C. MAKINSON (1965)

Above is the famous "preface paradox," which illustrates how to use the `wbepi` environment for epigraphs at the beginning of chapters. You probably also want to thank the Academy.

CONTENTS

Contents ii

List of Tables xiii

List of Figures xiv

Abstract xvi

1 Introduction 1

1.1 *What the heck is a plasma* 1

1.1.1 Plasmas in the universe 1

1.1.2 How do plasmas affect us on earth? 1

1.1.3 Where does magnetic reconnection play into this whole shabang? 1

1.2 *Magnetic Reconnection* 1

1.2.1 The Generalized Ohm's Law 1

1.2.1.1 How do we derive this? 1

1.2.1.2 A breakdown of the terms 1

1.2.2 Regimes of Reconnection 1

1.2.2.1 Reconnection scaling parameters 1

1.2.2.2 Where do various systems line up? 2

1.2.2.3 What are we interested in? 2

1.2.3 Sweet-Parker Reconnection 2

1.2.3.1 A quick historical detour 2

1.2.3.2 What are the assumptions that go into Sweet-Parker? 2

1.2.3.3 Sweet-Parker Reconnection Rate Derivation 2

1.2.3.4 Application to Real Systems 2

1.2.3.4.1	What are some example parameters where reconnection occurs? .	2
1.2.3.4.2	What time scales does Sweet-Parker predict?	2
1.2.3.4.3	What did we miss?	2
1.2.4	Hall Reconnection	2
1.2.4.1	Why should the Hall term appear?	2
1.2.4.1.1	What is the relevant physics that sets when the hall term matters .	2
1.2.4.1.2	In what kind of plasmas does the hall term appear and when does it not?	2
1.2.5	Kinetic Reconnection	3
1.2.5.1	What makes kinetic reconnection “kinetic”? .	3
1.2.5.1.1	What do collisions do?	3
1.2.5.1.2	What makes a system kinetic? . .	3
1.2.5.2	Where does Pressure Anisotropy come from? .	3
1.2.5.2.1	Movement of flux tube	3
1.2.5.2.2	Effect of background field	3
1.2.5.3	How does pressure anisotropy change what the reconnection looks like	4
1.2.5.3.1	Thinner reconnection layer?	4
1.2.5.3.2	Marginal Firehose Condition . . .	4
1.2.5.3.3	Concluding: what features should we look for in the data?	4
1.2.5.4	Why do we want to measure it?	4
1.3	<i>Experimental Setup</i>	6
1.3.1	Overall how does our experiment progress	6
1.3.2	Initial field	6
1.3.2.1	Helmholtz	6

1.3.2.2	Permanent magnets	6
1.3.2.3	Toroidal	6
1.3.2.3.1	Shifted coil	6
1.3.2.3.2	Axial coil	6
1.3.2.4	Perturbation coils	6
1.3.3	Plasma Generation	6
1.3.3.1	How do our guns work	6
1.3.3.1.1	Gas lines	6
1.3.3.1.2	PFNs	6
1.3.3.1.3	Puff trigger	6
1.3.3.1.4	How to breakdown	6
1.3.3.2	How are the guns placed for injection? . .	7
1.3.3.2.1	How much do they fill the machine	7
1.3.3.2.2	What sits the filling fraction	7
1.3.3.3	What goes wrong with them	7
1.3.3.3.1	Burning up	7
1.3.3.3.2	Burn holes in wall because of back- ground field	7
1.3.3.3.3	Air cooling	7
1.3.3.3.4	Optimizing gun operation	7
1.3.4	Drive field	7
1.3.4.1	Individual coils	7
1.3.4.1.1	Zone's between coils as plasma sources	7
1.3.4.2	Drive Cylinder	7
1.3.5	Diagnostics Overview	8
1.3.5.1	Bdot probes	8
1.3.5.1.1	Basic principles	8
1.3.5.1.2	Probe types	8
1.3.5.1.3	Data Interpretation	8
1.3.5.2	Hall probes	8

1.3.5.2.1	Basic principles	8
1.3.5.2.2	Issues and feasibility	8
1.3.5.3	Langmuir probes	8
1.3.5.3.1	Basic principles	8
1.3.5.3.2	What do we need to do to make them work for our device?	8
1.3.5.3.3	Look into XXX chapter	8
1.3.5.4	Fast camera	9
1.3.5.4.1	What can we see with it?	9
1.3.5.4.2	Potential use cases	9
1.3.6	How does the experiment compare to space	9
1.3.6.1	Benefits of lab vs. space vs. simulation . .	9
1.3.6.1.1	Simulation benefits and results . .	9
1.3.6.1.2	Space benefits and results	9
1.3.6.1.3	Lab benefits and results	9
1.3.7	Other lab reconnection experiments	9
1.3.7.1	VTF, MRX, FLARE	9
1.3.7.2	Exploding wire arrays	9
1.3.7.3	Laser based	9
2	Pressure Wave 10	
2.1	<i>Introduction</i> 10	
2.2	<i>Observations that lead us to look at this wave</i> 11	
2.2.1	Speed probe measurements	11
2.2.1.1	Flux expansion before shock layer	11
2.2.1.2	Wavefront that depends on configuration .	11
2.2.2	Simulations	11
2.2.2.1	Different n and drive change feature	11
2.2.2.2	Change reconnection layer post reflection .	11
2.3	<i>Physical understanding of wave</i> 11	
2.3.1	Initial plasma configuration	11

2.3.2	Release in magnetic pressure	11
2.3.2.1	What would happen if plasma was im- mobile (replaced with perfect conductor) . .	11
2.3.3	Wavefront tells plasma about pressure Release . . .	11
2.3.3.1	Analogous system	11
2.4	<i>Wave Simulation</i> 12	
2.4.1	Approximations	12
2.4.2	Linearizing MHD	12
2.4.3	Plasma Equilibrium + Symmetries	12
2.4.3.1	Types of Equilibrium	12
2.4.3.1.1	theta-pinch	12
2.4.3.1.2	screw-pinch	12
2.4.3.2	Types of Symmetries	12
2.4.3.2.1	z-symmetry	12
2.4.3.2.2	toroidal-symmetry	12
2.4.4	Simplified 1D equation	12
2.4.4.1	What does this look like?	12
2.4.4.2	Normalizations	13
2.4.4.3	Normalized equation	13
2.4.5	Boundary conditions	13
2.4.5.1	$r = 0$ Boundary	13
2.4.5.1.1	$v = 0$ option	13
2.4.5.1.2	$\xi = 0$ option	13
2.4.5.1.3	What do we choose?	13
2.4.5.2	$r = R$ Boundary	13
2.4.5.2.1	What is physically happening at high radius in the coils?	13
2.4.5.2.2	Loop voltage sets dB_z/dt	13
2.4.5.2.3	Assuming MHD so far so let's keep assuming!	13

2.4.5.2.4	Vloop signal shape	13
2.4.6	Initial conditions	13
2.4.6.1	What form can we expect plasma to take? .	13
2.4.6.2	What form do we use for these results . . .	13
2.4.7	What does our simulation show?	13
2.4.7.1	There is a wavefront traveling inwards at fast magnetosonic	13
2.4.7.1.1	Low beta approximation giving Alfven	13
2.4.7.2	Once wavefront passes, plasma moves out	14
2.4.7.3	Converting to Bdot	14
2.4.7.4	In Bdot we see flux moving outwards . . .	14
2.5	<i>How do we apply it to real data?</i>	14
2.5.1	Base requirements	14
2.5.1.1	Cylindrical symmetry	14
2.5.1.2	Releasing magnetic pressure at high radius	14
2.5.1.3	Measurements along a radial chord	14
2.5.1.4	Known initial field	14
2.5.2	Extracing the wave speed from the data	14
2.5.2.1	Wave tracking	14
2.5.2.1.1	Edge finding	14
2.5.2.1.2	Inertia	14
2.5.2.1.3	Monte-carlo	14
2.5.2.1.4	Centered finite difference	14
2.5.2.1.5	Mean + Standard Deviation of Speed	14
2.5.3	Minimum measurable density	15
2.5.3.1	Assuming sample resolution	15
2.5.3.1.1	What does this assumption derive	15
2.5.3.1.2	How does it compare to the data .	15
2.5.3.1.3	We need a better approximation .	15

2.5.3.2	Assuming sub-sample resolution	16
2.5.3.3	A more complex model assuming the plasma is a step function * linear	16
2.6	<i>Does it reproduce langmuir probe results</i>	16
2.6.1	Experimental setup	16
2.6.1.1	Drive cylinder	16
2.6.1.2	Te probe along equator	16
2.6.2	Results	16
2.6.2.1	Langmuir probe minimum measurable den- sity	16
2.6.2.2	Impacts of simple Langmuir model vs BRL	16
2.6.2.3	What happens to the wave shape in simu- lation vs. experiment	16
2.6.2.3.1	Two-fluid dispersion	16
2.6.2.3.2	How might we expect this to change the wave	16
2.6.2.3.3	How to simulate evolution approx- imately	16
2.6.2.3.4	Dispersion simulation results . . .	17
2.7	<i>Applications</i>	17
2.7.1	Other machines where this is applicable	17
2.7.2	Diagnosing gun failures	18
2.7.3	Measuring effect of different gun number and Helmholtz strength	18
2.7.3.1	Gun number	18
2.7.3.2	Helmholtz	18
2.7.4	Measuring diffusion coefficient	18
2.7.4.1	Diffusion theoretical model	18
2.7.4.2	Diffusion simulations	18
2.7.4.3	Applications of pressure wave model . . .	18

2.8	<i>Future Research</i>	19
2.8.1	Better wave tracking	19
2.8.1.1	Cross-correlation	19
2.8.1.2	Dynamic Time Warping	19
2.8.1.3	Using a model of what the wave looks like	19
2.8.2	Using fast-magnetosonic speed instead of alfven . .	19
2.8.2.1	Will this iteratively converge?	19
3	Multi-tip Langmuir Probe	21
3.1	<i>What's a Langmuir probe</i>	21
3.2	<i>Hardware</i>	21
3.2.1	Shaft Components	21
3.2.1.1	Garages	21
3.2.1.2	Shaft materials	21
3.2.1.3	Centering Collet	21
3.2.1.4	Feed-thru	21
3.2.2	Tip Components	21
3.2.2.1	Probe body	21
3.2.2.2	Tip material + size	21
3.2.2.3	Tip Shielding	21
3.2.3	Bdot Coils	21
3.3	<i>Circuitry</i>	21
3.3.1	Bias Source	21
3.3.1.1	Manually Controlled	21
3.3.1.1.1	Principles of operation	21
3.3.1.1.2	Problems	22
3.3.1.2	Remote Controlled	22
3.3.1.2.1	Principles of operation	22
3.3.1.2.2	Problems	22
3.3.1.2.3	Calibration	22
3.3.2	Probe Circuit	22

3.3.2.1	Single-ended measurement	22
3.3.2.2	Differential measurement	22
3.3.2.3	Calibration	22
3.3.2.3.1	Calibrating in isat	22
3.3.2.3.2	Calibrating on the exponential	22
3.3.2.3.3	Bayesian calibration	22
3.4	<i>Plasma Theory</i> 23	
3.4.1	Simple Plasma Theory (Hutchinson)	23
3.4.1.1	Derivation	23
3.4.1.2	Pros & Cons	23
3.4.2	BRL	23
3.4.2.1	Idea behind it	23
3.4.2.2	Approximations of it	23
3.4.2.2.1	Planar probe	23
3.4.2.2.2	Chen Approximation	23
3.4.2.2.3	Even more approximation	23
3.4.3	Effect of electric fields	23
3.4.3.1	Where does the electric field come from	23
3.4.3.1.1	Majority inductive	23
3.4.3.1.2	Some static	23
3.4.3.2	What does it do to the tip measurements	24
3.4.3.2.1	Theoretical understanding	24
3.4.3.2.2	Physical reality	24
3.4.4	Minimum measurable density	24
3.4.4.1	What's the debye Length	24
3.4.4.2	Sheath scale	24
3.4.4.3	Tip-tip sheath overlap	24
3.5	<i>Curve Fitting</i> 24	
3.5.1	Least squares Fitting	24
3.5.1.1	Benefits (easy)	24

3.5.1.2	Issues (not representative of error)	24
3.5.2	ODR	24
3.5.2.1	What does error look like in our signals . .	24
3.5.2.2	How does ODR take that into account . . .	24
3.5.2.3	How to apply parameter bounds	24
3.5.2.3.1	Our method	24
3.5.2.3.2	Other options	25
3.5.3	Monte-carlo Fitting	25
3.5.3.1	What kind of fits do we get if we just trust a local minimum	25
3.5.3.2	How do we sample initial conditions . . .	25
3.5.3.3	More robust methods for getting global minimums	25
3.5.4	Combining multiple shots	25
3.5.4.1	Using some time points from each shot . .	25
3.5.4.2	Combining all IV points and fitting that . .	25
3.5.4.3	Problems	25
3.5.4.3.1	Timing alignment	25
3.5.4.3.2	Variability of plasma parameters .	25
3.6	<i>Results</i> 25	
3.6.1	Measurement of low densities	26
3.6.1.1	How does Hutchinson vs BRL treat ion sat- uration	26
3.6.1.2	What are the experimental predictions that Hutchinson vs BRL have	26
3.6.1.3	How does that change the results	26
3.6.2	Noise resilience	26
3.6.3	Fits more accurate	26
3.6.4	Extracting electric fields	26
3.6.4.1	Where do we expect electric fields to be . .	26

3.6.4.2	Do we see them there	26
4	Pressure Anisotropy Probe	27
5	Divergence free interpolation? Talk to Jan.	28
6	Conclusion	29
	Colophon	30

LIST OF TABLES

1.1	List of diagnostics used in the experiment and what they can measure.	7
1.2	Lab vs. Space Parameters	9
2.1	Parameters for normalization	12
3.1	Length scales of probe	21
3.2	Bias circuit component values	23
3.3	Probe circuit component values	23
3.4	Chen parameters	23

LIST OF FIGURES

1.1	Cartoon of places where reconnection can happen.	1
1.2	Diagram of reconnection regimes.	1
1.3	Diagram of Sweet-Parker reconnection.	2
1.4	Diagram of 2d hall reconnection	2
1.5	Flux tube changing size during reconnection causing pressure anisotropy build up.	3
1.6	Simulated kinetic reconnection with changing guide field. . .	3
1.7	Diagram from Ohia of with and without pressure anisotropy in simulation.	4
1.8	Some figure from Jan's papers thowing effects of pressure anisotropy	4
1.9	Timeline of experimental sequence.	5
1.10	Panels from flux arrays of experiment happening.	5
1.11	Circuit diagram of plasma gun.	6
1.12	Simplified cut of plasma gun insides.	6
1.13	Image from high speed camera of gun spewing	7
2.1	dB_z/dt plots for different Helmholtz fields	10
2.2	Greess et al. 2022 paper showing simulations with pressure wave.	10
2.3	Simple diagram of sound wave in container	12
2.4	Data vs. crude minimum density vs. empirical minimum density	15
2.5	Diagram of what the more complex model looks like.	15
2.6	CAD rendering of BRB w/ drive cylinder, flux probes, and Te probe.	15
2.7	Plot of langmuir density and wave density	16
2.8	Diagram of sheath overlap for multitip langmuir probe	16
2.9	Plot of two-fluid dispresion relation	16

2.10 Results of simulating application of dispresion relation to pres- sure wave	17
2.11 Initial density before and after many shots	17
2.12 Initial density for varying gun number	17
2.13 Initial density for varying Helmholtz	17
2.14 Diagram of flux mechanisms.	18
2.15 Example diffusion simulation	18
2.16 Example of cross-correlation	18
2.17 Example of DTW	19
3.1 Figure 2.6 from Joe's thesis	20
3.2 Picture of end of probe	20
3.3 Probe body from engineering sketch	21
3.4 Circuit diagram of old setup. Add switches.	22
3.5 Image of old setup	22
3.6 Circuit diagram of new setup. Add switches.	22
3.7 Image of new setup	22
3.8 What does an electric field do to the tip measurements diagram.	24
3.9 Example plot where E splitting tips	24
3.10 Diagram of local minimums	25
3.11 Example fit using many shots, multiple local parameter fits, and errors	25
3.12 Plot of isat currents from BRL	26
3.13 Radial chord of initial density with Hutchinson vs BRL.	26
3.14 Comparison of expected E from Ohm's law and measured E.	26

ABSTRACT

FIXME: basically a placeholder; do not believe

I did some research, read a bunch of papers, published a couple myself, (pick one):

1. ran some experiments and made some graphs,
2. proved some theorems

and now I have a job. I've assembled this document in the last couple of months so you will let me leave. Thanks!

1 INTRODUCTION

1.1 What the heck is a plasma

1.1.1 Plasmas in the universe

1.1.2 How do plasmas affect us on earth?

1.1.3 Where does magnetic reconnection play into this whole shabang?

1.2 Magnetic Reconnection

1.2.1 The Generalized Ohm's Law

1.2.1.1 How do we derive this?

1.2.1.2 A breakdown of the terms

1.2.2 Regimes of Reconnection

1.2.2.1 Reconnection scaling parameters

i.e. why do we use S and L/d_i to characterize reconnection regimes?

Figure 1.1: Cartoon of places where reconnection can happen.

Figure 1.2: Diagram of reconnection regimes.

Figure 1.3: Diagram of Sweet-Parker reconnection.

Figure 1.4: Diagram of 2d hall reconnection

1.2.2.2 Where do various systems line up?

1.2.2.3 What are we interested in?

1.2.3 Sweet-Parker Reconnection

1.2.3.1 A quick historical detour

1.2.3.2 What are the assumptions that go into Sweet-Parker?

1.2.3.3 Sweet-Parker Reconnection Rate Derivation

1.2.3.4 Application to Real Systems

1.2.3.4.1 What are some example parameters where reconnection occurs?

1.2.3.4.2 What time scales does Sweet-Parker predict?

1.2.3.4.3 What did we miss?

1.2.4 Hall Reconnection

1.2.4.1 Why should the Hall term appear?

1.2.4.1.1 What is the relevant physics that sets when the hall term matters

1.2.4.1.2 In what kind of plasmas does the hall term appear and when does it not?

Figure 1.5: Flux tube changing size during reconnection causing pressure anisotropy build up.

Figure 1.6: Simulated kinetic reconnection with changing guide field.

1.2.5 Kinetic Reconnection

1.2.5.1 What makes kinetic reconnection “kinetic”?

1.2.5.1.1 What do collisions do?

1.2.5.1.1.1 How quickly do collisions damp out non-Maxwellian features?

1.2.5.1.2 What makes a system kinetic?

1.2.5.1.2.1 What parameters set this?

1.2.5.1.2.2 What should we do in the lab to get this?

1.2.5.2 Where does Pressure Anisotropy come from?

1.2.5.2.1 Movement of flux tube

1.2.5.2.2 Effect of background field

1.2.5.2.2.1 Too low of background field does...

1.2.5.2.2.2 Too high of field does...

1.2.5.2.2.3 Goldilocks!

Figure 1.7: Diagram from Ohia of with and without pressure anisotropy in simulation.

Figure 1.8: Some figure from Jan's papers showing effects of pressure anisotropy

1.2.5.3 How does pressure anisotropy change what the reconnection looks like

1.2.5.3.1 Thinner reconnection layer? Use results from Jan's more recent papers.

1.2.5.3.2 Marginal Firehose Condition

1.2.5.3.3 Concluding: what features should we look for in the data?

1.2.5.4 Why do we want to measure it?

At the end of experimental setup I'll talk about why we want to do it in the lab but I think motivating why we care about kinetic reconnection as a process would be good here.




Figure 1.9: Timeline of experimental sequence.

Figure 1.10: Panels from flux arrays of experiment happening.

Figure 1.11: Circuit diagram of plasma gun.

Figure 1.12: Simplified cut of plasma gun insides.

1.3 Experimental Setup

1.3.1 Overall how does our experiment progress

1.3.2 Initial field

1.3.2.1 Helmholtz

1.3.2.2 Permanent magnets

1.3.2.3 Toroidal

1.3.2.3.1 Shifted coil

1.3.2.3.2 Axial coil

1.3.2.4 Perturbation coils

1.3.3 Plasma Generation

1.3.3.1 How do our guns work

1.3.3.1.1 Gas lines

1.3.3.1.2 PFNs

1.3.3.1.3 Puff trigger

1.3.3.1.4 How to breakdown

Figure 1.13: Image from high speed camera of gun spewing

Table 1.1: List of diagnostics used in the experiment and what they can measure.

1.3.3.2 How are the guns placed for injection?

1.3.3.2.1 How much do they fill the machine

1.3.3.2.2 What sits the filling fraction

1.3.3.3 What goes wrong with them

1.3.3.3.1 Burning up

1.3.3.3.2 Burn holes in wall because of background field Get image from Paul with hole in wall.

1.3.3.3.3 Air cooling

1.3.3.3.4 Optimizing gun operation

1.3.4 Drive field

1.3.4.1 Individual coils

1.3.4.1.1 Zone's between coils as plasma sources

1.3.4.2 Drive Cylinder

Reference Paul's RSI + thesis.

1.3.5 Diagnostics Overview

1.3.5.1 Bdot probes

1.3.5.1.1 Basic principles

1.3.5.1.2 Probe types

1.3.5.1.2.1 Linear probe

1.3.5.1.2.2 Hook probe

1.3.5.1.2.3 Speed probe

1.3.5.1.2.4 Flux array 1

1.3.5.1.2.5 Flux array 2

1.3.5.1.3 Data Interpretation How do we convert the raw data into something useful?

1.3.5.2 Hall probes

1.3.5.2.1 Basic principles

1.3.5.2.2 Issues and feasibility

1.3.5.3 Langmuir probes

1.3.5.3.1 Basic principles

1.3.5.3.2 What do we need to do to make them work for our device?

1.3.5.3.3 Look into XXX chapter

Table 1.2: Comparison of lab and space parameters.

1.3.5.4 Fast camera

1.3.5.4.1 What can we see with it?

1.3.5.4.2 Potential use cases

1.3.6 How does the experiment compare to space

1.3.6.1 Benefits of lab vs. space vs. simulation

1.3.6.1.1 Simulation benefits and results

1.3.6.1.2 Space benefits and results

1.3.6.1.3 Lab benefits and results

1.3.7 Other lab reconnection experiments

1.3.7.1 VTF, MRX, FLARE

1.3.7.2 Exploding wire arrays

1.3.7.3 Laser based

2 PRESSURE WAVE

2.1 Introduction

Once I get Jan's rewrite of the intro + conclusion I can figure out what might go here.

Figure 2.1: dBz/dt plots for different Helmholtz fields

Figure 2.2: Greess et al. 2022 paper showing simulations with pressure wave.

2.2 Observations that lead us to look at this wave

2.2.1 Speed probe measurements

2.2.1.1 Flux expansion before shock layer

2.2.1.2 Wavefront that depends on configuration

2.2.2 Simulations

2.2.2.1 Different n and drive change feature

2.2.2.2 Change reconnection layer post reflection

2.3 Physical understanding of wave

2.3.1 Initial plasma configuration

2.3.2 Release in magnetic pressure

2.3.2.1 What would happen if plasma was immobile (replaced with perfect conductor)

All field is shielded at edge and there is no change in magnetic pressure in the bulk.

2.3.3 Wavefront tells plasma about pressure Release

2.3.3.1 Analogous system

Sound wave.

How does a sound wave propagate in a plasma? Fast magnetosonic wave!

Figure 2.3: Simple diagram of sound wave in container

Table 2.1: Parameters for normalization

2.4 Wave Simulation

2.4.1 Approximations

2.4.2 Linearizing MHD

2.4.3 Plasma Equilibrium + Symmetries

2.4.3.1 Types of Equilibrium

2.4.3.1.1 theta-pinch

2.4.3.1.2 screw-pinch

2.4.3.2 Types of Symmetries

2.4.3.2.1 z-symmetry

2.4.3.2.2 toroidal-symmetry

2.4.4 Simplified 1D equation

2.4.4.1 What does this look like?

A wave equation!

2.4.4.2 Normalizations

2.4.4.3 Normalized equation

2.4.5 Boundary conditions

2.4.5.1 $r = 0$ Boundary

2.4.5.1.1 $v = 0$ option

2.4.5.1.2 $\xi = 0$ option

2.4.5.1.3 What do we choose?

2.4.5.2 $r = R$ Boundary

2.4.5.2.1 What is physically happening at high radius in the coils?

2.4.5.2.2 Loop voltage sets dB_z/dt

2.4.5.2.3 Assuming MHD so far so let's keep assuming!

2.4.5.2.4 Vloop signal shape

2.4.6 Initial conditions

2.4.6.1 What form can we expect plasma to take?

2.4.6.2 What form do we use for these results

2.4.7 What does our simulation show?

2.4.7.1 There is a wavefront traveling inwards at fast magnetosonic

2.4.7.1.1 Low beta approximation giving Alfven

2.4.7.2 Once wavefront passes, plasma moves out

2.4.7.3 Converting to B_{dot}

2.4.7.4 In B_{dot} we see flux moving outwards

As expected from MHD assumption.

2.5 How do we apply it to real data?

2.5.1 Base requirements

2.5.1.1 Cylindrical symmetry

2.5.1.2 Releasing magnetic pressure at high radius

2.5.1.3 Measurements along a radial chord

2.5.1.4 Known initial field

2.5.2 Extracing the wave speed from the data

2.5.2.1 Wave tracking

2.5.2.1.1 Edge finding

2.5.2.1.2 Inertia

2.5.2.1.3 Monte-carlo

2.5.2.1.4 Centered finite difference

2.5.2.1.5 Mean + Standard Deviation of Speed

Figure 2.4: Data vs. crude minimum density vs. empirical minimum density

Figure 2.5: Diagram of what the more complex model looks like.

Figure 2.6: CAD rendering of BRB w/ drive cylinder, flux probes, and Te probe.

2.5.3 Minimum measurable density

2.5.3.1 Assuming sample resolution

2.5.3.1.1 What does this assumption derive

2.5.3.1.2 How does it compare to the data

2.5.3.1.3 We need a better approximation

Figure 2.7: Plot of langmuir density and wave density

Figure 2.8: Diagram of sheath overlap for multitiip langmuir probe

Figure 2.9: Plot of two-fluid dispresion relation

2.5.3.2 Assuming sub-sample resolution

**2.5.3.3 A more complex model assuming the plasma is a step function
* linear**

2.6 Does it reproduce langmuir probe results

2.6.1 Experimental setup

2.6.1.1 Drive cylinder

2.6.1.2 Te probe along equator

2.6.2 Results

2.6.2.1 Langmuir probe minimum measurable density

2.6.2.2 Impacts of simple Langmuir model vs BRL

Refer to figure in Te section showing how it matters.

2.6.2.3 What happens to the wave shape in simulation vs. experiment

2.6.2.3.1 Two-fluid dispersion

2.6.2.3.2 How might we expect this to change the wave

2.6.2.3.3 How to simulate evolution approximately

Figure 2.10: Results of simulating application of dispersion relation to pressure wave

Figure 2.11: Initial density before and after many shots

Figure 2.12: Initial density for varying gun number

2.6.2.3.4 Dispersion simulation results

2.7 Applications

2.7.1 Other machines where this is applicable

LAPD & MRX

Figure 2.13: Initial density for varying Helmholtz

Figure 2.14: Diagram of flux mechanisms.

Figure 2.15: Example diffusion simulation

Figure 2.16: Example of cross-correlation

2.7.2 Diagnosing gun failures

2.7.3 Measuring effect of different gun number and Helmholtz strength

2.7.3.1 Gun number

2.7.3.2 Helmholtz

2.7.4 Measuring diffusion coefficient

2.7.4.1 Diffusion theoretical model

2.7.4.2 Diffusion simulations

2.7.4.3 Applications of pressure wave model

I think I need to do a bit more research here to show that we can actually extract a diffusion coefficient.

Figure 2.17: Example of DTW

2.8 Future Research

2.8.1 Better wave tracking

2.8.1.1 Cross-correlation

2.8.1.2 Dynamic Time Warping

2.8.1.3 Using a model of what the wave looks like

2.8.2 Using fast-magnetosonic speed instead of alfven

2.8.2.1 Will this iteratively converge?

3 MULTI-TIP LANGMUIR PROBE

Figure 3.1: Figure 2.6 from Joe's thesis

Figure 3.2: Picture of end of probe

Figure 3.3: Probe body from engineering sketch

Table 3.1: Length scales of probe

3.1 What's a Langmuir probe

3.2 Hardware

3.2.1 Shaft Components

3.2.1.1 Garages

3.2.1.2 Shaft materials

3.2.1.3 Centering Collet

3.2.1.4 Feed-thru

3.2.2 Tip Components

3.2.2.1 Probe body

3.2.2.2 Tip material + size

3.2.2.3 Tip Shielding

3.2.3 Bdot Coils

3.3 Circuitry

3.3.1 Bias Source

3.3.1.1 Manually Controlled

3.3.1.1.1 Principles of operation - Equation to use for bias calculation

Figure 3.4: Circuit diagram of old setup. Add switches.

Figure 3.5: Image of old setup

Figure 3.6: Circuit diagram of new setup. Add switches.

3.3.1.1.2 Problems - Had to be manually controlled for drastic bias changes - Wires often contacted each other or parts would lose contact

3.3.1.2 Remote Controlled

3.3.1.2.1 Principles of operation - Equation to use for calculation

3.3.1.2.2 Problems - Destroyed a power supply - A resistor was designed and thus burnt out

3.3.1.2.3 Calibration

3.3.2 Probe Circuit

3.3.2.1 Single-ended measurement

3.3.2.2 Differential measurement

3.3.2.3 Calibration

3.3.2.3.1 Calibrating in isat

3.3.2.3.2 Calibrating on the exponential

3.3.2.3.3 Bayesian calibration

Figure 3.7: Image of new setup

Table 3.2: Bias circuit component values

Table 3.3: Probe circuit component values

Table 3.4: Chen parameters

3.4 Plasma Theory

3.4.1 Simple Plasma Theory (Hutchinson)

3.4.1.1 Derivation

3.4.1.2 Pros & Cons

3.4.2 BRL

3.4.2.1 Idea behind it

3.4.2.2 Approximations of it

3.4.2.2.1 Planar probe

3.4.2.2.2 Chen Approximation

3.4.2.2.3 Even more approximation

3.4.3 Effect of electric fields

3.4.3.1 Where does the electric field come from

3.4.3.1.1 Majority inductive

3.4.3.1.2 Some static

3.4.3.1.2.1 What is the expected static magnitude

Figure 3.8: What does an electric field do to the tip measurements diagram.

Figure 3.9: Example plot where E splitting tips

3.4.3.2 What does it do to the tip measurements

3.4.3.2.1 Theoretical understanding

3.4.3.2.2 Physical reality

3.4.4 Minimum measurable density

3.4.4.1 What's the debye Length

3.4.4.2 Sheath scale

3.4.4.3 Tip-tip sheath overlap

3.5 Curve Fitting

3.5.1 Least squares Fitting

3.5.1.1 Benefits (easy)

3.5.1.2 Issues (not representative of error)

3.5.2 ODR

3.5.2.1 What does error look like in our signals

3.5.2.2 How does ODR take that into account

3.5.2.3 How to apply parameter bounds

3.5.2.3.1 Our method

Figure 3.10: Diagram of local minimums

Figure 3.11: Example fit using many shots, multiple local parameter fits, and errors

3.5.2.3.2 Other options

3.5.3 Monte-carlo Fitting

3.5.3.1 What kind of fits do we get if we just trust a local minimum

3.5.3.2 How do we sample initial conditions

3.5.3.3 More robust methods for getting global minimums

3.5.4 Combining multiple shots

3.5.4.1 Using some time points from each shot

3.5.4.2 Combining all IV points and fitting that

3.5.4.3 Problems

3.5.4.3.1 Timing alignment We'll go into this more in the PA section.

3.5.4.3.2 Variability of plasma parameters

3.6 Results

What is the benefit of doing all this work?

Figure 3.12: Plot of isat currents from BRL

Figure 3.13: Radial chord of initial density with Hutchinson vs BRL.

Figure 3.14: Comparison of expected E from Ohm's law and measured E.

3.6.1 Measurement of low densities

3.6.1.1 How does Hutchinson vs BRL treat ion saturation

3.6.1.2 What are the experimental predictions that Hutchinson vs BRL have

3.6.1.3 How does that change the results

3.6.2 Noise resilience

Not sure how best I should show this.

3.6.3 Fits more accurate

- Each fit uses many data points
 - Don't have to arbitrarily cutoff data points

3.6.4 Extracting electric fields

3.6.4.1 Where do we expect electric fields to be

3.6.4.2 Do we see them there

4 PRESSURE ANISOTROPY PROBE

5 DIVERGENCE FREE INTERPOLATION? TALK TO JAN.

6 CONCLUSION

DISCARD THIS PAGE

COLOPHON

This template uses Gyre Pagella by default. (I used Arno Pro in my dissertation.)

Feel free to give me a shout-out in your colophon or acks if this template is useful for you. Good luck!