

1997-11-11 — Lisle, Illinois

Benedictine University, Dan & Ada Rice Athletic Center · 7 audience recordings · ~108 min

each

TapeMatch source clustering + Concert Ranker quality scoring | run 20260711_142949 | generated 2026-07-11

743A / B+

SOURCES SCANNEDDISTINCT SOURCE LINEAGESCONFIRMED SAME-SOURCEQUALITY GRADE RANGE

1 Combined summary

Recording	Grade	Score	Class	Tracks	Length	TapeMatch family	Source verdict
LB-01126	A	90.9	UNKNOWN	16	107 min	Family 2	tentative (unverified)
DAT / D-master	A	87.6	UNKNOWN	16	108 min	Family 1	distinct source
LB-9394	A-	86.6	UNKNOWN	18	109 min	Family 4	distinct source
LB-09042	A-	84.0	UNKNOWN	18	107 min	Family 2	same source (core)
LB-04854	A-	83.3	UNKNOWN	16	108 min	Family 2	same source (core)
LB-13287	A-	81.6	UNKNOWN	15	108 min	Family 2	same source (core)
LB-04283	B+	76.2	AUD	16	108 min	Family 3	distinct source

All 7 decoded and scored, including the Shorten (.shn) LB-01126 and the two-disc LB-04283. Ranked best quality first.

2 TapeMatch — source clustering

Four independent recording lineages. Only one same-source cluster (Family 2) exists; everything else is an independent recording.

FAMILY 2

One taper — 3 confirmed copies

LB-13287, LB-09042, LB-04854 share a recording chain: primary residual correlation **0.91–0.99** (unambiguous same source). LB-01126 is attached but *chain-unverified* — its correlation to the trio is ~0.00, merged only via a secondary/fingerprint path. Treat as unconfirmed.

FAMILY 3

FAMILY 1

DAT from D-master

Distinct source — best cross-family corr 0.062.

FAMILY 4

LB-04283

Distinct source — best cross-family corr 0.012.

LB-9394 (NO TORRENT)

Distinct source — best cross-family corr 0.128.

Residual correlation matrix

	DAT	LB-13287	LB-04283	LB-09042	LB-9394	LB-04854	LB-01126
DAT	1.000	0.046	0.010	0.009	0.062	0.038	0.035
LB-13287	0.046	1.000	0.012	0.914	0.021	0.991	0.003
LB-04283	0.010	0.012	1.000	0.007	0.008	0.008	0.007
LB-09042	0.009	0.914	0.007	1.000	0.018	0.959	0.008
LB-9394	0.062	0.021	0.008	0.018	1.000	0.020	0.128
LB-04854	0.038	0.991	0.008	0.959	0.020	1.000	0.018
LB-01126	0.035	0.003	0.007	0.008	0.128	0.018	1.000

≥0.90 same source 0.13–0.90 weak <0.13 independent self

23 pairs were flagged speed-unknown (ratio confidence < 6.0) and routed to fingerprint only — real speed offsets (up to +25000 ppm on LB-01126) mean those cross-family scores sit at the floor by construction, not proof of difference. The three strong Family-2 links aligned cleanly and are unaffected.

3 Quality scoring — Concert Ranker (AUD model)

Recording	Grade	Score / 100	HF ceiling	Crowd SNR (perf vs. crowd)	Clipping
LB-01126	A	90.9	15.0 kHz	6.22 dB	0.0%
DAT / D-master	A	87.6	15.0 kHz	6.11 dB	0.0%
LB-9394	A-	86.6	14.0 kHz	6.57 dB	0.0%
LB-09042	A-	84.0	14.5 kHz	5.37 dB	0.0%
LB-04854	A-	83.3	14.0 kHz	4.73 dB	0.0%
LB-13287	A-	81.6	14.0 kHz	4.54 dB	0.0%
LB-04283	B+	76.2	15.0 kHz	4.87 dB	0.0%

Within the confirmed same-source Family 2, **LB-09042** grades highest (**A−, 84.0**) — the copy to keep. LB-04283 (B+) is the weakest of the seven. All sources: 0% clipping, full ~14–15 kHz HF content.

4 What to keep

Keep — 4 independent sources

- **DAT / D-master** (A, 87.6)
- **LB-04283** (B+, 76.2)
- **LB-9394** (A−, 86.6)
- **LB-09042** (A−, 84.0) — best copy of Family 2

De-dup candidates

- **LB-13287, LB-04854** — same recording as LB-09042 (corr 0.96–0.99)
- **LB-01126** — unconfirmed Family-2 link; highest quality grade (A, 90.9), so keep pending a manual check

Sources: `adhoc_tapematch.log` · `adhoc_quality.json` · `archived run data/tapematch/runs/20260711_142949_1997-11-11/`. Quality = Concert Ranker AUD model (no DB writes). HF ceiling read at native rate; TapeMatch analysis runs at 16 kHz so its internal lineage HF figures are not comparable.