11-11 Tech
Build what matters. Prove what works.

MASTER SOFTWARE

Capability Standard

MSCS 1.0

Framework Specification • Capability Registry • Audit • Certification • API • AI/MCP

PURPOSE

A proprietary 11-11 Tech standard for determining whether a software product is architecturally complete, operationally controllable, evidence-backed and ready for its declared maturity profile - before it is called complete, launched, sold or certified.

DOCUMENT CONTROL	
EDITION	Proprietary Framework Specification
VERSION	MSCS 1.0
ISSUED	20 October 2026
FRAMEWORK CUSTODIAN	11-11 Tech
CLASSIFICATION	11-11 Tech Proprietary • Controlled Client Reference
RELATED STANDARD	UDPCS 1.0 — Universal Digital Platform Capability Standard

A formal capability, assurance and certification framework from 11-11 Tech.

FRAMEWORK AUTHORITY

MSCS 1.0 Intellectual Property & Use Notice

MSCS is designed as a durable 11-11 Tech methodology with defined terminology, namespaces, conformance rules and productization pathways.

11-11 TECH PROPRIETARY METHODOLOGY

The MSCS control taxonomy, identifiers, maturity model, evidence model, certification logic, defined framework terms, templates and machine-readable registry design are presented as an integrated 11-11 Tech methodology. External standards referenced in MSCS remain the property of their respective owners.

Controlled use principles

- MSCS documents may be shared with clients as part of 11-11 Tech engagements or under separately agreed commercial terms.
- Internal client use does not automatically grant the right to resell, republish, rebrand or create a competing commercial certification product from the framework.
- Capability IDs are stable framework references. Projects may extend MSCS with project-specific controls, but should not redefine canonical IDs.
- MSCS certification is an 11-11 Tech framework determination. It does not replace ISO certification, statutory approval, professional legal/accounting advice or a regulator decision.
- Trademark, patent or other formal registrations are separate legal processes. The framework should be reviewed by qualified counsel before commercial licensing terms are finalized.

Defined 11-11 Tech framework terms

Term	Defined meaning
MSCS	Master Software Capability Standard - the normative framework.
Capability Mirror	The completeness test requiring material product capabilities to be reflected across company control, data, security, operations and governance.
MSCS Registry	The canonical machine-readable collection of controls, profiles, dependencies, evidence rules and lifecycle metadata.
MSCS Audit File	The reconstructable evidence package supporting an assessment or certification decision.
MSCS Certification Gate	The score-plus-mandatory-gate decision logic used to determine conformance.
MSCS Control Plane	The future operational product for portfolio readiness, findings, evidence, certification and drift monitoring.

EXECUTIVE STANDARD

What MSCS changes

MSCS turns architecture completeness from an opinion into a versioned, addressable and evidence-backed control system.




Figure 1 — MSCS is designed as both a standard and a product platform.

UDPCS 1.0 provides the broad capability map used to discover what a digital company may need. MSCS 1.0 is the normative companion: it assigns durable IDs, profiles, evidence requirements, audit states, certification gates and governance rules so those capabilities can be assessed consistently across projects.

CORE DOCTRINE

A product capability is not complete merely because its UI or backend exists. It is complete when the required experience, control, platform, operations and governance responsibilities are defined, implemented and evidenced for the project's declared maturity.

NORMATIVE CORE

Language, scope and non-negotiable principles

MSCS uses explicit normative language so teams, auditors and automation can reach the same interpretation.

Word	Meaning
MUST / REQUIRED	Mandatory for conformance when the control applies to the target profile.
MUST NOT	Prohibited condition; violation is a blocker unless the control is legitimately not applicable.
SHOULD	Strong recommendation. Deviation requires documented rationale when material.
MAY	Permitted implementation choice.
N/A	Not applicable only with a documented reason. N/A is not a synonym for “not built yet”.
FUTURE	Explicitly deferred capability outside the current target maturity; cannot be used to defer a control required by the declared profile.

Foundational principles

- Capability identity is stable: canonical IDs are immutable once issued.
- Applicability is explicit: every control is Required, Conditional, Optional, Not Applicable or Future.
- Authority is exact: certification attaches to a defined project, version/release, environment and evidence state.
- Proof is stronger than claim: implementation, tests, runtime and operational evidence are distinct assurance classes.
- Critical failures override percentages: a 95% score cannot hide an unproven payment, identity, privacy, backup or privileged-admin control.
- Agent authority is separate from API authority: exposing an API never automatically authorizes an AI agent to use it.
- Regulatory readiness is mapped, not invented: M4 does not claim external statutory certification.

ARCHITECTURE MODEL

The Five-Plane Operating Model

MSCS audits software as a business operating system, not as a collection of screens and endpoints.



Figure 2 — The five operating planes used by MSCS.

Plane	Audit question	Typical systems
Experience	Who receives value and through which product surface?	Customer apps, seller/provider portals, partner surfaces, CMS/editorial studio, public website.
Control	How can authorized staff inspect, approve, correct, suspend, refund, restore or override?	Admin, support, finance, moderation, compliance and configuration consoles.
Platform	What authoritative services expose identity, data and controlled interfaces?	Databases, services, API gateway, events, developer platform, MCP/agent gateway.
Operations	How is the service built, deployed, observed, secured and recovered?	SDLC, cloud, monitoring, on-call, incident, backups, DR and release systems.
Governance	How is company authority, law, privacy, regulation, risk and assurance handled?	Corporate, legal, finance, compliance, risk, audit and executive governance.

CONTROL NAMESPACE

Canonical IDs & Capability Records

MSCS controls must remain addressable through design, implementation, testing, runtime evidence, findings and certification.




Figure 3 — Canonical control records make MSCS machine-readable and traceable.

Identifier syntax

CANONICAL FORM

<DOMAIN>-<NNN> is the baseline identifier, for example MKT-017. Product implementations may use qualified aliases such as MKT-TRX-017, but the canonical registry ID remains stable.

Field	Required content
Capability ID	Immutable canonical identifier.
Domain	Canonical prefix and domain owner.
Capability name	Short, stable name.
Definition	What the control means and what it intentionally excludes.
Business objective	Why the control exists.
Applicability	R / C / O / N/A / F plus rationale where needed.
Maturity floor	Default M1-M4 floor; project profile may elevate it.
Criticality	C0-C4 risk class.

Field	Required content
Interfaces	Customer, internal, API, MCP, partner or regulator surfaces.
Dependencies	Capabilities or external services required first.
Assurance	Security, privacy, legal, finance and audit requirements.
Evidence	Required evidence classes and accepted artifacts.
Owner	Accountable project/team role.
Lifecycle	Active, deprecated, retired, superseded.
Certification state	Assessment and certification status for the exact project authority.

CANONICAL NAMESPACE

37 MSCS Capability Domains

These prefixes are reserved within MSCS 1.0. Project-specific extensions must not redefine a canonical prefix or capability ID.

#	Prefix	Domain	Purpose	Base controls
01	STR-	Strategy & Business Model	Defines purpose, market, value, economics and governing product outcomes.	9
02	EXP-	Customer Experience & Product	Defines public/customer journeys, self-service and usable product states.	15
03	IAM-	Identity & Access	Controls authentication, sessions, roles, service identities and privileged access.	17
04	ORG-	Organizations & Multi-Tenancy	Controls tenants, teams, memberships, isolation and delegated administration.	12
05	MKT-	Marketplace	Controls seller/provider acquisition, listings, marketplace interaction and trust.	30
06	COM-	Commerce & Transactions	Controls pricing, checkout, payments, refunds, commissions, payouts and transaction state.	24
07	CMS-	Content Management	Controls structured content, editorial workflow, media, publishing and content APIs.	30
08	SRC-	Search & Discovery	Controls search, taxonomy, filters, ranking, recommendations and discoverability.	12
09	MSG-	Communications & Notifications	Controls email, SMS, push, inbox, templates, preferences and delivery.	15
10	CTL-	Administrative Control Plane	Provides internal authority to inspect, approve, correct, suspend, restore and report.	25
11	SUP-	Customer Support / CRM	Provides scoped case management, customer context, escalation and resolution workflows.	15
12	TNS-	Trust, Safety & Moderation	Controls abuse, fraud, reports, enforcement, appeals and platform integrity.	14
13	FIN-	Finance & Accounting	Controls financial truth, liabilities, reconciliation, tax, reporting and close.	20
14	CORP-	Corporate Administration	Controls legal entities, people, assets, procurement, vendors and delegated authority.	15
15	GRW-	Sales, Marketing & Growth	Controls acquisition, CRM, campaigns, attribution, lifecycle and experimentation.	16
16	PRT-	Partners & Vendors	Controls external partner onboarding, contracts, credentials, risk and offboarding.	12
17	DAT-	Data Platform & Governance	Controls data architecture, ownership, quality, lineage, retention, backup and access.	20
18	BI-	Analytics & Business Intelligence	Controls metrics, dashboards, funnels, cohorts, forecasts and canonical definitions.	13
19	API-	API Platform	Controls software-to-software access, scopes, rate limits, versioning and webhooks.	20
20	DEV-	Developer Platform	Controls developer onboarding, applications, credentials, sandboxes, SDKs and support.	20
21	MCP-	AI / MCP / Agent Platform	Controls agent identity, tools, resources, consent, human approval and execution policy.	25
22	INT-	Integrations & Event Architecture	Controls connectors, events, queues, imports/exports, retries and third-party health.	16
23	SEC-	Cybersecurity	Controls threat, authentication, authorization, cryptography, vulnerability and security operations.	25
24	PRV-	Privacy	Controls data rights, consent, legal basis, retention, processors and privacy incidents.	18
25	LEG-	Legal	Controls terms, contracts, policies, legal requests, IP process and records obligations.	15

#	Prefix	Domain	Purpose	Base controls
26	GOV-	Government & Regulation	Controls licensing, regulatory reporting, tax/government interfaces and regulated evidence.	14
27	ACC-	Accessibility	Controls accessible interaction, content, authentication and verification.	10
28	I18N-	Localization & Internationalization	Controls locales, languages, currencies, formats, RTL and regional variation.	10
29	INF-	Infrastructure & Cloud	Controls environments, compute, databases, networking, scaling, regions and cost.	17
30	ENG-	Engineering & SDLC	Controls source, review, testing, build, migration, releases, rollback and change.	20
31	OPS-	Operations & Reliability	Controls logs, metrics, traces, monitoring, SLOs, on-call and service health.	18
32	INC-	Incident Management	Controls severity, declaration, command, communication, recovery and postmortem.	12
33	BCP-	Business Continuity & Disaster Recovery	Controls RPO/RTO, backup, restore, provider/region failure and continuity exercises.	13
34	REL-	Release & Distribution	Controls web/mobile distribution, signing, stores, rollout, rollback and version tracking.	12
35	DOC-	Documentation & Knowledge	Controls customer, engineering, operations, security and compliance knowledge.	12
36	EXE-	Executive Governance	Controls executive visibility, strategic decisions, portfolio health and dependencies.	8
37	RSK-	Risk, Audit & Assurance	Controls risk ownership, control mapping, exceptions, audits and corrective action.	10

MATURITY PROFILES

M1 / M2 / M3 / M4

A project declares a target profile before assessment. Profiles are cumulative but applicability remains contextual.




Figure 4 — The four MSCS maturity profiles.

Profile	Certification intent	Minimum organizational expectation
M1 — MVP Ready	The bounded product can legitimately serve early users.	Core user journey; authoritative identity/data; minimum admin control; essential security/privacy/legal controls; monitoring and backup baseline.
M2 — Operationally Ready	The company can repeatedly operate the product safely.	Support; finance/reconciliation; role separation; observability; incident; runbooks; restore proof; documented operational ownership.
M3 — Enterprise Ready	The product can support organizational scale and delegated operations.	Enterprise tenancy/IAM; SSO/SCIM where applicable; advanced audit; SLOs; data governance; developer platform; vendor and continuity governance.
M4 — Regulated Readiness	Mapped regulatory obligations are implemented with formal evidence.	Formal control ownership; retention; legal holds; regulator reporting; segregation of duties; periodic review; auditable approvals; jurisdiction-specific evidence.

Profile	Certification intent	Minimum organizational expectation

PROFILE RULE

M4 is not “better software” than M3. It is a different assurance posture driven by legal or industry obligations. A project may be M2 with selected M4 controls where its risk model requires them.

ASSESSMENT STATE

Status, criticality and applicability

MSCS separates whether something exists from whether it has been objectively proven.

Status	Code	Meaning
Not Assessed	S00	No determination yet.
Required	S10	Control is in scope but work has not begun.
Designed	S20	Architecture / workflow approved.
Implemented	S30	Source/configuration exists.
Integrated	S40	Works with required dependencies.
Tested	S50	Defined tests pass.
Evidenced	S60	Objective evidence package exists.
Certified	S70	MSCS disposition accepted for the exact authority.
Live	S80	Operating in intended environment.
Monitored	S90	Ongoing service/evidence monitoring exists.

Criticality classes

Class	Meaning	Typical examples
C0	Informational / convenience	Theme preference, non-material presentation.
C1	Standard	Saved searches, ordinary documentation or analytics views.
C2	Important	Listings, CMS workflow, API compatibility, operational integrations.
C3	Critical	Authentication, payments, privileged admin, privacy, backup/restore, security boundary.
C4	Safety / regulatory critical	Controls where failure can create material safety, statutory or high-impact regulated harm.

ASSURANCE

Evidence Classes

MSCS makes the difference between source, test, runtime, operational, governance and external evidence explicit.




Figure 5 — The MSCS evidence ladder.

Class	Evidence type	Examples
E1	Implementation	Source, migrations, schemas, configuration, infrastructure-as-code.
E2	Verification	Unit/integration/contract/E2E/security/accessibility tests, physical UAT.
E3	Runtime	Deployed HTTP responses, real logs, database state, device behavior, real transactions.

Class	Evidence type	Examples
E4	Operational	Runbooks, alerts, reconciliation, restore test, incident exercise, support cases.
E5	Governance	Approval, policy, contract, risk acceptance, periodic access review, compliance evidence.
E6	External	Provider confirmation, independent assurance, app-store decision, regulator or certification-body evidence.

EVIDENCE RULE

The higher the maturity and criticality, the stronger the required evidence. C3/C4 controls ordinarily require runtime proof; M2+ adds operational evidence; M4 adds governance evidence and external evidence where the obligation depends on a third party.

AUDIT DISCIPLINE

Finding Taxonomy

A real standard must distinguish a product defect from an evidence defect, an authority problem or an external dependency.

Code	Finding class	Definition / treatment
F-IMP	Implementation defect	Required behavior or control is absent, incorrect or insecure. Remediate implementation.
F-EVD	Evidence defect	Capability may exist, but required proof is absent, stale, incomplete or non-reproducible. Remediate evidence/harness.
F-AUTH	Authority / custody defect	Assessment cannot prove the exact branch, release, environment, identity or authorized writer. Stop and recustody.
F-ENV	Environment / external gate	Provider, account, policy window, staging condition or external service prevents valid verification. Do not invent success.
F-POL	Owner / policy decision	Implementation choice requires explicit business/governance authority rather than technical inference.
F-RSK	Accepted risk / exception	Known deviation is formally documented, time-bounded, owned and approved at the required authority level.

Formal dispositions

Disposition	Meaning
PASS	Target profile requirements and mandatory gates are satisfied.
PASS WITH CONDITIONS	No blocking control is unresolved, but time-bounded remediation or monitoring conditions remain.
FAIL	One or more mandatory controls, evidence floors or critical gates fail.
NOT APPLICABLE	Control legitimately does not apply and the rationale is recorded.

CERTIFICATION LOGIC

Score + Mandatory Gates

Management needs a score; engineering and governance need rules that prevent percentages from hiding critical failures.




Figure 6 — Weighted readiness is informative; mandatory gates are decisive.

Profile	Indicative weighted threshold	Mandatory conditions
M1	≥ 85%	All applicable required C3/C4 controls at least Evidenced; no unapproved high-risk exceptions; core product/control plane works.
M2	≥ 90%	M1 plus operational evidence, support, observability, incident and restore/reconciliation gates.
M3	≥ 92%	M2 plus enterprise IAM/tenancy, data governance, SLO/developer/vendor controls where applicable.
M4	≥ 95%	M3 plus mapped regulatory controls, governance evidence, periodic review and any required external evidence.

CERTIFICATION

Lifecycle & Authority

Certification is a controlled decision attached to an exact project state, not a permanent adjective.




Figure 7 — MSCS certification lifecycle.

Certification authority record

Field	Required value
Project	Named product / service / system.
Target profile	M1 / M2 / M3 / M4 plus any selected higher controls.
Scope	Applications, services, tenants, jurisdictions and exclusions.
Version authority	Release number, source commit/SHA, build or immutable deployment reference.

Field	Required value
Environment authority	Staging, production or other exact environment being certified.
Evidence cutoff	Timestamp after which evidence is not part of the decision.
Findings	Open, accepted, closed and waived findings with owners.
Disposition	PASS / PASS WITH CONDITIONS / FAIL / N/A.
Certification validity	Issue date, review date, expiry / recertification triggers.
Approver	Named authorized 11-11 Tech assessor/certification authority and client owner where required.

EVIDENCE PACKAGE

The MSCS Audit File

A certification decision must be reconstructable without relying on memory, screenshots alone or specialist claims.



Figure 8 — Minimum structure of an MSCS audit file.

EXACT-HEAD CUSTODY

When source code is in scope, the audit file should identify the exact source authority (for example repository, branch, commit SHA), changed files, relevant tests, deployed environment and evidence produced from that authority. A specialist or implementation agent cannot self-certify its own return.

Evidence manifest fields

Field	Purpose
Evidence ID	Stable reference used by controls and findings.
Control IDs	One or more controls supported by the artifact.
Evidence class	E1-E6.
Source	Repository, system, provider, file, database or human-approved record.
Authority	Version/SHA/deployment/environment/account context.
Observed result	What was actually proven.
Expected result	Pass condition.
Captured at	Timestamp and timezone.
Captured by	Actor / tool / authorized role.
Integrity reference	Hash, immutable URL, provider ID or equivalent where appropriate.
Validity	Expiry / re-test condition for time-sensitive evidence.

COMPLETENESS TEST

The MSCS Capability Mirror

Every material feature is examined across fifteen questions before it is treated as complete.

Mirror question	Required design answer
01 Customer	Who uses it and what outcome/state transition is expected?
02 Business owner	Who owns policy and the business outcome?
03 Admin control	Who can inspect, approve, correct, suspend, restore or override?
04 Permission	What authority is required and what is explicitly forbidden?
05 Data	What authoritative records are created, changed, retained or deleted?
06 Audit	Which material actions must be traceable and tamper-resistant?
07 Finance	Does revenue, liability, commission, tax, settlement or reconciliation change?
08 Legal / regulatory	Which contract, law, policy or reporting obligation is triggered?
09 Security	How can it be forged, abused, escalated, leaked or taken over?
10 Support	What context and scoped actions are required to resolve user problems?
11 Operations	What failures, retries, alerts, queues and runbooks exist?
12 Analytics	How are success, failure, quality and business impact measured?
13 API	Does software need governed access or parity?
14 AI / MCP	Should an agent act; what consent, scope and human approval are required?
15 Recovery	Can the state be rolled back, restored, reconciled or reconstructed?

PRODUCTIZATION

Machine-Readable Registry

The canonical source of truth should be data, not a manually maintained PDF table.




Figure 9 — One registry can drive documents, audits, CI/CD, APIs and AI tooling.

Canonical record example

```
{
  "id": "MKT-017",
  "domain": "MKT",
  "name": "Order lifecycle",
  "version": "1.0",
  "status": "active",
  "default_maturity": "M1",
  "criticality": "C2",
  "applicability": "required_if_marketplace",
```

```
    "evidence_floor": [
      "E1",
      "E2",
      "E3"
    ],
    "planes": [
      "experience",
      "control",
      "platform",
      "operations",
      "governance"
    ],
    "dependencies": [
      "IAM-002",
      "DAT-001",
      "COM-007"
    ],
    "owner_role": "Marketplace Product Owner",
    "interfaces": [
      "customer",
      "seller",
      "admin",
      "api"
    ],
    "certification_rule": "No orphaned transaction state; state transitions authorized, auditable and recoverable."
  }
```


Registry lifecycle rules

- Major version: breaking semantic change to the framework, profile or canonical control meaning.
- Minor version: additive controls, mappings, evidence rules or domain extensions that remain backward compatible.
- Patch version: editorial clarification or metadata correction with no change to control intent.
- Canonical IDs are never reused. Retired controls remain addressable with lifecycle=retired and, where relevant, superseded_by.
- Generated DOCX/PDF, API responses, dashboards and MCP resources should be projections of the same registry version.

PLATFORM PRODUCT

MSCS API & MCP Surface

MSCS becomes commercially defensible when the same framework can be queried and enforced by tools, developers and agents.

Surface	Representative operations	Authority model
MSCS API	GET controls/domains/profiles; POST assessments; POST evidence; GET findings; POST certification requests.	OAuth/service identity; organization scope; project RBAC; immutable audit.
MSCS MCP Resources	Control definitions, domain maps, project status, evidence references, certification policy.	Read scopes; tenant/project isolation; policy filtering.
MSCS MCP Tools	Assess control, create finding, attach evidence, request verification, calculate readiness.	Explicit tool scopes; human approval for certification or risk acceptance.
CI/CD Gate	Compare changed services against required controls and evidence; fail release on mandatory blockers.	Workload identity; repository/project binding; signed result.
Portfolio Dashboard	Aggregate project maturity, drift, blockers and certification expiry.	Enterprise RBAC, delegated administration and audit.

AGENT BOUNDARY

An AI agent may help collect evidence, map controls and prepare findings, but final certification, legal applicability, risk acceptance and privileged changes require the authority defined by the organization. API access does not automatically confer agent authority.

FRAMEWORK GOVERNANCE

How MSCS itself is controlled

A standard is only credible if changes to the standard are versioned, reviewed and traceable.

Role	Responsibility
Framework Custodian — 11-11 Tech	Owns canonical MSCS specification, namespaces, releases and commercial policy.
Domain Steward	Maintains one or more capability domains, control definitions, mappings and evidence guidance.
Assessment Lead	Scopes a project, validates applicability and coordinates evidence.
Independent Verifier	Re-checks material claims and critical controls; does not self-accept implementation returns.
Certification Authority	Issues final MSCS disposition under defined authority.
Client Control Owner	Owns implementation, operational evidence and accepted exceptions in the client organization.
Legal / Regulatory Advisor	Confirms jurisdiction-specific obligations where professional interpretation is required.

Change proposal process

Stage	Required artifact
1. Proposal	Control/domain change request with rationale and impact.
2. Classification	Major/minor/patch plus affected profiles, mappings and clients.
3. Review	Domain and framework review; legal/security review where relevant.
4. Decision	Accept, amend, reject or defer with authority recorded.
5. Release	Registry update, change log, generated documents and migration guidance.
6. Transition	Deprecation window, project impact analysis and certification migration rules.

COMMERCIAL MODEL

How MSCS can be sold without becoming “just a PDF”

The commercial asset is the methodology + registry + audit process + tooling + certification relationship.

Offer	What the client receives
MSCS Discovery	Capability and plane map; project declaration; applicable domain profile; major architecture gaps.
MSCS Architecture Gap Assessment	Control-level assessment with findings, criticality, dependencies and remediation plan.
MSCS Launch Readiness	M1/M2 readiness audit with evidence file and formal disposition.
MSCS Enterprise Readiness	M3 profile assessment including enterprise IAM, governance, SLO, developer/data/vendor controls.
MSCS Regulated Readiness	M4 mapping and evidence programme scoped to applicable legal/industry obligations; does not replace statutory certification.
MSCS AI / MCP Readiness	Agent identity, authorization, tool/resource governance, human approval, data-loss and audit assessment.
MSCS Continuous Assurance	Control-plane monitoring, evidence expiry, project drift, exceptions and recertification.
MSCS Platform License	Registry/API/tooling access under agreed project, enterprise or partner commercial terms.

Recommended licensing boundaries

- Client Reference: read/use internally for the named engagement or project.
- Project License: apply the registry and templates to one defined software product/project.
- Enterprise License: apply the framework across an organization’s portfolio with defined seats/automation rights.
- Partner / Assessor License: trained third parties may perform defined MSCS services under quality and branding controls.
- Platform / API License: programmatic use of registry, scoring, control-plane or MCP services under metered or enterprise terms.

ADOPTION

MSCS Project Operating Sequence

Use the framework at project inception, not as a compliance exercise after the product is already built.

Wave	Primary activity	Outputs
W0 — Declare	Define business model, markets, users, data, money flows, target maturity and known regulatory drivers.	Project Declaration; target profile; initial applicability map.
W1 — Architect	Map required capabilities across five planes and assign owners/dependencies.	Architecture map; control scope; N/A rationale; implementation plan.
W2 — Build + mirror	Implement product capability together with its admin, data, security, operations and governance counterpart.	Source/config; control-plane functions; tests.
W3 — Evidence	Collect verification, runtime and operational proof as controls become ready.	Evidence Manifest; dashboards; runbooks; test outputs.
W4 — Assess	Classify findings, remediate blockers, verify exact authority.	Findings register; remediation; risk exceptions.
W5 — Certify	Apply score + gates and issue exact-scope disposition.	Certification record; expiry/renewal conditions.
W6 — Monitor	Detect drift, changed dependencies and evidence expiry.	Continuous assurance dashboard; recertification triggers.

WORKED EXAMPLE 01

Marketplace Seller Payout

A payout cannot be certified from a “Send payout” button alone.

Plane / concern	MSCS requirement
Experience	Seller sees balance, destination, expected payout state and failure status.
Control	Authorized finance/operator can inspect, hold or resolve permitted payout states under scoped authority.
Platform	Ledger, transaction lineage and payment-provider references are authoritative and reconcilable.
Operations	Failures, retries, stuck states and provider incidents are observable with runbooks.
Governance	Identity/tax/legal requirements are enforced where applicable; material changes are auditable.
Recovery	Reversal/adjustment behavior is defined; duplicate payouts are prevented through idempotency/ledger controls.
Evidence	Implementation + automated verification + runtime provider/ledger evidence + reconciliation evidence.

LIKELY CONTROL CLUSTER

COM-017 Payout • FIN-009 Reconciliation • IAM-010 Privileged access • CTL-011 Refund/financial authority • DAT-020 Data access audit • OPS-009 Alerts • TNS risk controls where applicable.

WORKED EXAMPLE 02

CMS Publishing

Publishing requires authority, workflow, evidence and recovery - not only a published flag.

Concern	MSCS interpretation
Authoring	Draft, preview and validation states are separated from public delivery.
Editorial authority	Roles distinguish author, reviewer, approver and publisher where the business requires separation.
Audit	Content version, actor, approval and publish event are traceable.
Distribution	Delivery APIs/caches/search are updated consistently; partial publish failure is detectable.
Correction	Version history and rollback/correction behavior are defined.
Legal / rights	Rights, licensing, embargo, corrections or legal review are enforced where applicable.
Evidence	Workflow tests + runtime publish proof + audit event + rollback/correction proof for critical content systems.

WORKED EXAMPLE 03

AI / MCP Tool Access

The presence of an API endpoint is not permission for an agent to invoke it.

Control question	Required answer
Agent identity	Which agent/client/workload is acting?
User authority	Whose authority is being exercised, and is it current?
Tool scope	What exact action is allowed?
Resource scope	Which records/tenants/resources are visible?
Consent	What does the user understand and approve?
Human approval	Which actions require a confirmation step or privileged reviewer?
Secrets	Can the agent access or expose credentials?
Audit	Can the organization reconstruct the invocation, actor, arguments, result and policy decision?
Recovery	Can the action be reversed or compensated?
Revocation	Can the tool/server/user grant be disabled immediately?

CANONICAL REGISTRY

MSCS 1.0 Base Control Library

The following registry is the canonical baseline control namespace for MSCS 1.0. Default maturity and criticality are starting floors; project risk or law may elevate them.

The MSCS 1.0 base registry contains 609 canonical controls across 37 domains. Control names are intentionally concise; formal machine-readable records should carry definitions, dependencies, applicability rules and evidence requirements.

REGISTRY RULE

A project may add local controls using a separate project namespace, but must not renumber or redefine canonical MSCS IDs. If a control is retired, its ID remains reserved forever.

STR DOMAIN

Strategy & Business Model

Defines purpose, market, value, economics and governing product outcomes.

Control ID	Capability	Default floor	Criticality	Default evidence floor
STR-001	Product mission defined	M1	C2	E1+E2
STR-002	Target user definition	M1	C2	E1+E2
STR-003	Business model	M1	C2	E1+E2
STR-004	Revenue model	M2	C2	E1+E2+E4
STR-005	Market positioning	M2	C2	E1+E2+E4
STR-006	Product roadmap	M2	C2	E1+E2+E4
STR-007	KPI framework	M2	C2	E1+E2+E4
STR-008	Portfolio governance	M3	C2	E1+E2+E4
STR-009	Regulatory market-entry assessment	M4	C2	E1+E2+E4+E5

EXP DOMAIN

Customer Experience & Product

Defines public/customer journeys, self-service and usable product states.

Control ID	Capability	Default floor	Criticality	Default evidence floor
EXP-001	Registration	M1	C2	E1+E2
EXP-002	Login	M1	C2	E1+E2
EXP-003	Account recovery	M1	C2	E1+E2
EXP-004	User profile	M1	C2	E1+E2
EXP-005	User preferences	M1	C2	E1+E2
EXP-006	Navigation	M1	C2	E1+E2
EXP-007	Responsive UI	M1	C2	E1+E2
EXP-008	Mobile experience	M2	C2	E1+E2+E4
EXP-009	User onboarding	M2	C2	E1+E2+E4
EXP-010	Self-service account management	M2	C2	E1+E2+E4
EXP-011	Error handling	M2	C2	E1+E2+E4
EXP-012	Offline / degraded-state UX	M2	C2	E1+E2+E4
EXP-013	Account termination	M2	C2	E1+E2+E4
EXP-014	Help access	M2	C2	E1+E2+E4
EXP-015	User feedback	M2	C2	E1+E2+E4

IAM DOMAIN

Identity & Access

Controls authentication, sessions, roles, service identities and privileged access.

Control ID	Capability	Default floor	Criticality	Default evidence floor
IAM-001	User identity	M1	C3	E1+E2+E3
IAM-002	Authentication	M1	C3	E1+E2+E3
IAM-003	Password security	M1	C3	E1+E2+E3
IAM-004	MFA	M2	C3	E1+E2+E3+E4
IAM-005	Passkeys	M3	C3	E1+E2+E3+E4
IAM-006	Session management	M1	C3	E1+E2+E3
IAM-007	Account recovery authority	M1	C3	E1+E2+E3
IAM-008	RBAC	M1	C3	E1+E2+E3
IAM-009	ABAC	M3	C3	E1+E2+E3+E4
IAM-010	Privileged access	M2	C3	E1+E2+E3+E4
IAM-011	Service identities	M2	C3	E1+E2+E3+E4
IAM-012	OAuth	M2	C3	E1+E2+E3+E4
IAM-013	SSO	M3	C3	E1+E2+E3+E4
IAM-014	SCIM	M3	C3	E1+E2+E3+E4
IAM-015	Access reviews	M3	C3	E1+E2+E3+E4
IAM-016	Credential revocation	M1	C3	E1+E2+E3
IAM-017	Device / session inventory	M2	C3	E1+E2+E3+E4

ORG DOMAIN

Organizations & Multi-Tenancy

Controls tenants, teams, memberships, isolation and delegated administration.

Control ID	Capability	Default floor	Criticality	Default evidence floor
ORG-001	Organization entity	M2	C2	E1+E2+E4
ORG-002	Membership	M2	C2	E1+E2+E4
ORG-003	Invitations	M2	C2	E1+E2+E4
ORG-004	Teams	M3	C2	E1+E2+E4
ORG-005	Departments	M3	C2	E1+E2+E4
ORG-006	Tenant boundaries	M3	C2	E1+E2+E4
ORG-007	Tenant configuration	M3	C2	E1+E2+E4
ORG-008	Delegated administration	M3	C2	E1+E2+E4
ORG-009	Tenant billing	M3	C2	E1+E2+E4
ORG-010	Tenant analytics	M3	C2	E1+E2+E4
ORG-011	Tenant data export	M3	C2	E1+E2+E4
ORG-012	Tenant deletion	M3	C2	E1+E2+E4

MKT DOMAIN

Marketplace

Controls seller/provider acquisition, listings, marketplace interaction and trust.

Control ID	Capability	Default floor	Criticality	Default evidence floor
MKT-001	Seller registration	M1	C2	E1+E2
MKT-002	Seller identity	M1	C2	E1+E2
MKT-003	Seller business verification	M1	C2	E1+E2
MKT-004	Seller approval	M1	C2	E1+E2
MKT-005	Seller suspension	M1	C2	E1+E2
MKT-006	Seller profile	M1	C2	E1+E2
MKT-007	Listing creation	M1	C2	E1+E2
MKT-008	Listing moderation	M1	C2	E1+E2
MKT-009	Listing versioning	M1	C2	E1+E2
MKT-010	Catalog classification	M1	C2	E1+E2
MKT-011	Inventory	M1	C2	E1+E2
MKT-012	Availability	M1	C2	E1+E2
MKT-013	Buyer discovery	M1	C2	E1+E2
MKT-014	Marketplace search	M1	C2	E1+E2
MKT-015	Buyer-seller communication	M1	C2	E1+E2
MKT-016	Transaction initiation	M2	C2	E1+E2+E4
MKT-017	Order lifecycle	M2	C2	E1+E2+E4
MKT-018	Seller fulfilment	M2	C2	E1+E2+E4
MKT-019	Buyer confirmation	M2	C2	E1+E2+E4
MKT-020	Reviews	M2	C2	E1+E2+E4
MKT-021	Ratings	M2	C2	E1+E2+E4
MKT-022	Complaints	M2	C2	E1+E2+E4
MKT-023	Returns	M2	C2	E1+E2+E4
MKT-024	Disputes	M2	C2	E1+E2+E4
MKT-025	Seller analytics	M2	C2	E1+E2+E4
MKT-026	Seller account health	M2	C2	E1+E2+E4
MKT-027	Marketplace policy	M2	C2	E1+E2+E4
MKT-028	Seller appeals	M2	C2	E1+E2+E4
MKT-029	Prohibited goods / services controls	M2	C2	E1+E2+E4
MKT-030	Marketplace fraud controls	M2	C2	E1+E2+E4

COM DOMAIN

Commerce & Transactions

Controls pricing, checkout, payments, refunds, commissions, payouts and transaction state.

Control ID	Capability	Default floor	Criticality	Default evidence floor
COM-001	Pricing	M1	C2	E1+E2
COM-002	Taxes	M1	C3	E1+E2+E3
COM-003	Discounts	M1	C2	E1+E2
COM-004	Coupons	M1	C2	E1+E2
COM-005	Cart	M1	C2	E1+E2
COM-006	Checkout	M1	C2	E1+E2
COM-007	Payment authorization	M1	C3	E1+E2+E3
COM-008	Payment capture	M1	C3	E1+E2+E3
COM-009	Payment failure	M1	C3	E1+E2+E3
COM-010	Refund	M1	C3	E1+E2+E3
COM-011	Partial refund	M1	C3	E1+E2+E3
COM-012	Cancellation	M1	C2	E1+E2
COM-013	Platform fee	M2	C2	E1+E2+E4
COM-014	Seller commission	M2	C2	E1+E2+E4
COM-015	Split settlement	M2	C3	E1+E2+E3+E4
COM-016	Wallet / balance	M2	C2	E1+E2+E4
COM-017	Payout	M2	C3	E1+E2+E3+E4
COM-018	Payout reversal	M2	C3	E1+E2+E3+E4
COM-019	Invoice	M2	C2	E1+E2+E4
COM-020	Receipt	M2	C2	E1+E2+E4
COM-021	Subscription	M2	C2	E1+E2+E4
COM-022	Renewal	M2	C2	E1+E2+E4
COM-023	Chargeback	M2	C3	E1+E2+E3+E4
COM-024	Reconciliation	M2	C3	E1+E2+E3+E4

CMS DOMAIN

Content Management

Controls structured content, editorial workflow, media, publishing and content APIs.

Control ID	Capability	Default floor	Criticality	Default evidence floor
CMS-001	Content models	M1	C2	E1+E2
CMS-002	Content types	M1	C2	E1+E2
CMS-003	Fields	M1	C2	E1+E2
CMS-004	Taxonomy	M1	C2	E1+E2
CMS-005	Authoring	M1	C2	E1+E2
CMS-006	Rich content	M1	C2	E1+E2
CMS-007	Media	M1	C2	E1+E2
CMS-008	Drafts	M1	C2	E1+E2
CMS-009	Autosave	M1	C2	E1+E2
CMS-010	Preview	M1	C2	E1+E2
CMS-011	Editorial workflow	M1	C2	E1+E2
CMS-012	Review	M1	C2	E1+E2
CMS-013	Approval	M1	C2	E1+E2
CMS-014	Publishing	M1	C2	E1+E2
CMS-015	Scheduling	M1	C2	E1+E2
CMS-016	Embargo	M2	C2	E1+E2+E4
CMS-017	Unpublishing	M2	C2	E1+E2+E4
CMS-018	Version history	M2	C2	E1+E2+E4
CMS-019	Rollback	M2	C2	E1+E2+E4
CMS-020	Corrections	M2	C2	E1+E2+E4
CMS-021	Localization	M2	C2	E1+E2+E4
CMS-022	Syndication	M2	C2	E1+E2+E4
CMS-023	Rights management	M2	C2	E1+E2+E4
CMS-024	Asset licensing	M2	C2	E1+E2+E4
CMS-025	Author management	M2	C2	E1+E2+E4
CMS-026	Content audit log	M2	C2	E1+E2+E4
CMS-027	Management API	M2	C2	E1+E2+E4
CMS-028	Delivery API	M2	C2	E1+E2+E4
CMS-029	Preview API	M2	C2	E1+E2+E4
CMS-030	Webhooks	M2	C2	E1+E2+E4

SRC DOMAIN

Search & Discovery

Controls search, taxonomy, filters, ranking, recommendations and discoverability.

Control ID	Capability	Default floor	Criticality	Default evidence floor
SRC-001	Search index	M1	C2	E1+E2
SRC-002	Search query	M1	C2	E1+E2
SRC-003	Filters	M1	C2	E1+E2
SRC-004	Sorting	M1	C2	E1+E2
SRC-005	Taxonomy / facets	M1	C2	E1+E2
SRC-006	Autocomplete	M2	C2	E1+E2+E4
SRC-007	Relevance ranking	M2	C2	E1+E2+E4
SRC-008	Recommendations	M2	C2	E1+E2+E4
SRC-009	Saved searches	M2	C2	E1+E2+E4
SRC-010	Recent searches	M2	C2	E1+E2+E4
SRC-011	Zero-result handling	M2	C2	E1+E2+E4
SRC-012	Search quality analytics	M2	C2	E1+E2+E4

MSG DOMAIN

Communications & Notifications

Controls email, SMS, push, inbox, templates, preferences and delivery.

Control ID	Capability	Default floor	Criticality	Default evidence floor
MSG-001	Transactional email	M1	C2	E1+E2
MSG-002	SMS	M1	C2	E1+E2
MSG-003	Push notifications	M1	C2	E1+E2
MSG-004	In-app notifications	M1	C2	E1+E2
MSG-005	Inbox / message centre	M1	C2	E1+E2
MSG-006	Notification preferences	M2	C2	E1+E2+E4
MSG-007	Template management	M2	C2	E1+E2+E4
MSG-008	Localization	M2	C2	E1+E2+E4
MSG-009	Delivery status	M2	C2	E1+E2+E4
MSG-010	Retry / failure handling	M2	C2	E1+E2+E4
MSG-011	Unsubscribe / suppression	M2	C2	E1+E2+E4
MSG-012	Communication audit	M2	C2	E1+E2+E4
MSG-013	Campaign segmentation	M2	C2	E1+E2+E4
MSG-014	Provider health	M2	C2	E1+E2+E4
MSG-015	Emergency notifications	M2	C2	E1+E2+E4

CTL DOMAIN

Administrative Control Plane

Provides internal authority to inspect, approve, correct, suspend, restore and report.

Control ID	Capability	Default floor	Criticality	Default evidence floor
CTL-001	Admin authentication	M1	C3	E1+E2+E3
CTL-002	Admin RBAC	M1	C3	E1+E2+E3
CTL-003	User lookup	M1	C2	E1+E2
CTL-004	User account inspection	M1	C2	E1+E2
CTL-005	User suspension	M1	C3	E1+E2+E3
CTL-006	User restoration	M1	C3	E1+E2+E3
CTL-007	Role administration	M1	C2	E1+E2
CTL-008	Seller administration	M1	C2	E1+E2
CTL-009	Marketplace administration	M1	C2	E1+E2
CTL-010	Transaction inspection	M1	C2	E1+E2
CTL-011	Refund authority	M1	C3	E1+E2+E3
CTL-012	Dispute administration	M1	C2	E1+E2
CTL-013	CMS administration	M2	C2	E1+E2+E4
CTL-014	Configuration management	M2	C2	E1+E2+E4
CTL-015	Feature flags	M2	C2	E1+E2+E4
CTL-016	Business rules	M2	C2	E1+E2+E4
CTL-017	Moderation queue	M2	C2	E1+E2+E4
CTL-018	Audit log	M2	C3	E1+E2+E3+E4
CTL-019	Administrative reason codes	M2	C2	E1+E2+E4
CTL-020	Sensitive-action confirmation	M2	C2	E1+E2+E4
CTL-021	Dual approval	M2	C3	E1+E2+E3+E4
CTL-022	Emergency controls	M2	C3	E1+E2+E3+E4
CTL-023	System health view	M2	C2	E1+E2+E4
CTL-024	Admin activity monitoring	M2	C2	E1+E2+E4
CTL-025	Export / reporting	M2	C2	E1+E2+E4

SUP DOMAIN

Customer Support / CRM

Provides scoped case management, customer context, escalation and resolution workflows.

Control ID	Capability	Default floor	Criticality	Default evidence floor
SUP-001	Customer record	M2	C2	E1+E2+E4
SUP-002	Contact history	M2	C2	E1+E2+E4
SUP-003	Ticketing	M2	C2	E1+E2+E4
SUP-004	Assignment	M2	C2	E1+E2+E4
SUP-005	Escalation	M2	C2	E1+E2+E4
SUP-006	SLA	M2	C2	E1+E2+E4
SUP-007	Internal notes	M2	C2	E1+E2+E4
SUP-008	Templates	M2	C2	E1+E2+E4
SUP-009	Attachments	M2	C2	E1+E2+E4
SUP-010	Identity verification	M2	C2	E1+E2+E4
SUP-011	Refund support	M2	C2	E1+E2+E4
SUP-012	Knowledge base	M2	C2	E1+E2+E4
SUP-013	Complaint handling	M2	C2	E1+E2+E4
SUP-014	Customer satisfaction	M2	C2	E1+E2+E4
SUP-015	Channel integration	M2	C2	E1+E2+E4

TNS DOMAIN

Trust, Safety & Moderation

Controls abuse, fraud, reports, enforcement, appeals and platform integrity.

Control ID	Capability	Default floor	Criticality	Default evidence floor
TNS-001	Abuse reports	M2	C2	E1+E2+E4
TNS-002	Fraud reports	M2	C2	E1+E2+E4
TNS-003	Illegal-content reports	M2	C2	E1+E2+E4
TNS-004	Scam detection	M2	C2	E1+E2+E4
TNS-005	Risk scoring	M2	C2	E1+E2+E4
TNS-006	Moderation queue	M2	C2	E1+E2+E4
TNS-007	Evidence retention	M2	C2	E1+E2+E4
TNS-008	Warning	M2	C2	E1+E2+E4
TNS-009	Restriction	M2	C2	E1+E2+E4
TNS-010	Suspension	M2	C2	E1+E2+E4
TNS-011	Ban	M2	C2	E1+E2+E4
TNS-012	Appeal	M2	C2	E1+E2+E4
TNS-013	Reinstatement	M2	C2	E1+E2+E4
TNS-014	Policy enforcement audit	M2	C2	E1+E2+E4

FIN DOMAIN

Finance & Accounting

Controls financial truth, liabilities, reconciliation, tax, reporting and close.

Control ID	Capability	Default floor	Criticality	Default evidence floor
FIN-001	Chart of accounts integration	M2	C2	E1+E2+E4
FIN-002	Accounts receivable	M2	C2	E1+E2+E4
FIN-003	Accounts payable	M2	C2	E1+E2+E4
FIN-004	Invoice	M2	C2	E1+E2+E4
FIN-005	Credit note	M2	C2	E1+E2+E4
FIN-006	Platform revenue	M2	C3	E1+E2+E3+E4
FIN-007	Seller liability	M2	C3	E1+E2+E3+E4
FIN-008	Settlement	M2	C3	E1+E2+E3+E4
FIN-009	Reconciliation	M2	C3	E1+E2+E3+E4
FIN-010	Bank reconciliation	M2	C3	E1+E2+E3+E4
FIN-011	Refund accounting	M2	C3	E1+E2+E3+E4
FIN-012	Tax accounting	M2	C3	E1+E2+E3+E4
FIN-013	Revenue recognition	M2	C3	E1+E2+E3+E4
FIN-014	Currency handling	M2	C2	E1+E2+E4
FIN-015	Expense management	M2	C2	E1+E2+E4
FIN-016	Cost centres	M2	C2	E1+E2+E4
FIN-017	Forecast	M2	C2	E1+E2+E4
FIN-018	Monthly close	M2	C2	E1+E2+E4
FIN-019	Financial reporting	M2	C2	E1+E2+E4
FIN-020	Audit export	M2	C2	E1+E2+E4

CORP DOMAIN

Corporate Administration

Controls legal entities, people, assets, procurement, vendors and delegated authority.

Control ID	Capability	Default floor	Criticality	Default evidence floor
CORP-001	Legal entity registry	M2	C2	E1+E2+E4
CORP-002	Ownership register	M2	C2	E1+E2+E4
CORP-003	Director register	M2	C2	E1+E2+E4
CORP-004	Corporate policies	M2	C2	E1+E2+E4
CORP-005	Delegated authority	M2	C2	E1+E2+E4
CORP-006	Contracts	M2	C2	E1+E2+E4
CORP-007	Employee lifecycle	M2	C2	E1+E2+E4
CORP-008	Contractor lifecycle	M2	C2	E1+E2+E4
CORP-009	Asset management	M2	C2	E1+E2+E4
CORP-010	Software licences	M2	C2	E1+E2+E4
CORP-011	Domain ownership	M2	C2	E1+E2+E4
CORP-012	Insurance	M2	C2	E1+E2+E4
CORP-013	Procurement	M2	C2	E1+E2+E4
CORP-014	Vendor records	M2	C2	E1+E2+E4
CORP-015	Corporate approvals	M2	C2	E1+E2+E4

GRW DOMAIN

Sales, Marketing & Growth

Controls acquisition, CRM, campaigns, attribution, lifecycle and experimentation.

Control ID	Capability	Default floor	Criticality	Default evidence floor
GRW-001	CRM	M2	C1	E1+E2+E4
GRW-002	Leads	M2	C1	E1+E2+E4
GRW-003	Opportunities	M2	C1	E1+E2+E4
GRW-004	Campaigns	M2	C1	E1+E2+E4
GRW-005	Attribution	M2	C1	E1+E2+E4
GRW-006	Landing pages	M2	C1	E1+E2+E4
GRW-007	SEO	M2	C1	E1+E2+E4
GRW-008	ASO	M2	C1	E1+E2+E4
GRW-009	Lifecycle email	M2	C1	E1+E2+E4
GRW-010	Push campaigns	M2	C1	E1+E2+E4
GRW-011	Referrals	M2	C1	E1+E2+E4
GRW-012	Affiliates	M2	C1	E1+E2+E4
GRW-013	Experiments	M2	C1	E1+E2+E4
GRW-014	Consent	M2	C1	E1+E2+E4
GRW-015	Unsubscribe	M2	C1	E1+E2+E4
GRW-016	Campaign analytics	M2	C1	E1+E2+E4

PRT DOMAIN

Partners & Vendors

Controls external partner onboarding, contracts, credentials, risk and offboarding.

Control ID	Capability	Default floor	Criticality	Default evidence floor
PRT-001	Partner registry	M2	C2	E1+E2+E4
PRT-002	Partner onboarding	M2	C2	E1+E2+E4
PRT-003	Contracts	M2	C2	E1+E2+E4
PRT-004	Partner credentials	M2	C2	E1+E2+E4
PRT-005	Certification	M2	C2	E1+E2+E4
PRT-006	API access	M2	C2	E1+E2+E4
PRT-007	Partner billing	M2	C2	E1+E2+E4
PRT-008	Revenue sharing	M2	C2	E1+E2+E4
PRT-009	Vendor risk	M2	C2	E1+E2+E4
PRT-010	Renewal tracking	M2	C2	E1+E2+E4
PRT-011	Subprocessors	M2	C2	E1+E2+E4
PRT-012	Partner offboarding	M2	C2	E1+E2+E4

DAT DOMAIN

Data Platform & Governance

Controls data architecture, ownership, quality, lineage, retention, backup and access.

Control ID	Capability	Default floor	Criticality	Default evidence floor
DAT-001	Data architecture	M1	C2	E1+E2
DAT-002	Schema governance	M1	C2	E1+E2
DAT-003	Data ownership	M1	C2	E1+E2
DAT-004	Data dictionary	M1	C2	E1+E2
DAT-005	Data classification	M1	C2	E1+E2
DAT-006	Data lineage	M1	C2	E1+E2
DAT-007	Data quality	M1	C2	E1+E2
DAT-008	Master data	M1	C2	E1+E2
DAT-009	Data retention	M1	C2	E1+E2
DAT-010	Data deletion	M1	C3	E1+E2+E3
DAT-011	Data export	M2	C2	E1+E2+E4
DAT-012	Backup	M2	C3	E1+E2+E3+E4
DAT-013	Restore	M2	C3	E1+E2+E3+E4
DAT-014	Archive	M2	C2	E1+E2+E4
DAT-015	Data residency	M2	C3	E1+E2+E3+E4
DAT-016	Encryption	M2	C3	E1+E2+E3+E4
DAT-017	Warehouse / lake	M2	C2	E1+E2+E4
DAT-018	Search indexing	M2	C2	E1+E2+E4
DAT-019	Queue / event storage	M2	C2	E1+E2+E4
DAT-020	Data access audit	M2	C3	E1+E2+E3+E4

BI DOMAIN

Analytics & Business Intelligence

Controls metrics, dashboards, funnels, cohorts, forecasts and canonical definitions.

Control ID	Capability	Default floor	Criticality	Default evidence floor
BI-001	Product analytics	M2	C1	E1+E2+E4
BI-002	Marketplace analytics	M2	C1	E1+E2+E4
BI-003	Revenue analytics	M2	C1	E1+E2+E4
BI-004	Customer analytics	M2	C1	E1+E2+E4
BI-005	Content analytics	M2	C1	E1+E2+E4
BI-006	Operational analytics	M2	C1	E1+E2+E4
BI-007	Executive dashboards	M2	C1	E1+E2+E4
BI-008	Metric dictionary	M2	C1	E1+E2+E4
BI-009	Funnel analysis	M2	C1	E1+E2+E4
BI-010	Retention	M2	C1	E1+E2+E4
BI-011	Cohort analysis	M2	C1	E1+E2+E4
BI-012	Forecasting	M2	C1	E1+E2+E4
BI-013	Data freshness monitoring	M2	C1	E1+E2+E4

API DOMAIN

API Platform

Controls software-to-software access, scopes, rate limits, versioning and webhooks.

Control ID	Capability	Default floor	Criticality	Default evidence floor
API-001	API gateway	M1	C2	E1+E2
API-002	Authentication	M1	C2	E1+E2
API-003	Authorization	M1	C2	E1+E2
API-004	Scopes	M1	C2	E1+E2
API-005	Versioning	M1	C2	E1+E2
API-006	Pagination	M1	C2	E1+E2
API-007	Rate limits	M1	C2	E1+E2
API-008	Quotas	M1	C2	E1+E2
API-009	Idempotency	M1	C2	E1+E2
API-010	Validation	M1	C2	E1+E2
API-011	Error model	M2	C2	E1+E2+E4
API-012	Request IDs	M2	C2	E1+E2+E4
API-013	OpenAPI	M2	C2	E1+E2+E4
API-014	API logs	M2	C2	E1+E2+E4
API-015	API monitoring	M2	C2	E1+E2+E4
API-016	Deprecation	M2	C2	E1+E2+E4
API-017	Webhooks	M2	C2	E1+E2+E4
API-018	Webhook signing	M2	C2	E1+E2+E4
API-019	Webhook retries	M2	C2	E1+E2+E4
API-020	API sandbox	M2	C2	E1+E2+E4

DEV DOMAIN

Developer Platform

Controls developer onboarding, applications, credentials, sandboxes, SDKs and support.

Control ID	Capability	Default floor	Criticality	Default evidence floor
DEV-001	Developer registration	M2	C2	E1+E2+E4
DEV-002	Developer organization	M2	C2	E1+E2+E4
DEV-003	Application registration	M2	C2	E1+E2+E4
DEV-004	API credentials	M3	C2	E1+E2+E4
DEV-005	OAuth client	M3	C2	E1+E2+E4
DEV-006	Credential rotation	M3	C2	E1+E2+E4
DEV-007	Sandbox	M3	C2	E1+E2+E4
DEV-008	API explorer	M3	C2	E1+E2+E4
DEV-009	Usage dashboard	M3	C2	E1+E2+E4
DEV-010	Logs	M3	C2	E1+E2+E4
DEV-011	Quotas	M3	C2	E1+E2+E4
DEV-012	SDKs	M3	C2	E1+E2+E4
DEV-013	Documentation	M3	C2	E1+E2+E4
DEV-014	Tutorials	M3	C2	E1+E2+E4
DEV-015	Sample applications	M3	C2	E1+E2+E4
DEV-016	Changelog	M3	C2	E1+E2+E4
DEV-017	Migration guides	M3	C2	E1+E2+E4
DEV-018	Developer support	M3	C2	E1+E2+E4
DEV-019	App review	M3	C2	E1+E2+E4
DEV-020	Integration marketplace	M3	C2	E1+E2+E4

MCP DOMAIN

AI / MCP / Agent Platform

Controls agent identity, tools, resources, consent, human approval and execution policy.

Control ID	Capability	Default floor	Criticality	Default evidence floor
MCP-001	MCP server registry	M3	C2	E1+E2+E4
MCP-002	Tool registry	M3	C2	E1+E2+E4
MCP-003	Resource registry	M3	C2	E1+E2+E4
MCP-004	Prompt registry	M3	C2	E1+E2+E4
MCP-005	Agent identity	M3	C2	E1+E2+E4
MCP-006	User authorization	M3	C3	E1+E2+E3+E4
MCP-007	OAuth	M3	C3	E1+E2+E3+E4
MCP-008	Tool scopes	M3	C2	E1+E2+E4
MCP-009	Resource scopes	M3	C2	E1+E2+E4
MCP-010	Consent	M3	C2	E1+E2+E4
MCP-011	Human approval	M4	C3	E1+E2+E3+E4+E5
MCP-012	Execution limits	M3	C2	E1+E2+E4
MCP-013	Rate limits	M3	C2	E1+E2+E4
MCP-014	Tool audit	M4	C3	E1+E2+E3+E4+E5
MCP-015	Agent audit	M4	C3	E1+E2+E3+E4+E5
MCP-016	Secret isolation	M3	C3	E1+E2+E3+E4
MCP-017	Data-loss prevention	M4	C3	E1+E2+E3+E4+E5
MCP-018	Sandbox	M3	C2	E1+E2+E4
MCP-019	Tool versioning	M3	C2	E1+E2+E4
MCP-020	Compatibility	M3	C2	E1+E2+E4
MCP-021	Tool revocation	M3	C3	E1+E2+E3+E4
MCP-022	Server disconnection	M3	C2	E1+E2+E4
MCP-023	Long-running task control	M3	C2	E1+E2+E4
MCP-024	Agent observability	M3	C2	E1+E2+E4
MCP-025	AI policy enforcement	M4	C3	E1+E2+E3+E4+E5

INT DOMAIN

Integrations & Event Architecture

Controls connectors, events, queues, imports/exports, retries and third-party health.

Control ID	Capability	Default floor	Criticality	Default evidence floor
INT-001	Integration registry	M2	C2	E1+E2+E4
INT-002	OAuth integrations	M2	C2	E1+E2+E4
INT-003	Incoming webhooks	M2	C2	E1+E2+E4
INT-004	Outgoing webhooks	M2	C2	E1+E2+E4
INT-005	Event bus	M2	C2	E1+E2+E4
INT-006	Queues	M2	C2	E1+E2+E4
INT-007	Retry handling	M2	C2	E1+E2+E4
INT-008	Dead-letter queues	M2	C2	E1+E2+E4
INT-009	Imports	M2	C2	E1+E2+E4
INT-010	Exports	M2	C2	E1+E2+E4
INT-011	CSV	M2	C2	E1+E2+E4
INT-012	SFTP	M2	C2	E1+E2+E4
INT-013	Third-party health	M2	C2	E1+E2+E4
INT-014	Integration ownership	M2	C2	E1+E2+E4
INT-015	Integration SLA	M2	C2	E1+E2+E4
INT-016	Version compatibility	M2	C2	E1+E2+E4

SEC DOMAIN

Cybersecurity

Controls threat, authentication, authorization, cryptography, vulnerability and security operations.

Control ID	Capability	Default floor	Criticality	Default evidence floor
SEC-001	Security governance	M1	C3	E1+E2+E3
SEC-002	Threat modeling	M1	C3	E1+E2+E3
SEC-003	Secure authentication	M1	C3	E1+E2+E3
SEC-004	Authorization	M1	C3	E1+E2+E3
SEC-005	Encryption at rest	M1	C3	E1+E2+E3
SEC-006	Encryption in transit	M1	C3	E1+E2+E3
SEC-007	Secrets management	M1	C3	E1+E2+E3
SEC-008	Key rotation	M1	C3	E1+E2+E3
SEC-009	Dependency scanning	M2	C3	E1+E2+E3+E4
SEC-010	SAST	M2	C3	E1+E2+E3+E4
SEC-011	DAST	M2	C3	E1+E2+E3+E4
SEC-012	Vulnerability management	M2	C3	E1+E2+E3+E4
SEC-013	Cloud IAM	M2	C3	E1+E2+E3+E4
SEC-014	Network segmentation	M2	C3	E1+E2+E3+E4
SEC-015	WAF	M2	C3	E1+E2+E3+E4
SEC-016	DDoS protection	M2	C3	E1+E2+E3+E4
SEC-017	Security logging	M2	C3	E1+E2+E3+E4
SEC-018	SIEM	M2	C3	E1+E2+E3+E4
SEC-019	Detection	M2	C3	E1+E2+E3+E4
SEC-020	Security incident response	M2	C3	E1+E2+E3+E4
SEC-021	Penetration testing	M2	C3	E1+E2+E3+E4
SEC-022	Security review	M2	C3	E1+E2+E3+E4
SEC-023	Privileged-access management	M2	C3	E1+E2+E3+E4
SEC-024	Secure configuration	M2	C3	E1+E2+E3+E4
SEC-025	Security training	M2	C3	E1+E2+E3+E4

PRV DOMAIN

Privacy

Controls data rights, consent, legal basis, retention, processors and privacy incidents.

Control ID	Capability	Default floor	Criticality	Default evidence floor
PRV-001	Privacy notice	M1	C3	E1+E2+E3
PRV-002	Consent	M1	C3	E1+E2+E3
PRV-003	Purpose / legal basis	M1	C3	E1+E2+E3
PRV-004	Data inventory	M1	C3	E1+E2+E3
PRV-005	Data subject access	M2	C3	E1+E2+E3+E4
PRV-006	Correction	M2	C3	E1+E2+E3+E4
PRV-007	Deletion	M2	C3	E1+E2+E3+E4
PRV-008	Portability	M2	C3	E1+E2+E3+E4
PRV-009	Restriction	M2	C3	E1+E2+E3+E4
PRV-010	Objection	M2	C3	E1+E2+E3+E4
PRV-011	Consent withdrawal	M2	C3	E1+E2+E3+E4
PRV-012	Retention	M2	C3	E1+E2+E3+E4
PRV-013	Cookies	M2	C3	E1+E2+E3+E4
PRV-014	Processor register	M2	C3	E1+E2+E3+E4
PRV-015	Subprocessor register	M2	C3	E1+E2+E3+E4
PRV-016	Privacy incident	M2	C3	E1+E2+E3+E4
PRV-017	DPIA	M4	C3	E1+E2+E3+E4+E5
PRV-018	Cross-border transfer	M4	C3	E1+E2+E3+E4+E5

LEG DOMAIN

Legal

Controls terms, contracts, policies, legal requests, IP process and records obligations.

Control ID	Capability	Default floor	Criticality	Default evidence floor
LEG-001	Terms of service	M1	C2	E1+E2
LEG-002	Privacy policy	M1	C2	E1+E2
LEG-003	Marketplace terms	M1	C2	E1+E2
LEG-004	Seller agreement	M1	C2	E1+E2
LEG-005	Developer terms	M2	C2	E1+E2+E4
LEG-006	API terms	M2	C2	E1+E2+E4
LEG-007	Acceptable-use policy	M2	C2	E1+E2+E4
LEG-008	Refund policy	M2	C2	E1+E2+E4
LEG-009	Subscription terms	M2	C2	E1+E2+E4
LEG-010	IP policy	M2	C2	E1+E2+E4
LEG-011	Copyright process	M2	C2	E1+E2+E4
LEG-012	Legal request process	M2	C2	E1+E2+E4
LEG-013	Contract management	M2	C2	E1+E2+E4
LEG-014	Legal hold	M4	C2	E1+E2+E4+E5
LEG-015	Records retention	M4	C2	E1+E2+E4+E5

GOV DOMAIN

Government & Regulation

Controls licensing, regulatory reporting, tax/government interfaces and regulated evidence.

Control ID	Capability	Default floor	Criticality	Default evidence floor
GOV-001	Regulatory applicability assessment	M4	C3	E1+E2+E3+E4+E5
GOV-002	Licence register	M4	C3	E1+E2+E3+E4+E5
GOV-003	Tax reporting	M4	C3	E1+E2+E3+E4+E5
GOV-004	Marketplace reporting	M4	C3	E1+E2+E3+E4+E5
GOV-005	Seller regulatory data	M4	C3	E1+E2+E3+E4+E5
GOV-006	Compliance reporting	M4	C3	E1+E2+E3+E4+E5
GOV-007	Lawful requests	M4	C3	E1+E2+E3+E4+E5
GOV-008	Regulatory notices	M4	C3	E1+E2+E3+E4+E5
GOV-009	Sanctions controls	M4	C3	E1+E2+E3+E4+E5
GOV-010	Product recalls	M4	C3	E1+E2+E3+E4+E5
GOV-011	Regulatory incident reporting	M4	C3	E1+E2+E3+E4+E5
GOV-012	Government integrations	M4	C3	E1+E2+E3+E4+E5
GOV-013	Regulator audit package	M4	C3	E1+E2+E3+E4+E5
GOV-014	Regulatory retention	M4	C3	E1+E2+E3+E4+E5

ACC DOMAIN

Accessibility

Controls accessible interaction, content, authentication and verification.

Control ID	Capability	Default floor	Criticality	Default evidence floor
ACC-001	Keyboard navigation	M1	C2	E1+E2
ACC-002	Screen-reader compatibility	M1	C2	E1+E2
ACC-003	Focus management	M1	C2	E1+E2
ACC-004	Contrast	M1	C2	E1+E2
ACC-005	Text scaling	M1	C2	E1+E2
ACC-006	Accessible authentication	M1	C2	E1+E2
ACC-007	Captions	M1	C2	E1+E2
ACC-008	Alt text	M1	C2	E1+E2
ACC-009	Accessibility testing	M1	C2	E1+E2
ACC-010	Accessibility statement	M1	C2	E1+E2

I18N DOMAIN

Localization & Internationalization

Controls locales, languages, currencies, formats, RTL and regional variation.

Control ID	Capability	Default floor	Criticality	Default evidence floor
I18N-001	Locale architecture	M1	C2	E1+E2
I18N-002	Language switching	M1	C2	E1+E2
I18N-003	Translation workflow	M1	C2	E1+E2
I18N-004	Currency	M1	C2	E1+E2
I18N-005	Time zones	M1	C2	E1+E2
I18N-006	Date / time formats	M1	C2	E1+E2
I18N-007	Number formats	M1	C2	E1+E2
I18N-008	RTL	M1	C2	E1+E2
I18N-009	Regional content	M1	C2	E1+E2
I18N-010	Locale fallback	M1	C2	E1+E2

INF DOMAIN

Infrastructure & Cloud

Controls environments, compute, databases, networking, scaling, regions and cost.

Control ID	Capability	Default floor	Criticality	Default evidence floor
INF-001	Environment architecture	M1	C2	E1+E2
INF-002	DNS	M1	C2	E1+E2
INF-003	Certificates	M1	C2	E1+E2
INF-004	CDN	M1	C2	E1+E2
INF-005	Compute	M1	C2	E1+E2
INF-006	Database	M2	C2	E1+E2+E4
INF-007	Object storage	M2	C2	E1+E2+E4
INF-008	Cache	M2	C2	E1+E2+E4
INF-009	Queues	M2	C2	E1+E2+E4
INF-010	Networking	M2	C2	E1+E2+E4
INF-011	Secret store	M2	C2	E1+E2+E4
INF-012	Region strategy	M2	C2	E1+E2+E4
INF-013	Scaling	M2	C2	E1+E2+E4
INF-014	Infrastructure as code	M2	C2	E1+E2+E4
INF-015	Backup infrastructure	M2	C2	E1+E2+E4
INF-016	Cost management	M2	C2	E1+E2+E4
INF-017	Capacity management	M2	C2	E1+E2+E4

ENG DOMAIN

Engineering & SDLC

Controls source, review, testing, build, migration, releases, rollback and change.

Control ID	Capability	Default floor	Criticality	Default evidence floor
ENG-001	Source control	M1	C2	E1+E2
ENG-002	Branching strategy	M1	C2	E1+E2
ENG-003	Code review	M1	C2	E1+E2
ENG-004	CI	M1	C2	E1+E2
ENG-005	Unit tests	M1	C2	E1+E2
ENG-006	Integration tests	M2	C2	E1+E2+E4
ENG-007	E2E tests	M2	C2	E1+E2+E4
ENG-008	Security tests	M2	C2	E1+E2+E4
ENG-009	Performance tests	M2	C2	E1+E2+E4
ENG-010	Accessibility tests	M2	C2	E1+E2+E4
ENG-011	Build artifacts	M2	C2	E1+E2+E4
ENG-012	Artifact registry	M2	C2	E1+E2+E4
ENG-013	Dependency management	M2	C2	E1+E2+E4
ENG-014	SBOM	M2	C2	E1+E2+E4
ENG-015	Database migrations	M2	C2	E1+E2+E4
ENG-016	Feature flags	M2	C2	E1+E2+E4
ENG-017	Environment promotion	M2	C2	E1+E2+E4
ENG-018	Release approvals	M2	C2	E1+E2+E4
ENG-019	Rollback	M2	C2	E1+E2+E4
ENG-020	Change management	M2	C2	E1+E2+E4

OPS DOMAIN

Operations & Reliability

Controls logs, metrics, traces, monitoring, SLOs, on-call and service health.

Control ID	Capability	Default floor	Criticality	Default evidence floor
OPS-001	Application logs	M2	C2	E1+E2+E4
OPS-002	Infrastructure logs	M2	C2	E1+E2+E4
OPS-003	Metrics	M2	C2	E1+E2+E4
OPS-004	Tracing	M2	C2	E1+E2+E4
OPS-005	Crash reporting	M2	C2	E1+E2+E4
OPS-006	Uptime monitoring	M2	C2	E1+E2+E4
OPS-007	Synthetic checks	M2	C2	E1+E2+E4
OPS-008	Dashboards	M2	C2	E1+E2+E4
OPS-009	Alerts	M2	C2	E1+E2+E4
OPS-010	On-call	M2	C2	E1+E2+E4
OPS-011	SLI	M2	C2	E1+E2+E4
OPS-012	SLO	M2	C2	E1+E2+E4
OPS-013	SLA	M2	C2	E1+E2+E4
OPS-014	Error budgets	M2	C2	E1+E2+E4
OPS-015	Runbooks	M2	C2	E1+E2+E4
OPS-016	Capacity monitoring	M2	C2	E1+E2+E4
OPS-017	Cost monitoring	M2	C2	E1+E2+E4
OPS-018	Status page	M2	C2	E1+E2+E4

INC DOMAIN

Incident Management

Controls severity, declaration, command, communication, recovery and postmortem.

Control ID	Capability	Default floor	Criticality	Default evidence floor
INC-001	Severity model	M2	C2	E1+E2+E4
INC-002	Incident declaration	M2	C2	E1+E2+E4
INC-003	Incident commander	M2	C2	E1+E2+E4
INC-004	Escalation	M2	C2	E1+E2+E4
INC-005	Communications	M2	C2	E1+E2+E4
INC-006	Containment	M2	C2	E1+E2+E4
INC-007	Recovery	M2	C2	E1+E2+E4
INC-008	Customer notification	M2	C2	E1+E2+E4
INC-009	Regulatory notification	M2	C2	E1+E2+E4
INC-010	Root cause analysis	M2	C2	E1+E2+E4
INC-011	Postmortem	M2	C2	E1+E2+E4
INC-012	Corrective actions	M2	C2	E1+E2+E4

BCP DOMAIN

Business Continuity & Disaster Recovery

Controls RPO/RTO, backup, restore, provider/region failure and continuity exercises.

Control ID	Capability	Default floor	Criticality	Default evidence floor
BCP-001	Business impact assessment	M2	C3	E1+E2+E3+E4
BCP-002	RPO	M2	C3	E1+E2+E3+E4
BCP-003	RTO	M2	C3	E1+E2+E3+E4
BCP-004	Backups	M2	C3	E1+E2+E3+E4
BCP-005	Restore test	M2	C3	E1+E2+E3+E4
BCP-006	Disaster recovery	M2	C3	E1+E2+E3+E4
BCP-007	Region failure	M2	C3	E1+E2+E3+E4
BCP-008	Credential compromise	M2	C3	E1+E2+E3+E4
BCP-009	Provider outage	M2	C3	E1+E2+E3+E4
BCP-010	Alternate communications	M2	C3	E1+E2+E3+E4
BCP-011	Emergency access	M2	C3	E1+E2+E3+E4
BCP-012	Recovery validation	M2	C3	E1+E2+E3+E4
BCP-013	Continuity exercises	M2	C3	E1+E2+E3+E4

REL DOMAIN

Release & Distribution

Controls web/mobile distribution, signing, stores, rollout, rollback and version tracking.

Control ID	Capability	Default floor	Criticality	Default evidence floor
REL-001	Web deployment	M1	C2	E1+E2
REL-002	Mobile signing	M1	C2	E1+E2
REL-003	Apple distribution	M1	C2	E1+E2
REL-004	Google Play distribution	M1	C2	E1+E2
REL-005	Beta distribution	M1	C2	E1+E2
REL-006	Release notes	M2	C2	E1+E2+E4
REL-007	Version tracking	M2	C2	E1+E2+E4
REL-008	Phased rollout	M2	C2	E1+E2+E4
REL-009	Rollback	M2	C2	E1+E2+E4
REL-010	Store compliance	M2	C2	E1+E2+E4
REL-011	Privacy declarations	M2	C2	E1+E2+E4
REL-012	Crash monitoring	M2	C2	E1+E2+E4

DOC DOMAIN

Documentation & Knowledge

Controls customer, engineering, operations, security and compliance knowledge.

Control ID	Capability	Default floor	Criticality	Default evidence floor
DOC-001	Customer help	M1	C1	E1+E2
DOC-002	Seller documentation	M1	C1	E1+E2
DOC-003	Internal knowledge	M1	C1	E1+E2
DOC-004	Engineering documentation	M1	C1	E1+E2
DOC-005	API documentation	M1	C1	E1+E2
DOC-006	MCP documentation	M2	C1	E1+E2+E4
DOC-007	Support playbooks	M2	C1	E1+E2+E4
DOC-008	Runbooks	M2	C1	E1+E2+E4
DOC-009	Security playbooks	M2	C1	E1+E2+E4
DOC-010	Compliance policies	M2	C1	E1+E2+E4
DOC-011	Architecture records	M2	C1	E1+E2+E4
DOC-012	Decision records	M2	C1	E1+E2+E4

EXE DOMAIN

Executive Governance

Controls executive visibility, strategic decisions, portfolio health and dependencies.

Control ID	Capability	Default floor	Criticality	Default evidence floor
EXE-001	Executive dashboard	M3	C1	E1+E2+E4
EXE-002	Financial dashboard	M3	C1	E1+E2+E4
EXE-003	Product dashboard	M3	C1	E1+E2+E4
EXE-004	Risk dashboard	M3	C1	E1+E2+E4
EXE-005	Security dashboard	M3	C1	E1+E2+E4
EXE-006	Compliance dashboard	M4	C1	E1+E2+E4+E5
EXE-007	Roadmap governance	M4	C1	E1+E2+E4+E5
EXE-008	Strategic dependencies	M4	C1	E1+E2+E4+E5

RSK DOMAIN

Risk, Audit & Assurance

Controls risk ownership, control mapping, exceptions, audits and corrective action.

Control ID	Capability	Default floor	Criticality	Default evidence floor
RSK-001	Risk register	M3	C2	E1+E2+E4
RSK-002	Risk ownership	M3	C2	E1+E2+E4
RSK-003	Risk scoring	M3	C2	E1+E2+E4
RSK-004	Control mapping	M3	C2	E1+E2+E4
RSK-005	Exception management	M3	C2	E1+E2+E4
RSK-006	Internal audit	M4	C2	E1+E2+E4+E5
RSK-007	External audit	M4	C2	E1+E2+E4+E5
RSK-008	Vendor risk	M4	C2	E1+E2+E4+E5
RSK-009	Assurance evidence	M4	C2	E1+E2+E4+E5
RSK-010	Corrective action tracking	M4	C2	E1+E2+E4+E5

TEMPLATE A

MSCS Project Declaration

Complete before scoping controls. The declared profile becomes the basis of audit and certification.

Field	Project value
Project / Product	_____
Business model	_____
Owner / accountable executive	_____
Target MSCS profile	☐ M1 ☐ M2 ☐ M3 ☐ M4
Applicable markets / jurisdictions	_____
User types	_____
Marketplace	☐ Yes ☐ No ☐ Conditional
CMS / publishing	☐ Yes ☐ No ☐ Conditional
Payments / money movement	☐ Yes ☐ No ☐ Conditional
External developers / APIs	☐ Yes ☐ No ☐ Conditional
AI / MCP / agents	☐ Yes ☐ No ☐ Conditional
Enterprise tenancy	☐ Yes ☐ No ☐ Conditional
Regulated domain	☐ Yes ☐ No ☐ To be assessed
Source authority	Repository / branch / release / commit: _____
Environment authority	_____
Assessment date	_____

TEMPLATE B

MSCS Control Assessment Worksheet

Use one line per applicable control. The registry may generate this worksheet automatically in future MSCS tooling.

ID	Capability	Applies	Target	Status	Crit.	Evidence	Owner	Finding / disposition
IAM-002	Authentication	R	M1	S70	C3	EV-001, EV-002	Identity	PASS
MKT-017	Order lifecycle	R	M1	S60	C2	EV-031, EV-032	Marketplace	Runtime recheck before cert
FIN-009	Reconciliation	R	M2	S30	C3	EV-061	Finance	F-IMP / FAIL
MCP-011	Human approval	C	M3	S50	C3	EV-090	AI Platform	F-EVD
BCP-005	Restore test	R	M2	S10	C3	—	SRE	BLOCKER

TEMPLATE C

Risk Exception / Temporary Deviation

Exceptions are governance artifacts, not silent gaps.

Field	Required entry
Exception ID	RSK-EX-_____
Affected controls	_____
Reason	_____
Risk statement	_____
Criticality	□ C0 □ C1 □ C2 □ C3 □ C4
Compensating controls	_____
Owner	_____
Approver	_____
Start date	_____
Expiry date	_____
Monitoring	_____
Closure / extension evidence	_____

C4 RULE

C4 deviations ordinarily require the highest applicable governance authority and may be non-waivable where law, safety or external regulation makes the control mandatory.

TEMPLATE D

MSCS Certification Record

The certification record is the formal output of an MSCS assessment.

Field	Certification value
Certification ID	MSCS-CERT-_____
Project	_____
Profile	☐ M1 ☐ M2 ☐ M3 ☐ M4
Scope	_____
Version / source authority	_____
Environment	_____
Weighted readiness score	_____ %
Mandatory gates	☐ A ☐ B ☐ C ☐ D
Open conditions	_____
Risk exceptions	_____
Disposition	☐ PASS ☐ PASS WITH CONDITIONS ☐ FAIL
Issued	_____
Review / expiry	_____
Assessment lead	_____
Independent verifier	_____
Certification authority	_____

PRODUCT ROADMAP

From Standard to Platform

The document is release 1 of the IP, not the final product.

Product layer	MSCS deliverable	Commercial / technical value
1 — Standard	Versioned DOCX/PDF specification.	Defines proprietary terminology, control model, profiles, audit logic and certification.
2 — Registry	Canonical JSON/YAML/database control catalog.	Single source of truth for automation, mappings, versions and generated artifacts.
3 — Auditor	CLI / CI / web assessment engine.	Automates applicability, evidence collection, findings and readiness scoring.
4 — Control Plane	Multi-project SaaS dashboard.	Portfolio governance, remediation ownership, evidence expiry, certification and drift.
5 — API	Developer-facing MSCS service.	Integrates readiness controls into client platforms, CI/CD and governance tools.
6 — MCP	Agent-facing MSCS server.	Allows authorized AI systems to query controls, collect evidence and prepare assessments.
7 — Certification Network	Training, assessor governance and renewal.	Scales delivery while preserving methodology quality and 11-11 Tech brand authority.

MSCS as an 11-11 Tech Intellectual Property Stack

The standard is the rulebook. The registry, auditor, control plane, API and MCP products make the methodology executable.




Figure 10 — Productization makes MSCS an executable methodology, not only a publication.

EXTERNAL ANCHORS

Standards & Reference Mapping

MSCS is an 11-11 Tech synthesis. External references anchor selected capability areas but do not make MSCS equivalent to those standards or certifications.

Ref	Authority	Reference	Use in MSCS
R1	NIST	Cybersecurity Framework (CSF) 2.0	Govern, Identify, Protect, Detect, Respond and Recover.
R2	OWASP	Application Security Verification Standard (ASVS)	Application-security verification and assurance structure.
R3	W3C	Web Content Accessibility Guidelines (WCAG) 2.2	Accessibility requirements for digital experiences.
R4	OpenAPI Initiative	OpenAPI Specification	Machine-readable HTTP API contracts and tooling.
R5	Model Context Protocol	MCP Specification	Agent tools/resources/prompts, authorization and protocol interoperability.
R6	AWS	Well-Architected Framework	Operational excellence, security, reliability, performance, cost and sustainability.
R7	European Commission	GDPR guidance	Privacy rights and governance obligations used as an example regulatory mapping.
R8	European Commission	Digital Services Act	Marketplace and intermediary responsibilities used as an example jurisdictional mapping.
R9	Apple	App Review guidance	Distribution and review expectations for mobile applications.
R10	Google Play	User Data policy	Distribution, privacy and account-deletion expectations for applicable apps.

Reference links

R1 NIST — Cybersecurity Framework (CSF) 2.0: https://www.nist.gov/publications/nist-cybersecurity-framework-csf-20

R2 OWASP — Application Security Verification Standard (ASVS): https://owasp.org/projects/asvs

R3 W3C — Web Content Accessibility Guidelines (WCAG) 2.2: https://www.w3.org/WAI/standards-guidelines/wcag/

R4 OpenAPI Initiative — OpenAPI Specification: https://spec.openapis.org/oas/latest.html

R5 Model Context Protocol — MCP Specification: https://modelcontextprotocol.io/specification/2026-07-28

R6 AWS — Well-Architected Framework: https://docs.aws.amazon.com/wellarchitected/latest/framework/the-pillars-of-the-framework.html

R7 European Commission — GDPR guidance: https://commission.europa.eu/law/law-topic/data-protection/information-individuals_en

R8 European Commission — Digital Services Act: https://digital-strategy.ec.europa.eu/en/policies/digital-services-act

R9 Apple — App Review guidance: https://developer.apple.com/help/app-review/before-submitting-for-review/complete-review

R10 Google Play — User Data policy: https://support.google.com/googleplay/android-developer/answer/10144311?hl=en

GLOSSARY

Canonical MSCS Terms

Defined terms should be used consistently in client deliverables, tooling and certification records.

Term	Definition
Applicable control	A control included in the project scope by required/conditional determination.
Authority	Exact project state against which evidence and certification are valid.
Capability	An ability the product/company must possess and operate.
Certification	Formal MSCS determination for an exact scope/profile/version/environment.
Control	Addressable normative MSCS requirement represented by a canonical ID.
Control Plane	Internal administrative and operational authority over customer-facing capabilities.
Evidence floor	Minimum evidence classes required before a control can reach certification state.
Finding	Documented divergence between requirement/evidence and observed state.
Maturity profile	Cumulative readiness target M1-M4.
Project namespace	Client/project-specific extension IDs that do not redefine canonical MSCS IDs.
Risk exception	Time-bounded, owned, approved deviation with compensating controls.
Runtime evidence	Proof from the actual deployed/executing system rather than source or test intent.
Selected M4 control	A regulated-grade control applied to a lower-profile project because its risk/obligation requires it.
Superseded control	A retired canonical ID replaced by another control while preserving audit history.

11-11 TECH

MSCS 1.0 — The Standard for Declaring Software Architecturally Complete

MSCS is designed to make completeness auditable, evidence-driven and repeatable across products, clients and industries.

DEFINITION OF ARCHITECTURE COMPLETE

Every applicable capability required for the target maturity has been identified; ownership, control surfaces, dependencies, data, security, operations and governance are defined; mandatory implementation has been built and objectively evidenced; critical gaps are closed or formally governed; and the exact project authority has passed the required MSCS certification gates.

11-11 Tech MSCS service family

Service	Outcome
MSCS Discovery	Know what the software company needs before implementation.
MSCS Audit	Know what exists, what is missing and what is only claimed.
MSCS Certification	Know whether the declared maturity profile is objectively supported.
MSCS Continuous Assurance	Know when a previously acceptable system has drifted or evidence has expired.
MSCS API / MCP	Embed the framework directly into software delivery and AI-assisted engineering workflows.

Build what matters. Prove what works.

Tokyo-built. Africa-aware. Global by design.

© 2026 11-11 Tech. MSCS 1.0 — Proprietary Framework Specification.

MSCS provides architecture, product, operational and assurance guidance. It does not replace jurisdiction-specific legal, tax, accounting, cybersecurity, safety or regulatory advice or certification.